

Joseph G Akar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6868548/joseph-g-akar-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

4,268
citations

28
h-index

65
g-index

72
ext. papers

5,873
ext. citations

5.3
avg, IF

4.86
L-index

#	Paper	IF	Citations
59	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. <i>Europace</i> , 2018 , 20, e1-e160	3.9	461
58	HRS Expert Consensus Statement on remote interrogation and monitoring for cardiovascular implantable electronic devices. <i>Heart Rhythm</i> , 2015 , 12, e69-100	6.7	299
57	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: definition, characterization, and clinical implication. <i>Europace</i> , 2016 , 18, 1455-1490	3.9	268
56	Pericardial fat is independently associated with human atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 784-8	15.1	258
55	Randomized trial of atrial arrhythmia monitoring to guide anticoagulation in patients with implanted defibrillator and cardiac resynchronization devices. <i>European Heart Journal</i> , 2015 , 36, 1660-8	9.5	234
54	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Europace</i> , 2018 , 20, 157-208	3.9	227
53	Oxidative stress and inflammation as central mediators of atrial fibrillation in obesity and diabetes. <i>Cardiovascular Diabetology</i> , 2017 , 16, 120	8.7	171
52	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Journal of Arrhythmia</i> , 2017 , 33, 369-409	1.5	148
51	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: Definition, characterization, and clinical implication. <i>Heart Rhythm</i> , 2017 , 14, e3-e40	6.7	138
50	Acute onset human atrial fibrillation is associated with local cardiac platelet activation and endothelial dysfunction. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 1790-3	15.1	102
49	The NCDR Left Atrial Appendage Occlusion Registry. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1503-1518	15.1	92
48	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: Executive summary. <i>Heart Rhythm</i> , 2017 , 14, e445-e494	6.7	72
47	National Trends in Atrial Fibrillation Hospitalization, Readmission, and Mortality for Medicare Beneficiaries, 1999-2013. <i>Circulation</i> , 2017 , 135, 1227-1239	16.7	70
46	Proposed Standardized Neurological Endpoints for Cardiovascular Clinical Trials: An Academic Research Consortium Initiative. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 679-691	15.1	69
45	EHRA/HRS/APHRS/SOLAECE expert consensus on Atrial cardiomyopathies: Definition, characterisation, and clinical implication. <i>Journal of Arrhythmia</i> , 2016 , 32, 247-78	1.5	59
44	2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation: executive summary. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017 , 50, 1-55	2.4	58
43	Heart Rythm Society expert consensus statement on electrophysiology laboratory standards: process, protocols, equipment, personnel, and safety. <i>Heart Rhythm</i> , 2014 , 11, e9-51	6.7	54

42	Worldwide Survey of COVID-19-Associated Arrhythmias. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021 , 14, e009458	6.4	54
41	Use of remote monitoring of newly implanted cardioverter-defibrillators: insights from the patient related determinants of ICD remote monitoring (PREDICT RM) study. <i>Circulation</i> , 2013 , 128, 2372-83	16.7	53
40	Use of Remote Monitoring Is Associated With Lower Risk of Adverse Outcomes Among Patients With Implanted Cardiac Defibrillators. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 1173-80	6.4	40
39	Effect of heating on pulmonary veins: how to avoid pulmonary vein stenosis. <i>Journal of Cardiovascular Electrophysiology</i> , 2003 , 14, 250-4	2.7	40
38	Application of Whole Exome Sequencing in the Clinical Diagnosis and Management of Inherited Cardiovascular Diseases in Adults. <i>Circulation: Cardiovascular Genetics</i> , 2017 , 10,		35
37	Use of intracardiac echocardiography during atrial fibrillation ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013 , 36, 781-8	1.6	34
36	Enhanced electrocardiographic monitoring of patients with Coronavirus Disease 2019. <i>Heart Rhythm</i> , 2020 , 17, 1417-1422	6.7	31
35	Endothelial dysfunction in heart failure identifies responders to cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2008 , 5, 1229-35	6.7	30
34	Surface electrocardiographic patterns and electrophysiologic characteristics of atrial flutter following modified radiofrequency MAZE procedures. <i>Journal of Cardiovascular Electrophysiology</i> , 2007 , 18, 349-55	2.7	29
33	Ventricular Fibrillation Conversion Testing After Implantation of a Subcutaneous Implantable Cardioverter Defibrillator: Report From the National Cardiovascular Data Registry. <i>Circulation</i> , 2018 , 137, 2463-2477	16.7	28
32	Arrhythmias after left ventricular assist device implantation: Incidence and management. <i>Trends in Cardiovascular Medicine</i> , 2018 , 28, 41-50	6.9	24
31	Aggregating multiple real-world data sources using a patient-centered health-data-sharing platform. <i>Npj Digital Medicine</i> , 2020 , 3, 60	15.7	22
30	Incidence and determinants of QT interval prolongation in COVID-19 patients treated with hydroxychloroquine and azithromycin. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 1904-1907	2.7	21
29	LKB1 deletion causes early changes in atrial channel expression and electrophysiology prior to atrial fibrillation. <i>Cardiovascular Research</i> , 2015 , 108, 197-208	9.9	20
28	Proposed Standardized Neurological Endpoints for Cardiovascular Clinical Trials: An Academic Research Consortium Initiative. <i>European Heart Journal</i> , 2018 , 39, 1687-1697	9.5	19
27	Luminal esophageal temperature monitoring to reduce esophageal thermal injury during catheter ablation for atrial fibrillation: A review. <i>Trends in Cardiovascular Medicine</i> , 2019 , 29, 264-271	6.9	19
26	Understanding tricuspid valve remodelling in atrial fibrillation using three-dimensional echocardiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 747-755	4.1	16
25	Determinants of Time in Therapeutic Range in Patients Receiving Oral Anticoagulants (A Substudy of IMPACT). <i>American Journal of Cardiology</i> , 2016 , 118, 1680-1684	3	15

24	Predictors of Cardiac Perforation With Catheter Ablation of Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 636-645	4.6	13
23	3D real-time intracardiac echocardiographic visualization of atrial structures relevant to atrial fibrillation ablation. <i>JACC: Cardiovascular Imaging</i> , 2014 , 7, 97-100	8.4	11
22	A method for quantifying recurrent patterns of local wavefront direction during atrial fibrillation. <i>Computers in Biology and Medicine</i> , 2017 , 89, 497-504	7	10
21	Outcomes and costs of remote patient monitoring among patients with implanted cardiac defibrillators: An economic model based on the PREDICT RM database. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1066-1077	2.7	9
20	Can machine learning complement traditional medical device surveillance? A case study of dual-chamber implantable cardioverter-defibrillators. <i>Medical Devices: Evidence and Research</i> , 2017 , 10, 165-188	1.5	7
19	Addition of Blood Pressure and Weight Transmissions to Standard Remote Monitoring of Implantable Defibrillators and its Association with Mortality and Rehospitalization. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	5.8	4
18	3-Dimensional Transseptal Puncture Based on Electrographic Characteristics of Fossa Ovalis: A Fluoroscopy-Free and Echocardiography-Free Method. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 1223-1232	5.4	4
17	Recurrence quantification analysis of complex-fractionated electrograms differentiates active and passive sites during atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2229-2238	2.7	3
16	Epicardial Fat and Atrial Fibrillation: A Review. <i>Journal of Atrial Fibrillation</i> , 2012 , 4, 483	0.8	3
15	Epistatic interaction of PDE4DIP and DES mutations in familial atrial fibrillation with slow conduction. <i>Human Mutation</i> , 2021 , 42, 1279-1293	4.7	3
14	Aggregating Multiple Real-World Data Sources using a Patient-Centered Health Data Sharing Platform: an 8-week Cohort Study among Patients Undergoing Bariatric Surgery or Catheter Ablation of Atrial Fibrillation		2
13	Temporal Trends in Arrhythmogenicity Related to Treatment of COVID-19 Infection. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e008841	6.4	2
12	Atrial Fibrillation Thermographic and Endoscopic Monitoring of Patients: Safety Algorithm for the Esophagus: AF TEMP-SAFE Study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e006814	6.4	2
11	Newly diagnosed arrhythmogenic right ventricular dysplasia in an octogenarian. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 1316-8	2.7	1
10	New skip parameter to facilitate recurrence quantification of signals comprised of multiple components. <i>Chaos</i> , 2018 , 28, 085718	3.3	1
9	Longitudinal Outcomes of Subcutaneous or Transvenous Implantable Cardioverter-Defibrillators in Older Patients.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 1050-1059	15.1	1
8	Feasibility of using real-world data in the evaluation of cardiac ablation catheters: a test-case of the National Evaluation System for Health Technology Coordinating Center.. <i>BMJ Surgery, Interventions, and Health Technologies</i> , 2021 , 3, e000089	1.2	1
7	Changes in left atrial appendage orifice following percutaneous left atrial appendage closure using three-dimensional echocardiography.. <i>International Journal of Cardiovascular Imaging</i> , 2022 , 1	2.5	0

- | | | | |
|---|--|-----|---|
| 6 | Catheter-related complications and mortality of atrial fibrillation ablation following introduction of contact force-sensing technology.. <i>BMJ Surgery, Interventions, and Health Technologies</i> , 2020 , 2, e000058 ^{1,2} | 1.2 | ○ |
| 5 | Physical activity, patient-reported symptoms, and clinical events: Insights into postprocedural recovery from personal digital devices.. <i>Cardiovascular Digital Health Journal</i> , 2021 , 2, 212-221 | 2 | ○ |
| 4 | Clinical Outcomes at 1 Year Following Transcatheter Left Atrial Appendage Occlusion in the United States.. <i>JACC: Cardiovascular Interventions</i> , 2022 , 15, 741-750 | 5 | ○ |
| 3 | Heart Watch Study: protocol for a pragmatic randomised controlled trial.. <i>BMJ Open</i> , 2021 , 11, e054550 | 3 | ○ |
| 2 | Risk of COVID-19 infection after cardiac electrophysiology procedures. <i>Heart Rhythm O2</i> , 2020 , 1, 239-242 | 4.5 | |
| 1 | Reply to: "QT prolongation with hydroxychloroquine and azithromycin for the treatment of COVID-19: The need for pharmacogenetic insights". <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 2795 | 2.7 | |