

# Anita De Rossi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/686890/publications.pdf>

Version: 2024-02-01

272  
papers

8,708  
citations

38720

50  
h-index

71651

76  
g-index

274  
all docs

274  
docs citations

274  
times ranked

7233  
citing authors

#	ARTICLE	IF	CITATIONS
1	The sensitivity of HIV-1 DNA polymerase chain reaction in the neonatal period and the relative contributions of intra-uterine and intra-partum transmission. <i>Aids</i> , 1995, 9, F7-F11-984.	1.0	270
2	Exposure to Antiretroviral Therapy in Utero or Early Life: the Health of Uninfected Children Born to HIV-Infected Women. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2003, 32, 380-387.	0.9	233
3	Combination antiretroviral therapy and duration of pregnancy. <i>Aids</i> , 2000, 14, 2913-2920.	1.0	228
4	INFANTS BORN TO MOTHERS SEROPOSITIVE FOR HUMAN IMMUNODEFICIENCY VIRUS. <i>Lancet, The</i> , 1987, 329, 1164-1168.	6.3	205
5	Distinct functional significance of Akt and mTOR constitutive activation in mantle cell lymphoma. <i>Blood</i> , 2008, 111, 5142-5151.	0.6	142
6	Maternal viral load and vertical transmission of HIV-1: an important factor but not the only one. <i>Aids</i> , 1999, 13, 1377-1385.	1.0	140
7	Immune repopulation after HAART in previously untreated HIV-1-infected children. <i>Lancet, The</i> , 2000, 355, 1331-1332.	6.3	127
8	First-line antiretroviral therapy with a protease inhibitor versus non-nucleoside reverse transcriptase inhibitor and switch at higher versus low viral load in HIV-infected children: an open-label, randomised phase 2/3 trial. <i>Lancet Infectious Diseases, The</i> , 2011, 11, 273-283.	4.6	123
9	Duration of ruptured membranes and vertical transmission of HIV-1: a meta-analysis from 15 prospective cohort studies. <i>Aids</i> , 2001, 15, 357-368.	1.0	119
10	Post-transplant lymphoproliferative disorders: From epidemiology to pathogenesis-driven treatment. <i>Cancer Letters</i> , 2015, 369, 37-44.	3.2	118
11	Time to Undetectable Viral Load after Highly Active Antiretroviral Therapy Initiation among HIV-Infected Pregnant Women. <i>Clinical Infectious Diseases</i> , 2007, 44, 1647-1656.	2.9	114
12	Relationship between telomere shortening, genetic instability, and site of tumour origin in colorectal cancers. <i>British Journal of Cancer</i> , 2010, 102, 1300-1305.	2.9	110
13	Antigen detection, virus culture, polymerase chain reaction, and in vitro antibody production in the diagnosis of vertically transmitted HIV-1 infection. <i>Aids</i> , 1991, 5, 15-20.	1.0	106
14	Impact of Human Immunodeficiency Virus Type 1 Subtypes on Virologic Response and Emergence of Drug Resistance among Children in the Paediatric European Network for Treatment of AIDS (PENTA) 5 Trial. <i>Journal of Infectious Diseases</i> , 2002, 186, 617-625.	1.9	104
15	Regression of AIDS-related Kaposi's sarcoma following antiretroviral therapy with protease inhibitors: biological correlates of clinical outcome. <i>European Journal of Cancer</i> , 1999, 35, 1809-1815.	1.3	102
16	Dynamics of viral replication in infants with vertically acquired human immunodeficiency virus type 1 infection.. <i>Journal of Clinical Investigation</i> , 1996, 97, 323-330.	3.9	98
17	Molecular and biological characterization of a replication competent human immunodeficiency type 2 (HIV-2) proviral clone.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 2433-2437.	3.3	90
18	Differential response to the cytopathic effects of human T-cell lymphotropic virus type III (HTLV-III) superinfection in T4+ (helper) and T8+ (suppressor) T-cell clones transformed by HTLV-I.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 4297-4301.	3.3	89

#	ARTICLE	IF	CITATIONS
19	In young men sperm telomere length is related to sperm number and parental age. <i>Human Reproduction</i> , 2013, 28, 3370-3376.	0.4	89
20	Age and CD4 Count at Initiation of Antiretroviral Therapy in HIV-Infected Children: Effects on Long-term T-Cell Reconstitution. <i>Journal of Infectious Diseases</i> , 2012, 205, 548-556.	1.9	85
21	Relationship Between Tumor and Plasma Levels of hTERT mRNA in Patients with Colorectal Cancer: Implications for Monitoring of Neoplastic Disease. <i>Clinical Cancer Research</i> , 2008, 14, 7444-7451.	3.2	82
22	Spontaneous in vitro production of virus-specific antibody by lymphocytes from HIV-infected subjects. <i>Clinical Immunology and Immunopathology</i> , 1988, 46, 342-351.	2.1	79
23	Premature aging and immune senescence in HIV-infected children. <i>Aids</i> , 2016, 30, 1363-1373.	1.0	79
24	Risk factors for mother-to-child transmission of HIV-1. <i>International Journal of Gynecology and Obstetrics</i> , 1992, 39, 357-357.	1.0	77
25	IN-VITRO PRODUCTION OF HIV-SPECIFIC ANTIBODY IN CHILDREN AT RISK OF AIDS. <i>Lancet, The</i> , 1988, 331, 852-854.	6.3	76
26	Truncation of the human immunodeficiency virus type 1 envelope glycoprotein allows efficient pseudotyping of Moloney murine leukemia virus particles and gene transfer into CD4+ cells. <i>Journal of Virology</i> , 1997, 71, 3341-3345.	1.5	76
27	Increased Thymic Output after Initiation of Antiretroviral Therapy in Human Immunodeficiency Virus Type 1-Infected Children in the Paediatric European Network for Treatment of AIDS (PENTA) 5 Trial. <i>Journal of Infectious Diseases</i> , 2002, 186, 312-320.	1.9	73
28	Dynamics of Epstein-Barr virus in HIV-1-infected subjects on highly active antiretroviral therapy. <i>Aids</i> , 2002, 16, 63-73.	1.0	73
29	CD4 Cell Response to Antiretroviral Therapy in Children with Vertically Acquired HIV Infection: Is It Associated with Age at Initiation?. <i>Journal of Infectious Diseases</i> , 2006, 193, 954-962.	1.9	73
30	Mode of delivery in HIV-infected pregnant women and prevention of mother-to-child transmission: changing practices in Western Europe. <i>HIV Medicine</i> , 2010, 11, 368-378.	1.0	73
31	Detection of virus in vertically exposed HIV-antibody-negative children. <i>Lancet, The</i> , 1996, 347, 213-215.	6.3	72
32	Genetic, Epigenetic, and Immunologic Profiling of MMR-Deficient Relapsed Glioblastoma. <i>Clinical Cancer Research</i> , 2019, 25, 1828-1837.	3.2	72
33	Use of Zidovudine-Sparing HAART in Pregnant HIV-Infected Women in Europe: 2000-2009. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, 326-333.	0.9	71
34	Viral phenotype and host-cell susceptibility to HIV-1 infection as risk factors for mother-to-child HIV-1 transmission. <i>Aids</i> , 1995, 9, 427-434.	1.0	70
35	Clonal selection of T lymphocytes infected by cell-free human T-cell leukemia/lymphoma virus type I: Parameters of virus integration and expression. <i>Virology</i> , 1985, 143, 640-645.	1.1	69
36	Vertical transmission of HIV-1. <i>Aids</i> , 1992, 6, 1117-1120.	1.0	67

#	ARTICLE	IF	CITATIONS
37	CD8+ T lymphocytes in the lung of acquired immunodeficiency syndrome patients harbor human immunodeficiency virus type 1. <i>Blood</i> , 1995, 85, 2308-2314.	0.6	67
38	Immune reconstitution in human immunodeficiency virus type 1-infected children with different virological responses to anti-retroviral therapy. <i>Clinical and Experimental Immunology</i> , 2007, 150, 442-450.	1.1	66
39	Acquired Immunodeficiency Syndrome-Related Kaposi's Sarcoma Regression After Highly Active Antiretroviral Therapy: Biologic Correlates of Clinical Outcome. <i>Journal of the National Cancer Institute Monographs</i> , 2000, 2000, 44-49.	0.9	65
40	Latent Membrane Protein 1 of Epstein-Barr Virus Activates the hTERT Promoter and Enhances Telomerase Activity in B Lymphocytes. <i>Journal of Virology</i> , 2008, 82, 10175-10187.	1.5	65
41	Immune reconstitution in HIV-1-infected children on antiretroviral therapy: role of thymic output and viral fitness. <i>Aids</i> , 2002, 16, 839-849.	1.0	62
42	Telomere-Specific Reverse Transcriptase (hTERT) and Cell-free RNA in Plasma as Predictors of Pathologic Tumor Response in Rectal Cancer Patients Receiving Neoadjuvant Chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2012, 19, 3089-3096.	0.7	61
43	Replication and tropism of human immunodeficiency virus type 1 as predictors of disease outcome in infants with vertically acquired infection. <i>Journal of Pediatrics</i> , 1993, 123, 929-936.	0.9	60
44	Role of $\beta$ -Defensin-1 Polymorphisms in Mother-to-Child Transmission of HIV-1. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 51, 13-19.	0.9	59
45	Telomeres, telomerase and colorectal cancer. <i>World Journal of Gastroenterology</i> , 2014, 20, 1940.	1.4	59
46	Telomerase expression in B-cell chronic lymphocytic leukemia predicts survival and delineates subgroups of patients with the same igVH mutation status and different outcome. <i>Leukemia</i> , 2007, 21, 965-972.	3.3	57
47	Early and Highly Suppressive Antiretroviral Therapy Are Main Factors Associated With Low Viral Reservoir in European Perinatally HIV-Infected Children. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 269-276.	0.9	57
48	Lamivudine/abacavir maintains virological superiority over zidovudine/lamivudine and zidovudine/abacavir beyond 5 years in children. <i>Aids</i> , 2007, 21, 947-955.	1.0	56
49	Telomerase is an independent prognostic marker of overall survival in patients with colorectal cancer. <i>British Journal of Cancer</i> , 2013, 108, 278-284.	2.9	56
50	Level and pattern of HIV-1-RNA viral load over age: differences between girls and boys?. <i>Aids</i> , 2002, 16, 97-104.	1.0	55
51	In Vitro Studies of HIV-1 Infection in Thymic Lymphocytes: A Putative Role of the Thymus in AIDS Pathogenesis. <i>AIDS Research and Human Retroviruses</i> , 1990, 6, 287-298.	0.5	53
52	HTLV-I and HTLV-II infections among HIV-1 seropositive patients in Sao Paulo, Brazil. <i>European Journal of Epidemiology</i> , 1994, 10, 165-171.	2.5	53
53	Intrathecal synthesis of interleukin-10 (IL-10) in viral and inflammatory diseases of the central nervous system. <i>Journal of the Neurological Sciences</i> , 1994, 126, 49-53.	0.3	53
54	Epstein-Barr Virus load and immune activation in Human Immunodeficiency Virus type 1-infected patients. <i>Journal of Clinical Virology</i> , 2012, 53, 195-200.	1.6	51

#	ARTICLE	IF	CITATIONS
55	Telomerase activity in chronic lymphoproliferative disorders of B-cell lineage. <i>British Journal of Haematology</i> , 1999, 106, 662-668.	1.2	50
56	Telomeres and telomerase in head and neck squamous cell carcinoma: from pathogenesis to clinical implications. <i>Cancer and Metastasis Reviews</i> , 2016, 35, 457-474.	2.7	48
57	Virological and immunological features of SARS-CoV-2-infected children who develop neutralizing antibodies. <i>Cell Reports</i> , 2021, 34, 108852.	2.9	48
58	Telomere length and telomerase levels delineate subgroups of B-cell chronic lymphocytic leukemia with different biological characteristics and clinical outcomes. <i>Haematologica</i> , 2012, 97, 56-63.	1.7	47
59	Immune senescence and cancer in elderly patients: Results from an exploratory study. <i>Experimental Gerontology</i> , 2013, 48, 1436-1442.	1.2	47
60	HIV-1 Induces Down-Regulation of bcl-2 Expression and Death by Apoptosis of EBV-Immortalized B Cells: A Model for a Persistent "Self-Limiting" HIV-1 Infection. <i>Virology</i> , 1994, 198, 234-244.	1.1	46
61	Lactic acid levels in children perinatally treated with antiretroviral agents to prevent HIV transmission. <i>Aids</i> , 2001, 15, 1074-1075.	1.0	46
62	Early Therapy in HIV-1-Infected Children: Effect on HIV-1 Dynamics and HIV-1-Specific Immune Response. <i>Antiviral Therapy</i> , 2008, 13, 47-56.	0.6	46
63	Synthetic peptides from the principal neutralizing domain of human immunodeficiency virus type 1 (HIV-1) enhance HIV-1 infection through a CD4-dependent mechanism. <i>Virology</i> , 1991, 184, 187-196.	1.1	45
64	HIV-1 Infection of the Thymus: Evidence for a Cytopathic and Thymotropic Viral Variant <i>in Vivo</i> . <i>AIDS Research and Human Retroviruses</i> , 1995, 11, 11-19.	0.5	44
65	Co-receptor usage of HIV-1 primary isolates, viral burden, and CCR5 genotype in mother-to-child HIV-1 transmission. <i>Aids</i> , 2000, 14, 1721-1729.	1.0	44
66	Long-Term Decay of the HIV-1 Reservoir in HIV-1-Infected Children Treated with Highly Active Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2006, 193, 1718-1727.	1.9	44
67	Mild SARS-CoV-2 Infections and Neutralizing Antibody Titers. <i>Pediatrics</i> , 2021, 148, .	1.0	44
68	Relationship between the V3 loop and the phenotypes of human immunodeficiency virus type 1 (HIV-1) isolates from children perinatally infected with HIV-1. <i>Journal of Virology</i> , 1995, 69, 82-92.	1.5	44
69	Evolution of human immunodeficiency virus type 1 in perinatally infected infants with rapid and slow progression to disease. <i>Journal of Virology</i> , 1997, 71, 4694-4706.	1.5	44
70	Human Immunodeficiency Virus Type 1 Modulates Telomerase Activity in Peripheral Blood Lymphocytes. <i>Journal of Infectious Diseases</i> , 2001, 183, 417-424.	1.9	43
71	Effects of CCR5-Δ32 and CCR2-64I alleles on disease progression of perinatally HIV-1-infected children. <i>Aids</i> , 2003, 17, 1631-1638.	1.0	42
72	Age-Related Standards for Total Lymphocyte, CD4+ and CD8+ T Cell Counts in Children Born in Europe. <i>Pediatric Infectious Disease Journal</i> , 2005, 24, 595-600.	1.1	42

#	ARTICLE	IF	CITATIONS
73	Immunological Markers in the Cerebrospinal Fluid of HIV-1 Infected Children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1991, 80, 659-666.	0.7	41
74	Regulatory T cells and chronic immune activation in human immunodeficiency virus 1 (HIV-1)-infected children. <i>Clinical and Experimental Immunology</i> , 2011, 164, 373-380.	1.1	40
75	Polymorphisms in the CCR5 Promoter Region Influence Disease Progression in Perinatally Human Immunodeficiency Virus Type 1 Infected Children. <i>Journal of Infectious Diseases</i> , 2001, 183, 814-818.	1.9	39
76	Long-term Immune Response to SARS-CoV-2 Infection Among Children and Adults After Mild Infection. <i>JAMA Network Open</i> , 2022, 5, e2221616.	2.8	39
77	Molecular Profile of Epstein-Barr Virus in Human Immunodeficiency Virus Type 1-Related Lymphadenopathies and Lymphomas. <i>Blood</i> , 1997, 90, 313-322.	0.6	38
78	Response to planned treatment interruptions in HIV infection varies across childhood. <i>Aids</i> , 2010, 24, 231-241.	1.0	38
79	IgG Oligoclonal Bands in Sera of HIV-1 Infected Patients Are Mainly Directed Against HIV-1 Determinants. <i>AIDS Research and Human Retroviruses</i> , 1990, 6, 581-586.	0.5	37
80	POLYMERASE CHAIN REACTION AND IN-VITRO ANTIBODY PRODUCTION FOR EARLY DIAGNOSIS OF PAEDIATRIC HIV INFECTION. <i>Lancet, The</i> , 1988, 332, 278.	6.3	36
81	Identification of Human Immunodeficiency Virus Type 1 Glycoprotein gp120/gp41 Interacting Sites by the Idiotypic Mimicry of Two Monoclonal Antibodies. <i>AIDS Research and Human Retroviruses</i> , 1993, 9, 33-39.	0.5	36
82	Toll-like receptor 9 polymorphisms influence mother-to-child transmission of human immunodeficiency virus type 1. <i>Journal of Translational Medicine</i> , 2010, 8, 49.	1.8	36
83	Short-term inhibition of TERT induces telomere length-independent cell cycle arrest and apoptotic response in EBV-immortalized and transformed B cells. <i>Cell Death and Disease</i> , 2016, 7, e2562-e2562.	2.7	36
84	Diagnosis of human immunodeficiency virus 1 infection in infants. <i>Pediatric Infectious Disease Journal</i> , 1990, 9, 26-30.	1.1	35
85	Sensitivity of Two Enzyme-linked Immunosorbent Assay Tests in Relation to Western Blot in Detecting Human T-Cell Lymphotropic Virus Types I and II Infection among HIV-1 Infected Patients from São Paulo, Brazil. <i>Diagnostic Microbiology and Infectious Disease</i> , 1998, 30, 173-182.	0.8	35
86	Pediatric Human Immunodeficiency Virus infection and cancer in the Highly Active Antiretroviral Treatment (HAART) era. <i>Cancer Letters</i> , 2014, 347, 38-45.	3.2	35
87	Telomere shortening in mucosa surrounding the tumor: Biosensor of field cancerization and prognostic marker of mucosal failure in head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2015, 51, 500-507.	0.8	35
88	Infection of Epstein-Barr virus-transformed lymphoblastoid B cells by the human immunodeficiency virus: evidence for a persistent and productive infection leading to B cell phenotypic changes. <i>European Journal of Immunology</i> , 1990, 20, 2041-2049.	1.6	34
89	Perinatal infection by human immunodeficiency virus type 1 (HIV-1): Relationship between proviral copy number in vivo, viral properties in vitro, and clinical outcome. <i>Journal of Medical Virology</i> , 1991, 35, 283-289.	2.5	34
90	Epstein-Barr virus-driven lymphomagenesis in the context of human immunodeficiency virus type 1 infection. <i>Frontiers in Microbiology</i> , 2013, 4, 311.	1.5	34

#	ARTICLE	IF	CITATIONS
91	Early antiretroviral therapy in children perinatally infected with HIV: a unique opportunity to implement immunotherapeutic approaches to prolong viral remission. <i>Lancet Infectious Diseases</i> , The, 2015, 15, 1108-1114.	4.6	34
92	hTERT inhibits the Epstein-Barr virus lytic cycle and promotes the proliferation of primary B lymphocytes: Implications for EBV-driven lymphomagenesis. <i>International Journal of Cancer</i> , 2007, 121, 576-587.	2.3	33
93	Single-nucleotide polymorphisms in human $\beta$ -defensin-1 gene in Mozambican HIV-1-infected women and correlation with virologic parameters. <i>Aids</i> , 2008, 22, 1515-1517.	1.0	33
94	Current and Future Antiretroviral Treatment Options in Paediatric HIV Infection. <i>Clinical Drug Investigation</i> , 2008, 28, 375-397.	1.1	32
95	Reliable and versatile immortal muscle cell models from healthy and myotonic dystrophy type 1 primary human myoblasts. <i>Experimental Cell Research</i> , 2016, 342, 39-51.	1.2	32
96	Horizontal Transmission of Human Immunodeficiency Virus Type 1 from Father to Child. <i>AIDS Research and Human Retroviruses</i> , 1998, 14, 1679-1685.	0.5	31
97	Restriction of HIV Type 1 Infection in Macrophages Heterozygous for a Deletion in the CC-Chemokine Receptor 5 Gene. <i>AIDS Research and Human Retroviruses</i> , 1999, 15, 1441-1452.	0.5	31
98	Molecular analysis of a deletion mutant provirus of type I human T-cell lymphotropic virus: evidence for a doubly spliced x-lor mRNA.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 38-42.	3.3	30
99	Viral phenotype and host-cell susceptibility to HIV-1 infection as risk factors for mother-to-child HIV-1 transmission. <i>Aids</i> , 1995, 9, 427-434.	1.0	30
100	Predictive Factors of the Response of Rectal Cancer to Neoadjuvant Radiochemotherapy. <i>Cancers</i> , 2011, 3, 2176-2194.	1.7	30
101	Telomere/telomerase interplay in virus-driven and virus-independent lymphomagenesis: pathogenic and clinical implications. <i>Medicinal Research Reviews</i> , 2012, 32, 233-253.	5.0	30
102	Vulvar Carcinoma in a 12-Year-Old Girl With Vertically Acquired Human Immunodeficiency Virus Infection. <i>Pediatrics</i> , 2000, 106, e57-e57.	1.0	30
103	HIV-mediated immunodepression: in vitro inhibition of T-lymphocyte proliferative response by ultraviolet-inactivated virus. <i>Clinical Immunology and Immunopathology</i> , 1988, 46, 37-54.	2.1	29
104	Human Immunodeficiency Virus (HIV)-Antibody Repertoire Estimates Reservoir Size and Time of Antiretroviral Therapy Initiation in Virally Suppressed Perinatally HIV-Infected Children. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2019, 8, 433-438.	0.6	29
105	The Immunological and Virological Consequences of Planned Treatment Interruptions in Children with HIV Infection. <i>PLoS ONE</i> , 2013, 8, e76582.	1.1	29
106	Cross talk between EBV and telomerase: the role of TERT and NOTCH2 in the switch of latent/lytic cycle of the virus. <i>Cell Death and Disease</i> , 2015, 6, e1774-e1774.	2.7	28
107	Early therapy in HIV-1-infected children: effect on HIV-1 dynamics and HIV-1-specific immune response. <i>Antiviral Therapy</i> , 2008, 13, 47-55.	0.6	28
108	hTERT Inhibition Triggers Epstein-Barr Virus Lytic Cycle and Apoptosis in Immortalized and Transformed B Cells: A Basis for New Therapies. <i>Clinical Cancer Research</i> , 2013, 19, 2036-2047.	3.2	27

#	ARTICLE	IF	CITATIONS
109	Viral phenotype and host-cell susceptibility to HIV-1 infection as risk factors for mother-to-child HIV-1 transmission. <i>Aids</i> , 1995, 9, 427-34.	1.0	27
110	CD4 modulation and inhibition of HIV-1 infectivity induced by monosialoganglioside GM1 in vitro. <i>Aids</i> , 1989, 3, 501-508.	1.0	26
111	HIV-1 variability and progression to AIDS: A longitudinal study. <i>Journal of Medical Virology</i> , 1990, 32, 252-256.	2.5	26
112	A new epitope presenting system displays a HIV-1 V3 loop sequence and induces neutralizing antibodies. <i>Vaccine</i> , 1995, 13, 1233-1239.	1.7	26
113	Increasing likelihood of further live births in HIV-infected women in recent years. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 881-888.	1.1	26
114	Sister chromatid exchanges induced in vivo and in vitro by chemical carcinogens in mouse lymphocytes carrying endogenized Moloney leukemia virus. <i>Carcinogenesis</i> , 1983, 4, 33-37.	1.3	25
115	Immunologic abnormalities in angioimmunoblastic lymphadenopathy. <i>Cancer</i> , 1987, 60, 2412-2418.	2.0	25
116	Central Nervous System Involvement in HIV Infection. <i>AIDS Research and Human Retroviruses</i> , 1988, 4, 211-221.	0.5	25
117	Pattern of Antibody Response against the V3 Loop in Children with Vertically Acquired		



#	ARTICLE	IF	CITATIONS
127	Insufficient Antiretroviral Therapy in Pregnancy: Missed Opportunities for Prevention of Mother-To-Child Transmission of HIV in Europe. <i>Antiviral Therapy</i> , 2011, 16, 895-903.	0.6	22
128	The EPIICAL project: an emerging global collaboration to investigate immunotherapeutic strategies in HIV-infected children. <i>Journal of Virus Eradication</i> , 2015, 1, 134-139.	0.3	22
129	HTLV-III and HTLV-I infection in populations at risk in the veneto region of Italy. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1986, 22, 411-418.	0.9	21
130	Polymorphisms of innate immunity genes influence disease progression in HIV-1-infected children. <i>Aids</i> , 2012, 26, 765-768.	1.0	21
131	Epstein-Barr Virus Load in Children Infected With Human Immunodeficiency Virus Type 1 in Uganda. <i>Journal of Infectious Diseases</i> , 2014, 210, 392-399.	1.9	21
132	Epstein-Barr virus DNA load in chronic lymphocytic leukemia is an independent predictor of clinical course and survival. <i>Oncotarget</i> , 2015, 6, 18653-18663.	0.8	21
133	Evolution of Antiretroviral Phenotypic and Genotypic Drug Resistance in Antiretroviral-Naive HIV-1-Infected Children Treated with Abacavir/Lamivudine, Zidovudine/Lamivudine or Abacavir/Zidovudine, with or without Nelfinavir (The Penta 5 Trial). <i>Antiviral Therapy</i> , 2002, 7, 293-303.	0.6	21
134	Search for HTLV-I and LAV/HTLV-III antibodies in serum and CSF of multiple sclerosis patients. <i>Acta Neurologica Scandinavica</i> , 1986, 74, 161-164.	1.0	20
135	Primary Lymphoma of the Central Nervous System in Two Children with Acquired Immune Deficiency Syndrome. <i>American Journal of Clinical Pathology</i> , 1990, 94, 722-728.	0.4	20
136	Serological and molecular evidence of infection by human T-cell lymphotropic virus type II in Italian drug addicts by use of synthetic peptides and polymerase chain reaction. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1991, 27, 835-838.	0.9	20
137	HTLV-I/II Seroprevalence in The Gambia: A Study of Mother-Child Pairs. <i>AIDS Research and Human Retroviruses</i> , 1994, 10, 617-620.	0.5	20
138	HIV load in highly purified CD8+ T cells retrieved from pulmonary and blood compartments. <i>Journal of Leukocyte Biology</i> , 1998, 64, 298-301.	1.5	20
139	A search for human herpesvirus 8 (HHV-8) in HIV-1 infected mothers and their infants does not suggest vertical transmission of HHV-8. <i>International Journal of Cancer</i> , 2000, 85, 296-297.	2.3	20
140	Different Distribution of HIV Type 1 Genetic Variants in European Patients with Distinct Risk Practices. <i>AIDS Research and Human Retroviruses</i> , 2000, 16, 299-304.	0.5	20
141	The predictive and prognostic potential of plasma telomerase reverse transcriptase (TERT) RNA in rectal cancer patients. <i>British Journal of Cancer</i> , 2018, 118, 878-886.	2.9	20
142	The CARMA Study: Early Infant Antiretroviral Therapy Timing Impacts on Total HIV-1 DNA Quantitation 12 Years Later. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2021, 10, 295-301.	0.6	20
143	Recurrent oral condylomata acuminata and hairy leukoplakia: an early sign of myelodysplastic syndrome in an HIV-seronegative patient. <i>Journal of Oral Pathology and Medicine</i> , 1991, 20, 398-402.	1.4	19
144	Italian guidelines for antiretroviral therapy in children with human immunodeficiency virus-type 1 infection. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1999, 88, 228-232.	0.7	19

#	ARTICLE	IF	CITATIONS
145	Virological and immunological features of SARS-CoV-2 infected children with distinct symptomatology. <i>Pediatric Allergy and Immunology</i> , 2021, 32, 1833-1842.	1.1	19
146	Cerebrospinal fluid lymphocytes from HIV-infected patients synthesize HIV-specific antibody in vitro. <i>Journal of Neuroimmunology</i> , 1988, 18, 181-186.	1.1	18
147	Free light chains of immunoglobulins in the cerebrospinal fluid of human immunodeficiency virus type 1-infected patients. <i>Journal of Neuroimmunology</i> , 1990, 26, 229-238.	1.1	18
148	Trends of HTLV-I and HIV infections in drug addicts. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1988, 24, 279-280.	0.9	17
149	Viral phenotype in mother-to-child HIV-1 transmission and disease progression of vertically acquired HIV-1 infection. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1997, 86, 22-28.	0.7	17
150	Antiretroviral Therapy for Prevention of Mother-to-Child HIV Transmission. <i>Clinical Drug Investigation</i> , 2006, 26, 611-627.	1.1	17
151	Within and between race differences in lymphocyte, CD4+, CD8+ and neutrophil levels in HIV-uninfected children with or without HIV exposure in Europe and Uganda. <i>Annals of Tropical Paediatrics</i> , 2006, 26, 169-179.	1.0	17
152	Biphasic decay of cell-associated HIV-1 DNA in HIV-1-infected children on antiretroviral therapy. <i>Aids</i> , 2002, 16, 1961-1963.	1.0	17
153	Hospitalization of children born to human immunodeficiency virus-infected women in Europe. <i>Pediatric Infectious Disease Journal</i> , 1997, 16, 1151-1156.	1.1	17
154	The EPIICAL project: an emerging global collaboration to investigate immunotherapeutic strategies in HIV-infected children. <i>Journal of Virus Eradication</i> , 2015, 1, 134-139.	0.3	17
155	Vertical transmission of HIV-1: lack of detectable virus in peripheral blood cells of infected children at birth. <i>Aids</i> , 1992, 6, 1117-20.	1.0	17
156	Anti-HIV Activity and Conformational Studies of Peptides Derived from the C-Terminal Sequence of SDF-1. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 3058-3064.	2.9	16
157	Plasma Drug Concentrations and Virologic Evaluations after Stopping Treatment with Nonnucleoside Reverse Transcriptase Inhibitors in HIV Type 1-Infected Children. <i>Clinical Infectious Diseases</i> , 2008, 46, 1601-1608.	2.9	16
158	Molecular Profile of Epstein-Barr Virus in Human Immunodeficiency Virus Type 1-Related Lymphadenopathies and Lymphomas. <i>Blood</i> , 1997, 90, 313-322.	0.6	16
159	The changing epidemiology of acute type B hepatitis: Results of an 11-year prospective study in padua (Northern Italy). <i>Infection</i> , 1989, 17, 364-368.	2.3	15
160	Minimal Sequence Requirements for Synthetic Peptides Derived from the V3 Loop of the Human Immunodeficiency Virus Type 1 (HIV-1) to Enhance HIV-1 Binding to Cells and Infection. <i>Virology</i> , 1995, 206, 807-816.	1.1	15
161	TERT promoter hotspot mutations and their relationship with TERT levels and telomere erosion in patients with head and neck squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 381-389.	1.2	15
162	TERT Promoter Mutations Differently Correlate with the Clinical Outcome of MAPK Inhibitor-Treated Melanoma Patients. <i>Cancers</i> , 2020, 12, 946.	1.7	15

#	ARTICLE	IF	CITATIONS
163	Immune senescence and immune activation in elderly colorectal cancer patients. <i>Aging</i> , 2019, 11, 3864-3875.	1.4	15
164	Cross-talk between virus and host innate immunity in pediatric HIV-1 infection and disease progression. <i>New Microbiologica</i> , 2012, 35, 249-57.	0.1	15
165	LAV/HTLV-III and HTLV-I Antibodies in Hemodialysis Patients. <i>Nephron</i> , 1986, 44, 377-378.	0.9	14
166	Immortalization of human T lymphocytes by HTLV-I: Phenotypic characteristics of target cells and kinetics of virus integration and expression. <i>Leukemia Research</i> , 1986, 10, 1109-1120.	0.4	14
167	A search for human herpesvirus 8 (HHV-8) in HIV-1 infected mothers and their infants does not suggest vertical transmission of HHV-8. <i>International Journal of Cancer</i> , 2000, 85, 296-297.	2.3	14
168	Genotypic and Phenotypic Correlates of the HIV Type 1 env Gene Evolution in Infected Children with Discordant Response to Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2004, 20, 1306-1313.	0.5	14
169	Relationship between Non-Hodgkin's lymphoma and blood levels of Epstein-Barr Virus in children in north-western Tanzania: a case control study. <i>BMC Pediatrics</i> , 2013, 13, 4.	0.7	14
170	Quantitative HIV-1 proviral DNA detection: a multicentre analysis. <i>New Microbiologica</i> , 2010, 33, 293-302.	0.1	14
171	Antiretroviral activity of furocoumarins plus UVA light detected by a replication-defective retrovirus. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1994, 26, 241-247.	1.7	13
172	Analysis of the CC chemokine receptor 5 m303 mutation in infants born to HIV-1-seropositive mothers. <i>Aids</i> , 1999, 13, 871.	1.0	13
173	The Role of Genetic Variants of Stromal Cell-Derived Factor 1 in Pediatric HIV-1 Infection and Disease Progression. <i>PLoS ONE</i> , 2012, 7, e444460.	1.1	13
174	Role of <i>miR-15a/miR-16-1</i> and the <i>TP53</i> axis in regulating telomerase expression in chronic lymphocytic leukemia. <i>Haematologica</i> , 2017, 102, e253-e256.	1.7	13
175	Immune activation, immune senescence and levels of Epstein Barr Virus in kidney transplant patients: Impact of mTOR inhibitors. <i>Cancer Letters</i> , 2020, 469, 323-331.	3.2	13
176	T cell immune discriminants of HIV reservoir size in a pediatric cohort of perinatally infected individuals. <i>PLoS Pathogens</i> , 2021, 17, e1009533.	2.1	13
177	Molecular profile of Epstein-Barr virus in human immunodeficiency virus type 1-related lymphadenopathies and lymphomas. <i>Blood</i> , 1997, 90, 313-22.	0.6	13
178	Discordance of <i>IDH</i> mutational status between lesions in an adult patient with multifocal glioma. <i>Neuro-Oncology</i> , 2018, 20, 1142-1143.	0.6	12
179	Genetic Variants of the TERT Gene, Telomere Length, and Circulating TERT as Prognostic Markers in Rectal Cancer Patients. <i>Cancers</i> , 2020, 12, 3115.	1.7	12
180	A Randomized Controlled Trial of Genotypic HIV Drug Resistance Testing in HIV-1-Infected Children: The Pera (Penta 8) Trial. <i>Antiviral Therapy</i> , 2006, 11, 857-868.	0.6	12

#	ARTICLE	IF	CITATIONS
181	Viral Load Detection Using Dried Blood Spots in a Cohort of HIV-1-Infected Children in Uganda: Correlations with Clinical and Immunological Criteria for Treatment Failure. <i>Journal of Clinical Microbiology</i> , 2014, 52, 2665-2667.	1.8	11
182	Epstein-Barr virus and telomerase: from cell immortalization to therapy. <i>Infectious Agents and Cancer</i> , 2014, 9, 8.	1.2	11
183	Biological Aging and Immune Senescence in Children with Perinatally Acquired HIV. <i>Journal of Immunology Research</i> , 2020, 2020, 1-15.	0.9	11
184	Reciprocal activation of human T-lymphotropic viruses in HTLV-I-transformed cells superinfected with HIV-1. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1991, 4, 380-5.	1.0	11
185	Lav/HTLV-III Neutralizing Antibodies in the Sera of Patients with Aids, Lymphadenopathy Syndrome and Asymptomatic Seropositive Individuals. <i>Tumori</i> , 1986, 72, 219-224.	0.6	10
186	Population pharmacokinetics and maximum <i>a posteriori</i> probability Bayesian estimator of abacavir: application of individualized therapy in HIV-1-infected infants and toddlers. <i>British Journal of Clinical Pharmacology</i> , 2012, 73, 641-650.	1.1	10
187	Protection from spontaneous lymphoma development in SJL/J(v+) mice neonatally injected with dualtropic SJL-151 virus.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983, 80, 2775-2779.	3.3	9
188	Dominance of a single Epstein-Barr virus strain in SCID-mouse tumors induced by injection of peripheral blood mononuclear cells from healthy human donors. <i>Virus Research</i> , 1995, 36, 215-231.	1.1	9
189	Virus-host interactions in paediatric HIV-1 infection. <i>Current Opinion in HIV and AIDS</i> , 2007, 2, 399-404.	1.5	9
190	Nucleoside and Nucleotide Reverse Transcriptase Inhibitors in Children. <i>Clinical Drug Investigation</i> , 2007, 27, 509-531.	1.1	9
191	Telomere and Telomerase in Carcinogenesis: Their Role as Prognostic Biomarkers. <i>Current Pathobiology Reports</i> , 2015, 3, 315-328.	1.6	9
192	Onset of HIV-1 antibody production after highly active antiretroviral therapy in a seronegative HIV-1-infected child. <i>Aids</i> , 2000, 14, 1284.	1.0	9
193	Impact of monotherapy on HIV-1 reservoir, immune activation, and co-infection with Epstein-Barr virus. <i>PLoS ONE</i> , 2017, 12, e0185128.	1.1	9
194	Size of HIV-1 reservoir is associated with telomere shortening and immunosenescence in early-treated European children with perinatally acquired HIV-1. <i>Journal of the International AIDS Society</i> , 2021, 24, e25847.	1.2	9
195	Virological and immunological response to antiretroviral therapy in HIV-1 infected children: genotypic and phenotypic assays in monitoring virological failure. <i>New Microbiologica</i> , 2004, 27, 45-50.	0.1	9
196	Structural Studies on Synthetic Peptides from the Principal Neutralizing Domain of HIV-1 gp120 That Bind to CD4 and Enhance HIV-1 Infection. <i>Biochemical and Biophysical Research Communications</i> , 1993, 191, 364-370.	1.0	8
197	CCR5, Vertical Transmission of HIV-1, and Disease Progression. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1999, 20, 211-212.	0.3	8
198	Italian consensus statement on paediatric HIV infection. <i>Infection</i> , 2010, 38, 301-319.	2.3	8

#	ARTICLE	IF	CITATIONS
199	Differences in telomere length between sporadic and familial cutaneous melanoma. <i>British Journal of Dermatology</i> , 2016, 175, 937-943.	1.4	8
200	Predictive and prognostic significance of telomerase levels/telomere length in tissues and peripheral blood in head and neck squamous cell carcinoma. <i>Scientific Reports</i> , 2019, 9, 17572.	1.6	8
201	Anti-Proliferative and Pro-Apoptotic Effects of Short-Term Inhibition of Telomerase In Vivo and in Human Malignant B Cells Xenografted in Zebrafish. <i>Cancers</i> , 2020, 12, 2052.	1.7	8
202	Early ART initiation during infancy preserves natural killer cells in young European adolescents living with HIV (CARMA cohort). <i>Journal of the International AIDS Society</i> , 2021, 24, e25717.	1.2	8
203	TERT Promoter Mutations and rs2853669 Polymorphism: Useful Markers for Clinical Outcome Stratification of Patients With Oral Cavity Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 782658.	1.3	8
204	Differential dynamics of Epstein-Barr virus in individuals infected with human immunodeficiency virus-1 receiving intermittent interleukin-2 and antiretroviral therapy. <i>Haematologica</i> , 2006, 91, 244-7.	1.7	8
205	Resistance to Moloney Murine Sarcoma Virus (M-MuSV) Tumor Induction is Associated with Natural Antibody Production to «Endogenous» Moloney Leukemia Virus (M-MuLV) in Balb/Mo Mice. <i>Tumori</i> , 1981, 67, 511-520.	0.6	7
206	Intrathecal Synthesis of Anti-HIV Oligoclonal IgG in HIV-Seropositive Patients Having No Signs of HIV-Induced Neurologic Diseases. <i>Annals of the New York Academy of Sciences</i> , 1988, 540, 615-618.	1.8	7
207	Analysis of Epstein-Barr virus (EBV) type and variant in spontaneous lymphoblastoid cells and Hu-SCID mouse tumours. <i>Molecular and Cellular Probes</i> , 1996, 10, 453-461.	0.9	7
208	Inhibition of oxidative phosphorylation underlies the antiproliferative and proapoptotic effects of mofarotene (Ro 40-8757) in Burkitt's lymphoma cells. <i>Oncogene</i> , 2003, 22, 906-918.	2.6	7
209	Relationship between moloney MSV tumor resistance and endogenous virogene expression in AKR mouse strain and its hybrids. <i>International Journal of Cancer</i> , 1978, 21, 179-185.	2.3	6
210	Tolerance to viral antigens in Mov-13 mice carrying endogenized moloney-murine leukemia virus. <i>Cellular Immunology</i> , 1984, 83, 379-388.	1.4	6
211	Adult T-Cell Leukemia (ATL): Clinical, Pathological and Virological Findings in Two Cases with Unusual Features. <i>Leukemia and Lymphoma</i> , 1992, 6, 261-266.	0.6	6
212	9-year-old child with falling CD4 count after neonatal HIV. <i>Lancet, The</i> , 1995, 346, 963.	6.3	6
213	Biological and conformational studies on analogues of a synthetic peptide enhancing HIV-1 infection. , 1998, 4, 436-448.		6
214	Telomerase Activity and Clinical Progression in Chronic Lymphoproliferative Disorders of B-Cell Lineage. <i>Leukemia and Lymphoma</i> , 2001, 41, 35-45.	0.6	6
215	Levels and patterns of HIV RNA viral load in untreated pregnant women. <i>International Journal of Infectious Diseases</i> , 2009, 13, 266-273.	1.5	6
216	Virus-specific T cell response prevents lymphoma development in mice infected by intrathymic inoculation of Moloney leukaemia virus (M-MuLV). <i>Immunology</i> , 1984, 51, 9-16.	2.0	6

#	ARTICLE	IF	CITATIONS
217	A randomized controlled trial of genotypic HIV drug resistance testing in HIV-1-infected children: the PERA (PENTA 8) trial. <i>Antiviral Therapy</i> , 2006, 11, 857-67.	0.6	6
218	Determinants of B-Cell Compartment Hyperactivation in European Adolescents Living With Perinatally Acquired HIV-1 After Over 10 Years of Suppressive Therapy. <i>Frontiers in Immunology</i> , 2022, 13, 860418.	2.2	6
219	How frequent and how early does the neurological involvement in HIV-positive children occur?. <i>Child's Nervous System</i> , 1990, 6, 406-408.	0.6	5
220	HIV antibodies in babies.. <i>BMJ: British Medical Journal</i> , 1992, 305, 367-367.	2.4	5
221	Improvements in virological control among women conceiving on combination antiretroviral therapy in Western Europe. <i>Aids</i> , 2013, 27, 2312-2315.	1.0	5
222	Host factors and early treatments to restrict paediatric HIV infection and early disease progression. <i>Journal of Virus Eradication</i> , 2015, 1, 140-147.	0.3	5
223	Hepatocellular carcinoma and the risk of de novo malignancies after liver transplantation â€œ a multicenter cohort study. <i>Transplant International</i> , 2021, 34, 743-753.	0.8	5
224	Relationship between changes in thymic emigrants and cell-associated HIV-1 DNA in HIV-1-infected children initiating antiretroviral therapy. <i>Antiviral Therapy</i> , 2005, 10, 63-71.	0.6	5
225	Mother-to-child HIV-1 transmission: Quantitative assessment of viral burden as a diagnostic tool and prognostic parameter in HIV-1-infected children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1994, 83, 25-28.	0.7	4
226	Modifications of HIV-1 DNA and Provirus-Infected Cells During 24 Months of Intermittent Highly Active Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 48, 68-71.	0.9	4
227	Extra-telomeric functions of telomerase in the pathogenesis of Epstein-Barr virus-driven B-cell malignancies and potential therapeutic implications. <i>Infectious Agents and Cancer</i> , 2018, 13, 14.	1.2	4
228	Genetics of murine sarcoma virus (msv)â€™induced tumors in akr mice: Evidence that late progressing and early regressing tumors are controlled by different genes. <i>International Journal of Cancer</i> , 1977, 19, 565-575.	2.3	3
229	Lack of M-MuSV tumour regression associated with T lymphocyte tolerance. <i>Nature</i> , 1980, 285, 667-668.	13.7	3
230	Role of Infectious Virus Expression and Immune Response in Retrovirus-Induced Oncogenesis. <i>Tumori</i> , 1984, 70, 1-8.	0.6	3
231	Cordycepin reduces the sensitivity of BALB/Mo mouse lymphocytes to the induction of sister chromatid exchanges. <i>Carcinogenesis</i> , 1985, 6, 131-134.	1.3	3
232	HIV MONITORING OF PREGNANT WOMEN. <i>Lancet, The</i> , 1988, 331, 713-714.	6.3	3
233	Pediatric HIV-1 Infection: Advances and Perspectives in Diagnosis and Prognosis. <i>Antibiotics and Chemotherapy</i> , 1994, 46, 5-17.	0.5	3
234	Design, synthesis and CD4 binding studies of a fluorescent analogue of a peptide that enhances HIVâ€™ infectivity. <i>Chemical Biology and Drug Design</i> , 1998, 51, 110-115.	1.2	3

#	ARTICLE	IF	CITATIONS
235	Dried blood spot sampling for detection of monoclonal immunoglobulin gene rearrangement. <i>Leukemia Research</i> , 2013, 37, 1265-1270.	0.4	3
236	Plasticity of the Immune System in Children Following Treatment Interruption in HIV-1 Infection. <i>Frontiers in Immunology</i> , 2021, 12, 643189.	2.2	3
237	Primary HIV infection in infants: impact of highly active antiretroviral therapy on the natural course. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2002, 16, 53-7.	0.7	3
238	Characterization of Dualtropic Type C Retroviruses Isolated from Spontaneous Non-T Lymphomas of SJL/J(v+) MICE. <i>Tumori</i> , 1982, 68, 95-104.	0.6	2
239	Diffusion of HIV-1 virus into non-habitual categories at risk in European countries. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1988, 24, 1677-1679.	0.9	2
240	CCR5 N-terminus peptides enhance X4 HIV-1 infection by CXCR4 up-regulation. <i>Biochemical and Biophysical Research Communications</i> , 2003, 307, 640-646.	1.0	2
241	Unsung Hero Robert C. Gallo. <i>Science</i> , 2009, 323, 206-207.	6.0	2
242	Long-term clinical, virological and immunological outcomes following planned treatment interruption in HIV-infected children. <i>HIV Medicine</i> , 2021, 22, 172-184.	1.0	2
243	One Year Follow-Up Study of T-Cell Subsets and Incidence of Seropositivity for HTLV-I and HTLV-III Antibodies in Patients Treated "On Demand" or Sporadically with Clotting Concentrates. <i>Thrombosis and Haemostasis</i> , 1985, 54, 665-668.	1.8	2
244	The Prevalence of HTLV-III and HTLV-I Antibodies in Serum of Hemophiliacs. <i>Thrombosis and Haemostasis</i> , 1985, 54, 897-897.	1.8	2
245	Host factors and early treatments to restrict paediatric HIV infection and early disease progression. <i>Journal of Virus Eradication</i> , 2015, 1, 140-7.	0.3	2
246	Report from the First EPIICAL (Early-treated Perinatally HIV-infected Individuals: Improving Children's) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Rome, Italy. <i>Journal of Virus Eradication</i> , 2018, 4, 51-54.	0.3	2
247	Clinical, Virological and Immunological Subphenotypes in a Cohort of Early Treated HIV-Infected Children. <i>Frontiers in Immunology</i> , 2022, 13, 875692.	2.2	2
248	Assessing the Variability of Cell-Associated HIV DNA Quantification through a Multicenter Collaborative Study. <i>Microbiology Spectrum</i> , 2022, 10, .	1.2	2
249	Short- and Long-term Studies on Chemical Carcinogenesis in BALB/Mo Mice. <i>Toxicologic Pathology</i> , 1984, 12, 361-368.	0.9	1
250	Prevalence of HIV infection in a cohort of patients with congenital coagulation defects of the prothrombin complex factors. <i>Blood Coagulation and Fibrinolysis</i> , 1991, 2, 663-668.	0.5	1
251	Polymorphisms of innate immunity genes influence disease progression in HIV-1 infected children. <i>Retrovirology</i> , 2012, 9, .	0.9	1
252	Immunological Findings in the CSF of HIV-1 Infected Patients. , 1990, , 13-22.		1

#	ARTICLE	IF	CITATIONS
253	Plasma levels of total RNA and hTERT mRNA as biomarkers of response in rectal cancer patients receiving preoperative chemoradiotherapy.. Journal of Clinical Oncology, 2010, 28, 3648-3648.	0.8	1
254	Biological Predictors of De Novo Tumors in Solid Organ Transplanted Patients During Oncological Surveillance: Potential Role of Circulating TERT mRNA. Frontiers in Oncology, 2021, 11, 772348.	1.3	1
255	Maternal Antibody Epitope Mapping in Mother-to-Child Transmission of HIV. Advances in Experimental Medicine and Biology, 1991, 303, 47-52.	0.8	1
256	Immune Activation, Exhaustion and Senescence Profiles as Possible Predictors of Cancer in Liver Transplanted Patients. Frontiers in Oncology, 0, 12, .	1.3	1
257	Intrathecal synthesis of anti-HIV oligoclonal IgG in aids and ARC patients having not signs of HIV-related encephalopathy. Journal of Neuroimmunology, 1987, 16, 59-60.	1.1	0
258	No evidence of HIV-2 infection in subjects at risk for aids living in North-East Italy. European Journal of Epidemiology, 1991, 7, 682-685.	2.5	0
259	Intrafamilial transmission of HIV-1. Aids, 2003, 17, 2673-2674.	1.0	0
260	Response to Segat et al. "Are DEFB1 gene polymorphisms associated with HIV-1 infection and virus replication?" Aids, 2009, 23, 649-650.	1.0	0
261	Relationship between dynamics of Epstein-Barr virus and immune activation in HIV-1 infected subjects in the HAART era. Journal of the International AIDS Society, 2010, 13, P213.	1.2	0
262	Reply to Zhang, Poznansky, and Crumpacker. Journal of Infectious Diseases, 2012, 206, 618-618.	1.9	0
263	936 The Interplay Between Telomerase and Epstein Barr Virus (EBV) "Silencing of HTERT Induces the EBV Lytic Cycle. European Journal of Cancer, 2012, 48, S225.	1.3	0
264	mTOR Inhibitors Maintain Low Levels of Immune Activation, Immune Senescence and EBV Load in Kidney Transplant Patients. Transplantation, 2018, 102, S201.	0.5	0
265	Faster Initial Viral Decay in Female Children Living With HIV. Journal of the Pediatric Infectious Diseases Society, 2021, 10, 674-676.	0.6	0
266	Pediatric HIV/AIDS. , 2014, , 3467-3472.		0
267	Pediatric HIV/AIDS. , 2014, , 1-7.		0
268	Telomerase as Biomarker in Colorectal Cancer. , 2014, , 1-19.		0
269	Are children who clear HIV truly uninfected?. Nursing Standard (Royal College of Nursing (Great Tj ETQq1 1 0.784314 rgBT /Overlock 0.1	0.1	0
270	Telomerase as Biomarker in Colorectal Cancer. Biomarkers in Disease, 2015, , 659-683.	0.0	0



#	ARTICLE	IF	CITATIONS
271	Morphological and phenotypical changes in EBV positive lymphoblastoid cells infected by HIV-1. <i>Leukemia</i> , 1992, 6 Suppl 3, 38S-40S.	3.3	0
272	Viral determinants in HIV-1 transmission. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 1997, 11, 32-6.	0.7	0