

Anita De Rossi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/686890/anita-de-rossi-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

260
papers

7,031
citations

48
h-index

68
g-index

274
ext. papers

7,749
ext. citations

6.2
avg, IF

5.45
L-index

#	Paper	IF	Citations
260	Exposure to antiretroviral therapy in utero or early life: the health of uninfected children born to HIV-infected women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 32, 380-7	3.1	198
259	Combination antiretroviral therapy and duration of pregnancy. <i>Aids</i> , 2000 , 14, 2913-20	3.5	195
258	The sensitivity of HIV-1 DNA polymerase chain reaction in the neonatal period and the relative contributions of intra-uterine and intra-partum transmission. <i>Aids</i> , 1995 , 9, F7-11	3.5	195
257	Infants born to mothers seropositive for human immunodeficiency virus. Preliminary findings from a multicentre European study. <i>Lancet, The</i> , 1987 , 1, 1164-8	4.0	161
256	Distinct functional significance of Akt and mTOR constitutive activation in mantle cell lymphoma. <i>Blood</i> , 2008 , 111, 5142-51	2.2	123
255	Immune repopulation after HAART in previously untreated HIV-1-infected children. Paediatric European Network for Treatment of AIDS (PENTA) Steering Committee. <i>Lancet, The</i> , 2000 , 355, 1331-2	4.0	111
254	First-line antiretroviral therapy with a protease inhibitor versus non-nucleoside reverse transcriptase inhibitor and switch at higher versus low viral load in HIV-infected children: an open-label, randomised phase 2/3 trial. <i>Lancet Infectious Diseases, The</i> , 2011 , 11, 273-83	25.5	108
253	Maternal viral load and vertical transmission of HIV-1: an important factor but not the only one. <i>Aids</i> , 1999 , 13, 1377-1385	3.5	103
252	Relationship between telomere shortening, genetic instability, and site of tumour origin in colorectal cancers. <i>British Journal of Cancer</i> , 2010 , 102, 1300-5	8.7	98
251	Duration of ruptured membranes and vertical transmission of HIV-1: a meta-analysis from 15 prospective cohort studies. <i>Aids</i> , 2001 , 15, 357-68	3.5	96
250	Regression of AIDS-related Kaposi's sarcoma following antiretroviral therapy with protease inhibitors: biological correlates of clinical outcome. <i>European Journal of Cancer</i> , 1999 , 35, 1809-15	7.5	95
249	Post-transplant lymphoproliferative disorders: from epidemiology to pathogenesis-driven treatment. <i>Cancer Letters</i> , 2015 , 369, 37-44	9.9	93
248	Time to undetectable viral load after highly active antiretroviral therapy initiation among HIV-infected pregnant women. <i>Clinical Infectious Diseases</i> , 2007 , 44, 1647-56	11.6	93
247	Impact of human immunodeficiency virus type 1 subtypes on virologic response and emergence of drug resistance among children in the Paediatric European Network for Treatment of AIDS (PENTA) 5 trial. <i>Journal of Infectious Diseases</i> , 2002 , 186, 617-25	7	92
246	Antigen detection, virus culture, polymerase chain reaction, and in vitro antibody production in the diagnosis of vertically transmitted HIV-1 infection. <i>Aids</i> , 1991 , 5, 15-20	3.5	86
245	Dynamics of viral replication in infants with vertically acquired human immunodeficiency virus type 1 infection. <i>Journal of Clinical Investigation</i> , 1996 , 97, 323-30	15.9	80
244	Relationship between dynamics of Epstein-Barr virus and immune activation in HIV-1 infected subjects in the HAART era. <i>Journal of the International AIDS Society</i> , 2010 , 13, P213	5.4	78

243	Age and CD4 count at initiation of antiretroviral therapy in HIV-infected children: effects on long-term T-cell reconstitution. <i>Journal of Infectious Diseases</i> , 2012 , 205, 548-56	7	77
242	Relationship between tumor and plasma levels of hTERT mRNA in patients with colorectal cancer: implications for monitoring of neoplastic disease. <i>Clinical Cancer Research</i> , 2008 , 14, 7444-51	12.9	76
241	Truncation of the human immunodeficiency virus type 1 envelope glycoprotein allows efficient pseudotyping of Moloney murine leukemia virus particles and gene transfer into CD4+ cells. <i>Journal of Virology</i> , 1997 , 71, 3341-5	6.6	70
240	Viral phenotype and host-cell susceptibility to HIV-1 infection as risk factors for mother-to-child HIV-1 transmission. <i>Aids</i> , 1995 , 9, 427-434	3.5	68
239	Molecular and biological characterization of a replication competent human immunodeficiency type 2 (HIV-2) proviral clone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 2433-7	11.5	68
238	CD4 cell response to antiretroviral therapy in children with vertically acquired HIV infection: is it associated with age at initiation?. <i>Journal of Infectious Diseases</i> , 2006 , 193, 954-62	7	67
237	Increased thymic output after initiation of antiretroviral therapy in human immunodeficiency virus type 1-infected children in the Paediatric European Network for Treatment of AIDS (PENTA) 5 Trial. <i>Journal of Infectious Diseases</i> , 2002 , 186, 312-20	7	67
236	Differential response to the cytopathic effects of human T-cell lymphotropic virus type III (HTLV-III) superinfection in T4+ (helper) and T8+ (suppressor) T-cell clones transformed by HTLV-I. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 4297-301	11.5	67
235	Detection of virus in vertically exposed HIV-antibody-negative children. <i>Lancet, The</i> , 1996 , 347, 213-5	40	66
234	Premature aging and immune senescence in HIV-infected children. <i>Aids</i> , 2016 , 30, 1363-73	3.5	65
233	In-vitro production of HIV-specific antibody in children at risk of AIDS. <i>Lancet, The</i> , 1988 , 1, 852-4	40	64
232	Spontaneous in vitro production of virus-specific antibody by lymphocytes from HIV-infected subjects. <i>Clinical Immunology and Immunopathology</i> , 1988 , 46, 342-51		63
231	Dynamics of Epstein-Barr virus in HIV-1-infected subjects on highly active antiretroviral therapy. <i>Aids</i> , 2002 , 16, 63-73	3.5	62
230	Immune reconstitution in human immunodeficiency virus type 1-infected children with different virological responses to anti-retroviral therapy. <i>Clinical and Experimental Immunology</i> , 2007 , 150, 442-50	6.2	61
229	In young men sperm telomere length is related to sperm number and parental age. <i>Human Reproduction</i> , 2013 , 28, 3370-6	5.7	59
228	Clonal selection of T lymphocytes infected by cell-free human T-cell leukemia/lymphoma virus type I: parameters of virus integration and expression. <i>Virology</i> , 1985 , 143, 640-5	3.6	59
227	Immune reconstitution in HIV-1-infected children on antiretroviral therapy: role of thymic output and viral fitness. <i>Aids</i> , 2002 , 16, 839-49	3.5	58
226	Vertical transmission of HIV-1. <i>Aids</i> , 1992 , 6, 1117-1120	3.5	57

225	Latent membrane protein 1 of Epstein-Barr virus activates the hTERT promoter and enhances telomerase activity in B lymphocytes. <i>Journal of Virology</i> , 2008 , 82, 10175-87	6.6	56
224	Mode of delivery in HIV-infected pregnant women and prevention of mother-to-child transmission: changing practices in Western Europe. <i>HIV Medicine</i> , 2010 , 11, 368-78	2.7	55
223	Telomere-specific reverse transcriptase (hTERT) and cell-free RNA in plasma as predictors of pathologic tumor response in rectal cancer patients receiving neoadjuvant chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3089-96	3.1	54
222	Role of beta-defensin-1 polymorphisms in mother-to-child transmission of HIV-1. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 51, 13-9	3.1	53
221	Telomerase expression in B-cell chronic lymphocytic leukemia predicts survival and delineates subgroups of patients with the same igVH mutation status and different outcome. <i>Leukemia</i> , 2007 , 21, 965-72	10.7	53
220	Replication and tropism of human immunodeficiency virus type 1 as predictors of disease outcome in infants with vertically acquired infection. <i>Journal of Pediatrics</i> , 1993 , 123, 929-36	3.6	53
219	CD8+ T lymphocytes in the lung of acquired immunodeficiency syndrome patients harbor human immunodeficiency virus type 1. <i>Blood</i> , 1995 , 85, 2308-2314	2.2	53
218	Telomerase is an independent prognostic marker of overall survival in patients with colorectal cancer. <i>British Journal of Cancer</i> , 2013 , 108, 278-84	8.7	51
217	Lamivudine/abacavir maintains virological superiority over zidovudine/lamivudine and zidovudine/abacavir beyond 5 years in children. <i>Aids</i> , 2007 , 21, 947-55	3.5	49
216	Acquired immunodeficiency syndrome-related Kaposi's sarcoma regression after highly active antiretroviral therapy: biologic correlates of clinical outcome. <i>Journal of the National Cancer Institute Monographs</i> , 2001 , 44-9	4.8	49
215	Telomeres, telomerase and colorectal cancer. <i>World Journal of Gastroenterology</i> , 2014 , 20, 1940-50	5.6	49
214	Intrathecal synthesis of interleukin-10 (IL-10) in viral and inflammatory diseases of the central nervous system. <i>Journal of the Neurological Sciences</i> , 1994 , 126, 49-53	3.2	48
213	Genetic, Epigenetic, and Immunologic Profiling of MMR-Deficient Relapsed Glioblastoma. <i>Clinical Cancer Research</i> , 2019 , 25, 1828-1837	12.9	48
212	HTLV-I and HTLV-II infections among HIV-1 seropositive patients in Sao Paulo, Brazil. <i>European Journal of Epidemiology</i> , 1994 , 10, 165-71	12.1	47
211	Telomere length and telomerase levels delineate subgroups of B-cell chronic lymphocytic leukemia with different biological characteristics and clinical outcomes. <i>Haematologica</i> , 2012 , 97, 56-63	6.6	43
210	Level and pattern of HIV-1-RNA viral load over age: differences between girls and boys?. <i>Aids</i> , 2002 , 16, 97-104	3.5	43
209	Synthetic peptides from the principal neutralizing domain of human immunodeficiency virus type 1 (HIV-1) enhance HIV-1 infection through a CD4-dependent mechanism. <i>Virology</i> , 1991 , 184, 187-96	3.6	42
208	In vitro studies of HIV-1 infection in thymic lymphocytes: a putative role of the thymus in AIDS pathogenesis. <i>AIDS Research and Human Retroviruses</i> , 1990 , 6, 287-98	1.6	42

207	Telomerase activity in chronic lymphoproliferative disorders of B-cell lineage. <i>British Journal of Haematology</i> , 1999 , 106, 662-8	4.5	41
206	Epstein-Barr virus load and immune activation in human immunodeficiency virus type 1-infected patients. <i>Journal of Clinical Virology</i> , 2012 , 53, 195-200	14.5	40
205	Use of zidovudine-sparing HAART in pregnant HIV-infected women in Europe: 2000-2009. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 57, 326-33	3.1	40
204	Human immunodeficiency virus type 1 modulates telomerase activity in peripheral blood lymphocytes. <i>Journal of Infectious Diseases</i> , 2001 , 183, 417-24	7	39
203	Early Therapy in HIV-1-Infected Children: Effect on HIV-1 Dynamics and HIV-1-Specific Immune Response. <i>Antiviral Therapy</i> , 2008 , 13, 47-56	1.6	39
202	Long-term decay of the HIV-1 reservoir in HIV-1-infected children treated with highly active antiretroviral therapy. <i>Journal of Infectious Diseases</i> , 2006 , 193, 1718-27	7	38
201	HIV-1 induces down-regulation of bcl-2 expression and death by apoptosis of EBV-immortalized B cells: a model for a persistent "self-limiting" HIV-1 infection. <i>Virology</i> , 1994 , 198, 234-44	3.6	38
200	Telomeres and telomerase in head and neck squamous cell carcinoma: from pathogenesis to clinical implications. <i>Cancer and Metastasis Reviews</i> , 2016 , 35, 457-74	9.6	38
199	Response to planned treatment interruptions in HIV infection varies across childhood. <i>Aids</i> , 2010 , 24, 231-41	3.5	36
198	Age-related standards for total lymphocyte, CD4+ and CD8+ T cell counts in children born in Europe. <i>Pediatric Infectious Disease Journal</i> , 2005 , 24, 595-600	3.4	36
197	Polymorphisms in the CCR5 promoter region influence disease progression in perinatally human immunodeficiency virus type 1-infected children. <i>Journal of Infectious Diseases</i> , 2001 , 183, 814-8	7	36
196	Lactic acid levels in children perinatally treated with antiretroviral agents to prevent HIV transmission. <i>Aids</i> , 2001 , 15, 1074-5	3.5	36
195	Toll-like receptor 9 polymorphisms influence mother-to-child transmission of human immunodeficiency virus type 1. <i>Journal of Translational Medicine</i> , 2010 , 8, 49	8.5	35
194	Co-receptor usage of HIV-1 primary isolates, viral burden, and CCR5 genotype in mother-to-child HIV-1 transmission. <i>Aids</i> , 2000 , 14, 1721-9	3.5	35
193	IgG oligoclonal bands in sera of HIV-1 infected patients are mainly directed against HIV-1 determinants. <i>AIDS Research and Human Retroviruses</i> , 1990 , 6, 581-6	1.6	35
192	Molecular Profile of Epstein-Barr Virus in Human Immunodeficiency Virus Type 1-Related Lymphadenopathies and Lymphomas. <i>Blood</i> , 1997 , 90, 313-322	2.2	34
191	Effects of CCR5-Δ32 and CCR2-64I alleles on disease progression of perinatally HIV-1-infected children. <i>Aids</i> , 2003 , 17, 1631-1638	3.5	34
190	Relationship between the V3 loop and the phenotypes of human immunodeficiency virus type 1 (HIV-1) isolates from children perinatally infected with HIV-1. <i>Journal of Virology</i> , 1995 , 69, 82-92	6.6	34

189	HIV-1 infection of the thymus: evidence for a cytopathic and thymotropic viral variant in vivo. <i>AIDS Research and Human Retroviruses</i> , 1995 , 11, 11-9	1.6	33
188	Immunological markers in the cerebrospinal fluid of HIV-1-infected children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1991 , 80, 659-66	3.1	33
187	Evolution of human immunodeficiency virus type 1 in perinatally infected infants with rapid and slow progression to disease. <i>Journal of Virology</i> , 1997 , 71, 4694-706	6.6	33
186	Early and Highly Suppressive Antiretroviral Therapy Are Main Factors Associated With Low Viral Reservoir in European Perinatally HIV-Infected Children. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 79, 269-276	3.1	33
185	hTERT inhibits the Epstein-Barr virus lytic cycle and promotes the proliferation of primary B lymphocytes: implications for EBV-driven lymphomagenesis. <i>International Journal of Cancer</i> , 2007 , 121, 576-87	7.5	32
184	Immune senescence and cancer in elderly patients: results from an exploratory study. <i>Experimental Gerontology</i> , 2013 , 48, 1436-42	4.5	31
183	Regulatory T cells and chronic immune activation in human immunodeficiency virus 1 (HIV-1)-infected children. <i>Clinical and Experimental Immunology</i> , 2011 , 164, 373-80	6.2	31
182	Diagnosis of human immunodeficiency virus 1 infection in infants: in vitro production of virus-specific antibody in lymphocytes. <i>Pediatric Infectious Disease Journal</i> , 1990 , 9, 26-30	3.4	31
181	Early antiretroviral therapy in children perinatally infected with HIV: a unique opportunity to implement immunotherapeutic approaches to prolong viral remission. <i>Lancet Infectious Diseases, The</i> , 2015 , 15, 1108-1114	25.5	30
180	Telomere shortening in mucosa surrounding the tumor: biosensor of field cancerization and prognostic marker of mucosal failure in head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2015 , 51, 500-7	4.4	30
179	Current and future antiretroviral treatment options in paediatric HIV infection. <i>Clinical Drug Investigation</i> , 2008 , 28, 375-97	3.2	30
178	Restriction of HIV type 1 infection in macrophages heterozygous for a deletion in the CC-chemokine receptor 5 gene. <i>AIDS Research and Human Retroviruses</i> , 1999 , 15, 1441-52	1.6	30
177	Perinatal infection by human immunodeficiency virus type 1 (HIV-1): relationship between proviral copy number in vivo, viral properties in vitro, and clinical outcome. <i>Journal of Medical Virology</i> , 1991 , 35, 283-9	19.7	30
176	Single-nucleotide polymorphisms in human beta-defensin-1 gene in Mozambican HIV-1-infected women and correlation with virologic parameters. <i>Aids</i> , 2008 , 22, 1515-7	3.5	29
175	Vulvar carcinoma in a 12-year-old girl with vertically acquired human immunodeficiency virus infection. <i>Pediatrics</i> , 2000 , 106, E57	7.4	29
174	Pediatric human immunodeficiency virus infection and cancer in the highly active antiretroviral treatment (HAART) era. <i>Cancer Letters</i> , 2014 , 347, 38-45	9.9	28
173	Horizontal transmission of human immunodeficiency virus type 1 from father to child. <i>AIDS Research and Human Retroviruses</i> , 1998 , 14, 1679-85	1.6	28
172	Identification of human immunodeficiency virus type 1 glycoprotein gp120/gp41 interacting sites by the idiotypic mimicry of two monoclonal antibodies. <i>AIDS Research and Human Retroviruses</i> , 1993 , 9, 33-9	1.6	28

171	Infection of Epstein-Barr virus-transformed lymphoblastoid B cells by the human immunodeficiency virus: evidence for a persistent and productive infection leading to B cell phenotypic changes. <i>European Journal of Immunology</i> , 1990 , 20, 2041-9	6.1	28
170	Early therapy in HIV-1-infected children: effect on HIV-1 dynamics and HIV-1-specific immune response. <i>Antiviral Therapy</i> , 2008 , 13, 47-55	1.6	28
169	Telomere/telomerase interplay in virus-driven and virus-independent lymphomagenesis: pathogenic and clinical implications. <i>Medicinal Research Reviews</i> , 2012 , 32, 233-53	14.4	27
168	Epstein-Barr virus-driven lymphomagenesis in the context of human immunodeficiency virus type 1 infection. <i>Frontiers in Microbiology</i> , 2013 , 4, 311	5.7	27
167	Sensitivity of two enzyme-linked immunosorbent assay tests in relation to western blot in detecting human T-cell lymphotropic virus types I and II infection among HIV-1 infected patients from S Paulo, Brazil. <i>Diagnostic Microbiology and Infectious Disease</i> , 1998 , 30, 173-82	2.9	27
166	The immunological and virological consequences of planned treatment interruptions in children with HIV infection. <i>PLoS ONE</i> , 2013 , 8, e76582	3.7	27
165	HIV-mediated immunodepression: in vitro inhibition of T-lymphocyte proliferative response by ultraviolet-inactivated virus. <i>Clinical Immunology and Immunopathology</i> , 1988 , 46, 37-54		26
164	Multicenter comparative study of Epstein-Barr virus DNA quantification for virological monitoring in transplanted patients. <i>Journal of Clinical Virology</i> , 2011 , 50, 224-9	14.5	25
163	Increasing likelihood of further live births in HIV-infected women in recent years. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 881-8	3.7	25
162	Cerebrospinal fluid analysis in HIV-1-infected children: immunological and virological findings before and after AZT therapy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1994 , 83, 1038-42	3.1	24
161	Immunologic abnormalities in angioimmunoblastic lymphadenopathy. <i>Cancer</i> , 1987 , 60, 2412-8	6.4	24
160	Short-term inhibition of TERT induces telomere length-independent cell cycle arrest and apoptotic response in EBV-immortalized and transformed B cells. <i>Cell Death and Disease</i> , 2016 , 7, e2562	9.8	24
159	Missed opportunities among HIV-positive women to control viral replication during pregnancy and to have a vaginal delivery. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 64, 58-65	3.1	23
158	A new epitope presenting system displays a HIV-1 V3 loop sequence and induces neutralizing antibodies. <i>Vaccine</i> , 1995 , 13, 1233-9	4.1	23
157	HIV-1 variability and progression to AIDS: a longitudinal study. <i>Journal of Medical Virology</i> , 1990 , 32, 252-6	6.7	23
156	Sister chromatid exchanges induced in vivo and in vitro by chemical carcinogens in mouse lymphocytes carrying endogenized Moloney leukemia virus. <i>Carcinogenesis</i> , 1983 , 4, 33-7	4.6	23
155	Cross talk between EBV and telomerase: the role of TERT and NOTCH2 in the switch of latent/lytic cycle of the virus. <i>Cell Death and Disease</i> , 2015 , 6, e1774	9.8	22
154	hTERT inhibition triggers Epstein-Barr virus lytic cycle and apoptosis in immortalized and transformed B cells: a basis for new therapies. <i>Clinical Cancer Research</i> , 2013 , 19, 2036-47	12.9	22

153	Outcomes after reinitiating antiretroviral therapy in children randomized to planned treatment interruptions. <i>Aids</i> , 2013 , 27, 579-89	3.5	22
152	Predictive factors of the response of rectal cancer to neoadjuvant radiochemotherapy. <i>Cancers</i> , 2011 , 3, 2176-94	6.6	22
151	M-CSF production by HIV-1-infected monocytes and its intrathecal synthesis. Implications for neurological HIV-1-related disease. <i>Journal of Neuroimmunology</i> , 1994 , 51, 193-8	3.5	22
150	CD4 modulation and inhibition of HIV-1 infectivity induced by monosialoganglioside GM1 in vitro. <i>Aids</i> , 1989 , 3, 501-7	3.5	22
149	Polymerase chain reaction and in-vitro antibody production for early diagnosis of paediatric HIV infection. <i>Lancet, The</i> , 1988 , 2, 278	4.0	22
148	Central nervous system involvement in HIV infection. <i>AIDS Research and Human Retroviruses</i> , 1988 , 4, 211-21	1.6	22
147	Insufficient antiretroviral therapy in pregnancy: missed opportunities for prevention of mother-to-child transmission of HIV in Europe. <i>Antiviral Therapy</i> , 2011 , 16, 895-903	1.6	21
146	HIV-1 with multiple CCR5/CXCR4 chimeric receptor use is predictive of immunological failure in infected children. <i>PLoS ONE</i> , 2008 , 3, e3292	3.7	21
145	Pattern of antibody response against the V3 loop in children with vertically acquired immunodeficiency virus type 1 (HIV-1) infection. <i>AIDS Research and Human Retroviruses</i> , 1993 , 9, 221-8	1.6	21
144	Molecular analysis of a deletion mutant provirus of type I human T-cell lymphotropic virus: evidence for a doubly spliced x-lor mRNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 38-42	11.5	21
143	Human Immunodeficiency Virus (HIV)-Antibody Repertoire Estimates Reservoir Size and Time of Antiretroviral Therapy Initiation in Virally Suppressed Perinatally HIV-Infected Children. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2019 , 8, 433-438	4.8	21
142	Polymorphisms of innate immunity genes influence disease progression in HIV-1-infected children. <i>Aids</i> , 2012 , 26, 765-8	3.5	20
141	Human immunodeficiency virus type 1 Tat protein modulates cell cycle and apoptosis in Epstein-Barr virus-immortalized B cells. <i>Experimental Cell Research</i> , 2004 , 295, 539-48	4.2	20
140	HIV load in highly purified CD8+ T cells retrieved from pulmonary and blood compartments. <i>Journal of Leukocyte Biology</i> , 1998 , 64, 298-301	6.5	20
139	Viral phenotype and host-cell susceptibility to HIV-1 infection as risk factors for mother-to-child HIV-1 transmission. <i>Aids</i> , 1995 , 9, 427-34	3.5	20
138	Italian guidelines for antiretroviral therapy in children with human immunodeficiency virus-type 1 infection. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1999 , 88, 228-232	3.1	19
137	Recurrent oral condylomata acuminata and hairy leukoplakia: an early sign of myelodysplastic syndrome in an HIV-seronegative patient. <i>Journal of Oral Pathology and Medicine</i> , 1991 , 20, 398-402	3.3	18
136	Search for HTLV-I and LAV/HTLV-III antibodies in serum and CSF of multiple sclerosis patients. <i>Acta Neurologica Scandinavica</i> , 1986 , 74, 161-4	3.8	18

135	HTLV-III and HTLV-I infection in populations at risk in the Veneto region of Italy. <i>European Journal of Cancer & Clinical Oncology</i> , 1986 , 22, 411-8		18
134	Trends of HTLV-I and HIV infections in drug addicts. <i>European Journal of Cancer & Clinical Oncology</i> , 1988 , 24, 279-80		17
133	Virological and immunological features of SARS-CoV-2-infected children who develop neutralizing antibodies. <i>Cell Reports</i> , 2021 , 34, 108852	10.6	17
132	Accelerated aging in perinatally HIV-infected children: clinical manifestations and pathogenetic mechanisms. <i>Aging</i> , 2018 , 10, 3610-3625	5.6	17
131	Epstein-Barr virus DNA load in chronic lymphocytic leukemia is an independent predictor of clinical course and survival. <i>Oncotarget</i> , 2015 , 6, 18653-63	3.3	16
130	Plasma drug concentrations and virologic evaluations after stopping treatment with nonnucleoside reverse-transcriptase inhibitors in HIV type 1-infected children. <i>Clinical Infectious Diseases</i> , 2008 , 46, 1601-8	11.6	15
129	Within and between race differences in lymphocyte, CD4+, CD8+ and neutrophil levels in HIV-uninfected children with or without HIV exposure in Europe and Uganda. <i>Annals of Tropical Paediatrics</i> , 2006 , 26, 169-79		15
128	Antiretroviral therapy for prevention of mother-to-child HIV transmission : focus on single-dose nevirapine. <i>Clinical Drug Investigation</i> , 2006 , 26, 611-27	3.2	15
127	A search for human herpesvirus 8 (HHV-8) in HIV-1 infected mothers and their infants does not suggest vertical transmission of HHV-8. <i>International Journal of Cancer</i> , 2000 , 85, 296-297	7.5	15
126	Different distribution of HIV type 1 genetic variants in European patients with distinct risk practices. <i>AIDS Research and Human Retroviruses</i> , 2000 , 16, 299-304	1.6	15
125	HTLV-I/II seroprevalence in The Gambia: a study of mother-child pairs. <i>AIDS Research and Human Retroviruses</i> , 1994 , 10, 617-20	1.6	15
124	Primary lymphoma of the central nervous system in two children with acquired immune deficiency syndrome. <i>American Journal of Clinical Pathology</i> , 1990 , 94, 722-8	1.9	15
123	Free light chains of immunoglobulins in the cerebrospinal fluid of human immunodeficiency virus type 1-infected patients. <i>Journal of Neuroimmunology</i> , 1990 , 26, 229-38	3.5	15
122	Cerebrospinal fluid lymphocytes from HIV-infected patients synthesize HIV-specific antibody in vitro. <i>Journal of Neuroimmunology</i> , 1988 , 18, 181-6	3.5	15
121	Biphasic decay of cell-associated HIV-1 DNA in HIV-1-infected children on antiretroviral therapy. <i>Aids</i> , 2002 , 16, 1961-3	3.5	15
120	Evolution of Antiretroviral Phenotypic and Genotypic Drug Resistance in Antiretroviral-Naive HIV-1-Infected Children Treated with Abacavir/Lamivudine, Zidovudine/Lamivudine or Abacavir/Zidovudine, with or without Nelfinavir (The Penta 5 Trial). <i>Antiviral Therapy</i> , 2002 , 7, 293-303	1.6	15
119	Reliable and versatile immortal muscle cell models from healthy and myotonic dystrophy type 1 primary human myoblasts. <i>Experimental Cell Research</i> , 2016 , 342, 39-51	4.2	14
118	The EPIICAL project: an emerging global collaboration to investigate immunotherapeutic strategies in HIV-infected children. <i>Journal of Virus Eradication</i> , 2015 , 1, 134-139	2.8	14

117	Epstein-Barr virus load in children infected with human immunodeficiency virus type 1 in Uganda. <i>Journal of Infectious Diseases</i> , 2014 , 210, 392-9	7	14
116	Minimal sequence requirements for synthetic peptides derived from the V3 loop of the human immunodeficiency virus type 1 (HIV-1) to enhance HIV-1 binding to cells and infection. <i>Virology</i> , 1995 , 206, 807-16	3.6	14
115	The changing epidemiology of acute type B hepatitis: results of an 11-year prospective study in Padua (northern Italy). <i>Infection</i> , 1989 , 17, 364-8	5.8	14
114	Serological and molecular evidence of infection by human T-cell lymphotropic virus type II in Italian drug addicts by use of synthetic peptides and polymerase chain reaction. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 835-8		14
113	Hospitalization of children born to human immunodeficiency virus-infected women in Europe. The European Collaborative Study. <i>Pediatric Infectious Disease Journal</i> , 1997 , 16, 1151-6	3.4	14
112	Viral phenotype in mother-to-child HIV-1 transmission and disease progression of vertically acquired HIV-1 infection. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1997 , 421, 22-8	3.1	13
111	Anti-HIV activity and conformational studies of peptides derived from the C-terminal sequence of SDF-1. <i>Journal of Medicinal Chemistry</i> , 2004 , 47, 3058-64	8.3	13
110	Mild SARS-CoV-2 Infections and Neutralizing Antibody Titers. <i>Pediatrics</i> , 2021 , 148,	7.4	13
109	Quantitative HIV-1 proviral DNA detection: a multicentre analysis. <i>New Microbiologica</i> , 2010 , 33, 293-302.	1.1	13
108	Cross-talk between virus and host innate immunity in pediatric HIV-1 infection and disease progression. <i>New Microbiologica</i> , 2012 , 35, 249-57	1.1	13
107	Role of and the axis in regulating telomerase expression in chronic lymphocytic leukemia. <i>Haematologica</i> , 2017 , 102, e253-e256	6.6	12
106	The predictive and prognostic potential of plasma telomerase reverse transcriptase (TERT) RNA in rectal cancer patients. <i>British Journal of Cancer</i> , 2018 , 118, 878-886	8.7	12
105	Vertical transmission of HIV-1: lack of detectable virus in peripheral blood cells of infected children at birth. <i>Aids</i> , 1992 , 6, 1117-20	3.5	12
104	Relationship between non-Hodgkin's lymphoma and blood levels of Epstein-Barr virus in children in north-western Tanzania: a case control study. <i>BMC Pediatrics</i> , 2013 , 13, 4	2.6	11
103	The role of genetic variants of Stromal cell-Derived Factor 1 in pediatric HIV-1 infection and disease progression. <i>PLoS ONE</i> , 2012 , 7, e44460	3.7	11
102	Genotypic and phenotypic correlates of the HIV Type 1 env gene evolution in infected children with discordant response to antiretroviral therapy. <i>AIDS Research and Human Retroviruses</i> , 2004 , 20, 1306-13	1.6	11
101	Antiretroviral activity of furocoumarins plus UVA light detected by a replication-defective retrovirus. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1994 , 26, 241-7	6.7	11
100	Reciprocal activation of human T-lymphotropic viruses in HTLV-I-transformed cells superinfected with HIV-1. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1991 , 4, 380-5		11

99	Molecular Profile of Epstein-Barr Virus in Human Immunodeficiency Virus Type 1 Related Lymphadenopathies and Lymphomas. <i>Blood</i> , 1997 , 90, 313-322	2.2	11
98	The EPIICAL project: an emerging global collaboration to investigate immunotherapeutic strategies in HIV-infected children. <i>Journal of Virus Eradication</i> , 2015 , 1, 134-139	2.8	11
97	Viral load detection using dried blood spots in a cohort of HIV-1-infected children in Uganda: correlations with clinical and immunological criteria for treatment failure. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 2665-7	9.7	10
96	Molecular profile of Epstein-Barr virus in human immunodeficiency virus type 1-related lymphadenopathies and lymphomas. <i>Blood</i> , 1997 , 90, 313-22	2.2	10
95	Discordance of IDH mutational status between lesions in an adult patient with multifocal glioma. <i>Neuro-Oncology</i> , 2018 , 20, 1142-1143	1	9
94	Epstein-Barr virus and telomerase: from cell immortalization to therapy. <i>Infectious Agents and Cancer</i> , 2014 , 9, 8	3.5	9
93	Population pharmacokinetics and maximum a posteriori probability Bayesian estimator of abacavir: application of individualized therapy in HIV-infected infants and toddlers. <i>British Journal of Clinical Pharmacology</i> , 2012 , 73, 641-50	3.8	9
92	Immortalization of human T lymphocytes by HTLV-I: phenotypic characteristics of target cells and kinetics of virus integration and expression. <i>Leukemia Research</i> , 1986 , 10, 1109-20	2.7	9
91	LAV/HTLV-III and HTLV-I antibodies in hemodialysis patients. <i>Nephron</i> , 1986 , 44, 377-8	3.3	9
90	Virological and immunological response to antiretroviral therapy in HIV-1 infected children: genotypic and phenotypic assays in monitoring virological failure. <i>New Microbiologica</i> , 2004 , 27, 45-50	1.1	9
89	Biological Aging and Immune Senescence in Children with Perinatally Acquired HIV. <i>Journal of Immunology Research</i> , 2020 , 2020, 8041616	4.5	8
88	Virus-host interactions in paediatric HIV-1 infection. <i>Current Opinion in HIV and AIDS</i> , 2007 , 2, 399-404	4.2	8
87	Analysis of the CC chemokine receptor 5 m303 mutation in infants born to HIV-1-seropositive mothers. <i>Aids</i> , 1999 , 13, 871-2	3.5	8
86	Dominance of a single Epstein-Barr virus strain in SCID-mouse tumors induced by injection of peripheral blood mononuclear cells from healthy human donors. <i>Virus Research</i> , 1995 , 36, 215-31	6.4	8
85	Structural studies on synthetic peptides from the principal neutralizing domain of HIV-1 gp120 that bind to CD4 and enhance HIV-1 infection. <i>Biochemical and Biophysical Research Communications</i> , 1993 , 191, 364-70	3.4	8
84	Impact of monotherapy on HIV-1 reservoir, immune activation, and co-infection with Epstein-Barr virus. <i>PLoS ONE</i> , 2017 , 12, e0185128	3.7	8
83	Immune activation, immune senescence and levels of Epstein Barr Virus in kidney transplant patients: Impact of mTOR inhibitors. <i>Cancer Letters</i> , 2020 , 469, 323-331	9.9	8
82	The CARMA Study: Early Infant Antiretroviral Therapy-Timing Impacts on Total HIV-1 DNA Quantitation 12 Years Later. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2021 , 10, 295-301	4.8	8

81	Differential dynamics of Epstein-Barr virus in individuals infected with human immunodeficiency virus-1 receiving intermittent interleukin-2 and antiretroviral therapy. <i>Haematologica</i> , 2006 , 91, 244-7	6.6	8
80	A Randomized Controlled Trial of Genotypic HIV Drug Resistance Testing in HIV-1-Infected Children: The Pera (Penta 8) Trial. <i>Antiviral Therapy</i> , 2006 , 11, 857-868	1.6	8
79	TERT promoter hotspot mutations and their relationship with TERT levels and telomere erosion in patients with head and neck squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 381-389	4.9	7
78	TERT Promoter Mutations Differently Correlate with the Clinical Outcome of MAPK Inhibitor-Treated Melanoma Patients. <i>Cancers</i> , 2020 , 12,	6.6	7
77	Telomere and Telomerase in Carcinogenesis: Their Role as Prognostic Biomarkers. <i>Current Pathobiology Reports</i> , 2015 , 3, 315-328	2	7
76	Intrathecal synthesis of anti-HIV oligoclonal IgG in HIV-seropositive patients having no signs of HIV-induced neurologic diseases. <i>Annals of the New York Academy of Sciences</i> , 1988 , 540, 615-8	6.5	7
75	Lav/HTLV-III Neutralizing Antibodies in the Sera of Patients with Aids, Lymphadenopathy Syndrome and Asymptomatic Seropositive Individuals. <i>Tumori</i> , 1986 , 72, 219-224	1.7	7
74	Onset of HIV-1 antibody production after highly active antiretroviral therapy in a seronegative HIV-1-infected child. <i>Aids</i> , 2000 , 14, 1284-6	3.5	7
73	Biological and conformational studies on analogues of a synthetic peptide enhancing HIV-1 infection. <i>Journal of Peptide Science</i> , 1998 , 4, 436-48	2.1	6
72	Nucleoside and nucleotide reverse transcriptase inhibitors in children. <i>Clinical Drug Investigation</i> , 2007 , 27, 509-31	3.2	6
71	Inhibition of oxidative phosphorylation underlies the antiproliferative and proapoptotic effects of mofarotene (Ro 40-8757) in Burkitt's lymphoma cells. <i>Oncogene</i> , 2003 , 22, 906-18	9.2	6
70	Analysis of Epstein-Barr virus (EBV) type and variant in spontaneous lymphoblastoid cells and Hu-SCID mouse tumours. <i>Molecular and Cellular Probes</i> , 1996 , 10, 453-61	3.3	6
69	Protection from spontaneous lymphoma development in SJL/J(v+) mice neonatally injected with dualtropic SJL-151 virus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983 , 80, 2775-9	11.5	6
68	Tolerance to viral antigens in Mov-13 mice carrying endogenized Moloney-murine leukemia virus. <i>Cellular Immunology</i> , 1984 , 83, 379-88	4.4	6
67	Immune senescence and immune activation in elderly colorectal cancer patients. <i>Aging</i> , 2019 , 11, 3864-3875	3.75	6
66	Virus-specific T cell response prevents lymphoma development in mice infected by intrathymic inoculation of Moloney leukaemia virus (M-MuLV). <i>Immunology</i> , 1984 , 51, 9-16	7.8	6
65	Differences in telomere length between sporadic and familial cutaneous melanoma. <i>British Journal of Dermatology</i> , 2016 , 175, 937-943	4	6
64	Improvements in virological control among women conceiving on combination antiretroviral therapy in Western Europe. <i>Aids</i> , 2013 , 27, 2312-5	3.5	5

63	Italian consensus statement on paediatric HIV infection. <i>Infection</i> , 2010 , 38, 301-19	5.8	5
62	A search for human herpesvirus 8 (HHV-8) in HIV-1 infected mothers and their infants does not suggest vertical transmission of HHV-8. <i>International Journal of Cancer</i> , 2000 , 85, 296-7	7.5	5
61	Telomerase activity and clinical progression in chronic lymphoproliferative disorders of B-cell lineage. <i>Leukemia and Lymphoma</i> , 2001 , 41, 35-45	1.9	5
60	CCR5, vertical transmission of HIV-1, and disease progression. European Collaborative Study. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1999 , 20, 211-2		5
59	9-year-old child with falling CD4 count after neonatal HIV. <i>Lancet, The</i> , 1995 , 346, 963	4.0	5
58	Adult T-Cell Leukemia (ATL): Clinical, Pathological and Virological Findings in Two Cases with Unusual Features. <i>Leukemia and Lymphoma</i> , 1992 , 6, 261-266	1.9	5
57	Resistance to Moloney Murine Sarcoma Virus (M-MuSV) Tumor Induction is Associated with Natural Antibody Production to "Endogenous" Moloney Leukemia Virus (M-MuLV) in Balb/Mo Mice. <i>Tumori</i> , 1981 , 67, 511-520	1.7	5
56	Relationship between Moloney MSV tumor resistance and endogenous virogene expression in AKR mouse strain and its hybrids. <i>International Journal of Cancer</i> , 1978 , 21, 179-85	7.5	5
55	T cell immune discriminants of HIV reservoir size in a pediatric cohort of perinatally infected individuals. <i>PLoS Pathogens</i> , 2021 , 17, e1009533	7.6	5
54	Virological and immunological features of SARS-COV-2 infected children with distinct symptomatology. <i>Pediatric Allergy and Immunology</i> , 2021 , 32, 1833-1842	4.2	5
53	Relationship between changes in thymic emigrants and cell-associated HIV-1 DNA in HIV-1-infected children initiating antiretroviral therapy. <i>Antiviral Therapy</i> , 2005 , 10, 63-71	1.6	5
52	A randomized controlled trial of genotypic HIV drug resistance testing in HIV-1-infected children: the PERA (PENTA 8) trial. <i>Antiviral Therapy</i> , 2006 , 11, 857-67	1.6	5
51	Levels and patterns of HIV RNA viral load in untreated pregnant women. <i>International Journal of Infectious Diseases</i> , 2009 , 13, 266-73	10.5	4
50	Modifications of HIV-1 DNA and provirus-infected cells during 24 months of intermittent highly active antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008 , 48, 68-71	3.1	4
49	Mother-to-child HIV-1 transmission: quantitative assessment of viral burden as a diagnostic tool and prognostic parameter in HIV-1-infected children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1994 , 400, 25-8	3.1	4
48	Predictive and prognostic significance of telomerase levels/telomere length in tissues and peripheral blood in head and neck squamous cell carcinoma. <i>Scientific Reports</i> , 2019 , 9, 17572	4.9	4
47	Dried blood spot sampling for detection of monoclonal immunoglobulin gene rearrangement. <i>Leukemia Research</i> , 2013 , 37, 1265-70	2.7	3
46	Host factors and early treatments to restrict paediatric HIV infection and early disease progression. <i>Journal of Virus Eradication</i> , 2015 , 1, 140-147	2.8	3

45	Design, synthesis and CD4 binding studies of a fluorescent analogue of a peptide that enhances HIV-1 infectivity. <i>Chemical Biology and Drug Design</i> , 1998 , 51, 110-5		3
44	Pediatric HIV-1 infection: advances and perspectives in diagnosis and prognosis. <i>Antibiotics and Chemotherapy</i> , 1994 , 46, 5-17		3
43	HIV antibodies in babies. <i>BMJ: British Medical Journal</i> , 1992 , 305, 367		3
42	How frequent and how early does the neurological involvement in HIV-positive children occur? Preliminary results of a prospective study. <i>Child's Nervous System</i> , 1990 , 6, 406-8	1.7	3
41	Cordycepin reduces the sensitivity of BALB/Mo mouse lymphocytes to the induction of sister chromatid exchanges. <i>Carcinogenesis</i> , 1985 , 6, 131-4	4.6	3
40	Lack of M-MuSV tumour regression associated with T lymphocyte tolerance. <i>Nature</i> , 1980 , 285, 667-8	50.4	3
39	Early ART initiation during infancy preserves natural killer cells in young European adolescents living with HIV (CARMA cohort). <i>Journal of the International AIDS Society</i> , 2021 , 24, e25717	5.4	3
38	Asymptomatic and Mild SARS-CoV-2 Infections Elicit Lower Immune Activation and Higher Specific Neutralizing Antibodies in Children Than in Adults. <i>Frontiers in Immunology</i> , 2021 , 12, 741796	8.4	3
37	Primary HIV infection in infants: impact of highly active antiretroviral therapy on the natural course. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2002 , 16, 53-7	0.7	3
36	Genetic Variants of the Gene, Telomere Length, and Circulating as Prognostic Markers in Rectal Cancer Patients. <i>Cancers</i> , 2020 , 12,	6.6	2
35	Extra-telomeric functions of telomerase in the pathogenesis of Epstein-Barr virus-driven B-cell malignancies and potential therapeutic implications. <i>Infectious Agents and Cancer</i> , 2018 , 13, 14	3.5	2
34	Unsung hero Robert C. Gallo. <i>Science</i> , 2009 , 323, 206-7	33.3	2
33	CCR5 N-terminus peptides enhance X4 HIV-1 infection by CXCR4 up-regulation. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 307, 640-6	3.4	2
32	Role of Infectious Virus Expression and Immune Response in Retrovirus-Induced Oncogenesis. <i>Tumori</i> , 1984 , 70, 1-8	1.7	2
31	Genetics of murine sarcoma virus (MSV)-induced tumors in AKR mice: Evidence that late progressing and early regressing tumors are controlled by different genes. <i>International Journal of Cancer</i> , 1977 , 19, 565-75	7.5	2
30	Host factors and early treatments to restrict paediatric HIV infection and early disease progression. <i>Journal of Virus Eradication</i> , 2015 , 1, 140-7	2.8	2
29	Size of HIV-1 reservoir is associated with telomere shortening and immunosenescence in early-treated European children with perinatally acquired HIV-1. <i>Journal of the International AIDS Society</i> , 2021 , 24, e25847	5.4	2
28	One Year Follow-Up Study of T-Cell Subsets and Incidence of Seropositivity for HTLV-I and HTLV-III Antibodies in Patients Treated On Demand or Sporadically with Clotting Concentrates. <i>Thrombosis and Haemostasis</i> , 1985 , 54, 665-668	7	2

27	The Prevalence of HTLV-III and HTLV-I Antibodies in Serum of Hemophiliacs. <i>Thrombosis and Haemostasis</i> , 1985 , 54, 897-897	7	2
26	Anti-Proliferative and Pro-Apoptotic Effects of Short-Term Inhibition of Telomerase In Vivo and in Human Malignant B Cells Xenografted in Zebrafish. <i>Cancers</i> , 2020 , 12,	6.6	2
25	Long-term clinical, virological and immunological outcomes following planned treatment interruption in HIV-infected children. <i>HIV Medicine</i> , 2021 , 22, 172-184	2.7	2
24	Prevalence of HIV infection in a cohort of patients with congenital coagulation defects of the prothrombin complex factors. <i>Blood Coagulation and Fibrinolysis</i> , 1991 , 2, 663-7	1	1
23	HIV MONITORING OF PREGNANT WOMEN. <i>Lancet, The</i> , 1988 , 331, 713-714	40	1
22	Diffusion of HIV-1 virus into non-habitual categories at risk in European countries. <i>European Journal of Cancer & Clinical Oncology</i> , 1988 , 24, 1677-9		1
21	Short- and long-term studies on chemical carcinogenesis in BALB/Mo mice. <i>Toxicologic Pathology</i> , 1984 , 12, 361-8	2.1	1
20	Characterization of Dualtropic Type C Retroviruses Isolated from Spontaneous Non-T Lymphomas of SJL/J(v+) MICE. <i>Tumori</i> , 1982 , 68, 95-104	1.7	1
19	Biological Predictors of Tumors in Solid Organ Transplanted Patients During Oncological Surveillance: Potential Role of Circulating mRNA. <i>Frontiers in Oncology</i> , 2021 , 11, 772348	5.3	1
18	Maternal antibody epitope mapping in mother-to-child transmission of HIV. <i>Advances in Experimental Medicine and Biology</i> , 1991 , 303, 47-52	3.6	1
17	Hepatocellular carcinoma and the risk of de novo malignancies after liver transplantation - a multicenter cohort study. <i>Transplant International</i> , 2021 , 34, 743-753	3	1
16	Immunological Findings in the CSF of HIV-1 Infected Patients 1990 , 13-22		1
15	Determinants of B-Cell Compartment Hyperactivation in European Adolescents Living With Perinatally Acquired HIV-1 After Over 10 Years of Suppressive Therapy.. <i>Frontiers in Immunology</i> , 2022 , 13, 860418	8.4	1
14	Promoter Mutations and rs2853669 Polymorphism: Useful Markers for Clinical Outcome Stratification of Patients With Oral Cavity Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 782658	5.3	0
13	Plasticity of the Immune System in Children Following Treatment Interruption in HIV-1 Infection. <i>Frontiers in Immunology</i> , 2021 , 12, 643189	8.4	0
12	Clinical, Virological and Immunological Subphenotypes in a Cohort of Early Treated HIV-Infected Children.. <i>Frontiers in Immunology</i> , 2022 , 13, 875692	8.4	0
11	Reply to Zhang, Poznansky, and Crumpacker. <i>Journal of Infectious Diseases</i> , 2012 , 206, 618-618	7	
10	Response to Segat et al. Are DEFB1 gene polymorphisms associated with HIV-1 infection and virus replication? <i>Aids</i> , 2009 , 23, 649-650	3.5	

9	Intrafamilial transmission of HIV-1. <i>Aids</i> , 2003 , 17, 2673-4	3.5
8	No evidence of HIV-2 infection in subjects at risk for AIDS living in north-east Italy. <i>European Journal of Epidemiology</i> , 1991 , 7, 682-5	12.1
7	Morphological and phenotypical changes in EBV positive lymphoblastoid cells infected by HIV-1. <i>Leukemia</i> , 1992 , 6 Suppl 3, 38S-40S	10.7
6	Telomerase as Biomarker in Colorectal Cancer. <i>Biomarkers in Disease</i> , 2015 , 659-683	
5	Pediatric HIV/AIDS 2014 , 3467-3472	
4	Telomerase as Biomarker in Colorectal Cancer 2014 , 1-19	
3	mTOR Inhibitors Maintain Low Levels of Immune Activation, Immune Senescence and EBV Load in Kidney Transplant Patients. <i>Transplantation</i> , 2018 , 102, S201	1.8
2	Faster Initial Viral Decay in Female Children Living With HIV. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2021 , 10, 674-676	4.8
1	Viral determinants in HIV-1 transmission. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 1997 , 11, 32-6	0.7