
Ryohei Kono

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6871286/publications.pdf Version: 2024-02-01



RVOHELKONO

#	Article	IF	CITATIONS
1	Traditional Japanese apricot (<i>Prunus mume</i>) induces osteocalcin in osteoblasts. Bioscience, Biotechnology and Biochemistry, 2022, 86, 528-534.	0.6	2
2	Two Japanese pepper (Zanthoxylum piperitum) fruit-derived compounds attenuate IgE-mediated allergic response in vitro and in vivo via inhibition of mast cell degranulation. European Journal of Pharmacology, 2020, 885, 173435.	1.7	11
3	Teriparatide Improves Bone and Lipid Metabolism in a Male Rat Model of Type 2 Diabetes Mellitus. Endocrinology, 2019, 160, 2339-2352.	1.4	21
4	Endogenous calcitonin regulates lipid and glucose metabolism in diet-induced obesity mice. Scientific Reports, 2018, 8, 17001.	1.6	13
5	Biological and epidemiological evidence of anti-allergic effects of traditional Japanese food ume (Prunus mume). Scientific Reports, 2018, 8, 11638.	1.6	26
6	The Relationship between Locomotive Syndrome and Depression in Community-Dwelling Elderly People. Current Gerontology and Geriatrics Research, 2017, 2017, 1-6.	1.6	19
7	Locomotive syndrome is associated with body composition and cardiometabolic disorders in elderly Japanese women. BMC Geriatrics, 2016, 16, 166.	1.1	19
8	3,4-Dihydroxybenzaldehyde Derived from <i>Prunus mume</i> Seed Inhibits Oxidative Stress and Enhances Estradiol Secretion in Human Ovarian Granulosa Tumor Cells. Acta Histochemica Et Cytochemica, 2014, 47, 103-112.	0.8	13
9	Peach (Prunus persica) extract inhibits angiotensin II-induced signal transduction in vascular smooth muscle cells. Food Chemistry, 2013, 139, 371-376.	4.2	10
10	APrunus mumeExtract Stimulated the Proliferation and Differentiation of Osteoblastic MC3T3-E1 Cells. Bioscience, Biotechnology and Biochemistry, 2011, 75, 1907-1911.	0.6	21
11	An Extract From Brown Rice Inhibits Signal Transduction of Angiotensin II in Vascular Smooth Muscle Cells. American Journal of Hypertension, 2011, 24, 530-533.	1.0	10
12	An ethyl acetate extract from a subaleurone layer of Japanese rice inhibits angiotensin ll–induced signal transduction and hypertrophy in vascular smooth muscle cells. FASEB Journal, 2010, 24, 603.4.	0.2	0
13	3P-061 The position of disulfide cross-linking makes a difference in volumetric properties of the lysozyme amyloid-like fibril(Protein:Property,The 47th Annual Meeting of the Biophysical Society of) Tj ETQq1 1	0.7 8.4 314	rg&T /Overlo
14	<i>>V_i</i> -Value Analysis:  A Pressure-Based Method for Mapping the Folding Transition State Ensemble of Proteins. Journal of the American Chemical Society, 2007, 129, 14108-14109.	6.6	34
15	Kinetic Analysis of Amyloid Protofibril Dissociation and Volumetric Properties of the Transition State. Biophysical Journal, 2007, 92, 323-329.	0.2	22