

Maria Gasset

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/687199/publications.pdf>

Version: 2024-02-01

69
papers

4,687
citations

186265

28
h-index

98798

67
g-index

77
all docs

77
docs citations

77
times ranked

3707
citing authors

#	ARTICLE	IF	CITATIONS
1	Conversion of alpha-helices into beta-sheets features in the formation of the scrapie prion proteins. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 10962-10966.	7.1	2,133
2	Perturbation of the secondary structure of the scrapie prion protein under conditions that alter infectivity.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 1-5.	7.1	381
3	Predicted alpha-helical regions of the prion protein when synthesized as peptides form amyloid.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 10940-10944.	7.1	338
4	Characterization of the Antifungal Protein Secreted by the Mould <i>Aspergillus giganteus</i> . Archives of Biochemistry and Biophysics, 1995, 324, 273-281.	3.0	101
5	The Plasma Membrane Ca ²⁺ -ATPase Isoform 4 Is Localized in Lipid Rafts of Cerebellum Synaptic Plasma Membranes. Journal of Biological Chemistry, 2006, 281, 447-453.	3.4	90
6	Inter- and Intra-octarepeat Cu(II) Site Geometries in the Prion Protein. Journal of Biological Chemistry, 2004, 279, 11753-11759.	3.4	81
7	Prion Protein Interaction with Glycosaminoglycan Occurs with the Formation of Oligomeric Complexes Stabilized by Cu(II) Bridges. Journal of Molecular Biology, 2002, 319, 527-540.	4.2	78
8	PrP ^{Sc} Incorporation to Cells Requires Endogenous Glycosaminoglycan Expression. Journal of Biological Chemistry, 2005, 280, 17057-17061.	3.4	78
9	Conformational Features and Thermal Stability of Bovine Seminal Plasma Protein PDC-109 Oligomers and Phosphorylcholine-Bound Complexes. FEBS Journal, 1997, 250, 735-744.	0.2	71
10	Overproduction and purification of biologically active native fungal $\hat{I}\pm$ -sarcin in <i>Escherichia coli</i> . Gene, 1994, 142, 147-151.	2.2	64
11	Conformational study of the antitumor protein $\hat{I}\pm$ -sarcin. BBA - Proteins and Proteomics, 1988, 953, 280-288.	2.1	57
12	Dynamic Diagnosis of Familial Prion Diseases Supports the \hat{I}^2 - $\hat{I}\pm$ Loop as a Universal Interference Target. PLoS ONE, 2011, 6, e19093.	2.5	56
13	Structural Organization of the Major Autolysin from <i>Streptococcus pneumoniae</i> . Journal of Biological Chemistry, 1996, 271, 6832-6838.	3.4	54
14	Methionine Sulfoxides on Prion Protein Helix-3 Switch on the $\hat{I}\pm$ -Fold Destabilization Required for Conversion. PLoS ONE, 2009, 4, e4296.	2.5	53
15	Methionine Sulfoxides on PrP ^{Sc} : A Prion-Specific Covalent Signature. Biochemistry, 2008, 47, 8866-8873.	2.5	52
16	Detection of oxidized methionine in selected proteins, cellular extracts and blood serums by novel anti-methionine sulfoxide antibodies. Archives of Biochemistry and Biophysics, 2009, 485, 35-40.	3.0	52
17	Oxidation of Helix-3 Methionines Precedes the Formation of PK Resistant PrP ^{Sc} . PLoS Pathogens, 2010, 6, e1000977.	4.7	51
18	Biophysical Study of the Perturbation of Model Membrane Structure Caused by Seminal Plasma Protein PDC-109. Archives of Biochemistry and Biophysics, 2000, 374, 241-247.	3.0	47

#	ARTICLE	IF	CITATIONS
19	Acid phospholipid vesicles produce conformational changes on the antitumour protein Î±-sarcin. BBA - Proteins and Proteomics, 1991, 1080, 51-58.	2.1	40
20	Biochemical and conformational characterisation of HSP-3, a stallion seminal plasma protein of the cysteine-rich secretory protein (CRISP) family. FEBS Letters, 1997, 420, 179-185.	2.8	39
21	Structural Characterization of the Unligated and Choline-bound Forms of the Major Pneumococcal Autolysin LytA Amidase. Journal of Biological Chemistry, 1996, 271, 29152-29161.	3.4	36
22	Influence of cholesterol on gramicidin-induced HII phase formation in phosphatidylcholine model membranes. Biochimica Et Biophysica Acta - Biomembranes, 1988, 939, 79-88.	2.6	35
23	Analysis of the Structural Organization and Thermal Stability of two Spermadhesins. Calorimetric, Circular Dichroic and Fourier-Transform Infrared Spectroscopic Studies. FEBS Journal, 1995, 234, 887-896.	0.2	33
24	Predictive study of the conformation of the cytotoxic protein Î±-sarcin: a structural model to explain Î±-sarcin-membrane interaction. Journal of Theoretical Biology, 1995, 172, 259-267.	1.7	33
25	An optimized amphiphilic cationic peptide as an efficient non-viral gene delivery vector. Journal of Gene Medicine, 2000, 2, 455-464.	2.8	32
26	Effect of the antitumour protein Î±-sarcin on the thermotropic behaviour of acid phospholipid vesicles. Biochimica Et Biophysica Acta - Biomembranes, 1991, 1068, 9-16.	2.6	31
27	Bovine Seminal Ribonuclease Destabilizes Negatively Charged Membranes. Biochemical and Biophysical Research Communications, 1994, 199, 119-124.	2.1	31
28	Calcium-Dependent Conformational Rearrangements and Protein Stability in Chicken Annexin A5. Biophysical Journal, 2002, 83, 2280-2291.	0.5	28
29	Fourier Transform Infrared and Circular Dichroism Spectroscopies for Amyloid Studies. , 2005, 299, 129-152.		28
30	Refolding and Characterization of Rat Liver Methionine Adenosyltransferase from Escherichia coli Inclusion Bodies. Protein Expression and Purification, 2000, 19, 219-226.	1.3	27
31	Role of an Intrasubunit Disulfide in the Association State of the Cytosolic Homo-oligomer Methionine Adenosyltransferase. Journal of Biological Chemistry, 2003, 278, 7285-7293.	3.4	27
32	Proteomics-Based Methodologies for the Detection and Quantification of Seafood Allergens. Foods, 2020, 9, 1134.	4.3	23
33	The amyloid fold of Gad m 1 epitopes governs IgE binding. Scientific Reports, 2016, 6, 32801.	3.3	21
34	Active-site-mutagenesis study of rat liver betaine-homocysteine S-methyltransferase. Biochemical Journal, 2003, 370, 945-952.	3.7	20
35	Biosynthesis of Prion Protein Nucleocytoplasmic Isoforms by Alternative Initiation of Translation. Journal of Biological Chemistry, 2009, 284, 2787-2794.	3.4	20
36	PrP charge structure encodes interdomain interactions. Scientific Reports, 2015, 5, 13623.	3.3	20

#	ARTICLE	IF	CITATIONS
37	Fish β 2-parvalbumin acquires allergenic properties by amyloid assembly. <i>Swiss Medical Weekly</i> , 2015, 145, w14128.	1.6	20
38	Thermal unfolding of the cytotoxin β 2-sarcin: phospholipid binding induces destabilization of the protein structure. <i>BBA - Proteins and Proteomics</i> , 1995, 1252, 126-134.	2.1	18
39	Reconstruction of fish allergenicity from the content and structural traits of the component β 2-parvalbumin isoforms. <i>Scientific Reports</i> , 2019, 9, 16298.	3.3	18
40	Selenomethionine Incorporation into Amyloid Sequences Regulates Fibrillogenesis and Toxicity. <i>PLoS ONE</i> , 2011, 6, e27999.	2.5	17
41	The structural intolerance of the PrP β -fold for polar substitution of the helix-3 methionines. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 2825-2838.	5.4	16
42	Spectroscopic characterization of the alkylated β 2-sarcin cytotoxin: analysis of the structural requirements for the protein-lipid bilayer hydrophobic interaction. <i>BBA - Proteins and Proteomics</i> , 1995, 1252, 43-52.	2.1	15
43	Transcriptomic Analysis Reveals the Wound Healing Activity of Mussel Myticin C. <i>Biomolecules</i> , 2020, 10, 133.	4.0	15
44	Lipid alterations in liver and kidney induced by normobaric hyperoxia: Correlations with changes in microsomal membrane fluidity. <i>Biochemical Medicine and Metabolic Biology</i> , 1987, 37, 269-281.	0.7	13
45	Equilibrium unfolding studies of the rat liver methionine adenosyltransferase III, a dimeric enzyme with intersubunit active sites. <i>Biochemical Journal</i> , 2002, 361, 307-315.	3.7	13
46	Reconstitution of Holin Activity with a Synthetic Peptide Containing the 1-32 Sequence Region of E1h, the E1-1 Phage Holin. <i>Journal of Biological Chemistry</i> , 2003, 278, 3929-3936.	3.4	13
47	Featuring Amyloids with Fourier Transform Infrared and Circular Dichroism Spectroscopies. <i>Methods in Molecular Biology</i> , 2012, 849, 53-68.	0.9	13
48	Amyloid Assembly Endows Gad m 1 with Biomineralization Properties. <i>Biomolecules</i> , 2018, 8, 13.	4.0	13
49	Structural Domain Organization of Gastric H ⁺ ,K ⁺ -ATPase and Its Rearrangement during the Catalytic Cycle. <i>Journal of Biological Chemistry</i> , 1997, 272, 1608-1614.	3.4	12
50	Failure of Prion Protein Oxidative Folding Guides the Formation of Toxic Transmembrane Forms. <i>Journal of Biological Chemistry</i> , 2012, 287, 36693-36701.	3.4	12
51	Identification of the Dominant T-Cell Epitopes of Lit v 1 Shrimp Major Allergen and Their Functional Overlap with Known B-Cell Epitopes. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 7420-7428.	5.2	12
52	Major shrimp allergen peptidomics signatures and potential biomarkers of heat processing. <i>Food Chemistry</i> , 2022, 382, 132567.	8.2	12
53	Effect of divalent cations on structure-function relationships of the antitumor protein β 2-sarcin. <i>International Journal of Peptide and Protein Research</i> , 1989, 34, 416-422.	0.1	10
54	Atomic Force Fluorescence Microscopy in the Characterization of Amyloid Fibril Assembly and Oligomeric Intermediates. <i>Methods in Molecular Biology</i> , 2012, 849, 157-167.	0.9	10

#	ARTICLE	IF	CITATIONS
55	Fish muscle processing into seafood products reduces β -parvalbumin allergenicity. <i>Food Chemistry</i> , 2021, 364, 130308.	8.2	10
56	Equilibrium unfolding studies of the rat liver methionine adenosyltransferase III, a dimeric enzyme with intersubunit active sites. <i>Biochemical Journal</i> , 2002, 361, 307.	3.7	9
57	Molecular aspects of β -sarcin penetration in phospholipid bilayers. <i>Biochemical Society Transactions</i> , 1989, 17, 999-1000.	3.4	8
58	Rat liver betaine-homocysteine S-methyltransferase equilibrium unfolding: insights into intermediate structure through tryptophan substitutions. <i>Biochemical Journal</i> , 2005, 391, 589-599.	3.7	8
59	Microsomal membrane fluidity and phosphatidylcholine synthesis in rabbit lung under high oxygen tension. <i>Cell Biochemistry and Function</i> , 1989, 7, 193-199.	2.9	5
60	Cu ²⁺ binding triggers β -B α PrP assembly into insoluble laminar polymers. <i>FEBS Letters</i> , 2004, 556, 161-166.	2.8	5
61	Discrimination between alternate membrane protein topologies in living cells using GFP/YFP tagging and pH exchange. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 3345-3354.	5.4	5
62	Preparation of Amyloidogenic Aggregates from EF-Hand β -Parvalbumin and S100 Proteins. <i>Methods in Molecular Biology</i> , 2018, 1779, 167-179.	0.9	5
63	Mapping Amyloid Regions in Gad m 1 with Peptide Arrays. <i>Methods in Molecular Biology</i> , 2018, 1779, 197-207.	0.9	5
64	Chapter 1 Piercing Lipid Bilayers with Peptides. <i>Behavior Research Methods</i> , 2006, 5, 1-23.	4.0	4
65	Are Amyloid Fibrils RNA-Traps? A Molecular Dynamics Perspective. <i>Frontiers in Molecular Biosciences</i> , 2018, 5, 53.	3.5	4
66	SWATH-MS-based proteomics reveals functional biomarkers of Th1/Th2 responses of tropomyosin allergy in mouse models. <i>Food Chemistry</i> , 2022, 383, 132474.	8.2	2
67	The Burden of Allergens in Surimi-Based Products Diminishes With Industrial Processing. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2021, 31, 443-445.	1.3	1
68	Molecular Interactions Involved in the Passage of the Cytotoxic Protein β -Sarcin Across Membranes. , 1994, , 269-276.		1
69	Distinct Animal Food Allergens Form IgE-Binding Amyloids. <i>Allergies</i> , 2020, 1, 2.	0.8	0