Michel Henry-Amar

List of Publications by Citations

Source: https://exaly.com/author-pdf/6872850/michel-henry-amar-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers8,915
citations52
h-index93
g-index123
ext. papers9,858
ext. citations6.5
avg, IF4.61
L-index

#	Paper	IF	Citations
120	Pathologic assessment of tumor regression after preoperative chemoradiotherapy of esophageal carcinoma. Clinicopathologic correlations. <i>Cancer</i> , 1994 , 73, 2680-6	6.4	1423
119	Prognostic factors in adult patients with locally controlled soft tissue sarcoma. A study of 546 patients from the French Federation of Cancer Centers Sarcoma Group. <i>Journal of Clinical Oncology</i> , 1996 , 14, 869-77	2.2	465
118	Leukemia following Hodgkin's disease. <i>New England Journal of Medicine</i> , 1990 , 322, 7-13	59.2	407
117	Malignant tumors occurring after treatment of aplastic anemia. European Bone Marrow Transplantation-Severe Aplastic Anaemia Working Party. <i>New England Journal of Medicine</i> , 1993 , 329, 1152-7	59.2	381
116	Chemotherapy plus involved-field radiation in early-stage Hodgkin's disease. <i>New England Journal of Medicine</i> , 2007 , 357, 1916-27	59.2	324
115	Involved-field radiotherapy for advanced Hodgkin's lymphoma. <i>New England Journal of Medicine</i> , 2003 , 348, 2396-406	59.2	255
114	Low-dose cytarabine versus intensive chemotherapy in the treatment of acute nonlymphocytic leukemia in the elderly. <i>Journal of Clinical Oncology</i> , 1990 , 8, 272-9	2.2	220
113	Splenic lymphoma with villous lymphocytes: clinical presentation, biology and prognostic factors in a series of 100 patients. Groupe Francais d'Hfhatologie Cellulaire (GFHC). <i>British Journal of Haematology</i> , 1996 , 93, 731-6	4.5	185
112	Combined-modality therapy for clinical stage I or II Hodgkin's lymphoma: long-term results of the European Organisation for Research and Treatment of Cancer H7 randomized controlled trials. <i>Journal of Clinical Oncology</i> , 2006 , 24, 3128-35	2.2	180
111	Macroscopic lymph-node involvement and neck dissection predict lymph-node recurrence in papillary thyroid carcinoma. <i>European Journal of Endocrinology</i> , 2008 , 158, 551-60	6.5	140
110	Second malignancy risk associated with treatment of Hodgkin's lymphoma: meta-analysis of the randomised trials. <i>Annals of Oncology</i> , 2006 , 17, 1749-60	10.3	135
109	Clinical stages I and II Hodgkin's disease: a specifically tailored therapy according to prognostic factors. <i>Journal of Clinical Oncology</i> , 1988 , 6, 239-52	2.2	135
108	Prognostic factors in primary gastrointestinal non-Hodgkin's lymphoma. A multivariate analysis, report of 106 cases, and review of the literature. <i>Cancer</i> , 1989 , 64, 1208-17	6.4	132
107	Comparison of high-dose therapy and autologous stem-cell transplantation with conventional therapy for Hodgkin's disease induction failure: a case-control study. SociEFrancaise de Greffe de Moelle. <i>Journal of Clinical Oncology</i> , 1999 , 17, 222-9	2.2	131
106	A multivariate analysis of prognostic factors in early stage Hodgkin's disease. <i>International Journal of Radiation Oncology Biology Physics</i> , 1985 , 11, 23-30	4	123
105	Second cancers and late toxicities after treatment of aggressive non-Hodgkin lymphoma with the ACVBP regimen: a GELA cohort study on 2837 patients. <i>Blood</i> , 2004 , 103, 1222-8	2.2	114
104	Pericarditis and myocardial infarctions after Hodgkin's disease therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 1991 , 21, 447-9	4	114

103	Late psychosocial sequelae in Hodgkin's disease survivors: a French population-based case-control study. <i>Journal of Clinical Oncology</i> , 1996 , 14, 2444-53	2.2	111
102	Osteosarcoma: chemotherapy-induced changes at MR imaging. <i>Radiology</i> , 1992 , 182, 839-44	20.5	101
101	Nebulized versus intravenous albuterol in hypercapnic acute asthma. A multicenter, double-blind, randomized study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1994 , 149, 1466-70	10.2	97
100	Clinical relevance of single-photon emission computed tomography/computed tomography of the neck and thorax in postablation (131)I scintigraphy for thyroid cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2075-84	5.6	91
99	Cardiovascular disease after treatment for Hodgkin's lymphoma: an analysis of nine collaborative EORTC-LYSA trials. <i>Lancet Haematology,the</i> , 2015 , 2, e492-502	14.6	90
98	Descriptive epidemiology of cerebral gliomas in France. <i>Cancer</i> , 1997 , 79, 1195-202	6.4	90
97	Prevalence and prognostic significance of tall cell variant of papillary thyroid carcinoma. <i>Human Pathology</i> , 2007 , 38, 212-9	3.7	90
96	Causes of death after therapy for early stage Hodgkin's disease entered on EORTC protocols. EORTC Lymphoma Cooperative Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 1990 , 19, 1155-7	4	89
95	A randomized study in stage IIIB and IV Hodgkin's disease comparing eight courses of MOPP versus an alteration of MOPP with ABVD: a European Organization for Research and Treatment of Cancer Lymphoma Cooperative Group and Groupe Pierre-et-Marie-Curie controlled clinical trial. <i>Journal of</i>	2.2	86
94	Clinical Oncology, 1994, 12, 279-87 Rotavirus carriage, asymptomatic infection, and disease in the first two years of life. I. Virus shedding. <i>Journal of Infectious Diseases</i> , 1984, 149, 667-74	7	84
93	Long-term quality of life after breast cancer: a French registry-based controlled study. <i>Breast Cancer Research and Treatment</i> , 2011 , 129, 125-34	4.4	82
92	Gonadal function in males after chemotherapy for early-stage Hodgkin's lymphoma treated in four subsequent trials by the European Organisation for Research and Treatment of Cancer: EORTC Lymphomes de l'Adulte. <i>Journal of Clinical Oncology</i> ,	2.2	81
91	Quality of life and home enteral tube feeding: a French prospective study in patients with head and neck or oesophageal cancer. <i>British Journal of Cancer</i> , 2000 , 82, 263-9	8.7	81
90	Quality of life after successful treatment of early-stage Hodgkin's lymphoma: 10-year follow-up of the EORTC-GELA H8 randomised controlled trial. <i>Lancet Oncology, The</i> , 2009 , 10, 1160-70	21.7	80
89	Premature ovarian failure and fertility in long-term survivors of Hodgkin's lymphoma: a European Organisation for Research and Treatment of Cancer Lymphoma Group and Groupe d'Etude des Lymphomes de l'Adulte Cohort Study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 291-9	2.2	77
88	Effectiveness of immunosuppressive therapy in older patients with aplastic anemia. European Group for Blood and Marrow Transplantation Severe Aplastic Anaemia Working Party. <i>Annals of Internal Medicine</i> , 1999 , 130, 193-201	8	77
87	Health-related quality of life and sequelae in patients treated with brachytherapy and external beam irradiation for localized prostate cancer. <i>Annals of Oncology</i> , 1998 , 9, 751-7	10.3	74
86	High doses of inhaled corticosteroids in unstable chronic asthma. A multicenter, double-blind, placebo-controlled study. <i>The American Review of Respiratory Disease</i> , 1989 , 140, 167-71		74

85	Does malignant small round cell tumor of the thoracopulmonary region (Askin tumor) constitute a clinicopathologic entity? An analysis of 30 cases with immunohistochemical and electron-microscopic support treated at the Institute Gustave Roussy. <i>Cancer</i> , 1992 , 69, 1012-20	6.4	71
84	One-year longitudinal study of fatigue, cognitive functions, and quality of life after adjuvant radiotherapy for breast cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, 795-803	4	69
83	Health-related quality of life among long-term survivors of colorectal cancer: a population-based study. <i>Oncologist</i> , 2011 , 16, 1626-36	5.7	69
82	Long-term toxicity of early stages of Hodgkin's disease therapy: the EORTC experience. EORTC Lymphoma Cooperative Group. <i>Annals of Oncology</i> , 1991 , 2 Suppl 2, 77-82	10.3	69
81	Erythrocyte sedimentation rate predicts early relapse and survival in early-stage Hodgkin disease. The EORTC Lymphoma Cooperative Group. <i>Annals of Internal Medicine</i> , 1991 , 114, 361-5	8	69
80	Risk of second primary cancer following differentiated thyroid cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004 , 31, 685-91	8.8	68
79	The EORTC treatment of early stages of Hodgkin's disease: the role of radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 1984 , 10, 197-210	4	68
78	Long-term quality of life in premenopausal women with node-negative localized breast cancer treated with or without adjuvant chemotherapy. <i>British Journal of Cancer</i> , 2000 , 83, 577-82	8.7	64
77	Sperm quality before treatment in patients with early stage Hodgkin's lymphoma enrolled in EORTC-GELA Lymphoma Group trials. <i>Haematologica</i> , 2009 , 94, 1691-7	6.6	63
76	Five-year results of the E.O.R.T.C. randomized study of splenectomy and spleen irradiation in clinical stages I and II of Hodgkin's disease. <i>European Journal of Cancer</i> , 1981 , 17, 355-63		61
75	Is neuro-ectodermal differentiation of Ewing's sarcoma of bone associated with an unfavourable prognosis?. <i>European Journal of Cancer</i> , 1995 , 31A, 307-14	7.5	60
74	Late toxicity of radiotherapy in Hodgkin's disease. The role of fraction size. <i>Acta Oncolgica</i> , 1988 , 27, 123-9	3.2	60
73	Prognostic significance of erythrocyte sedimentation rate in clinical stages I-II of Hodgkin's disease. Journal of Clinical Oncology, 1984 , 2, 194-200	2.2	60
72	Pulmonary evaluation of patients with osteosarcoma: roles of standard radiography, tomography, CT, scintigraphy, and tomoscintigraphy. <i>American Journal of Roentgenology</i> , 1984 , 143, 519-23	5.4	60
71	Radiation-induced lung damage after thoracic irradiation for Hodgkin's disease: the role of fractionation. <i>Radiotherapy and Oncology</i> , 1995 , 36, 211-7	5.3	58
70	The achievements of the EORTC Lymphoma Group. European Organisation for Research and Treatment of Cancer. <i>European Journal of Cancer</i> , 2002 , 38 Suppl 4, S107-13	7.5	57
69	Involved-field radiotherapy for patients in partial remission after chemotherapy for advanced Hodgkin's lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 19-30	4	54
68	Survival after Hodgkin lymphoma: causes of death and excess mortality in patients treated in 8 consecutive trials. <i>Cancer</i> , 2009 , 115, 1680-91	6.4	52

67	Assessment of DNA damage induced in vitro by etoposide and two fungicides (carbendazim and chlorothalonil) in human lymphocytes with the comet assay. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1997 , 375, 205-17	3.3	50
66	Long-term results of the E.O.R.T.C. randomized study of irradiation and vinblastine in clinical stages I and II of Hodgkin's disease. <i>European Journal of Cancer</i> , 1979 , 15, 645-57		50
65	The EORTC trials for limited stage Hodgkin's disease. The EORTC Lymphoma Cooperative Group. <i>European Journal of Cancer</i> , 1992 , 28A, 1847-50	7.5	49
64	Specific controversies concerning the natural history of renal disease in pregnancy. <i>American Journal of Kidney Diseases</i> , 1991 , 17, 116-22	7.4	48
63	Acute Leukemia After the Treatment of Hodgkin Disease. <i>Hematology/Oncology Clinics of North America</i> , 1993 , 7, 369-387	3.1	46
62	Late radiation injuries of the gastrointestinal tract in the H2 and H5 EORTC Hodgkin's disease trials: emphasis on the role of exploratory laparotomy and fractionation. <i>Radiotherapy and Oncology</i> , 1988 , 13, 61-8	5.3	46
61	DNA damaging effects of pesticides measured by the single cell gel electrophoresis assay (comet assay) and the chromosomal aberration test, in CHOK1 cells. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 1998 , 419, 79-90	3	44
60	Rotavirus carriage, asymptomatic infection, and disease in the first two years of life. II. Serological response. <i>Journal of Infectious Diseases</i> , 1984 , 149, 675-82	7	41
59	Late relapse in early-stage Hodgkin's disease patients enrolled on European Organization for Research and Treatment of Cancer protocols. <i>Journal of Clinical Oncology</i> , 1993 , 11, 225-32	2.2	38
58	Do patients with advanced urothelial carcinoma benefit from weekly paclitaxel chemotherapy? A GETUG phase II study. <i>Clinical Genitourinary Cancer</i> , 2009 , 7, E28-33	3.3	36
57	Comparison of Three Radiation Dose Levels after EBVP Regimen in Favorable Supradiaphragmatic Clinical Stages (CS) I-II Hodgkin Lymphoma (HL): Preliminary Results of the EORTC-GELA H9-F Trial <i>Blood</i> , 2005 , 106, 814-814	2.2	36
56	Pregnancy in IgA nephropathy, reflux nephropathy, and focal glomerular sclerosis. <i>American Journal of Kidney Diseases</i> , 1987 , 9, 334-8	7.4	34
55	Prognostic value of DNA cytometry in 281 premenopausal patients with lymph node negative breast carcinoma randomized in a control trial: multivariate analysis with Ki-67 index, mitotic count, and microvessel density. <i>Cancer</i> , 2000 , 89, 1748-57	6.4	33
54	Secondary malignant neoplasms, progression-free survival and overall survival in patients treated for Hodgkin lymphoma: a systematic review and meta-analysis of randomized clinical trials. <i>Haematologica</i> , 2017 , 102, 1748-1757	6.6	31
53	Evolution of erythrocyte sedimentation rate as predictor of early relapse in posttherapy early-stage Hodgkin's disease. <i>Journal of Clinical Oncology</i> , 1988 , 6, 596-602	2.2	31
52	Clinical relevance of gallium-67 scintigraphy in lymphoma before and after therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000 , 27, 176-84	8.8	30
51	Histopathological predictive factors in Ewing's sarcoma of bone and clinicopathological correlations. A retrospective study of 261 cases. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1986 , 409, 627-40		29
50	Polyploid megakaryocytes develop randomly from a multicompartmental system of committed progenitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1982 ,	11.5	29

49	Randomized clinical trial of post-operative radiotherapy versus concomitant carboplatin and radiotherapy for head and neck cancers with lymph node involvement. <i>Radiotherapy and Oncology</i> , 2008 , 87, 164-72	5.3	26
48	Flow cytometry and quantitative immunohistochemical study of cell cycle regulation proteins in invasive breast carcinoma: prognostic significance. <i>Cancer</i> , 2003 , 97, 1376-86	6.4	26
47	Urine mutagenicity and lymphocyte DNA damage in fruit growers occupationally exposed to the fungicide captan. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 910-7	2.1	24
46	Radiation injuries of the gastrointestinal tract in Hodgkin's disease: the role of exploratory laparotomy and fractionation. A study of 19 cases observed in a series of 134 patients treated at the Institut Gustave Roussy from 1972 to 1982. <i>Radiotherapy and Oncology</i> , 1984 , 2, 93-9	5.3	24
45	Parenthood in survivors of Hodgkin lymphoma: an EORTC-GELA general population case-control study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3854-63	2.2	22
44	Lymphocyte-rich classical Hodgkin lymphoma (LRCHL): clinico-pathological characteristics and outcome of a rare entity. <i>Annals of Oncology</i> , 2006 , 17, 141-5	10.3	22
43	Expression of alpha V-associated integrin beta subunits in epithelial ovarian cancer and its relation to prognosis in patients treated with platinum-based regimens. <i>Journal of Molecular Histology</i> , 2005 , 36, 119-29	3.3	22
42	An alternating chemotherapy and radiotherapy combination for non-Hodgkin's lymphomas of unfavourable histologies: feasibility and preliminary results. <i>Radiotherapy and Oncology</i> , 1985 , 3, 133-8	5.3	22
41	Four ABVD and Involved-Field Radiotherapy in Unfavorable Supradiaphragmatic Clinical Stages (CS) I-II Hodgkin Lymphoma (HL): Preliminary Results of the EORTC-GELA H9-U Trial <i>Blood</i> , 2005 , 106, 813-	-813	22
40	Follow-up thallium-201 scintigraphy after mantle field radiotherapy for Hodgkin's disease. <i>International Journal of Radiation Oncology Biology Physics</i> , 1993 , 25, 871-6	4	21
39	Effects of infused intralipids on neutrophil chemotaxis during total parenteral nutrition. <i>Journal of Parenteral and Enteral Nutrition</i> , 1986 , 10, 596-8	4.2	21
38	ABVD or BEACOPP along with involved-field radiotherapy in early-stage Hodgkin Lymphoma with risk factors: Results of the European Organisation for Research and Treatment of Cancer (EORTC)-Groupe d'Eude des Lymphomes de l'Adulte (GELA) H9-U intergroup randomised trial.	7.5	20
37	Cryopreservation, semen use and the likelihood of fatherhood in male Hodgkin lymphoma survivors: an EORTC-GELA Lymphoma Group cohort study. <i>Human Reproduction</i> , 2014 , 29, 525-33	5.7	20
36	Secondary solid malignant tumors occurring after bone marrow transplantation for severe aplastic anemia given thoraco-abdominal irradiation. <i>Radiotherapy and Oncology</i> , 1994 , 30, 55-8	5.3	20
35	Therapeutic controlled trial in Ewing's sarcoma. Report on the results of a trial by the Clinical Cooperative Group on Radio- and Chemotherapy of the E.O.R.T.C. <i>European Journal of Cancer</i> , 1977 , 13, 1019-23		20
34	Quality control of involved-field radiotherapy in patients with advanced Hodgkin's lymphoma (EORTC 20884). <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 63, 1184-90	4	19
33	Poor clinical outcome of patients developing malignant solid tumors after bone marrow transplantation for severe aplastic anemia. <i>Leukemia and Lymphoma</i> , 1992 , 7, 419-23	1.9	18
32	Low-dose involved-field radiotherapy as alternative treatment of nodular lymphocyte predominance Hodgkin's lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> ,	4	17

31	Aberrant breakpoints in chronic myelogenous leukaemia; oncogenes and fragile sites. <i>Human Genetics</i> , 1986 , 74, 447-8	6.3	17	
30	Gallium-67 scintigraphy in lymphoma: is there a benefit of image fusion with computed tomography?. European Journal of Nuclear Medicine and Molecular Imaging, 2002, 29, 380-7	8.8	16	
29	Relationship of histological subtypes to prognosis in early stage Hodgkin's disease: a review of 312 cases in a controlled clinical trial. The Groupe Pierre et Marie Curie. <i>European Journal of Cancer & Clinical Oncology</i> , 1989 , 25, 551-6		16	
28	Management of relapse and survival in advanced stage Hodgkin's disease: The EORTC experience. <i>Annals of Oncology</i> , 1991 , 2, 63-66	10.3	16	
27	Comparison of 36 Gy, 20 Gy, or No Radiation Therapy After 6 Cycles of EBVP Chemotherapy and Complete Remission in Early-Stage Hodgkin Lymphoma Without Risk Factors: Results of the EORT-GELA H9-F Intergroup Randomized Trial. International Journal of Radiation Oncology Biology	4	14	
26	Physics, 2018 , 100, 1133-1145 BCL-2/JH translocation in peripheral blood lymphocytes of unexposed individuals: lack of seasonal variations in frequency and molecular features. <i>International Journal of Cancer</i> , 2003 , 104, 695-8	7.5	14	
25	Lymphoblastic lymphoma in adults: a clinicopathological study of 34 cases treated at the Institut Gustave-Roussy. <i>European Journal of Cancer & Clinical Oncology</i> , 1988 , 24, 1609-16		14	
24	. Annals of Oncology, 1997 , 8, 111-114	10.3	13	
23	Prognostic significance of tumour vascularisation on survival of patients with advanced ovarian carcinoma. <i>Histology and Histopathology</i> , 2009 , 24, 425-35	1.4	12	
22	Health outcomes of children fathered by patients treated with radioiodine for thyroid cancer. <i>Clinical Endocrinology</i> , 2009 , 71, 880-3	3.4	11	
21	Long-term fatigue in survivors of non-Hodgkin lymphoma: The Lymphoma Study Association SIMONAL cross-sectional study. <i>Cancer</i> , 2019 , 125, 2291-2299	6.4	10	
20	Linitis plastica after Hodgkin's disease. <i>Lancet, The</i> , 1993 , 342, 57-8	40	10	
19	Alternating chemotherapy and radiotherapy combination for bulky stage I and II intermediate and high grade non-Hodgkin lymphoma: an update. <i>Radiotherapy and Oncology</i> , 1991 , 20, 30-7	5.3	10	
18	Fatigue level changes with time in long-term Hodgkin and non-Hodgkin lymphoma survivors: a joint EORTC-LYSA cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2019 , 17, 115	3	9	
17	A phase II trial of radiochemotherapy with daily carboplatin, after induction chemotherapy (carboplatin and etoposide), in locally advanced nonsmall-cell lung cancer: final analysis. International Journal of Radiation Oncology Biology Physics, 1997, 38, 163-8	4	9	
16	Urine mutagenicity of farmers occupationally exposed during a 1-day use of chlorothalonil and insecticides. <i>International Archives of Occupational and Environmental Health</i> , 2003 , 76, 55-62	3.2	8	
15	Biomonitoring of urine mutagenicity with the Ames test: improvement of the extraction/concentration method. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2002 , 520, 199-205	3	7	
14	Analysis of T-cell-receptor variable gene segment usage in peripheral-blood lymphocytes of advanced cancer patients. <i>International Journal of Cancer</i> , 1993 , 54, 60-7	7.5	7	

13	Association of pegylated liposomal doxorubicin and ifosfamide in early recurrent ovarian cancer patients: a multicenter phase II trial. <i>Gynecologic Oncology</i> , 2010 , 116, 312-6	4.9	6
12	Rationale for ACE inhibition in the elderly: treatment of arterial hypertension with enalapril. <i>Gerontology</i> , 1987 , 33 Suppl 1, 9-16	5.5	6
11	Weekly combination of topotecan and gemcitabine in early recurrent ovarian cancer patients: a French multicenter phase II study. <i>Gynecologic Oncology</i> , 2009 , 115, 382-8	4.9	5
10	Hodgkin's disease. Treatment sequelae and quality of life. <i>Best Practice and Research: Clinical Haematology</i> , 1996 , 9, 595-618		5
9	Therapeutic implications and sites of relapse predicted by elevated posttherapy erythrocyte sedimentation rate in early stage Hodgkin disease. <i>American Journal of Hematology</i> , 1991 , 37, 253-7	7.1	5
8	Does persistent fatigue in survivors relate to cancer?. <i>Lancet Oncology, The</i> , 2016 , 17, 1351-1352	21.7	5
7	Detection of DNA methylation adducts in Hodgkin's disease patients treated with procarbazine. <i>Biomarkers</i> , 1996 , 1, 226-31	2.6	4
6	Hodgkins disease. <i>British Journal of Cancer</i> , 2001 , 84 Suppl 2, 55-60	8.7	4
5	Randomized phase III study of gemcitabine and cisplatin (GC) versus dose dense methotrexate, vinblastine, doxorubicin and cisplatin (DD-MVAC) in the perioperative setting for patients with locally advanced transitional cell cancer of the bladder: The French GETUG/AFU V05 VESPER trial	2.2	2
4	Journal of Clinical Oncology, 2018 , 36, TPS530-TPS530 Differential distribution of -positive in affected and unaffected horse-breeding farms. <i>Veterinary Record</i> , 2017 , 181, 145	0.9	1
3	Radiotherapy in advanced-stage Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , 2005 , 23, 245-6; author reply 246	2.2	1
2	Long term toxicity and fatigue after treatment for non-Hodgkin lymphoma (NHL): An analysis of twelve collaborative lymphoma study association (LYSA) trials, the Simonal Study <i>Journal of Clinical Oncology</i> , 2016 , 34, 7518-7518	2.2	O
1	Late Clonal Complications in Older Patients Receiving Immunosuppressive Therapy for Aplastic	8	