

Li Zou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6873236/li-zou-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

816
citations

14
h-index

26
g-index

59
ext. papers

1,020
ext. citations

4.1
avg, IF

3.93
L-index

#	Paper	IF	Citations
57	Expert consensus for managing pregnant women and neonates born to mothers with suspected or confirmed novel coronavirus (COVID-19) infection. <i>International Journal of Gynecology and Obstetrics</i> , 2020 , 149, 130-136	4	153
56	MicroRNA-126 regulates EPCs function: implications for a role of miR-126 in preeclampsia. <i>Journal of Cellular Biochemistry</i> , 2013 , 114, 2148-59	4.7	64
55	Non-linear dose-response relationship between cigarette smoking and pancreatic cancer risk: evidence from a meta-analysis of 42 observational studies. <i>European Journal of Cancer</i> , 2014 , 50, 193-203	7.5	53
54	Allium vegetables and garlic supplements do not reduce risk of colorectal cancer, based on meta-analysis of prospective studies. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 1991-2001.e1-4; quiz e121	6.9	41
53	dNK derived IFN- γ mediates VSMC migration and apoptosis via the induction of lncRNA MEG3: A role in uterovascular transformation. <i>Placenta</i> , 2017 , 50, 32-39	3.4	32
52	Dietary mushroom intake may reduce the risk of breast cancer: evidence from a meta-analysis of observational studies. <i>PLoS ONE</i> , 2014 , 9, e93437	3.7	31
51	Genetic variant in KIAA0319, but not in DYX1C1, is associated with risk of dyslexia: an integrated meta-analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 970-6	3.5	31
50	Genetic variants in the SWI/SNF complex and smoking collaborate to modify the risk of pancreatic cancer in a Chinese population. <i>Molecular Carcinogenesis</i> , 2015 , 54, 761-8	5	28
49	CYP2C19 polymorphism and clinical outcomes among patients of different races treated with clopidogrel: A systematic review and meta-analysis. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2015 , 35, 147-156		24
48	New integrated strategy emphasizing infection source control to curb Schistosomiasis japonica in a marshland area of Hubei Province, China: findings from an eight-year longitudinal survey. <i>PLoS ONE</i> , 2014 , 9, e89779	3.7	22
47	Genetic variant in SWI/SNF complexes influences hepatocellular carcinoma risk: a new clue for the contribution of chromatin remodeling in carcinogenesis. <i>Scientific Reports</i> , 2014 , 4, 4147	4.9	21
46	Parity and pancreatic cancer risk: evidence from a meta-analysis of twenty epidemiologic studies. <i>Scientific Reports</i> , 2014 , 4, 5313	4.9	18
45	Genetic variant in MTRR, but not MTR, is associated with risk of congenital heart disease: an integrated meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e89609	3.7	18
44	Omics study reveals abnormal alterations of breastmilk proteins and metabolites in puerperant women with COVID-19. <i>Signal Transduction and Targeted Therapy</i> , 2020 , 5, 247	21	17
43	EPHB4 Regulates Human Trophoblast Cell Line HTR-8/SVneo Function: Implications for the Role of EPHB4 in Preeclampsia. <i>Biology of Reproduction</i> , 2016 , 95, 65	3.9	14
42	SF3A1 and pancreatic cancer: new evidence for the association of the spliceosome and cancer. <i>Oncotarget</i> , 2015 , 6, 37750-7	3.3	13
41	The role of Delta-like 4 ligand/Notch-ephrin-B2 cascade in the pathogenesis of preeclampsia by regulating functions of endothelial progenitor cell. <i>Placenta</i> , 2015 , 36, 1002-10	3.4	12

40	MicroRNA-210 regulates human trophoblast cell line HTR-8/SVneo function by attenuating Notch1 expression: Implications for the role of microRNA-210 in pre-eclampsia. <i>Molecular Reproduction and Development</i> , 2019 , 86, 896-907	2.6	11
39	Downregulation of LncRNA-MEG3 promotes HTR8/SVneo cells apoptosis and attenuates its migration by repressing Notch1 signal in preeclampsia. <i>Reproduction</i> , 2020 , 160, 21-29	3.8	11
38	Replication study in Chinese population and meta-analysis supports association of the 11q23 locus with colorectal cancer. <i>PLoS ONE</i> , 2012 , 7, e45461	3.7	10
37	NOTCH4 signaling controls EFN2-induced endothelial progenitor cell dysfunction in preeclampsia. <i>Reproduction</i> , 2016 , 152, 47-55	3.8	9
36	The contribution of serum hepatitis B virus load in the carcinogenesis and prognosis of hepatocellular carcinoma: evidence from two meta-analyses. <i>Oncotarget</i> , 2016 , 7, 49299-49309	3.3	9
35	uNK cell-derived TGF- β regulates the long noncoding RNA MEG3 to control vascular smooth muscle cell migration and apoptosis in spiral artery remodeling. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 15997-16007	4.7	8
34	The value of intrapartum ultrasound in the prediction of persistent occiput posterior position: Systematic review and meta-analysis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 238, 25-32	2.4	8
33	Edaravone protects against cobalt chloride-induced dysfunctions in apoptosis and invasion in trophoblast cells. <i>Molecular Reproduction and Development</i> , 2016 , 83, 576-87	2.6	8
32	Variants in the 5Rupstream region of GPC5 confer risk of lung cancer in never smokers. <i>Cancer Epidemiology</i> , 2014 , 38, 66-72	2.8	8
31	8p22-23-rs2254546 as a susceptibility locus for Kawasaki disease: a case-control study and a meta-analysis. <i>Scientific Reports</i> , 2014 , 4, 4247	4.9	8
30	The roles of Ca ²⁺ /NFAT signaling genes in Kawasaki disease: single- and multiple-risk genetic variants. <i>Scientific Reports</i> , 2014 , 4, 5208	4.9	8
29	Integrative genomic analysis identifies that SERPINA6-rs1998056 regulated by FOXA/ER α associated with female hepatocellular carcinoma. <i>PLoS ONE</i> , 2014 , 9, e107246	3.7	8
28	Effect of different delivery modes on the short-term strength of the pelvic floor muscle in Chinese primipara. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 275	3.2	7
27	Conditioned Medium from Human Umbilical Vein Endothelial Cells Promotes Proliferation, Migration, Invasion and Angiogenesis of Adipose Derived Stem Cells. <i>Current Medical Science</i> , 2018 , 38, 124-130	2.8	7
26	Idiopathic polyhydramnios at term and pregnancy outcomes: a multicenter observational study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017 , 30, 1755-1759	2	7
25	The value of the soluble intercellular adhesion molecule-1 levels in maternal serum for determination of occult chorioamnionitis in premature rupture of membranes. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2004 , 24, 154-7		7
24	HOXA9 transcriptionally regulates the EPHB4 receptor to modulate trophoblast migration and invasion. <i>Placenta</i> , 2017 , 51, 38-48	3.4	6
23	Inhibiting trophoblast PAR-1 overexpression suppresses sFlt-1-induced anti-angiogenesis and abnormal vascular remodeling: a possible therapeutic approach for preeclampsia. <i>Molecular Human Reproduction</i> , 2018 , 24, 158-169	4.4	6

22	EPHB4, a down stream target of IFN- γ /STAT1 signal pathway, regulates endothelial activation possibly contributing to the development of preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2016 , 76, 307-17	3.8	6
21	Educational and Behavioral Counseling in a Methadone Maintenance Treatment Program in China: A Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2018 , 9, 113	5	6
20	The Associations between RNA Splicing Complex Gene SF3A1 Polymorphisms and Colorectal Cancer Risk in a Chinese Population. <i>PLoS ONE</i> , 2015 , 10, e0130377	3.7	6
19	Persistent SARS-CoV-2 RNA Positive in Feces but Negative in Breastmilk: A Case Report of COVID-19 in a Breastfeeding Patient. <i>Frontiers in Medicine</i> , 2020 , 7, 562700	4.9	6
18	Heme oxygenase-1 gene modified human placental mesenchymal stem cells promote placental angiogenesis and spiral artery remodeling by improving the balance of angiogenic factors in vitro. <i>Placenta</i> , 2020 , 99, 70-77	3.4	6
17	Notch1 Impairs Endothelial Progenitor Cell Bioactivity in Preeclampsia. <i>Reproductive Sciences</i> , 2017 , 24, 47-56	3	5
16	Role of axonal guidance factor netrin-1 in human placental vascular growth. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2011 , 31, 246-250		5
15	Evaluation of "J"-shaped uterine incision during caesarean section in patients with placenta previa: a retrospective study. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2010 , 30, 212-6		5
14	microRNA-210/ Long non-coding RNA MEG3 axis inhibits trophoblast cell migration and invasion by suppressing EMT process. <i>Placenta</i> , 2021 , 109, 64-71	3.4	5
13	Metformin Corrects Glucose Metabolism Reprogramming and NLRP3 Inflammasome-Induced Pyroptosis via Inhibiting the TLR4/NF-B/PFKFB3 Signaling in Trophoblasts: Implication for a Potential Therapy of Preeclampsia. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 1806344	6.7	4
12	Pathogenic mechanisms of preeclampsia with severe features implied by the plasma exosomal mirna profile. <i>Bioengineered</i> , 2021 , 12, 9140-9149	5.7	4
11	Role of axl in preeclamptic EPCs functions. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2016 , 36, 395-401		4
10	Delta-Like 4-Notch signaling regulates trophoblast migration and invasion by targeting EphrinB2. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 527, 915-921	3.4	3
9	Current Researches, Rationale, Plausibility, and Evidence Gaps on Metformin for the Management of Hypertensive Disorders of Pregnancy. <i>Frontiers in Pharmacology</i> , 2020 , 11, 596145	5.6	3
8	Effect of cholic acid on fetal cardiac myocytes in intrahepatic cholestasis of pregnancy. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2014 , 34, 736-739		2
7	PFKFB3 regulates lipopolysaccharide-induced excessive inflammation and cellular dysfunction in HTR-8/Svneo cells: Implications for the role of PFKFB3 in preeclampsia. <i>Placenta</i> , 2021 , 106, 67-78	3.4	2
6	Challenges for Obstetricians and the Countermeasures of COVID-19 Epidemic. <i>Maternal-Fetal Medicine</i> , 2020 , 2, 68-71	0.6	1
5	Follow-up Study on the Outcomes of Recovered Pregnant Women with a History of COVID-19 in the First and Second Trimesters: A Case Series from China. <i>Maternal-Fetal Medicine</i> , 2021 , 3, 24-32	0.6	1

- | | | | |
|---|---|------|---|
| 4 | MALAT1 sponges miR-26a and miR-26b to regulate endothelial cell angiogenesis via PFKFB3-driven glycolysis in early-onset preeclampsia. <i>Molecular Therapy - Nucleic Acids</i> , 2021 , 23, 897-907 | 10.7 | 1 |
| 3 | The Protective Benefit of Heme Oxygenase-1 Gene-Modified Human Placenta-Derived Mesenchymal Stem Cells in a N-Nitro-L-Arginine Methyl Ester-Induced Preeclampsia-Like Rat Model: Possible Implications for Placental Angiogenesis. <i>Stem Cells and Development</i> , 2021 , 30, 991-1002 | 4.4 | 1 |
| 2 | Detection of maternal serum thromboxane B2 in different durations of pregnancy and prediction of preeclampsia. <i>Frontiers of Medicine in China</i> , 2010 , 4, 235-240 | | |
| 1 | Correlation of miRNA and VEGF expression with the outcome of early-onset severe preeclampsia in patients receiving expectant treatment. <i>International Journal of Clinical and Experimental Pathology</i> , 2018 , 11, 2137-2141 | 1.4 | |