

Gino Giannaccini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/687393/gino-giannaccini-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169
papers

3,255
citations

31
h-index

47
g-index

181
ext. papers

3,636
ext. citations

4.4
avg, IF

4.39
L-index

#	Paper	IF	Citations
169	Plasma redox and inflammatory patterns during major depressive episodes: a cross-sectional investigation in elderly patients with mood disorders. <i>CNS Spectrums</i> , 2021 , 26, 416-426	1.8	1
168	Neuroendocrine Response to Psychosocial Stressors, Inflammation Mediators and Brain-periphery Pathways of Adaptation. <i>Central Nervous System Agents in Medicinal Chemistry</i> , 2021 , 21, 2-19	1.8	2
167	Decreased Plasma Oxytocin Levels in Patients With PTSD. <i>Frontiers in Psychology</i> , 2021 , 12, 612338	3.4	2
166	Putative Biomarkers for Malignant Pleural Mesothelioma Suggested by Proteomic Analysis of Cell Secretome. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 225-236	3.3	5
165	Focus on Human Monoamine Transporter Selectivity. New Human DAT and NET Models, Experimental Validation, and SERT Affinity Exploration. <i>ACS Chemical Neuroscience</i> , 2020 , 11, 3214-3232 ⁵⁻⁷		3
164	Microbiota, Immune System and Autism Spectrum Disorders: An Integrative Model towards Novel Treatment Options. <i>Current Medicinal Chemistry</i> , 2020 , 27, 5119-5136	4.3	9
163	Antioxidant enzymes activity during age polyethism in <i>Apis mellifera</i> L., 1758. <i>Journal of Apicultural Research</i> , 2020 , 1-11	2	3
162	The complex interactions among serotonin, insulin, leptin, and glycolipid metabolic parameters in human obesity. <i>CNS Spectrums</i> , 2020 , 1-10	1.8	3
161	Alpha-Synuclein FRET Biosensors Reveal Early Alpha-Synuclein Aggregation in the Endoplasmic Reticulum. <i>Life</i> , 2020 , 10,	3	6
160	Psychopharmacology and ethnicity: A comparative study on Senegalese and Italian men. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 300-307	3.8	1
159	Hydroxyindole--methyltransferase (HIOMT) activity in the retina of melatonin-proficient mice. <i>Heliyon</i> , 2019 , 5, e02417	3.6	3
158	Sex-Related Differences in Plasma Oxytocin Levels in Humans. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2019 , 15, 58-63	3.2	24
157	Effect of Valproate and Antidepressant Drugs on Clozapine Metabolism in Patients With Psychotic Mood Disorders. <i>Therapeutic Drug Monitoring</i> , 2018 , 40, 443-451	3.2	7
156	Social Cognition and Oxytocin in Huntington's Disease: New Insights. <i>Brain Sciences</i> , 2018 , 8,	3.4	4
155	Caesium in samples of wild-grown <i>Boletus edulis</i> Bull. from Lucca province (Tuscany, Italy) and other Italian and European geographical areas. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2017 , 34, 49-55	3.2	16
154	Decreased lymphocyte dopamine transporter in romantic lovers. <i>CNS Spectrums</i> , 2017 , 22, 290-294	1.8	8
153	Palmitate-induced lipotoxicity alters acetylation of multiple proteins in clonal β cells and human pancreatic islets. <i>Scientific Reports</i> , 2017 , 7, 13445	4.9	32

152	Comparative proteomic analysis of malignant pleural mesothelioma: Focusing on the biphasic subtype. <i>EuPA Open Proteomics</i> , 2016 , 10, 42-49	0.1	2
151	Design, Synthesis, and Biological Evaluation of Imidazo[1,5-a]quinoline as Highly Potent Ligands of Central Benzodiazepine Receptors. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 3353-72	8.3	10
150	Tryptophan Biochemistry: Structural, Nutritional, Metabolic, and Medical Aspects in Humans. <i>Journal of Amino Acids</i> , 2016 , 2016, 8952520		134
149	Salivary psoriasin (S100A7) correlates with diffusion capacity of carbon monoxide in a large cohort of systemic sclerosis patients. <i>Journal of Translational Medicine</i> , 2016 , 14, 262	8.5	8
148	Melatonin and pro-hypnotic effectiveness of the antidepressant Trazodone: A preliminary evaluation in insomniac mood-disorder patients. <i>Clinical Biochemistry</i> , 2016 , 49, 1152-1158	3.5	6
147	Proteomic analysis of fine-needle aspiration in differential diagnosis of thyroid nodules. <i>Translational Research</i> , 2016 , 176, 81-94	11	16
146	Plasma Oxytocin Levels in Untreated Adult Obsessive-Compulsive Disorder Patients. <i>Neuropsychobiology</i> , 2015 , 72, 74-80	4	23
145	Search for peripheral biomarkers in patients affected by acutely psychotic bipolar disorder: a proteomic approach. <i>Molecular BioSystems</i> , 2014 , 10, 1246-54		20
144	First evidence of TRPV5 and TRPV6 channels in human parathyroid glands: possible involvement in neoplastic transformation. <i>Journal of Cellular and Molecular Medicine</i> , 2014 , 18, 1944-52	5.6	7
143	Comparative proteomic analysis of malignant pleural mesothelioma evidences an altered expression of nuclear lamin and filament-related proteins. <i>Proteomics - Clinical Applications</i> , 2014 , 8, 258-68	3.1	17
142	Clozapine effects on adenylyl cyclase activity and serotonin type 1A receptors in human brain post-mortem. <i>Journal of Psychopharmacology</i> , 2014 , 28, 320-8	4.6	5
141	Serotonin receptor of type 6 (5-HT6) in human prefrontal cortex and hippocampus post-mortem: an immunohistochemical and immunofluorescence study. <i>Neurochemistry International</i> , 2013 , 62, 182-8	4.4	27
140	The expression of platelet serotonin transporter (SERT) in human obesity. <i>BMC Neuroscience</i> , 2013 , 14, 128	3.2	12
139	New insight into benign tumours of major salivary glands by proteomic approach. <i>PLoS ONE</i> , 2013 , 8, e71874	3.7	15
138	Platelet proteome and clopidogrel response in patients with stable angina undergoing percutaneous coronary intervention. <i>Clinical Biochemistry</i> , 2012 , 45, 758-65	3.5	18
137	A link between oxytocin and serotonin in humans: supporting evidence from peripheral markers. <i>European Neuropsychopharmacology</i> , 2012 , 22, 578-83	1.2	23
136	The trace element content of top-soil and wild edible mushroom samples collected in Tuscany, Italy. <i>Environmental Monitoring and Assessment</i> , 2012 , 184, 7579-95	3.1	55
135	A proteomic profile of washing fluid from the colorectal tract to search for potential biomarkers of colon cancer. <i>Molecular BioSystems</i> , 2012 , 8, 1088-99		19

134	Proteomic approach used in the diagnosis of Riedel's thyroiditis: a case report. <i>Journal of Medical Case Reports</i> , 2012 , 6, 103	1.2	1
133	Plasma fluvoxamine levels and OCD symptoms/response in adult patients. <i>Human Psychopharmacology</i> , 2012 , 27, 397-402	2.3	5
132	Distribution of serotonin receptor of type 6 (5-HT ₆) in human brain post-mortem. A pharmacology, autoradiography and immunohistochemistry study. <i>Neurochemical Research</i> , 2012 , 37, 920-7	4.6	22
131	Plasma clomipramine levels in adult patients with obsessive-compulsive disorder. <i>International Clinical Psychopharmacology</i> , 2012 , 27, 55-60	2.2	6
130	RP-LC of phenylthiocarbonyl amino acid adducts in plasma acetonitrile extracts: use of multiple internal standards and variable wavelength UV detection. <i>Methods in Molecular Biology</i> , 2012 , 828, 201-174	1.4	1
129	New insight into the central benzodiazepine receptor-ligand interactions: design, synthesis, biological evaluation, and molecular modeling of 3-substituted 6-phenyl-4H-imidazo[1,5-a][1,4]benzodiazepines and related compounds. <i>Journal of Medicinal Chemistry</i> , 2011 , 54, 5631-711	8.3	37
128	A proteomic approach to study parathyroid glands. <i>Molecular BioSystems</i> , 2011 , 7, 687-99		19
127	Discovery of N-hydroxyindole-based inhibitors of human lactate dehydrogenase isoform A (LDH-A) as starvation agents against cancer cells. <i>Journal of Medicinal Chemistry</i> , 2011 , 54, 1599-612	8.3	152
126	Rosiglitazone reverses salbutamol-induced β_2 -adrenoceptor tolerance in airway smooth muscle. <i>British Journal of Pharmacology</i> , 2011 , 162, 378-91	8.6	15
125	N-Hydroxyindole-based inhibitors of lactate dehydrogenase against cancer cell proliferation. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 5398-407	6.8	54
124	Synthesis of sulfonamide-containing N-hydroxyindole-2-carboxylates as inhibitors of human lactate dehydrogenase-isoform 5. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 7331-6	2.9	24
123	Serotonin transporter (SERT) and translocator protein (TSPO) expression in the obese ob/ob mouse. <i>BMC Neuroscience</i> , 2011 , 12, 18	3.2	12
122	Evaluation of formalin-fixed paraffin-embedded tissues in the proteomic analysis of parathyroid glands. <i>Proteome Science</i> , 2011 , 9, 29	2.6	19
121	Proteomic analysis of saliva: a unique tool to distinguish primary Sjögren's syndrome from secondary Sjögren's syndrome and other sicca syndromes. <i>Arthritis Research and Therapy</i> , 2011 , 13, R194	5.7	78
120	Triazole-substituted N-hydroxyindol-2-carboxylates as inhibitors of isoform 5 of human lactate dehydrogenase (hLDH5). <i>MedChemComm</i> , 2011 , 2, 638	5	22
119	Synthesis, molecular docking and binding studies of selective serotonin transporter inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 825-34	6.8	13
118	Male axillary extracts modify the affinity of the platelet serotonin transporter and impulsiveness in women. <i>Physiology and Behavior</i> , 2010 , 100, 364-8	3.5	8
117	Alterations of the dopamine transporter in resting lymphocytes of patients with different psychotic disorders. <i>Psychiatry Research</i> , 2010 , 175, 54-7	9.9	15

116	Modified RP-LC of Phenylthiocarbamyl Amino Acid Adducts in Plasma Acetonitrile Extracts Using Multiple Internal Standards and Photo-Diode UV Detection. <i>Chromatographia</i> , 2010 , 71, 291-297	2.1	8
115	Human serotonin transporter expression during megakaryocytic differentiation of MEG-01 cells. <i>Neurochemical Research</i> , 2010 , 35, 628-35	4.6	15
114	Is GRP78/BiP a potential salivary biomarker in patients with rheumatoid arthritis?. <i>Proteomics - Clinical Applications</i> , 2010 , 4, 315-24	3.1	32
113	Impulsivity, gender, and the platelet serotonin transporter in healthy subjects. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 9-15	3.1	20
112	Detection of potential markers of primary fibromyalgia syndrome in human saliva. <i>Proteomics - Clinical Applications</i> , 2009 , 3, 1296-304	3.1	24
111	Altered amino acid homeostasis in subjects affected by fibromyalgia. <i>Clinical Biochemistry</i> , 2009 , 42, 1064-70	3.7	19
110	[(3)H]-YM-09151-2 binding sites in human brain postmortem. <i>Neurochemistry International</i> , 2009 , 55, 643-7	4.4	10
109	Fine-needle aspiration of thyroid nodules: proteomic analysis to identify cancer biomarkers. <i>Journal of Proteome Research</i> , 2008 , 7, 4079-88	5.6	86
108	Ethyl 8-fluoro-6-(3-nitrophenyl)-4H-imidazo[1,5-a][1,4]benzodiazepine-3-carboxylate as novel, highly potent, and safe antianxiety agent. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 4730-43	8.3	32
107	Decreased density of the platelet serotonin transporter in pathological gamblers. <i>Neuropsychobiology</i> , 2008 , 57, 38-43	4	24
106	ATP, calcium and magnesium levels in platelets of patients with primary fibromyalgia. <i>Clinical Biochemistry</i> , 2008 , 41, 1084-90	3.5	28
105	Species comparison of adenosine receptor subtypes in brain and testis. <i>Neurochemical Research</i> , 2008 , 33, 852-60	4.6	5
104	Presence and characterization of the dopamine transporter in human resting lymphocytes. <i>Neurochemical Research</i> , 2008 , 33, 1011-6	4.6	12
103	Synthesis and biological affinity of new imidazo- and indol-arylpiperazine derivatives: further validation of a pharmacophore model for alpha(1)-adrenoceptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 5140-5	2.9	8
102	Association of psoriasin (S100A7) with clinical manifestations of systemic sclerosis: is its presence in whole saliva a potential predictor of pulmonary involvement?. <i>Journal of Rheumatology</i> , 2008 , 35, 1820-4	4.1	18
101	Presence of D4 dopamine receptors in human prefrontal cortex: a postmortem study. <i>Revista Brasileira De Psiquiatria</i> , 2007 , 29, 148-52	2.6	4
100	Synthesis and 5-HT _{2A} , 5-HT _{1A} and alpha ₁ -binding affinities of 2-[2-Hydroxy-3-(pyridin-3-yl-methyl)amino]-, 2-[2-hydroxy-3-(2-pyridin-2-yl-ethyl)amino]- and 2-[2-hydroxy-3-(4-N-methyl-piperazin-1-yl)-amino]propoxybenzaldehyde-O-(substituted) benzyl oximes. <i>Archiv Der Pharmazie</i> , 2007 , 340, 135-9	4.3	2
99	1-Aminocyclopentane-1,2,4-tricarboxylic acids screening on glutamatergic and serotonergic systems. <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 7581-9	3.4	4

98	Proteome analysis of whole saliva: a new tool for rheumatic diseases--the example of Sjögren's syndrome. <i>Proteomics</i> , 2007 , 7, 1634-43	4.8	117
97	[3H] muscimol receptors sites in the carp (<i>Cyprinus carpio</i> L.) brain: binding assay and autoradiographic distribution. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2007 , 148, 324-31	2.6	2
96	Tubby protein in human lymphocytes from normal weight and obese subjects. <i>Clinical Biochemistry</i> , 2007 , 40, 806-9	3.5	4
95	Thermal balneotherapy induces changes of the platelet serotonin transporter in healthy subjects. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 1436-9	5.5	10
94	Short-term effects of 3,4-methylen-dioxy-metamphetamine (MDMA) on 5-HT(1A) receptors in the rat hippocampus. <i>Neurochemistry International</i> , 2007 , 51, 496-506	4.4	3
93	Specific proteins identified in whole saliva from patients with diffuse systemic sclerosis. <i>Journal of Rheumatology</i> , 2007 , 34, 2063-9	4.1	36
92	New 4-(4-methyl-phenyl)phthalazin-1(2H)-one derivatives and their effects on alpha1-receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 2575-9	2.9	18
91	Synthesis of stable analogues of geranylgeranyl diphosphate possessing a (Z,E,E)-geranylgeranyl side chain, docking analysis, and biological assays for prenyl protein transferase inhibition. <i>ChemMedChem</i> , 2006 , 1, 218-24	3.7	5
90	A relationship between oxytocin and anxiety of romantic attachment. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 28	3.2	79
89	Alteration of serotonin transporter density and activity in fibromyalgia. <i>Arthritis Research and Therapy</i> , 2006 , 8, R99	5.7	34
88	Autoradiographic localization and binding study of benzodiazepines receptor sites in carp brain (<i>Cyprinus carpio</i> L.). <i>Journal of Chemical Neuroanatomy</i> , 2006 , 31, 139-45	3.2	5
87	Synthesis of new piperazine-pyridazinone derivatives and their binding affinity toward alpha1-, alpha2-adrenergic and 5-HT1A serotonergic receptors. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 2828-36	3.4	37
86	Binding of 3H-WIN-35,428 and 125I-RTI-121 to human platelet membranes. <i>Neurochemical Research</i> , 2006 , 31, 361-5	4.6	13
85	Decreased density of peripheral benzodiazepine receptors in psychiatric patients after a suicide attempt. <i>Life Sciences</i> , 2005 , 77, 3268-75	6.8	7
84	1,8-Naphthyridin-4-one derivatives as new ligands of A2A adenosine receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005 , 15, 4604-10	2.9	9
83	Changes in peripheral benzodiazepine receptors in patients with bipolar disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2005 , 1, 151-4	3.1	3
82	Variouly substituted (phosphonoacetamido)oxy analogues of geranylgeranyl diphosphate (GGdP) as GGdP-transferase (GGTase) inhibitors and antiproliferative agents. <i>Medicinal Chemistry</i> , 2005 , 1, 239-44	1.8	1
81	Absence of NK1 receptors in human blood lymphocytes and granulocytes. <i>Neuropsychobiology</i> , 2004 , 50, 221-5	4	2

80	Platelet alpha2-adrenoreceptors in obsessive-compulsive disorder. <i>Neuropsychobiology</i> , 2004 , 49, 81-3	4	3
79	Stable propylphosphonic acid analogues of geranylgeranyl diphosphate possessing inhibitory activity on geranylgeranyl protein transferase. <i>Il Farmaco</i> , 2004 , 59, 857-61		0
78	Phosphonomethylphosphorylmethyl(oxy)-analogues of geranylgeranyl diphosphate as stable and selective geranylgeranyl protein transferase inhibitors. <i>Il Farmaco</i> , 2004 , 59, 887-92		3
77	Immunohistochemical distribution of neuropeptide Y in the mesencephalon and rhombencephalon of carp, <i>Cyprinus carpio</i> L. (Cyprinidae: Teleostei). <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2004 , 138, 175-85	2.6	6
76	Design, synthesis, and alpha(1)-adrenoceptor binding properties of new arylpiperazine derivatives bearing a flavone nucleus as the terminal heterocyclic molecular portion. <i>Bioorganic and Medicinal Chemistry</i> , 2004 , 12, 1527-35	3.4	18
75	[3H]PK11195 binding sites in human neutrophils: effect of fMLP stimulation and modulation in rheumatic diseases. <i>Clinical Biochemistry</i> , 2004 , 37, 61-6	3.5	6
74	Study on affinity profile toward native human and bovine adenosine receptors of a series of 1,8-naphthyridine derivatives. <i>Journal of Medicinal Chemistry</i> , 2004 , 47, 3019-31	8.3	27
73	Platelet serotonin transporter in patients with diarrhea-predominant irritable bowel syndrome both before and after treatment with alosetron. <i>American Journal of Gastroenterology</i> , 2003 , 98, 2705-11	7	49
72	Autoradiographic distribution of neuropeptide Y binding sites in the brain of the carp <i>Cyprinus carpio</i> L. (Cyprinidae, Teleostei). <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2003 , 134, 757-62	2.6	4
71	Synthesis of aniline-type analogues of farnesyl diphosphate and their biological assays for prenyl protein transferase inhibitory activity. <i>Il Farmaco</i> , 2003 , 58, 1277-81		1
70	Stable analogues of geranylgeranyl diphosphate possessing improved geranylgeranyl versus farnesyl protein transferase inhibitory selectivity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003 , 13, 4405-8	2.9	5
69	Peripheral-type benzodiazepine receptors in human mononuclear cells of patients affected by osteoarthritis, rheumatoid arthritis or psoriatic arthritis. <i>Clinical Biochemistry</i> , 2003 , 36, 57-60	3.5	20
68	alpha1-Adrenoceptor antagonists. 5. Pyridazinone-aryl piperazines. Probing the influence on affinity and selectivity of both ortho-alkoxy groups at the aryl piperazine moiety and cyclic substituents at the pyridazinone nucleus. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003 , 13, 171-3	2.9	32
67	Alpha1-adrenoceptor antagonists. 6. Structural optimization of pyridazinone-aryl piperazines. Study of the influence on affinity and selectivity of cyclic substituents at the pyridazinone ring and alkoxy groups at the aryl piperazine moiety. <i>Journal of Medicinal Chemistry</i> , 2003 , 46, 3555-8	8.3	31
66	[3H]-ketanserin binding sites in different psychiatric disorders. <i>Neurochemistry International</i> , 2003 , 42, 511-6	4.4	7
65	Studies of peripheral benzodiazepine receptors in mussels: comparison between a polluted and a nonpolluted site. <i>Ecotoxicology and Environmental Safety</i> , 2003 , 54, 36-42	7	10
64	Jealousy and subthreshold psychopathology: a serotonergic link. <i>Neuropsychobiology</i> , 2003 , 47, 12-6	4	14
63	Decreased lymphocyte 3H-paroxetine binding in obsessive-compulsive disorder. <i>Neuropsychobiology</i> , 2003 , 47, 128-30	4	4

62	Peripheral Benzodiazepine Binding Sites in Platelets of Patients Affected by Mitochondrial Diseases and Large Scale Mitochondrial DNA Rearrangements. <i>Molecular Medicine</i> , 2002 , 8, 841-846	6.2	13
61	Decreased inhibitory activity of PKC in OCD patients after six months of treatment. <i>Psychoneuroendocrinology</i> , 2002 , 27, 769-76	5	10
60	alpha(1)-Adrenoceptor antagonists. Rational design, synthesis and biological evaluation of new trazodone-like compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002 , 12, 437-40	2.9	21
59	Synthesis and biological activity of new 1,4-benzodioxan-arylpiperazine derivatives. Further validation of a pharmacophore model for alpha(1)-adrenoceptor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2002 , 10, 361-9	3.4	35
58	Conformationally restrained analogues of sympathomimetic catecholamines. Synthesis and adrenergic activity of 5,6- and 6,7-dihydroxy-3,4-dihydrospiro[naphthalen-1(2H)-2,5-morpholines]. <i>European Journal of Medicinal Chemistry</i> , 2002 , 37, 11-22	6.8	3
57	New 1,2,3-triazolo[1,5-a]quinoxalines: synthesis and binding to benzodiazepine and adenosine receptors. II. <i>European Journal of Medicinal Chemistry</i> , 2002 , 37, 565-71	6.8	42
56	Alpha(1)-adrenoceptor antagonists. 4. Pharmacophore-based design, synthesis, and biological evaluation of new imidazo-, benzimidazo-, and indoloarylpiperazine derivatives. <i>Journal of Medicinal Chemistry</i> , 2002 , 45, 3603-11	8.3	39
55	Clozapine, norclozapine plasma levels, their sum and ratio in 50 psychotic patients: influence of patient-related variables. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2002 , 26, 473-80	5.5	38
54	Peripheral benzodiazepine binding sites in platelets of patients affected by mitochondrial diseases and large scale mitochondrial DNA rearrangements. <i>Molecular Medicine</i> , 2002 , 8, 841-6	6.2	6
53	Structure-activity relationships in a series of 8-substituted xanthines as A1-adenosine receptor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2001 , 9, 575-83	3.4	14
52	Distribution of [3H]GR65630 binding in human brain postmortem. <i>Neurochemical Research</i> , 2001 , 26, 187-90	4.6	18
51	Correlation between platelet alpha(2)-adrenoreceptors and symptom severity in major depression. <i>Neuropsychobiology</i> , 2001 , 44, 122-5	4	7
50	Pharmacological characterization of the serotonin transporter in young and elderly subjects. <i>Neuropsychobiology</i> , 2001 , 44, 78-83	4	5
49	Synthesis, biological evaluation, and pharmacophore generation of new pyridazinone derivatives with affinity toward alpha(1)- and alpha(2)-adrenoceptors. <i>Journal of Medicinal Chemistry</i> , 2001 , 44, 2118-32	8.3	108
48	Simultaneous analysis of clozapine, clomipramine and their metabolites by reversed-phase liquid chromatography. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2001 , 25, 519-33	5.5	9
47	Decreased platelet [3H]paroxetine binding sites in suicide attempters. <i>Psychiatry Research</i> , 2001 , 103, 125-31	9.9	13
46	Substituted 1,2,3-triazolo[1,5-a]quinazolines: synthesis and binding to benzodiazepine and adenosine receptors. <i>European Journal of Medicinal Chemistry</i> , 2000 , 35, 333-41	6.8	34
45	Increased inhibitory activity of protein kinase C on the serotonin transporter in OCD. <i>Neuropsychobiology</i> , 2000 , 41, 171-7	4	24

44	Gender and age-related variation in adenylyl cyclase activity in the human prefrontal cortex, hippocampus and dorsal raphe nuclei. <i>Neuroscience Letters</i> , 2000 , 279, 53-6	3.3	6
43	Autoradiographic distribution of peripheral benzodiazepine receptors in the retina of the albino rabbit, <i>Lepus cunicula</i> . <i>Neuroscience Letters</i> , 2000 , 280, 37-40	3.3	
42	Peripheral-type benzodiazepine receptors in human blood cells of patients affected by migraine without aura. <i>Neurochemistry International</i> , 2000 , 37, 363-8	4.4	1
41	Lack of stereoselectivity of 8-hydroxy-2(di-N-propylamino)tetralin-mediated inhibition of forskolin-stimulated adenylyl cyclase activity in human pre- and post-synaptic brain regions. <i>Neurochemistry International</i> , 2000 , 36, 225-32	4.4	6
40	Effect of noise exposure on rat cardiac peripheral benzodiazepine receptors. <i>Life Sciences</i> , 2000 , 66, 1165-75	8.5	23
39	A novel class of highly potent and selective A1 adenosine antagonists: structure-affinity profile of a series of 1,8-naphthyridine derivatives. <i>Journal of Medicinal Chemistry</i> , 2000 , 43, 2814-23	8.3	29
38	Simultaneous plasma level analysis of clomipramine, N-desmethylclomipramine, and fluvoxamine by reversed-phase liquid chromatography. <i>Therapeutic Drug Monitoring</i> , 2000 , 22, 190-4	3.2	22
37	Synthesis of new pyridazinone derivatives and their affinity towards alpha1-alpha2-adrenoceptors. <i>Bioorganic and Medicinal Chemistry</i> , 1999 , 7, 933-41	3.4	11
36	New amino derivatives of 1,2,3-triazolo[4,5-d]pyrimidines and their affinity towards A1 and A2A adenosine receptors. <i>European Journal of Medicinal Chemistry</i> , 1999 , 34, 867-875	6.8	9
35	Effects of postmortem delay on serotonin and (+)8-OH-DPAT-mediated inhibition of adenylyl cyclase activity in rat and human brain tissues. <i>Brain Research</i> , 1999 , 816, 165-74	3.7	17
34	1,2,3-Triazolo[4,5-d]pyridazines: Part VI. New 1-substituted-4-amino derivatives and their affinity towards A1 and A2A adenosine receptors. <i>Il Farmaco</i> , 1999 , 54, 615-623		8
33	Platelet [3H]paroxetine binding in patients with OCD-related disorders. <i>Psychiatry Research</i> , 1999 , 89, 223-8	9.9	31
32	Distribution and characterization of [3H]mesulergine binding in human brain postmortem. <i>European Neuropsychopharmacology</i> , 1999 , 10, 21-6	1.2	37
31	Decreased platelet 3H-paroxetine binding in untreated panic disorder patients. <i>Life Sciences</i> , 1999 , 65, 2735-41	6.8	18
30	Regulation of the platelet serotonin transporter by protein kinase C in the young and elderly. <i>Biological Psychiatry</i> , 1999 , 45, 443-7	7.9	13
29	1,2,3-Triazolo[1,5-a][1,4]- and 1,2,3-triazolo[1,5-a]-[1,5]benzodiazepine derivatives: synthesis and benzodiazepine receptor binding. <i>Il Farmaco</i> , 1998 , 53, 305-11		30
28	Effect of aging and sex on the [3H]-paroxetine binding to human platelets. <i>Journal of Affective Disorders</i> , 1998 , 50, 11-5	6.6	57
27	Presence and characterization of the serotonin transporter in human resting lymphocytes. <i>Neuropsychopharmacology</i> , 1998 , 19, 154-9	8.7	23

26	Characterization of sulfonylurea receptors in isolated human pancreatic islets. <i>Journal of Cellular Biochemistry</i> , 1998 , 71, 182-8	4.7	9
25	1,2,3-Triazolo[1,5-a]quinoxalines: synthesis and binding to benzodiazepine and adenosine receptors. <i>European Journal of Medicinal Chemistry</i> , 1998 , 33, 113-122	6.8	39
24	Adenosine receptors: synthesis, structure-activity relationships and biological activity of new 6-amino purine derivatives. <i>European Journal of Medicinal Chemistry</i> , 1998 , 33, 501-508	6.8	10
23	Synthesis and α -adrenergic and H_1 -imidazoline activity of 3-phenylpiperidines dimethyl-substituted on the phenyl ring. <i>European Journal of Medicinal Chemistry</i> , 1998 , 33, 911-919	6.8	5
22	NSPhenylindol-3-ylglyoxylohydrazide derivatives: synthesis, structure-activity relationships, molecular modeling studies, and pharmacological action on brain benzodiazepine receptors. <i>Journal of Medicinal Chemistry</i> , 1998 , 41, 3821-30	8.3	21
21	N-n-Propyl-substituted 3-(dimethylphenyl)piperidines display novel discriminative properties between dopamine receptor subtypes: synthesis and receptor binding studies. <i>Journal of Medicinal Chemistry</i> , 1998 , 41, 4933-8	8.3	12
20	Novel 3-aryl-7-(amino-substituted)-1,2,3-triazolo[4,5-d]pyrimidines with high affinity toward A1 adenosine receptors. <i>Journal of Medicinal Chemistry</i> , 1998 , 41, 668-73	8.3	27
19	Apparent absence of aging and gender effects on serotonin 1A receptors in human neocortex and hippocampus. <i>Brain Research</i> , 1997 , 758, 26-32	3.7	30
18	[3H]ketanserin binding in human brain postmortem. <i>Neurochemical Research</i> , 1997 , 22, 753-7	4.6	13
17	HPLC resolution of C5 chiral 4,5-dihydro-1,4-benzodiazepines: stereochemical characterization and enantioselective GABAA receptor binding. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1997 , 15, 803-9	3.5	2
16	Synthesis, structure-activity relationships, and molecular modeling studies of N-(indol-3-ylglyoxylyl)benzylamine derivatives acting at the benzodiazepine receptor. <i>Journal of Medicinal Chemistry</i> , 1996 , 39, 5083-91	8.3	48
15	Decreased platelet 3H -paroxetine binding in obsessive-compulsive patients. <i>Neuropsychobiology</i> , 1996 , 34, 184-7	4	46
14	Benzodiazepine agonists reverse the effects of noise exposure on central benzodiazepine receptors and cardiac responsiveness. <i>Life Sciences</i> , 1995 , 57, 1131-40	6.8	7
13	Correlation between the sites labelled by [3H]-8 hydroxy-2-(di-N-propylamino)tetralin and [3H]-imipramine in human platelets. <i>Human Psychopharmacology</i> , 1995 , 10, 417-421	2.3	1
12	Changes in peripheral benzodiazepine receptors in patients with panic disorder and obsessive-compulsive disorder. <i>Neuropsychobiology</i> , 1994 , 29, 8-11	4	29
11	The peripheral-type benzodiazepine receptor ligands [3H]Ro 5-4864 and [3H]PK 11195 bind to the retina of rabbit, but not of turtle. <i>Journal of Neurochemistry</i> , 1993 , 61, 1263-9	6	6
10	Benzodiazepine receptor affinity and interaction of some N-(indol-3-ylglyoxylyl)amine derivatives. <i>Journal of Medicinal Chemistry</i> , 1992 , 35, 2214-20	8.3	24
9	Tricyclic heteroaromatic systems. [1]benzopyranopyrrol-4-ones and [1]benzopyrano-1,2,3-triazol-4-ones as benzodiazepine receptor ligands. Synthesis and structure-activity relationships. <i>Journal of Medicinal Chemistry</i> , 1990 , 33, 2646-51	8.3	37

8	Stress-related changes of benzodiazepine binding inhibitory activity (B.B.I.A.) in humans. <i>Life Sciences</i> , 1990 , 46, 1833-6	6.8	4
7	Synthesis of 1,5-diaryl-3-methyl-1H-pyrazolo[4,5-c]isoquinolines and studies of binding to specific peripheral benzodiazepine binding sites. <i>Journal of Pharmaceutical Sciences</i> , 1989 , 78, 437-42	3.9	9
6	Chiral 1,4-benzodiazepin-2-ones: relationship between stereochemistry and pharmacological activity. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1989 , 7, 1735-42	3.5	23
5	Specific inhibition of benzodiazepine receptor binding by some N-(indol-3-ylglyoxylyl)amino acid derivatives: stereoselective interactions. <i>Journal of Medicinal Chemistry</i> , 1989 , 32, 2514-8	8.3	16
4	Barbiturate enhancement of [(3)H]flunitrazepam binding to purified benzodiazepine/gaba receptor from rat brain. <i>Neurochemistry International</i> , 1987 , 11, 261-4	4.4	4
3	A 3H-flunitrazepam binding inhibitor is present in psychiatric patients'ssera. <i>Neuropsychobiology</i> , 1987 , 18, 74-6	4	2
2	Solubilization of rat kidney benzodiazepine binding sites. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1983 , 728, 289-92	3.8	26
1	Effects of chestnut hydrolysable tannin enrichment in the artificial diet of forager bees, <i>Apis mellifera</i> . <i>Journal of Apicultural Research</i> , 1-7	2	0