VÃ-ctor M Moo-Huchin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6876844/publications.pdf

Version: 2024-02-01

22 papers 632 citations

1039406 9 h-index 752256 20 g-index

22 all docs 22 docs citations

times ranked

22

1053 citing authors

#	Article	IF	CITATIONS
1	Physicochemical Characteristics of Yogurt from Sheep Fed with Moringa oleifera Leaf Extracts. Animals, 2022, 12, 110.	1.0	3
2	How does Flourensia microphylla extract affect polyphenolic composition, antioxidant capacity, and antifungal activity?. Industrial Crops and Products, 2022, 186, 115248.	2.5	3
3	Optimization of biodegradable starch adhesives using response surface methodology. Polymer Bulletin, 2021, 78, 3729-3749.	1.7	5
4	Biocomposites based on plasticized starch: thermal, mechanical and morphological characterization. Polymer Bulletin, 2021, 78, 3687-3704.	1.7	3
5	Determination of Quality Characteristics, Phenolic Compounds and Antioxidant Activity of Propolis from Southeastern Mexico. Journal of Apicultural Science, 2021, 65, 109-122.	0.1	1
6	Tortilla de maÃz adicionado con harina de Brosimum alicastrum: propiedades fisicoquÃmicas y actividad antioxidante. Ciencia Ergo Sum, 2021, 28, .	0.1	0
7	Physico-Chemical, Sensory and Texture Properties of an Aged Mexican Manchego-Style Cheese Produced from Hair Sheep Milk. Foods, 2020, 9, 1666.	1.9	7
8	Huaya (Melicoccus bijugatus) seed flour as a new source of starch: physicochemical, morphological, thermal and functional characterization. Journal of Food Measurement and Characterization, 2020, 14, 3299-3309.	1.6	13
9	Effect of Feeding Lactating Ewes with Moringa oleifera Leaf Extract on Milk Yield, Milk Composition and Preweaning Performance of Ewe/Lamb Pair. Animals, 2020, 10, 1117.	1.0	6
10	Evaluation of equations to estimate fat content in soft tissues of carcasses and viscera in sheep based on carbon and nitrogen content. Small Ruminant Research, 2019, 178, 106-110.	0.6	10
11	Effect of extraction method and specie on the content of bioactive compounds and antioxidant activity of pumpkin oil from Yucatan, Mexico. Food Chemistry, 2019, 285, 186-193.	4.2	40
12	Effect of extraction solvent on the phenolic compounds content and antioxidant activity of Ramon nut (Brosimum alicastrum). Chemical Papers, 2019, 73, 1647-1657.	1.0	28
13	Characterization of aroma-active compounds in choch (<i>Lucuma hypoglauca</i> Standley) fruit. International Journal of Food Properties, 2017, 20, S444-S448.	1.3	6
14	Tropical fruit peel powders as functional ingredients: Evaluation of their bioactive compounds and antioxidant activity. Journal of Functional Foods, 2017, 37, 501-506.	1.6	83
15	Partial characterization of starch obtained from Ramon (Brosimum alicastrumSwartz), oxidized under different conditions. Starch/Staerke, 2017, 69, 1600233.	1.1	4
16	Utilization of ramon seeds (<i>Brosimum alicastrum swarts<$i>$) as a new source material for thermoplastic starch production. Journal of Applied Polymer Science, 2016, 133, .</i>	1.3	4
17	Physicochemical Properties of Melipona beecheii Honey of the Yucatan Peninsula. Journal of Food Research, 2015, 4, 25.	0.1	17
18	Antioxidant compounds, antioxidant activity and phenolic content in peel from three tropical fruits from Yucatan, Mexico. Food Chemistry, 2015, 166, 17-22.	4.2	161

#	Article	IF	CITATIONS
19	Determination of some physicochemical characteristics, bioactive compounds and antioxidant activity of tropical fruits from Yucatan, Mexico. Food Chemistry, 2014, 152, 508-515.	4.2	123
20	Isolation and characterization of starch obtained from Brosimum alicastrum Swarts Seeds. Carbohydrate Polymers, 2014, 101, 920-927.	5.1	75
21	Chemical composition of crude oil from the seeds of pumpkin (<i>Cucurbita spp</i> .) and mamey sapota (<i>Pouteria sapota</i>) grown in Yucatan, Mexico. CYTA - Journal of Food, 2013, 11, 324-327.	0.9	19
22	Thermoplastic Starch (TPS)â€Cellulosic Fibers Composites: Mechanical Properties and Water Vapor Barrier: A Review. , 0, , .		21