

Alfredo R Galassi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6876993/publications.pdf>

Version: 2024-02-01

152
papers

5,803
citations

87888

38
h-index

82547

72
g-index

163
all docs

163
docs citations

163
times ranked

3186
citing authors

#	ARTICLE	IF	CITATIONS
1	A randomized multicentre trial to compare revascularization with optimal medical therapy for the treatment of chronic total coronary occlusions. <i>European Heart Journal</i> , 2018, 39, 2484-2493.	2.2	380
2	Recanalisation of Chronic Total coronary Occlusions: 2012 consensus document from the EuroCTO club. <i>EuroIntervention</i> , 2012, 8, 139-145.	3.2	319
3	In-hospital outcomes of percutaneous coronary intervention in patients with chronic total occlusion: insights from the ERCTO (European Registry of Chronic Total Occlusion) registry. <i>EuroIntervention</i> , 2011, 7, 472-479.	3.2	301
4	Guiding Principles for Chronic Total Occlusion Percutaneous Coronary Intervention. <i>Circulation</i> , 2019, 140, 420-433.	1.6	263
5	Classification of coronary artery bifurcation lesions and treatments: Time for a consensus!. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 71, 175-183.	1.7	260
6	Retrograde Recanalization of Chronic Total Occlusions in Europe. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2388-2400.	2.8	214
7	European perspective in the recanalisation of Chronic Total Occlusions (CTO): consensus document from the EuroCTO Club. <i>EuroIntervention</i> , 2007, 3, 30-43.	3.2	173
8	Percutaneous recanalisation of chronic total occlusions: 2019 consensus document from the EuroCTO Club. <i>EuroIntervention</i> , 2019, 15, 198-208.	3.2	172
9	Management strategies in patients affected by chronic total occlusions: results from the Italian Registry of Chronic Total Occlusions. <i>European Heart Journal</i> , 2015, 36, 3189-3198.	2.2	161
10	European experience with the retrograde approach for the recanalisation of coronary artery chronic total occlusions. A report on behalf of the EuroCTO club. <i>EuroIntervention</i> , 2008, 4, 84-92.	3.2	159
11	Myocardial Ischemia Caused by Distal Coronary-Artery Constriction in Stable Angina Pectoris. <i>New England Journal of Medicine</i> , 1990, 323, 514-520.	27.0	147
12	Definitions and Clinical Trial Design Principles for Coronary Artery Chronic Total Occlusion Therapies: CTO-ARC Consensus Recommendations. <i>Circulation</i> , 2021, 143, 479-500.	1.6	132
13	Global Chronic Total Occlusion Crossing Algorithm. <i>Journal of the American College of Cardiology</i> , 2021, 78, 840-853.	2.8	111
14	Temporal Trends in Chronic Total Occlusion Interventions in Europe. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e006229.	3.9	105
15	Toward personal eHealth in cardiology. Results from the EPI-MEDICS telemedicine project. <i>Journal of Electrocardiology</i> , 2005, 38, 100-106.	0.9	100
16	Derivation and Validation of a Chronic Total Coronary Occlusion Intervention Procedural Success Score From the 20,000-Patient EuroCTO Registry. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 335-342.	2.9	99
17	Pain threshold and tolerance in women with syndrome X and women with stable angina pectoris. <i>American Journal of Cardiology</i> , 1987, 60, 503-507.	1.6	98
18	Comparison of regional myocardial blood flow in syndrome X and one-vessel coronary artery disease. <i>American Journal of Cardiology</i> , 1993, 72, 134-139.	1.6	97

#	ARTICLE	IF	CITATIONS
19	Appropriateness of percutaneous revascularization of coronary chronic total occlusions: an overview. <i>European Heart Journal</i> , 2016, 37, 2692-2700.	2.2	95
20	Percutaneous Coronary Revascularization for Chronic Total Occlusions. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 911-922.	2.9	94
21	The IMPACTOR-CTO Trial. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1309-1311.	2.9	93
22	Transient Impairment of Vasomotion Function After Successful Chronic Total Occlusion Recanalization. <i>Journal of the American College of Cardiology</i> , 2012, 59, 711-718.	2.8	90
23	Percutaneous Coronary Intervention of Chronic Total Occlusions in Patients With Low Left Ventricular Ejection Fraction. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 2158-2170.	2.9	79
24	Update in the Percutaneous Management of Coronary Chronic Total Occlusions. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 615-625.	2.9	78
25	Incremental prognostic value of technetium-99m-tetrofosmin exercise myocardial perfusion imaging for predicting outcomes in patients with suspected or known coronary artery disease. <i>American Journal of Cardiology</i> , 2001, 88, 101-106.	1.6	73
26	Utility of Intravascular Ultrasound in Percutaneous Revascularization of Chronic Total Occlusions. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1979-1991.	2.9	72
27	Clinical Features of Transient Left Ventricular Apical Ballooning. <i>American Journal of Cardiology</i> , 2006, 98, 1273-1276.	1.6	66
28	Long-term outcomes of bifurcation lesions after implantation of drug-eluting stents with the mini-crush technique. <i>Catheterization and Cardiovascular Interventions</i> , 2007, 69, 976-983.	1.7	66
29	Lack of evidence for alpha-adrenergic receptor-mediated mechanisms in the genesis of ischemia in syndrome X. <i>American Journal of Cardiology</i> , 1989, 64, 264-269.	1.6	60
30	Complete versus incomplete revascularization in patients with multivessel disease undergoing percutaneous coronary intervention with drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 72, 448-456.	1.7	57
31	Long-term Clinical and Angiographic Outcomes of the Mini-STAR Technique as a Bailout Strategy for Percutaneous Coronary Intervention of Chronic Total Occlusion. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1400-1406.	1.7	54
32	Heart rate response during exercise testing and ambulatory ECG monitoring in patients with syndrome X. <i>American Heart Journal</i> , 1991, 122, 458-463.	2.7	51
33	Outcome of extracorporeal membrane oxygenation support for complex high-risk elective percutaneous coronary interventions: A single-center experience. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015, 44, 309-313.	1.6	51
34	Epicardial coronary artery tone and reactivity in patients with normal coronary arteriograms and reduced coronary flow reserve (syndrome X). <i>Journal of the American College of Cardiology</i> , 1991, 18, 50-54.	2.8	45
35	Incidence, treatment, and in-hospital outcome of bifurcation lesions in patients undergoing percutaneous coronary interventions for chronic total occlusions. <i>Coronary Artery Disease</i> , 2015, 26, 142-149.	0.7	45
36	Culotte versus T-stenting in bifurcation lesions: Immediate clinical and angiographic results and midterm clinical follow-up. <i>American Heart Journal</i> , 2007, 154, 336-343.	2.7	42

#	ARTICLE	IF	CITATIONS
37	Comparison of epicardial coronary artery tone and reactivity in Prinzmetal's variant angina and chronic stable angina pectoris. <i>Journal of the American College of Cardiology</i> , 1991, 17, 1058-1062.	2.8	41
38	Head-to-Head Comparison of Sirolimus- and Paclitaxel-Eluting Stent in the Same Diabetic Patient With Multiple Coronary Artery Lesions: A prospective, randomized, multicenter study. <i>Diabetes Care</i> , 2008, 31, 15-19.	8.6	38
39	Treatment of the chronic total occlusion: A call to action for the interventional community. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 85, 771-778.	1.7	37
40	Outcomes with retrograde versus antegrade chronic total occlusion revascularization. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, 1037-1043.	1.7	37
41	Left ventricular hypercontractility and ST segment depression in patients with syndrome X. <i>Journal of the American College of Cardiology</i> , 1993, 22, 1607-1613.	2.8	35
42	Mini-Crush Versus T-Provisional Techniques in Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2009, 2, 185-194.	2.9	32
43	Variability of coronary blood flow reserve assessed by Doppler catheter after successful thrombolysis in patients with acute myocardial infarction. <i>American Heart Journal</i> , 1993, 125, 1547-1552.	2.7	31
44	Long-Term Clinical and Angiographic Results of Sirolimus-Eluting Stent in Complex Coronary Chronic Total Occlusion Revascularization: The SECTOR Registry. <i>Journal of Interventional Cardiology</i> , 2011, 24, 426-436.	1.2	31
45	The innovation of composite core dual coil coronary guide-wire technology: A didactic coronary chronic total occlusion revascularization case report. <i>Journal of the Saudi Heart Association</i> , 2014, 26, 222-225.	0.4	30
46	Management of refractory angina: an update. <i>European Heart Journal</i> , 2021, 42, 269-283.	2.2	30
47	Evaluation of Infarct-Related Coronary Artery Patency and Microcirculatory Function After Facilitated Percutaneous Primary Coronary Angioplasty. <i>JACC: Cardiovascular Interventions</i> , 2010, 3, 1284-1291.	2.9	29
48	Prognostic Value of Exercise Myocardial Scintigraphy in Patients with Coronary Chronic Total Occlusions. <i>Journal of Interventional Cardiology</i> , 2010, 23, 139-148.	1.2	29
49	Randomized Controlled Comparison of Optimal Medical Therapy with Percutaneous Recanalization of Chronic Total Occlusion (COMET-CTO). <i>International Heart Journal</i> , 2021, 62, 16-22.	1.0	29
50	Usefulness of exercise tomographic myocardial perfusion imaging for detection of restenosis after coronary stent implantation. <i>American Journal of Cardiology</i> , 2000, 85, 1362-1364.	1.6	28
51	Iatrogenic Aortic Dissection Complicating Percutaneous Coronary Intervention for Chronic Total Occlusion. <i>Canadian Journal of Cardiology</i> , 2015, 31, 320-327.	1.7	28
52	Long-term variability of angina pectoris and electrocardiographic signs of ischemia in syndrome X. <i>American Journal of Cardiology</i> , 1989, 64, 139-143.	1.6	27
53	Similar time course of ST depression during and after exercise in patients with coronary artery disease and syndrome X. <i>American Heart Journal</i> , 1990, 120, 848-854.	2.7	27
54	Accuracy of 99mTc-tetrofosmin myocardial tomography in the evaluation of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1999, 6, 183-189.	2.1	27

#	ARTICLE	IF	CITATIONS
55	Late Device Dislodgement After Percutaneous Closure of Mitral Prosthesis Paravalvular Leak With Amplatzer Muscular Ventricular Septal Defect Occluder. <i>Circulation</i> , 2007, 115, e208-10.	1.6	25
56	Successful antegrade revascularization by the innovation of composite core dual coil in a three-vessel total occlusive disease for cardiac arrest patient using extracorporeal membrane oxygenation. <i>European Heart Journal</i> , 2014, 35, 2009-2009.	2.2	23
57	Comparison of rest-redistribution thallium-201 imaging and reinjection after stress-redistribution for the assessment of myocardial viability in patients with left ventricular dysfunction secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1995, 75, 436-442.	1.6	22
58	Long-term clinical outcomes after drug-eluting stent implantation in unprotected left main coronary artery disease. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 73, 291-298.	1.7	22
59	Management of Coronary Artery Perforation. <i>Cardiovascular Revascularization Medicine</i> , 2021, 26, 55-60.	0.8	22
60	Reactivity of proximal and distal angiographically normal and stenotic coronary segments in chronic stable angina pectoris. <i>American Journal of Cardiology</i> , 1991, 67, 1195-1200.	1.6	21
61	Coronary perforation with tamponade successfully managed by retrograde and antegrade coil embolization. <i>Journal of the Saudi Heart Association</i> , 2015, 27, 216-221.	0.4	21
62	A randomized comparison of trapidil (triazolopyrimidine), a platelet-derived growth factor antagonist, versus aspirin in prevention of angiographic restenosis after coronary artery Palmaz-Schatz stent implantation. <i>Catheterization and Cardiovascular Interventions</i> , 1999, 46, 162-168.	1.7	19
63	Usefulness of Exercise Myocardial Scintigraphy in Multivessel Coronary Disease After Incomplete Revascularization With Coronary Stenting. <i>American Journal of Cardiology</i> , 2006, 97, 207-215.	1.6	19
64	Percutaneous Treatment of Coronary Chronic Total Occlusion Part 2: Technical Approach. <i>Interventional Cardiology Review</i> , 2014, 9, 201.	1.6	19
65	Comparison of technetium 99m-tetrofosmin and thallium-201 single photon emission computed tomographic imaging for the assessment of viable myocardium in patients with left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 56-63.	2.1	18
66	Intraventricular obstruction in a patient with tako-tsubo cardiomyopathy. <i>International Journal of Cardiology</i> , 2007, 121, e22-e24.	1.7	16
67	Efficiency, Safety, and Long-Term Follow-up of Retrograde Approach for CTO Recanalization: Initial (Belgrade) Experience with International Proctorship. <i>Journal of Interventional Cardiology</i> , 2012, 25, 540-548.	1.2	16
68	Coronary microvascular dysfunction. <i>Minerva Cardioangiologica</i> , 2020, 68, 153-163.	1.2	16
69	Myocardial blood flow is altered at rest and after dipyridamole in patients with syndrome X. <i>Journal of the American College of Cardiology</i> , 1991, 17, A227.	2.8	15
70	A Novel 3â€D Reconstruction System for the Assessment of Bifurcation Lesions Treated by the Miniâ€Crush Technique. <i>Journal of Interventional Cardiology</i> , 2010, 23, 46-53.	1.2	15
71	Recanalization of Complex Coronary Chronic Total Occlusions Using High-Frequency Vibrational Energy CROSSER Catheter as First-Line Therapy: A Single Center Experience. <i>Journal of Interventional Cardiology</i> , 2010, 23, 130-138.	1.2	15
72	Coronary Heart Disease in Postmenopausal Women with Type II Diabetes Mellitus and the Impact of Estrogen Replacement Therapy: A Narrative Review. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-8.	1.5	15

#	ARTICLE	IF	CITATIONS
73	Everolimus-eluting bioresorbable vascular scaffolds for treatment of complex chronic total occlusions. <i>EuroIntervention</i> , 2017, 13, 355-363.	3.2	15
74	Comparative effects of theophylline and isosorbide dinitrate on exercise capacity in stable angina pectoris, and their mechanisms of action. <i>American Journal of Cardiology</i> , 1989, 64, 1098-1102.	1.6	14
75	Percutaneous Coronary Interventions for Chronic Total Occlusions: More Benefit for the Patient or for the Interventionist's Ego?. <i>Canadian Journal of Cardiology</i> , 2015, 31, 974-979.	1.7	14
76	Usefulness of SYNTAX score II in complex percutaneous coronary interventions in the setting of acute coronary syndrome. <i>Journal of the Saudi Heart Association</i> , 2016, 28, 63-72.	0.4	14
77	Effects of theophylline, atenolol and their combination on myocardial ischemia in stable angina pectoris. <i>American Journal of Cardiology</i> , 1990, 66, 1157-1162.	1.6	13
78	Recovery-phase patterns of ST segment depression in the heart rate domain cannot distinguish between anginal patients with coronary artery disease and patients with syndrome X. <i>American Heart Journal</i> , 1991, 122, 1593-1598.	2.7	13
79	Accuracy of exercise testing in the assessment of the severity of myocardial ischemia as determined by means of technetium-99m tetrofosmin SPECT scintigraphy. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 575-583.	2.1	13
80	Comparison of Two Antiplatelet Regimens (Aspirin Alone Versus Aspirin + Ticlopidine or Clopidogrel) After Intracoronary Implantation of a Carbofilm-Coated Stent. <i>American Journal of Cardiology</i> , 2007, 99, 1062-1066.	1.6	13
81	Does Occlusion Duration Influence Procedural and Clinical Outcome of Patients Who Underwent Percutaneous Coronary Intervention for Chronic Total Occlusion?. <i>Journal of Interventional Cardiology</i> , 2011, 24, 223-231.	1.2	13
82	A randomized trial of bifurcation stenting technique in chronic total occlusions percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2018, 29, 30-38.	0.7	13
83	Coronary chronic total occlusions and mortality in patients with ventricular tachyarrhythmias. <i>EuroIntervention</i> , 2020, 15, 1278-1285.	3.2	13
84	Impacts of cardiac rehabilitation on ventricular repolarization indexes and ventricular arrhythmias in patients affected by coronary artery disease and type 2 diabetes. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015, 44, 199-204.	1.6	11
85	Cardiac safety and potential efficacy: two reasons for considering minocycline in place of azithromycin in COVID-19 management. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, e53-e54.	3.0	11
86	Effects of diltiazem alone or with isosorbide dinitrate or with atenolol both acutely and chronically for stable angina pectoris. <i>American Journal of Cardiology</i> , 1989, 64, 717-724.	1.6	10
87	Apical thrombus in a patient with takotsubo cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 831-833.	1.5	10
88	Multicenter experience with the antegrade fenestration and reentry technique for chronic total occlusion recanalization. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E40-E50.	1.7	10
89	Current Perspectives and Practices on Chronic Total Occlusion Percutaneous Coronary Interventions. <i>Journal of Invasive Cardiology</i> , 2018, 30, 43-50.	0.4	10
90	Retrograde Chronic Total Occlusion Percutaneous Coronary Interventions. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 834-842.	2.9	10

#	ARTICLE	IF	CITATIONS
91	Percutaneous left atrial appendage transcatheter occlusion in patients with chronic nonvalvular atrial fibrillation: early institutional experience. <i>Journal of Cardiovascular Medicine</i> , 2006, 7, 569-572.	1.5	9
92	Anterograde techniques for percutaneous revascularization of chronic total coronary occlusions. <i>Interventional Cardiology</i> , 2010, 2, 377-390.	0.0	9
93	The "mini-crush technique" for the treatment of coronary trifurcation lesions. <i>EuroIntervention</i> , 2008, 4, 358-364.	3.2	9
94	Ischemic threshold varies in response to different types of exercise in patients with chronic stable angina. <i>American Heart Journal</i> , 1989, 118, 539-544.	2.7	8
95	High sensitive TROponin levels In Patients with Chest pain and kidney disease: A multicenter registry "The TROPIC study. <i>Cardiology Journal</i> , 2017, 24, 139-150.	1.2	8
96	Impact of left ventricular remodeling and renal function on 24h-ECG recordings and cardiovascular outcome in elderly hypertensive patients. <i>European Journal of Internal Medicine</i> , 2016, 29, 71-77.	2.2	7
97	Duration of ST segment depression after exercise-induced myocardial ischemia is influenced by body position during recovery but not by type of exercise. <i>American Heart Journal</i> , 1991, 121, 1665-1670.	2.7	6
98	Should we give into temptation and attempt all chronic total occlusions?. <i>Interventional Cardiology</i> , 2014, 6, 399-401.	0.0	6
99	Left-sided haemothorax after iatrogenic coronary perforation in a patient with prior bypass surgery. <i>European Heart Journal</i> , 2015, 36, 128-128.	2.2	6
100	Invasive assessment modalities of unprotected left main stenosis. <i>Journal of the Saudi Heart Association</i> , 2015, 27, 109-117.	0.4	6
101	Dual lumen microcatheters for recanalisation of chronic total occlusions: a EuroCTO Club expert panel report. <i>EuroIntervention</i> , 2021, 17, e966-e970.	3.2	6
102	Outcomes of chronic total occlusion percutaneous coronary intervention in patients with reduced left ventricular ejection fraction. <i>Catheterization and Cardiovascular Interventions</i> , 2022, 99, 1059-1064.	1.7	6
103	Predictive scores in chronic total occlusions percutaneous recanalization: only fashionable or really useful?. <i>Journal of Thoracic Disease</i> , 2016, 8, 1037-1041.	1.4	5
104	Evaluation of remnant cholesterol levels and Monocyte-to-HDL-cholesterol ratio in South Asian patients with acute coronary syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2144-2150.	2.6	5
105	Percutaneous Treatment of Coronary Chronic Total Occlusions Part 1: Rationale and Outcomes. <i>Interventional Cardiology Review</i> , 2014, 9, 195.	1.6	5
106	Right coronary artery chronic total occlusion revascularization by knuckle technique through right gastroepiploic artery graft. <i>Clinical Research in Cardiology</i> , 2010, 99, 587-590.	3.3	4
107	Retrograde approach for chronic total occlusion percutaneous revascularization. <i>Interventional Cardiology</i> , 2010, 2, 391-403.	0.0	4
108	Biomarkers of Coronary Microvascular Dysfunction in Patients With Microvascular Angina: A Narrative Review. <i>Angiology</i> , 2022, 73, 395-406.	1.8	4

#	ARTICLE	IF	CITATIONS
109	Optical coherence tomography follow-up of the subintimal tracking and re-entry technique for chronic total occlusion. <i>EuroIntervention</i> , 2010, 6, 662-663.	3.2	4
110	Dual guidewire balloon antegrade fenestration and re-entry technique for coronary chronic total occlusions percutaneous coronary interventions. <i>Catheterization and Cardiovascular Interventions</i> , 0, , .	1.7	4
111	Recovery-phase patterns of ST segment depression in the heart rate domain cannot distinguish between angina patients with and without coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1991, 17, A193.	2.8	3
112	A case of transient left mid ventricular ballooning. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 629-632.	1.5	3
113	Diabetic patient with three-vessel disease and left main involvement. Surgery yes, but not always. <i>Egyptian Heart Journal</i> , 2015, 67, 83-87.	1.2	3
114	Mechanical post-conditioning in STEMI patients undergoing primary percutaneous coronary intervention. <i>Journal of the Saudi Heart Association</i> , 2015, 27, 192-200.	0.4	3
115	Fatal derecruitment of occluded left anterior descending collaterals after left circumflex revascularization. <i>Journal of the Saudi Heart Association</i> , 2016, 28, 52-58.	0.4	3
116	Update on Coronary Chronic Total Occlusion Percutaneous Coronary Intervention. <i>Interventional Cardiology Clinics</i> , 2016, 5, 177-186.	0.4	3
117	Risk Burden of Coronary Perforation in Chronic Total Occlusion Recanalization: Latin American CTO Registry Analysis. <i>Journal of the American Heart Association</i> , 2022, 11, .	3.7	3
118	Transient impairment of myocardial perfusion in a patient with apical ballooning syndrome. <i>International Journal of Cardiology</i> , 2007, 118, e63-e65.	1.7	2
119	Balloon anchoring intraluminal tracking technique. <i>Coronary Artery Disease</i> , 2016, 27, 429-432.	0.7	2
120	Mid-term outcome of biolimus-eluting stents with biodegradable polymer. <i>Coronary Artery Disease</i> , 2017, 28, 457-464.	0.7	2
121	Highlights and essentials from the first "Experts-live" course of the EuroCTO club. <i>EuroIntervention</i> , 2010, 5, 888-890.	3.2	2
122	Outcome of extracorporeal membrane oxygenation support for high-risk percutaneous coronary intervention in non-ST-segment elevation acute coronary syndrome. <i>Journal of Cardiovascular Medicine</i> , 2021, 22, 423-424.	1.5	2
123	Chronic total improvement in ventricular function and survival. <i>Journal of Thoracic Disease</i> , 2015, 7, E222-5.	1.4	2
124	The GuideLiner Catheter: A Useful Tool in the Armamentarium of the Interventional Cardiologist. <i>The Journal of Tehran Heart Center</i> , 2015, 10, 208-14.	0.3	2
125	Mid-term follow-up after retrograde recanalization of chronically occluded saphenous vein graft. <i>Clinical Research in Cardiology</i> , 2010, 99, 257-259.	3.3	1
126	Retrograde recanalization of an in-stent ostial chronically occluded right coronary artery. <i>International Journal of Cardiology</i> , 2010, 142, 304-306.	1.7	1

#	ARTICLE	IF	CITATIONS
127	Role of Stress Myocardial Scintigraphy in the Evaluation of Incompletely Revascularized Post-PCI Patients. <i>International Journal of Molecular Imaging</i> , 2011, 2011, 1-7.	1.3	1
128	Coronary vasomotion dysfunction after everolimus-eluting stent implantation. <i>Interventional Medicine & Applied Science</i> , 2014, 6, 178-182.	0.2	1
129	TCT-99 Outcomes With Retrograde Versus Antegrade Chronic Total Occlusion Revascularization. <i>Journal of the American College of Cardiology</i> , 2019, 74, B99.	2.8	1
130	Differences in patients and lesion and procedure characteristics depending on the age of the coronary chronic total occlusion. <i>Postępy W Kardiologii Interwencyjnej</i> , 2019, 15, 28-41.	0.2	1
131	Medical therapy or revascularization for patients with chronic total occlusion? A dilemma almost solved. <i>Hellenic Journal of Cardiology</i> , 2020, 61, 272-273.	1.0	1
132	Excimer laser atherectomy in an uncrossable long chronic total occlusion through the subintimal space. <i>Acta Cardiologica</i> , 2020, 76, 1-2.	0.9	1
133	Electrocardiographic abnormalities, preclinical carotid atherosclerosis and cardiovascular risk in an apparently healthy real-world population. Data from the "No Stroke, No Infarction" project of the Rotary International - district 2110 (Sicily and Malta). <i>International Angiology</i> , 2021, 40, 470-477.	0.9	1
134	EuroCTO Club 2018 meeting: "Experts Live" in Toulouse. <i>EuroIntervention</i> , 2019, 14, e1814-e1817.	3.2	1
135	Procedural characteristics and outcomes following chronic total occlusion coronary intervention: pooled analysis from 5 registries. <i>Expert Review of Cardiovascular Therapy</i> , 2021, 19, 929-938.	1.5	1
136	Follow-up of patients undergoing percutaneous coronary intervention. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2005, 6, 530-9.	0.1	1
137	Left coronary artery ectasia with a large fistula presenting as angina. <i>Journal of Cardiovascular Medicine</i> , 2006, 7, 717-718.	1.5	0
138	Antegrade insertion in retrograde device: the AIRD technique. An efficient strategy in retrograde revascularization of chronic total occlusions. <i>Acta Cardiologica</i> , 2014, 69, 693-694.	0.9	0
139	TCT-208 Incidence, Treatment And In-Hospital Clinical Outcome Of Bifurcation Lesions In Patients Undergoing Percutaneous Coronary Chronic Total Occlusion Coronary Interventions. <i>Journal of the American College of Cardiology</i> , 2014, 64, B61.	2.8	0
140	Reply to "Effect of cardiac rehabilitation on ventricular repolarization in patients with type 2 diabetes and coronary heart disease: Non-invasive quantification via transmural dispersion of repolarization". <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015, 44, 461.	1.6	0
141	TCT-287 Current Perspectives and Practices on Chronic Total Occlusion Percutaneous Coronary Interventions. <i>Journal of the American College of Cardiology</i> , 2016, 68, B118.	2.8	0
142	TCT-17 Procedural characteristics, Outcomes and Complications in patients undergoing percutaneous coronary chronic total occlusion angioplasty: Pooled analysis from RECHARGE, Expert JCTO, EURO CTO, PROGRESS and OPEN CTO Registries. <i>Journal of the American College of Cardiology</i> , 2017, 70, B8.	2.8	0
143	The EuroCTO Club Anniversary meeting. <i>European Heart Journal</i> , 2017, 38, 3335-3337.	2.2	0
144	Reply. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1541-1542.	2.9	0

#	ARTICLE	IF	CITATIONS
145	Chronic Total Occlusions. , 2018, , 777-802.		0
146	Successful use of impella CP through femoral access in a patient with bilateral iliac and aortic endoprosthesis in the setting of cardiogenic shock. Acta Cardiologica, 2020, 75, 273-274.	0.9	0
147	The Benefits of Attempting Chronic Total Occlusions for the Interventionalist. Journal of Cardiology & Current Research, 2015, 3, .	0.1	0
148	The Experts "Live" Workshop of the EuroCTO Club 2017, Berlin. EuroIntervention, 2018, 13, 1987-1990.	3.2	0
149	Moderator band connections: an unusual route in retrograde chronic total occlusion procedure: moderator band connections as options to right coronary artery chronic total occlusion. Vessel Plus, 0, 2019, .	0.4	0
150	Channel Tracking Guidewire and Technique for Retrograde Approach. , 2020, , 71-77.		0
151	Resolution of myocardial ischemia due to coronary microcirculatory vasoconstriction in a patient with mixed angina. Italian Heart Journal: Official Journal of the Italian Federation of Cardiology, 2002, 3, 525-8.	0.1	0
152	Myocardial ischemia due to a coronary-to-pulmonary artery fistula proximal to an intermediate stenosis in the left anterior descending coronary artery: percutaneous closure by means of angioplasty and stent grafting. Italian Heart Journal: Official Journal of the Italian Federation of Cardiology, 2004, 5, 781-4.	0.1	0