

# Alfredo R Galassi

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6876993/alfredo-r-galassi-publications-by-citations.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142  
papers

4,180  
citations

34  
h-index

61  
g-index

162  
ext. papers

5,017  
ext. citations

3.8  
avg. IF

4.68  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 142 | Recanalisation of chronic total coronary occlusions: 2012 consensus document from the EuroCTO club. <i>EuroIntervention</i> , <b>2012</b> , 8, 139-45   | 3.1  | 265       |
| 141 | In-hospital outcomes of percutaneous coronary intervention in patients with chronic total occlusion: insights from the ERCTO (European Registry of Chronic Total Occlusion) registry. <i>EuroIntervention</i> , <b>2011</b> , 7, 472-9                | 3.1  | 244       |
| 140 | A randomized multicentre trial to compare revascularization with optimal medical therapy for the treatment of chronic total coronary occlusions. <i>European Heart Journal</i> , <b>2018</b> , 39, 2484-2493  | 9.5  | 225       |
| 139 | Classification of coronary artery bifurcation lesions and treatments: time for a consensus!. <i>Catheterization and Cardiovascular Interventions</i> , <b>2008</b> , 71, 175-83   | 2.7  | 210       |
| 138 | Retrograde Recanalization of Chronic Total Occlusions in Europe: Procedural, In-Hospital, and Long-Term Outcomes From the Multicenter ERCTO Registry. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 65, 2388-400               | 15.1 | 160       |
| 137 | European perspective in the recanalisation of Chronic Total Occlusions (CTO): consensus document from the EuroCTO Club. <i>EuroIntervention</i> , <b>2007</b> , 3, 30-43  | 3.1  | 148       |
| 136 | Myocardial ischemia caused by distal coronary-artery constriction in stable angina pectoris. <i>New England Journal of Medicine</i> , <b>1990</b> , 323, 514-20   | 59.2 | 129       |
| 135 | European experience with the retrograde approach for the recanalisation of coronary artery chronic total occlusions. A report on behalf of the euroCTO club. <i>EuroIntervention</i> , <b>2008</b> , 4, 84-92   | 3.1  | 124       |
| 134 | Management strategies in patients affected by chronic total occlusions: results from the Italian Registry of Chronic Total Occlusions. <i>European Heart Journal</i> , <b>2015</b> , 36, 3189-98  | 9.5  | 120       |
| 133 | Guiding Principles for Chronic Total Occlusion Percutaneous Coronary Intervention. <i>Circulation</i> , <b>2019</b> , 140, 420-433  | 16.7 | 120       |
| 132 | Percutaneous recanalisation of chronic total occlusions: 2019 consensus document from the EuroCTO Club. <i>EuroIntervention</i> , <b>2019</b> , 15, 198-208   | 3.1  | 96        |
| 131 | Comparison of regional myocardial blood flow in syndrome X and one-vessel coronary artery disease. <i>American Journal of Cardiology</i> , <b>1993</b> , 72, 134-9  | 3    | 88        |
| 130 | Pain threshold and tolerance in women with syndrome X and women with stable angina pectoris. <i>American Journal of Cardiology</i> , <b>1987</b> , 60, 503-7  | 3    | 82        |
| 129 | Toward personal eHealth in cardiology. Results from the EPI-MEDICS telemedicine project. <i>Journal of Electrocardiology</i> , <b>2005</b> , 38, 100-6  | 1.4  | 75        |
| 128 | Transient impairment of vasomotion function after successful chronic total occlusion recanalization. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 59, 711-8   | 15.1 | 74        |
| 127 | Appropriateness of percutaneous revascularization of coronary chronic total occlusions: an overview. <i>European Heart Journal</i> , <b>2016</b> , 37, 2692-700   | 9.5  | 67        |
| 126 | Incremental prognostic value of technetium-99m-tetrofosmin exercise myocardial perfusion imaging for predicting outcomes in patients with suspected or known coronary artery disease. <i>American Journal of Cardiology</i> , <b>2001</b> , 88, 101-6 | 3    | 65        |

|     |   |      |    |
|-----|---|------|----|
| 125 | Percutaneous Coronary Revascularization for Chronic Total Occlusions: A Novel Predictive Score of Technical Failure Using Advanced Technologies. <i>JACC: Cardiovascular Interventions</i> , <b>2016</b> , 9, 911-22                              | 5    | 64 |
| 124 | Clinical features of transient left ventricular apical ballooning. <i>American Journal of Cardiology</i> , <b>2006</b> , 98, 1273-6   | 3    | 61 |
| 123 | Derivation and Validation of a Chronic Total Coronary Occlusion Intervention Procedural Success Score From the 20,000-Patient EuroCTO Registry: The EuroCTO (CASTLE) Score. <i>JACC: Cardiovascular Interventions</i> , <b>2019</b> , 12, 335-342 | 5    | 59 |
| 122 | Temporal Trends in Chronic Total Occlusion Interventions in Europe. <i>Circulation: Cardiovascular Interventions</i> , <b>2018</b> , 11, e006229  | 6    | 57 |
| 121 | Long-term outcomes of bifurcation lesions after implantation of drug-eluting stents with the "mini-crush technique". <i>Catheterization and Cardiovascular Interventions</i> , <b>2007</b> , 69, 976-83   | 2.7  | 56 |
| 120 | Percutaneous Coronary Intervention of Chronic Total Occlusions in Patients With Low Left Ventricular Ejection Fraction. <i>JACC: Cardiovascular Interventions</i> , <b>2017</b> , 10, 2158-2170   | 5    | 55 |
| 119 | Update in the Percutaneous Management of Coronary Chronic Total Occlusions. <i>JACC: Cardiovascular Interventions</i> , <b>2018</b> , 11, 615-625   | 5    | 55 |
| 118 | Complete versus incomplete revascularization in patients with multivessel disease undergoing percutaneous coronary intervention with drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , <b>2008</b> , 72, 448-56      | 2.7  | 52 |
| 117 | Lack of evidence for alpha-adrenergic receptor-mediated mechanisms in the genesis of ischemia in syndrome X. <i>American Journal of Cardiology</i> , <b>1989</b> , 64, 264-9  | 3    | 50 |
| 116 | The IMPACTOR-CTO Trial. <i>JACC: Cardiovascular Interventions</i> , <b>2018</b> , 11, 1309-1311   | 5    | 50 |
| 115 | Utility of Intravascular Ultrasound in Percutaneous Revascularization of Chronic Total Occlusions: An Overview. <i>JACC: Cardiovascular Interventions</i> , <b>2016</b> , 9, 1979-1991  | 5    | 48 |
| 114 | Heart rate response during exercise testing and ambulatory ECG monitoring in patients with syndrome X. <i>American Heart Journal</i> , <b>1991</b> , 122, 458-63  | 4.9  | 47 |
| 113 | Long-term clinical and angiographic outcomes of the mini-STAR technique as a bailout strategy for percutaneous coronary intervention of chronic total occlusion. <i>Canadian Journal of Cardiology</i> , <b>2014</b> , 30, 1400-6                 | 3.8  | 43 |
| 112 | Epicardial coronary artery tone and reactivity in patients with normal coronary arteriograms and reduced coronary flow reserve (syndrome X). <i>Journal of the American College of Cardiology</i> , <b>1991</b> , 18, 50-4                        | 15.1 | 41 |
| 111 | Culotte versus T-stenting in bifurcation lesions: immediate clinical and angiographic results and midterm clinical follow-up. <i>American Heart Journal</i> , <b>2007</b> , 154, 336-43   | 4.9  | 40 |
| 110 | Incidence, treatment, and in-hospital outcome of bifurcation lesions in patients undergoing percutaneous coronary interventions for chronic total occlusions. <i>Coronary Artery Disease</i> , <b>2015</b> , 26, 142-9 <sup>4</sup>               | 1.4  | 35 |
| 109 | Comparison of epicardial coronary artery tone and reactivity in Prinzmetal's variant angina and chronic stable angina pectoris. <i>Journal of the American College of Cardiology</i> , <b>1991</b> , 17, 1058-62                                  | 15.1 | 35 |
| 108 | Outcome of extracorporeal membrane oxygenation support for complex high-risk elective percutaneous coronary interventions: A single-center experience. <i>Heart and Lung: Journal of Acute and Critical Care</i> , <b>2015</b> , 44, 309-13       | 2.6  | 34 |

|     |   |      |    |
|-----|---|------|----|
| 107 | Head-to-head comparison of sirolimus- and paclitaxel-eluting stent in the same diabetic patient with multiple coronary artery lesions: a prospective, randomized, multicenter study. <i>Diabetes Care</i> , <b>2008</b> , 31, 15-9  | 14.6 | 34 |
| 106 | Definitions and Clinical Trial Design Principles for Coronary Artery Chronic Total Occlusion Therapies: CTO-ARC Consensus Recommendations. <i>Circulation</i> , <b>2021</b> , 143, 479-500  | 16.7 | 34 |
| 105 | Left ventricular hypercontractility and ST segment depression in patients with syndrome X. <i>Journal of the American College of Cardiology</i> , <b>1993</b> , 22, 1607-13   | 15.1 | 32 |
| 104 | Treatment of the chronic total occlusion: a call to action for the interventional community. <i>Catheterization and Cardiovascular Interventions</i> , <b>2015</b> , 85, 771-8  | 2.7  | 31 |
| 103 | Variability of coronary blood flow reserve assessed by Doppler catheter after successful thrombolysis in patients with acute myocardial infarction. <i>American Heart Journal</i> , <b>1993</b> , 125, 1547-52  | 4.9  | 30 |
| 102 | Mini-crush versus T-provisional techniques in bifurcation lesions: clinical and angiographic long-term outcome after implantation of drug-eluting stents. <i>JACC: Cardiovascular Interventions</i> , <b>2009</b> , 2, 185-94   | 5    | 29 |
| 101 | Long-term clinical and angiographic results of Sirolimus-Eluting Stent in Complex Coronary Chronic Total Occlusion Revascularization: the SECTOR registry. <i>Journal of Interventional Cardiology</i> , <b>2011</b> , 24, 426-36   | 1.8  | 28 |
| 100 | Accuracy of 99mTc-tetrofosmin myocardial tomography in the evaluation of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , <b>1999</b> , 6, 183-9   | 2.1  | 27 |
| 99  | Usefulness of exercise tomographic myocardial perfusion imaging for detection of restenosis after coronary stent implantation. <i>American Journal of Cardiology</i> , <b>2000</b> , 85, 1362-4   | 3    | 26 |
| 98  | Similar time course of ST depression during and after exercise in patients with coronary artery disease and syndrome X. <i>American Heart Journal</i> , <b>1990</b> , 120, 848-54   | 4.9  | 25 |
| 97  | The innovation of composite core dual coil coronary guide-wire technology: A didactic coronary chronic total occlusion revascularization case report. <i>Journal of the Saudi Heart Association</i> , <b>2014</b> , 26, 222-5   | 0.7  | 24 |
| 96  | Prognostic value of exercise myocardial scintigraphy in patients with coronary chronic total occlusions. <i>Journal of Interventional Cardiology</i> , <b>2010</b> , 23, 139-48   | 1.8  | 24 |
| 95  | Evaluation of infarct-related coronary artery patency and microcirculatory function after facilitated percutaneous primary coronary angioplasty: the FINESSE-ANGIO (Facilitated Intervention With Enhanced Reperfusion Speed to Stop Events-Angiographic) study. <i>JACC: Cardiovascular Interventions</i> , <b>2010</b> , 3, 1284-91 | 5    | 24 |
| 94  | Images in cardiovascular medicine. Late device dislodgement after percutaneous closure of mitral prosthesis paravalvular leak with Amplatzer muscular ventricular septal defect occluder. <i>Circulation</i> , <b>2007</b> , 115, e208-10   | 16.7 | 21 |
| 93  | Long-term variability of angina pectoris and electrocardiographic signs of ischemia in syndrome X. <i>American Journal of Cardiology</i> , <b>1989</b> , 64, 139-43   | 3    | 21 |
| 92  | Global Chronic Total Occlusion Crossing Algorithm: JACC State-of-the-Art Review. <i>Journal of the American College of Cardiology</i> , <b>2021</b> , 78, 840-853   | 15.1 | 21 |
| 91  | Iatrogenic aortic dissection complicating percutaneous coronary intervention for chronic total occlusion. <i>Canadian Journal of Cardiology</i> , <b>2015</b> , 31, 320-7   | 3.8  | 20 |
| 90  | Long-term clinical outcomes after drug-eluting stent implantation in unprotected left main coronary artery disease. <i>Catheterization and Cardiovascular Interventions</i> , <b>2009</b> , 73, 291-8   | 2.7  | 19 |

|    |  |      |    |
|----|--|------|----|
| 89 | Comparison of rest-redistribution thallium-201 imaging and reinjection after stress-redistribution for the assessment of myocardial viability in patients with left ventricular dysfunction secondary to coronary artery disease. <i>American Journal of Cardiology</i> , <b>1995</b> , 75, 436-42       | 3    | 19 |
| 88 | Reactivity of proximal and distal angiographically normal and stenotic coronary segments in chronic stable angina pectoris. <i>American Journal of Cardiology</i> , <b>1991</b> , 67, 1195-200   | 3    | 19 |
| 87 | Successful antegrade revascularization by the innovation of composite core dual coil in a three-vessel total occlusive disease for cardiac arrest patient using extracorporeal membrane oxygenation. <i>European Heart Journal</i> , <b>2014</b> , 35, 2009  | 9.5  | 18 |
| 86 | Coronary perforation with tamponade successfully managed by retrograde and antegrade coil embolization. <i>Journal of the Saudi Heart Association</i> , <b>2015</b> , 27, 216-21   | 0.7  | 18 |
| 85 | A randomized comparison of trapidil (triazolopyrimidine), a platelet-derived growth factor antagonist, versus aspirin in prevention of angiographic restenosis after coronary artery Palmaz-Schatz stent implantation. <i>Catheterization and Cardiovascular Interventions</i> , <b>1999</b> , 46, 162-8 | 2.7  | 17 |
| 84 | Percutaneous Treatment of Coronary Chronic Total Occlusion Part 2: Technical Approach. <i>Interventional Cardiology Review</i> , <b>2014</b> , 9, 201-207  | 4.2  | 17 |
| 83 | Efficiency, safety, and long-term follow-up of retrograde approach for CTO recanalization: initial (Belgrade) experience with international proctorship. <i>Journal of Interventional Cardiology</i> , <b>2012</b> , 25, 540-8   | 1.8  | 14 |
| 82 | Comparison of technetium 99m-tetrofosmin and thallium-201 single photon emission computed tomographic imaging for the assessment of viable myocardium in patients with left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , <b>1998</b> , 5, 56-63                                       | 2.1  | 14 |
| 81 | Usefulness of exercise myocardial scintigraphy in multivessel coronary disease after incomplete revascularization with coronary stenting. <i>American Journal of Cardiology</i> , <b>2006</b> , 97, 207-15   | 3    | 14 |
| 80 | Intraventricular obstruction in a patient with tako-tsubo cardiomyopathy. <i>International Journal of Cardiology</i> , <b>2007</b> , 121, e22-4  | 3.2  | 14 |
| 79 | Myocardial blood flow is altered at rest and after dipyridamole in patients with syndrome X. <i>Journal of the American College of Cardiology</i> , <b>1991</b> , 17, A227   | 15.1 | 14 |
| 78 | Comparative effects of theophylline and isosorbide dinitrate on exercise capacity in stable angina pectoris, and their mechanisms of action. <i>American Journal of Cardiology</i> , <b>1989</b> , 64, 1098-102  | 3    | 13 |
| 77 | Effects of theophylline, atenolol and their combination on myocardial ischemia in stable angina pectoris. <i>American Journal of Cardiology</i> , <b>1990</b> , 66, 1157-62  | 3    | 13 |
| 76 | Recovery-phase patterns of ST segment depression in the heart rate domain cannot distinguish between anginal patients with coronary artery disease and patients with syndrome X. <i>American Heart Journal</i> , <b>1991</b> , 122, 1593-8   | 4.9  | 13 |
| 75 | Everolimus-eluting bioresorbable vascular scaffolds for treatment of complex chronic total occlusions. <i>EuroIntervention</i> , <b>2017</b> , 13, 355-363   | 3.1  | 13 |
| 74 | Outcomes with retrograde versus antegrade chronic total occlusion revascularization. <i>Catheterization and Cardiovascular Interventions</i> , <b>2020</b> , 96, 1037-1043   | 2.7  | 13 |
| 73 | Coronary Heart Disease in Postmenopausal Women with Type II Diabetes Mellitus and the Impact of Estrogen Replacement Therapy: A Narrative Review. <i>International Journal of Endocrinology</i> , <b>2014</b> , 2014, 413920   | 2.7  | 12 |
| 72 | Recanalization of complex coronary chronic total occlusions using high-frequency vibrational energy CROSSER catheter as first-line therapy: a single center experience. <i>Journal of Interventional Cardiology</i> , <b>2010</b> , 23, 130-8  | 1.8  | 12 |

|    |  |     |    |
|----|--|-----|----|
| 71 | Percutaneous Coronary Interventions for Chronic Total Occlusions: More Benefit for the Patient or for the Interventionist? Ego?. <i>Canadian Journal of Cardiology</i> , <b>2015</b> , 31, 974-9   | 3.8 | 11 |
| 70 | Usefulness of SYNTAX score II in complex percutaneous coronary interventions in the setting of acute coronary syndrome. <i>Journal of the Saudi Heart Association</i> , <b>2016</b> , 28, 63-72  | 0.7 | 11 |
| 69 | Does occlusion duration influence procedural and clinical outcome of patients who underwent percutaneous coronary intervention for chronic total occlusion?. <i>Journal of Interventional Cardiology</i> , <b>2011</b> , 24, 223-31                            | 1.8 | 11 |
| 68 | A novel 3-d reconstruction system for the assessment of bifurcation lesions treated by the mini-crush technique. <i>Journal of Interventional Cardiology</i> , <b>2010</b> , 23, 46-53   | 1.8 | 11 |
| 67 | Comparison of two antiplatelet regimens (aspirin alone versus aspirin + ticlopidine or clopidogrel) after intracoronary implantation of a carbofilm-coated stent. <i>American Journal of Cardiology</i> , <b>2007</b> , 99, 1062-6                             | 3   | 11 |
| 66 | Accuracy of exercise testing in the assessment of the severity of myocardial ischemia as determined by means of technetium-99m tetrofosmin SPECT scintigraphy. <i>Journal of Nuclear Cardiology</i> , <b>2000</b> , 7, 575-83                                  | 2.1 | 11 |
| 65 | Apical thrombus in a patient with takotsubo cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , <b>2008</b> , 9, 831-3   | 1.9 | 10 |
| 64 | Management of refractory angina: an update. <i>European Heart Journal</i> , <b>2021</b> , 42, 269-283  | 9.5 | 10 |
| 63 | Anterograde techniques for percutaneous revascularization of chronic total coronary occlusions. <i>Interventional Cardiology</i> , <b>2010</b> , 2, 377-390  | 3   | 9  |
| 62 | Effects of diltiazem alone or with isosorbide dinitrate or with atenolol both acutely and chronically for stable angina pectoris. <i>American Journal of Cardiology</i> , <b>1989</b> , 64, 717-24   | 3   | 9  |
| 61 | Impacts of cardiac rehabilitation on ventricular repolarization indexes and ventricular arrhythmias in patients affected by coronary artery disease and type 2 diabetes. <i>Heart and Lung: Journal of Acute and Critical Care</i> , <b>2015</b> , 44, 199-204 | 2.6 | 8  |
| 60 | Ischemic threshold varies in response to different types of exercise in patients with chronic stable angina. <i>American Heart Journal</i> , <b>1989</b> , 118, 539-44   | 4.9 | 8  |
| 59 | Coronary chronic total occlusions and mortality in patients with ventricular tachyarrhythmias. <i>EuroIntervention</i> , <b>2020</b> , 15, 1278-1285   | 3.1 | 8  |
| 58 | Percutaneous left atrial appendage transcatheter occlusion in patients with chronic nonvalvular atrial fibrillation: early institutional experience. <i>Journal of Cardiovascular Medicine</i> , <b>2006</b> , 7, 569-72                                       | 1.9 | 7  |
| 57 | Cardiac safety and potential efficacy: two reasons for considering minocycline in place of azithromycin in COVID-19 management. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , <b>2021</b> , 7, e53-e54                                      | 6.4 | 7  |
| 56 | Invasive assessment modalities of unprotected left main stenosis. <i>Journal of the Saudi Heart Association</i> , <b>2015</b> , 27, 109-17   | 0.7 | 6  |
| 55 | A randomized trial of bifurcation stenting technique in chronic total occlusions percutaneous coronary intervention. <i>Coronary Artery Disease</i> , <b>2018</b> , 29, 30-38  | 1.4 | 6  |
| 54 | Impact of left ventricular remodeling and renal function on 24h-ECG recordings and cardiovascular outcome in elderly hypertensive patients. <i>European Journal of Internal Medicine</i> , <b>2016</b> , 29, 71-7  | 3.9 | 6  |

|    |  |      |   |
|----|--|------|---|
| 53 | Should we give into temptation and attempt all chronic total occlusions?. <i>Interventional Cardiology</i> , <b>2014</b> , 6, 399-401  | 3    | 6 |
| 52 | Left-sided haemothorax after iatrogenic coronary perforation in a patient with prior bypass surgery. <i>European Heart Journal</i> , <b>2015</b> , 36, 128   | 9.5  | 6 |
| 51 | Multicenter experience with the antegrade fenestration and reentry technique for chronic total occlusion recanalization. <i>Catheterization and Cardiovascular Interventions</i> , <b>2021</b> , 97, E40-E50                                 | 2.7  | 6 |
| 50 | Current Perspectives and Practices on Chronic Total Occlusion Percutaneous Coronary Interventions. <i>Journal of Invasive Cardiology</i> , <b>2018</b> , 30, 43-50   | 0.7  | 6 |
| 49 | Duration of ST segment depression after exercise-induced myocardial ischemia is influenced by body position during recovery but not by type of exercise. <i>American Heart Journal</i> , <b>1991</b> , 121, 1665-70                          | 4.9  | 5 |
| 48 | The "mini-crush technique" for the treatment of coronary trifurcation lesions. <i>EuroIntervention</i> , <b>2008</b> , 4, 358-64   | 3.1  | 5 |
| 47 | Management of Coronary Artery Perforation. <i>Cardiovascular Revascularization Medicine</i> , <b>2021</b> , 26, 55-60  | 1.6  | 5 |
| 46 | Randomized Controlled Comparison of Optimal Medical Therapy with Percutaneous Recanalization of Chronic Total Occlusion (COMET-CTO). <i>International Heart Journal</i> , <b>2021</b> , 62, 16-22  | 1.8  | 5 |
| 45 | Retrograde approach for chronic total occlusion percutaneous revascularization. <i>Interventional Cardiology</i> , <b>2010</b> , 2, 391-403  | 3    | 4 |
| 44 | Optical coherence tomography follow-up of the subintimal tracking and re-entry technique for chronic total occlusion. <i>EuroIntervention</i> , <b>2010</b> , 6, 662-3   | 3.1  | 4 |
| 43 | Mechanical post-conditioning in STEMI patients undergoing primary percutaneous coronary intervention. <i>Journal of the Saudi Heart Association</i> , <b>2015</b> , 27, 192-200  | 0.7  | 3 |
| 42 | Fatal derecruitment of occluded left anterior descending collaterals after left circumflex revascularization. <i>Journal of the Saudi Heart Association</i> , <b>2016</b> , 28, 52-8   | 0.7  | 3 |
| 41 | Diabetic patient with three-vessel disease and left main involvement. Surgery yes, but not always. <i>Egyptian Heart Journal</i> , <b>2015</b> , 67, 83-87   | 1.3  | 3 |
| 40 | A case of transient left mid ventricular ballooning. <i>Journal of Cardiovascular Medicine</i> , <b>2007</b> , 8, 629-32   | 1.9  | 3 |
| 39 | Recovery-phase patterns of ST segment depression in the heart rate domain cannot distinguish between angina patients with and without coronary artery disease. <i>Journal of the American College of Cardiology</i> , <b>1991</b> , 17, A193 | 15.1 | 3 |
| 38 | Outcomes of chronic total occlusion percutaneous coronary intervention in patients with reduced left ventricular ejection fraction.. <i>Catheterization and Cardiovascular Interventions</i> , <b>2022</b> ,                                 | 2.7  | 3 |
| 37 | Coronary microvascular dysfunction. <i>Minerva Cardioangiologica</i> , <b>2020</b> , 68, 153-163   | 1.1  | 3 |
| 36 | High sensitive TROponin levels In Patients with Chest pain and kidney disease: A multicenter registry - The TROPIC study. <i>Cardiology Journal</i> , <b>2017</b> , 24, 139-150  | 1.4  | 3 |

|    |   |     |   |
|----|---|-----|---|
| 35 | Predictive scores in chronic total occlusions percutaneous recanalization: only fashionable or really useful?. <i>Journal of Thoracic Disease</i> , <b>2016</b> , 8, 1037-41  | 2.6 | 3 |
| 34 | Update on Coronary Chronic Total Occlusion Percutaneous Coronary Intervention. <i>Interventional Cardiology Clinics</i> , <b>2016</b> , 5, 177-186  | 1.4 | 2 |
| 33 | Right coronary artery chronic total occlusion revascularization by knuckle technique through right gastroepiploic artery graft. <i>Clinical Research in Cardiology</i> , <b>2010</b> , 99, 587-90                           | 6.1 | 2 |
| 32 | Transient impairment of myocardial perfusion in a patient with apical ballooning syndrome. <i>International Journal of Cardiology</i> , <b>2007</b> , 118, e63-5  | 3.2 | 2 |
| 31 | Chronic total improvement in ventricular function and survival. <i>Journal of Thoracic Disease</i> , <b>2015</b> , 7, E222-5  | 2.5 | 2 |
| 30 | The GuideLiner Catheter: A Useful Tool in the Armamentarium of the Interventional Cardiologist. <i>The Journal of Tehran Heart Center</i> , <b>2015</b> , 10, 208-14  | 0.3 | 2 |
| 29 | Percutaneous Treatment of Coronary Chronic Total Occlusions Part 1: Rationale and Outcomes. <i>Interventional Cardiology Review</i> , <b>2014</b> , 9, 195-200  | 4.2 | 2 |
| 28 | Mid-term outcome of biolimus-eluting stents with biodegradable polymer: results from a multinational prospective All-comers Registry. <i>Coronary Artery Disease</i> , <b>2017</b> , 28, 457-464                            | 1.4 | 1 |
| 27 | Differences in patients and lesion and procedure characteristics depending on the age of the coronary chronic total occlusion. <i>Postępy W Kardiologii Interwencyjnej</i> , <b>2019</b> , 15, 28-41                        | 0.4 | 1 |
| 26 | Coronary vasomotion dysfunction after everolimus-eluting stent implantation. <i>Interventional Medicine &amp; Applied Science</i> , <b>2014</b> , 6, 178-82   | 0.7 | 1 |
| 25 | Retrograde recanalization of an in-stent ostial chronically occluded right coronary artery. <i>International Journal of Cardiology</i> , <b>2010</b> , 142, 304-6   | 3.2 | 1 |
| 24 | Role of Stress Myocardial Scintigraphy in the Evaluation of Incompletely Revascularized Post-PCI Patients. <i>International Journal of Molecular Imaging</i> , <b>2011</b> , 2011, 180936                                   |     | 1 |
| 23 | Mid-term follow-up after retrograde recanalization of chronically occluded saphenous vein graft. <i>Clinical Research in Cardiology</i> , <b>2010</b> , 99, 257-9   | 6.1 | 1 |
| 22 | EuroCTO Club 2018 meeting: "Experts Live" in Toulouse. <i>EuroIntervention</i> , <b>2019</b> , 14, e1814-e1817  | 3.1 | 1 |
| 21 | Crush and Mini-Crush <sup>34-47</sup>   |     | 1 |
| 20 | Evaluation of remnant cholesterol levels and Monocyte-to-HDL-cholesterol ratio in South Asian patients with acute coronary syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2021</b> , 31, 2144-2150 | 4.5 | 1 |
| 19 | Balloon anchoring intraluminal tracking technique: a new application of an old technique for coronary artery chronic total occlusion percutaneous intervention. <i>Coronary Artery Disease</i> , <b>2016</b> , 27, 429-32   | 1.4 | 1 |
| 18 | Follow-up of patients undergoing percutaneous coronary intervention. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , <b>2005</b> , 6, 530-9  |     | 1 |



|    |  |     |   |
|----|--|-----|---|
| 17 | Outcome of extracorporeal membrane oxygenation support for high-risk percutaneous coronary intervention in non-ST-segment elevation acute coronary syndrome. <i>Journal of Cardiovascular Medicine</i> , <b>2021</b> , 22, 423-424   | 1.9 | 0 |
| 16 | Highlights and essentials from the first "Experts-live" course of the EuroCTO club. <i>EuroIntervention</i> , <b>2010</b> , 5, 888-890   | 3.1 | 0 |
| 15 | Procedural characteristics and outcomes following chronic total occlusion coronary intervention: pooled analysis from 5 registries. <i>Expert Review of Cardiovascular Therapy</i> , <b>2021</b> , 19, 929-938   | 2.5 | 0 |
| 14 | Biomarkers of Coronary Microvascular Dysfunction in Patients With Microvascular Angina: A Narrative Review. <i>Angiology</i> , <b>2021</b> , 33197211034267  | 2.1 | 0 |
| 13 | Retrograde Chronic Total Occlusion Percutaneous Coronary Interventions: Predictors of Procedural Success From the ERCTO Registry.. <i>JACC: Cardiovascular Interventions</i> , <b>2022</b> , 15, 834-842   | 5   | 0 |
| 12 | Reply to "Effect of cardiac rehabilitation on ventricular repolarization in patients with type 2 diabetes and coronary heart disease: Non-invasive quantification via transmural dispersion of repolarization". <i>Heart and Lung: Journal of Acute and Critical Care</i> , <b>2015</b> , 44, 461  | 2.6 |   |
| 11 | Excimer laser atherectomy in an uncrossable long chronic total occlusion through the subintimal space. <i>Acta Cardiologica</i> , <b>2021</b> , 76, 914-915  | 0.9 |   |
| 10 | Reply: Strong Bias Toward Performing Percutaneous Coronary Intervention in Patients With Chronic Total Occlusion Despite Lack of Important Benefit at a Very High Cost and Risk to the Patient. <i>JACC: Cardiovascular Interventions</i> , <b>2018</b> , 11, 1541-1542  | 5   |   |
| 9  | Chronic Total Occlusions <b>2018</b> , 777-802   |     |   |
| 8  | Collateral circulation in CTO <b>2013</b> , 9-17   |     |   |
| 7  | The EuroCTO Club Anniversary meeting. <i>European Heart Journal</i> , <b>2017</b> , 38, 3335-3337  | 9.5 |   |
| 6  | Antegrade insertion in retrograde device: the AIRD technique. An efficient strategy in retrograde revascularization of chronic total occlusions. <i>Acta Cardiologica</i> , <b>2014</b> , 69, 693-4  | 0.9 |   |
| 5  | Channel Tracking Guidewire and Technique for Retrograde Approach <b>2020</b> , 71-77   |     |   |
| 4  | Successful use of impella CP through femoral access in a patient with bilateral iliac and aortic endoprosthesis in the setting of cardiogenic shock. <i>Acta Cardiologica</i> , <b>2020</b> , 75, 273-274  | 0.9 |   |
| 3  | Electrocardiographic abnormalities, preclinical carotid atherosclerosis and cardiovascular risk in an apparently healthy real-world population. Data from the "No Stroke, No Infarction" project of the Rotary International - district 2110 (Sicily and Malta). <i>International Angiology</i> , <b>2021</b> , 40, 470-477              | 2.2 |   |
| 2  | Resolution of myocardial ischemia due to coronary microcirculatory vasoconstriction in a patient with mixed angina. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , <b>2002</b> , 3, 525-8  |     |   |
| 1  | Myocardial ischemia due to a coronary-to-pulmonary artery fistula proximal to an intermediate stenosis in the left anterior descending coronary artery: percutaneous closure by means of angioplasty and stent grafting. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , <b>2004</b> , 5, 781-4 |     |   |