
## Helga K Ising

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6877997/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Validity of the 16-Item Version of the Prodromal Questionnaire (PQ-16) to Screen for Ultra High Risk of Developing Psychosis in the General Help-Seeking Population. Schizophrenia Bulletin, 2012, 38, 1288-1296.	2.3	304
2	Cognitive Behavioral Therapy for Subjects at Ultrahigh Risk for Developing Psychosis: A Randomized Controlled Clinical Trial. Schizophrenia Bulletin, 2012, 38, 1180-1188.	2.3	168
3	Four-Year Follow-up of Cognitive Behavioral Therapy in Persons at Ultra-High Risk for Developing Psychosis: The Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. Schizophrenia Bulletin, 2016, 42, 1243-1252.	2.3	57
4	Depression and social anxiety in help-seeking patients with an ultra-high risk for developing psychosis. Psychiatry Research, 2013, 209, 309-313.	1.7	55
5	A single blind randomized controlled trial of cognitive behavioural therapy in a help-seeking population with an At Risk Mental State for psychosis: the Dutch Early Detection and Intervention Evaluation (EDIE-NL) trial. Trials, 2010, 11, 30.	0.7	46
6	Cost-Effectiveness of Virtual Reality Cognitive Behavioral Therapy for Psychosis: Health-Economic Evaluation Within a Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e17098.	2.1	35
7	CBT in the prevention of psychosis and other severe mental disorders in patients with an at risk mental state: A review and proposed next steps. Schizophrenia Research, 2019, 203, 88-93.	1.1	31
8	Four-Year Cost-effectiveness of Cognitive Behavior Therapy for Preventing First-episode Psychosis: The Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. Schizophrenia Bulletin, 2017, 43, sbw084.	2.3	29
9	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. Frontiers in Psychiatry, 2019, 10, 345.	1.3	29
10	The effect of childhood adversity on 4-year outcome in individuals at ultra high risk for psychosis in the Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. Psychiatry Research, 2017, 247, 55-62.	1.7	23
11	COMT Val 158 Met genotype and cannabis use in people with an At Risk Mental State for psychosis: Exploring Gene x Environment interactions. Schizophrenia Research, 2016, 174, 24-28.	1.1	22
12	The distribution of self-reported psychotic-like experiences in non-psychotic help-seeking mental health patients in the general population; a factor mixture analysis. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 349-358.	1.6	16
13	Predicting trauma-focused treatment outcome in psychosis. Schizophrenia Research, 2016, 176, 239-244.	1.1	11
14	Designing and Testing of a Health-Economic Markov Model for Prevention and Treatment of Early Psychosis. Expert Review of Pharmacoeconomics and Outcomes Research, 2020, 20, 269-279.	0.7	11
15	Exposing therapists to trauma-focused treatment in psychosis: effects on credibility, expected burden, and harm expectancies. H¶gre Utbildning, 2016, 7, 31712.	1.4	10
16	The Prodromal Questionnaire: a case for IRT-based adaptive testing of psychotic experiences?. International Journal of Methods in Psychiatric Research, 2017, 26, e1518.	1.1	10
17	The association between migrant status and transition in an ultra-high risk for psychosis population. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 943-952.	1.6	5
18	Ultrahigh risk for developing psychosis and psychotic personality organization. Microbial Biotechnology, 2019, 13, 673-676.	0.9	4

#	Article	IF	CITATIONS
19	PREVENTIVE PSYCHOTHERAPY. Schizophrenia Research, 2014, 153, S42-S43.	1.1	1