

Dario Giugliano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6882550/dario-giugliano-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

520
papers

30,364
citations

85
h-index

160
g-index

560
ext. papers

33,614
ext. citations

7.9
avg, IF

6.97
L-index

#	Paper	IF	Citations
520	Expert Panel Guidance and Narrative Review of Treatment Simplification of Complex Insulin Regimens to Improve Outcomes in Type 2 Diabetes.. <i>Diabetes Therapy</i> , 2022 , 13, 619	3.6	0
519	The effect of DPP-4 inhibitors, GLP-1 receptor agonists and SGLT-2 inhibitors on cardiorenal outcomes: a network meta-analysis of 23 CVOTs.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 42	8.7	1
518	Applications for social security benefits related to diabetes in the working age in Italy between 2009 and 2019: a nationwide retrospective cohort study. <i>BMJ Open</i> , 2022 , 12, e057825	3	
517	GLP-1 receptor agonists vs. SGLT-2 inhibitors: the gap seems to be leveling off. <i>Cardiovascular Diabetology</i> , 2021 , 20, 205	8.7	3
516	Improvement of glycemic control and reduction of major cardiovascular events in 18 cardiovascular outcome trials: an updated meta-regression. <i>Cardiovascular Diabetology</i> , 2021 , 20, 210	8.7	6
515	Sodium-glucose co-transporter-2 inhibitors for the prevention of cardiorenal outcomes in type 2 diabetes: An updated meta-analysis. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 1672-1676	6.7	9
514	Feasibility of Simplification From a Basal-Bolus Insulin Regimen to a Fixed-Ratio Formulation of Basal Insulin Plus a GLP-1RA or to Basal Insulin Plus an SGLT2 Inhibitor: BEYOND, a Randomized, Pragmatic Trial. <i>Diabetes Care</i> , 2021 , 44, 1353-1360	14.6	4
513	Up and down waves of glycemic control and lower-extremity amputation in diabetes. <i>Cardiovascular Diabetology</i> , 2021 , 20, 135	8.7	1
512	Quality of life in Klinefelter patients on testosterone replacement therapy compared to healthy controls: an observational study on the impact of psychological distress, personality traits, and coping strategies. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 1053-1063	5.2	2
511	Sodium-glucose transporter-2 inhibitors for prevention and treatment of cardiorenal complications of type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2021 , 20, 17	8.7	14
510	The residual cardiorenal risk in type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2021 , 20, 36	8.7	5
509	Simplification of complex insulin therapy: a story of dogma and therapeutic resignation. <i>Diabetes Research and Clinical Practice</i> , 2021 , 178, 108958	7.4	1
508	GLP-1 receptor agonists and cardiorenal outcomes in type 2 diabetes: an updated meta-analysis of eight CVOTs. <i>Cardiovascular Diabetology</i> , 2021 , 20, 189	8.7	16
507	SGLT-2 inhibitors and cardiorenal outcomes in patients with or without type 2 diabetes: a meta-analysis of 11 CVOTs.. <i>Cardiovascular Diabetology</i> , 2021 , 20, 236	8.7	8
506	Effects of Continuous Glucose Monitoring on Metrics of Glycemic Control in Diabetes: A Systematic Review With Meta-analysis of Randomized Controlled Trials. <i>Diabetes Care</i> , 2020 , 43, 1146-1156	14.6	61
505	Efficacy of SGLT-2 inhibitors in older adults with diabetes: Systematic review with meta-analysis of cardiovascular outcome trials. <i>Diabetes Research and Clinical Practice</i> , 2020 , 162, 108114	7.4	17
504	Alterations in the Levels of Circulating and Endothelial Progenitor Cells Levels in Young Adults with Type 1 Diabetes: A 2-Year Follow-Up from the Observational METRO Study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 777-784	3.4	0

503	Relationship between improvement of glycaemic control and reduction of major cardiovascular events in 15 cardiovascular outcome trials: A meta-analysis with meta-regression. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 1397-1405	6.7	17
502	Primary versus secondary cardiorenal prevention in type 2 diabetes: Which newer anti-hyperglycaemic drug matters?. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 149-157	6.7	13
501	Glucagon-Like Peptide-1 Receptor Agonists and Prevention of Stroke Systematic Review of Cardiovascular Outcome Trials With Meta-Analysis. <i>Stroke</i> , 2020 , 51, 666-669	6.7	23
500	Diabetic Foot Problems During the COVID-19 Pandemic in a Tertiary Care Center: The Emergency Among the Emergencies. <i>Diabetes Care</i> , 2020 , 43, e123-e124	14.6	28
499	The good companions: insulin and glucagon-like peptide-1 receptor agonist in type 2 diabetes. A systematic review and meta-analysis of randomized controlled trials. <i>Diabetes Research and Clinical Practice</i> , 2019 , 154, 101-115	7.4	10
498	Glycemic Control, Preexisting Cardiovascular Disease, and Risk of Major Cardiovascular Events in Patients with Type 2 Diabetes Mellitus: Systematic Review With Meta-Analysis of Cardiovascular Outcome Trials and Intensive Glucose Control Trials. <i>Journal of the American Heart Association</i> , 2019 , 8, e012254	6	37
497	Type 2 diabetes and risk of heart failure: a systematic review and meta-analysis from cardiovascular outcome trials. <i>Endocrine</i> , 2019 , 65, 15-24	4	17
496	Cardiovascular outcome trials and major cardiovascular events: does glucose matter? A systematic review with meta-analysis. <i>Journal of Endocrinological Investigation</i> , 2019 , 42, 1165-1169	5.2	12
495	EMPATHY: A New Tool for Identifying the Most Suitable Thyroxine Formulation in Hypothyroid Patients. <i>Thyroid</i> , 2019 , 29, 928-933	6.2	7
494	Type 2 diabetes and the kidney: Insights from cardiovascular outcome trials. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1790-1800	6.7	23
493	Are gliflozins the new statins for diabetes?. <i>Diabetes Research and Clinical Practice</i> , 2019 , 153, 191-193	7.4	2
492	Diabetes and Aging: From Treatment Goals to Pharmacologic Therapy. <i>Frontiers in Endocrinology</i> , 2019 , 10, 45	5.7	33
491	GLP-1 receptor agonists for prevention of cardiorenal outcomes in type 2 diabetes: An updated meta-analysis including the REWIND and PIONEER 6 trials. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 2576-2580	6.7	73
490	Relationship between albuminuric CKD and diabetic retinopathy in a real-world setting of type 2 diabetes: Findings from No blind study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 923-930	4.5	17
489	Metabolic effectiveness of gliflozins and gliptins in the routine clinical practice of patients with type 2 diabetes: preliminary results from GIOIA, a prospective multicentre study. <i>Diabetes Research and Clinical Practice</i> , 2019 , 155, 107787	7.4	1
488	Class effect for SGLT-2 inhibitors: a tale of 9 drugs. <i>Cardiovascular Diabetology</i> , 2019 , 18, 94	8.7	16
487	Beyond basal-bolus insulin regimen: Is it still the ultimate chance for therapy in diabetes?. <i>Diabetes Research and Clinical Practice</i> , 2019 , 157, 107922	7.4	4
486	Heart failure and type 2 diabetes: From cardiovascular outcome trials, with hope. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1081-1087	6.7	33

485	Clinical inertia, reverse clinical inertia, and medication non-adherence in type 2 diabetes. <i>Journal of Endocrinological Investigation</i> , 2019 , 42, 495-503	5.2	28
484	Dissonance among treatment algorithms for hyperglycemia in type 2 diabetes: an egalitarian dialog. <i>Journal of Endocrinological Investigation</i> , 2019 , 42, 237-242	5.2	2
483	Gender-differences in glycemic control and diabetes related factors in young adults with type 1 diabetes: results from the METRO study. <i>Endocrine</i> , 2018 , 61, 240-247	4	12
482	Comment on Edelman and Polonsky. Type 2 Diabetes in the Real World: The Elusive Nature of Glycemic Control. <i>Diabetes Care</i> 2017;40:1425-1432. <i>Diabetes Care</i> , 2018 , 41, e17	14.6	5
481	Glycemic control in type 2 diabetes: from medication nonadherence to residual vascular risk. <i>Endocrine</i> , 2018 , 61, 23-27	4	22
480	The Effects of Subcutaneous Insulin Infusion Versus Multiple Insulin Injections on Glucose Variability in Young Adults with Type 1 Diabetes: The 2-Year Follow-Up of the Observational METRO Study. <i>Diabetes Technology and Therapeutics</i> , 2018 , 20, 117-126	8.1	18
479	From inflammation to sexual dysfunctions: a journey through diabetes, obesity, and metabolic syndrome. <i>Journal of Endocrinological Investigation</i> , 2018 , 41, 1249-1258	5.2	64
478	More sugar? No, thank you! The elusive nature of low carbohydrate diets. <i>Endocrine</i> , 2018 , 61, 383-387	4	15
477	TSH oscillations in young patients with type 1 diabetes may be due to glycemic variability. <i>Journal of Endocrinological Investigation</i> , 2018 , 41, 389-393	5.2	6
476	Type 2 diabetes and cardiovascular prevention: the dogmas disputed. <i>Endocrine</i> , 2018 , 60, 224-228	4	8
475	Free and fixed-ratio combinations of basal insulin and GLP-1 receptor agonists versus basal insulin intensification in type 2 diabetes: A systematic review and meta-analysis of randomized controlled trials. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2309-2313	6.7	18
474	Influence of occlusal characteristics, food intake and oral hygiene habits on dental caries in adolescents: a cross-sectional study. <i>European Journal of Paediatric Dentistry</i> , 2018 , 19, 95-100	1.1	6
473	Particulate matter air pollution: individual choices for improving cardiometabolic well-being. <i>Endocrine</i> , 2018 , 59, 495-498	4	3
472	Metabolic syndrome and cancer: "The common soil hypothesis". <i>Diabetes Research and Clinical Practice</i> , 2018 , 143, 389-397	7.4	41
471	Cooling down inflammation in type 2 diabetes: how strong is the evidence for cardiometabolic benefit?. <i>Endocrine</i> , 2017 , 55, 360-365	4	25
470	Premixed insulin regimens in type 2 diabetes: pros. <i>Endocrine</i> , 2017 , 55, 45-50	4	3
469	Mediterranean diet for type 2 diabetes: cardiometabolic benefits. <i>Endocrine</i> , 2017 , 56, 27-32	4	66
468	Genetics of medullary thyroid cancer: An overview. <i>International Journal of Surgery</i> , 2017 , 41 Suppl 1, S2-S6	7.5	55

467	Lifestyle recommendations for the prevention and management of metabolic syndrome: an international panel recommendation. <i>Nutrition Reviews</i> , 2017 , 75, 307-326	6.4	183
466	Pituitary dysfunction in granulomatosis with polyangiitis. <i>Pituitary</i> , 2017 , 20, 594-601	4.3	23
465	Insulin and Glucagon-Like Peptide 1 Receptor Agonist Combination Therapy in Type 2 Diabetes: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Diabetes Care</i> , 2017 , 40, 614-624	14.6	72
464	Insights into the relationships between diabetes, prediabetes, and cancer. <i>Endocrine</i> , 2017 , 56, 231-239	4	38
463	Natural history of autoimmune primary ovarian insufficiency in patients with Addison's disease: from normal ovarian function to overt ovarian dysfunction. <i>European Journal of Endocrinology</i> , 2017 , 177, 329-337	6.5	6
462	Effect of a Mediterranean diet on endothelial progenitor cells and carotid intima-media thickness in type 2 diabetes: Follow-up of a randomized trial. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 399-408	3.9	39
461	Can diet prevent diabetes?. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 288-290	3.2	6
460	Influence of short-term selenium supplementation on the natural course of Hashimoto's thyroiditis: clinical results of a blinded placebo-controlled randomized prospective trial. <i>Journal of Endocrinological Investigation</i> , 2017 , 40, 83-89	5.2	43
459	Sexual function in young women with type 1 diabetes: the METRO study. <i>Journal of Endocrinological Investigation</i> , 2017 , 40, 169-177	5.2	27
458	Erectile dysfunction in young men with type 1 diabetes. <i>International Journal of Impotence Research</i> , 2017 , 29, 17-22	2.3	16
457	Intensive Lifestyle Intervention for Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 2494	27.4	0
456	Intensification of insulin therapy with basal-bolus or premixed insulin regimens in type 2 diabetes: a systematic review and meta-analysis of randomized controlled trials. <i>Endocrine</i> , 2016 , 51, 417-28	4	60
455	Reducing glucose variability with continuous subcutaneous insulin infusion increases endothelial progenitor cells in type 1 diabetes: an observational study. <i>Endocrine</i> , 2016 , 52, 244-52	4	20
454	Efficacy and safety of insulin-GLP-1 receptor agonists combination in type 2 diabetes mellitus: a systematic review. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 77-83	4.1	22
453	Comment on Mita et al. Sitagliptin Attenuates the Progression of Carotid Intima-Media Thickening in Insulin-Treated Patients With Type 2 Diabetes: The Sitagliptin Preventive Study of Intima-Media Thickness Evaluation (SPIKE): A Randomized Controlled Trial. <i>Diabetes Care</i> 2016;39:455-464. <i>Diabetes Care</i> , 2016 , 39, e102-3	14.6	3
452	Glucose, cholesterol, and blood pressure: is lower always better for type 2 diabetes?. <i>Endocrine</i> , 2016 , 54, 32-37	4	1
451	Primary Prevention of Sexual Dysfunction With Mediterranean Diet in Type 2 Diabetes: The MDITA Randomized Trial. <i>Diabetes Care</i> , 2016 , 39, e143-4	14.6	14
450	Particulate matter pollutants and risk of type 2 diabetes: a time for concern?. <i>Endocrine</i> , 2016 , 51, 32-7	4	46

449	Sexual dysfunction in women with cancer: a systematic review with meta-analysis of studies using the Female Sexual Function Index. <i>Endocrine</i> , 2016 , 54, 329-341	4	47
448	Serum but not salivary cortisol levels are influenced by daily glycemic oscillations in type 2 diabetes. <i>Endocrine</i> , 2016 , 53, 220-6	4	12
447	Anti-inflammatory Effect of Mediterranean Diet in Type 2 Diabetes Is Durable: 8-Year Follow-up of a Controlled Trial. <i>Diabetes Care</i> , 2016 , 39, e44-5	14.6	20
446	Longitudinal behavior of autoimmune GH deficiency: from childhood to transition age. <i>European Journal of Endocrinology</i> , 2016 , 174, 381-7	6.5	12
445	Comment on American Diabetes Association. Approaches to Glycemic Treatment. Sec. 7. In Standards of Medical Care in Diabetes-2016. <i>Diabetes Care</i> 2016;39(Suppl. 1):S52-S59. <i>Diabetes Care</i> , 2016 , 39, e86-7	14.6	10
444	Mediterranean diet cools down the inflammatory milieu in type 2 diabetes: the MDITA randomized controlled trial. <i>Endocrine</i> , 2016 , 54, 634-641	4	38
443	Personalized intensification of insulin therapy in type 2 diabetes - does a basal-bolus regimen suit all patients?. <i>Current Medical Research and Opinion</i> , 2016 , 32, 1425-34	2.5	5
442	Effects of Mediterranean diet on sexual function in people with newly diagnosed type 2 diabetes: The MDITA trial. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 1519-1524	3.2	44
441	Revisitation of autoimmune hypophysitis: knowledge and uncertainties on pathophysiological and clinical aspects. <i>Pituitary</i> , 2016 , 19, 625-642	4.3	72
440	Vitamin D and autoimmunity: what happens in autoimmune polyendocrine syndromes?. <i>Journal of Endocrinological Investigation</i> , 2015 , 38, 629-33	5.2	19
439	Circulating endothelial progenitor cells in type 1 diabetic patients with erectile dysfunction. <i>Endocrine</i> , 2015 , 49, 415-21	4	17
438	Setting the hemoglobin A1c target in type 2 diabetes: a priori, a posteriori, or neither?. <i>Endocrine</i> , 2015 , 50, 56-60	4	5
437	Trends in the prescription of antidiabetic medications from 2009 to 2012 in a general practice of Southern Italy: a population-based study. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 157-63	7.4	35
436	A nomogram to estimate the HbA1c response to different DPP-4 inhibitors in type 2 diabetes: a systematic review and meta-analysis of 98 trials with 24 163 patients. <i>BMJ Open</i> , 2015 , 5, e005892	3	56
435	Conventional and Nuclear Medicine Imaging in Ectopic Cushing's Syndrome: A Systematic Review. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3231-44	5.6	79
434	Linking prediabetes and cancer: a complex issue. <i>Diabetologia</i> , 2015 , 58, 201-2	10.3	2
433	Premature ejaculation is associated with glycemic control in Type 1 diabetes. <i>Journal of Sexual Medicine</i> , 2015 , 12, 93-9	1.1	14
432	Glucose variability inversely associates with endothelial progenitor cells in type 1 diabetes. <i>Endocrine</i> , 2015 , 48, 342-5	4	10

431	Remission of type 2 diabetes: is bariatric surgery ready for prime time?. <i>Endocrine</i> , 2015 , 48, 417-21	4	19
430	Increased platelet reactivity in Klinefelter men: something new to consider. <i>Andrology</i> , 2015 , 3, 876-81	4.2	20
429	Comment on Krul-Poel et al. Effect of vitamin D supplementation on glycemic control in patients with type 2 diabetes (SUNNY Trial): a randomized placebo-controlled trial. <i>Diabetes Care</i> 2015;38:1420-1426. <i>Diabetes Care</i> , 2015 , 38, e168	14.6	
428	A journey into a Mediterranean diet and type 2 diabetes: a systematic review with meta-analyses. <i>BMJ Open</i> , 2015 , 5, e008222	3	257
427	Comment on Tay et al. A very low-carbohydrate, low-saturated fat diet for type 2 diabetes management: a randomized trial. <i>Diabetes Care</i> 2014;37:2909-2918. <i>Diabetes Care</i> , 2015 , 38, e64	14.6	2
426	New guidelines for metabolic targets in diabetes: clinician opinion does matter. <i>Endocrine</i> , 2014 , 46, 431-4	4	4
425	Metabolic syndrome and cancer: holistic or reductionist?. <i>Endocrine</i> , 2014 , 45, 362-4	4	27
424	Characterization of pituitary cells targeted by antipituitary antibodies in patients with isolated autoimmune diseases without pituitary insufficiency may help to foresee the kind of future hypopituitarism. <i>Pituitary</i> , 2014 , 17, 457-63	4.3	16
423	The development of new basal insulins: is there any clinical advantage with their use in type 2 diabetes?. <i>Expert Opinion on Biological Therapy</i> , 2014 , 14, 799-808	5.4	17
422	Treatment satisfaction and glycemic control in young Type 1 diabetic patients in transition from pediatric health care: CSII versus MDI. <i>Endocrine</i> , 2014 , 46, 256-62	4	26
421	Which diet for prevention of type 2 diabetes? A meta-analysis of prospective studies. <i>Endocrine</i> , 2014 , 47, 107-16	4	86
420	The effect of Mediterranean diet on the development of type 2 diabetes mellitus: a meta-analysis of 10 prospective studies and 136,846 participants. <i>Metabolism: Clinical and Experimental</i> , 2014 , 63, 903-11	12.7	155
419	Initiation and gradual intensification of premixed insulin lispro therapy versus Basal {+/-} mealtime insulin in patients with type 2 diabetes eating light breakfasts. <i>Diabetes Care</i> , 2014 , 37, 372-80	14.6	13
418	The effects of a Mediterranean diet on the need for diabetes drugs and remission of newly diagnosed type 2 diabetes: follow-up of a randomized trial. <i>Diabetes Care</i> , 2014 , 37, 1824-30	14.6	113
417	Rituximab-induced remission of autoimmune hypophysitis and primary immune thrombocytopenia in a patient with autoimmune polyendocrine syndrome type 4. <i>Expert Review of Endocrinology and Metabolism</i> , 2014 , 9, 313-317	4.1	6
416	Comment on Grunberger "insulin analogs-are they worth it? Yes!" <i>Diabetes Care</i> 2014;37:1767-1770 and Davidson "insulin analogs-is there a compelling case to use them? No!" <i>Diabetes Care</i> 2014;37:1771-1774. <i>Diabetes Care</i> , 2014 , 37, e229-30	14.6	3
415	Comment on Khunti et al. Clinical inertia in people with type 2 diabetes: a retrospective cohort study of more than 80,000 people. <i>Diabetes care</i> 2013;36:3411-3417. <i>Diabetes Care</i> , 2014 , 37, e113	14.6	2
414	Comment on Home et al. Predictive and explanatory factors of change in HbA1c in a 24-week observational study of 66,726 people with type 2 diabetes starting insulin analogs. <i>Diabetes Care</i> 2014;37:1237-1245. <i>Diabetes Care</i> , 2014 , 37, e183	14.6	2

413	Vitamin D deficiency in type 2 diabetic patients with hypogonadism. <i>Journal of Sexual Medicine</i> , 2014 , 11, 536-42	1.1	20
412	Mediterranean diet and type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2014 , 30 Suppl 1, 34-40	7.5	50
411	Glycaemic durability with dipeptidyl peptidase-4 inhibitors in type 2 diabetes: a systematic review and meta-analysis of long-term randomised controlled trials. <i>BMJ Open</i> , 2014 , 4, e005442	3	48
410	The association between metabolic syndrome and hepatocellular carcinoma: a missed meta-analysis. <i>Journal of Clinical Gastroenterology</i> , 2014 , 48, 742-3	3	2
409	A nomogram to estimate the proportion of patients at hemoglobin A1c target. <i>Acta Diabetologica</i> , 2014 , 51, 305-11	3.9	6
408	Metabolic syndrome and endometrial cancer: a meta-analysis. <i>Endocrine</i> , 2014 , 45, 28-36	4	94
407	Unhealthy diets: a common soil for the association of metabolic syndrome and cancer. <i>Endocrine</i> , 2014 , 46, 39-42	4	13
406	Baseline glycemic parameters predict the hemoglobin A1c response to DPP-4 inhibitors: meta-regression analysis of 78 randomized controlled trials with 20,053 patients. <i>Endocrine</i> , 2014 , 46, 43-51	4	40
405	Colorectal cancer association with metabolic syndrome and its components: a systematic review with meta-analysis. <i>Endocrine</i> , 2013 , 44, 634-47	4	114
404	Should we abandon statins in the prevention of bone fractures?. <i>Endocrine</i> , 2013 , 44, 326-33	4	23
403	Does personalized diabetology overcome clinical uncertainty and therapeutic inertia in type 2 diabetes?. <i>Endocrine</i> , 2013 , 44, 343-5	4	19
402	Mediterranean diet and metabolic syndrome: an updated systematic review. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2013 , 14, 255-63	10.5	82
401	Glucagon-like peptide 1 reduces endothelial dysfunction, inflammation, and oxidative stress induced by both hyperglycemia and hypoglycemia in type 1 diabetes. <i>Diabetes Care</i> , 2013 , 36, 2346-50	14.6	122
400	Mediterranean diet for primary prevention of cardiovascular disease. <i>New England Journal of Medicine</i> , 2013 , 369, 676-7	59.2	105
399	Fracture risk and bone mineral density in metabolic syndrome: a meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3306-14	5.6	24
398	Effect of metabolic syndrome and its components on prostate cancer risk: meta-analysis. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 132-9	5.2	91
397	Anti-pituitary antibodies and hypogonadotropic hypogonadism in type 2 diabetes: in search of a role. <i>Diabetes Care</i> , 2013 , 36, e116-7	14.6	8
396	Comment on: Raz et al. Personalized management of hyperglycemia in type 2 diabetes: reflections from a Diabetes Care Editors'Expert Forum. <i>Diabetes care</i> 2013;36:1779-1788. <i>Diabetes Care</i> , 2013 , 36, e192	14.6	1

395	Comment on: the ORIGIN Trial Investigators. Characteristics associated with maintenance of mean A1C. <i>Diabetes Care</i> , 2013 , 36, e180	14.6	1
394	Metabolic syndrome and postmenopausal breast cancer: systematic review and meta-analysis. <i>Menopause</i> , 2013 , 20, 1301-9	2.5	90
393	Dipeptidyl peptidase-4 inhibitors in type 2 diabetes therapy--focus on alogliptin. <i>Drug Design, Development and Therapy</i> , 2013 , 7, 989-1001	4.4	28
392	Circulating endothelial progenitor cells in acromegaly. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 825-30	5.2	3
391	Proportion of patients at HbA1c target . <i>Diabetes, Obesity and Metabolism</i> , 2012 , 14, 228-33	6.7	109
390	Efficacy and safety of insulin lispro protamine suspension as basal supplementation in patients with type 2 diabetes. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2012 , 3, 99-108	4.5	4
389	Evidence that hyperglycemia after recovery from hypoglycemia worsens endothelial function and increases oxidative stress and inflammation in healthy control subjects and subjects with type 1 diabetes. <i>Diabetes</i> , 2012 , 61, 2993-7	0.9	108
388	HbA(1c) targets for type 2 diabetes: how many, how far!. <i>Diabetes Research and Clinical Practice</i> , 2012 , 96, 414-5	7.4	6
387	Diabetes medications and cancer: a way out of uncertainty. <i>Diabetes Research and Clinical Practice</i> , 2012 , 97, 175-7	7.4	3
386	Lifestyle and metabolic approaches to maximizing erectile and vascular health. <i>International Journal of Impotence Research</i> , 2012 , 24, 61-8	2.3	44
385	Metabolic syndrome and risk of cancer: a systematic review and meta-analysis. <i>Diabetes Care</i> , 2012 , 35, 2402-11	14.6	609
384	Comment on: Wheeler et al. macronutrients, food groups, and eating patterns in the management of diabetes: a systematic review of the literature, 2010. <i>Diabetes Care</i> 2012;35:434-445. <i>Diabetes Care</i> , 2012 , 35, e51; author reply e52	14.6	4
383	Basal supplementation of insulin lispro protamine suspension versus insulin glargine and detemir for type 2 diabetes: meta-analysis of randomized controlled trials. <i>Diabetes Care</i> , 2012 , 35, 2698-705	14.6	11
382	Review: Lifestyle modifications and pharmacotherapy for cardiovascular risk factors are associated with improvements in erectile dysfunction. <i>Evidence-based Nursing</i> , 2012 , 15, 71-2	0.3	1
381	Humalog (lispro) for type 2 diabetes. <i>Expert Opinion on Biological Therapy</i> , 2012 , 12, 1541-50	5.4	10
380	Current insulin analogues in the treatment of diabetes: emphasis on type 2 diabetes. <i>Expert Opinion on Biological Therapy</i> , 2012 , 12, 209-21	5.4	10
379	Lifestyle for erectile dysfunction: a good choice. <i>Archives of Internal Medicine</i> , 2012 , 172, 295-6; author reply 296		3
378	Lifestyle/dietary recommendations for erectile dysfunction and female sexual dysfunction. <i>Urologic Clinics of North America</i> , 2011 , 38, 293-301	2.9	20

377	The effect of Mediterranean diet on metabolic syndrome and its components: a meta-analysis of 50 studies and 534,906 individuals. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1299-313	15.1	74 ⁰
376	Mediterranean diet and weight loss: meta-analysis of randomized controlled trials. <i>Metabolic Syndrome and Related Disorders</i> , 2011 , 9, 1-12	2.6	21 ⁰
375	Clinical inertia as a clinical safeguard. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 1591-24	62	
374	Treatment regimens with insulin analogues and haemoglobin A1c target of . <i>Diabetes Research and Clinical Practice</i> , 2011 , 92, 1-10	7.4	44
373	Effects of pioglitazone versus metformin on circulating endothelial microparticles and progenitor cells in patients with newly diagnosed type 2 diabetes--a randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2011 , 13, 439-45	6.7	52
372	Dipeptidyl peptidase-4 inhibitors and HbA1c target of . <i>Diabetes, Obesity and Metabolism</i> , 2011 , 13, 594-603	82	
371	Comparison of insulin lispro protamine suspension versus insulin glargine once daily in basal-bolus therapies with insulin lispro in type 2 diabetes patients: a prospective randomized open-label trial. <i>Diabetes, Obesity and Metabolism</i> , 2011 , 13, 1149-57	6.7	11
37 ⁰	Relationship of baseline HbA1c and HbA1c reduction following insulin therapy in Type 2 diabetes. <i>Diabetic Medicine</i> , 2011 , 28, 247	3.5	1
369	Relationship of baseline HbA1c, HbA1c change and HbA1c target of International Journal of Clinical Practice, 2011 , 65, 602-12	2.9	25
368	Obesity, the metabolic syndrome, and sexual dysfunction in men. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 90, 169-73	6.1	49
367	Multiple HbA1c targets and insulin analogues in type 2 diabetes: a systematic review. <i>Journal of Diabetes and Its Complications</i> , 2011 , 25, 275-81	3.2	15
366	Increased consumption of green leafy vegetables, but not fruit, vegetables or fruit and vegetables combined, is associated with reduced incidence of type 2 diabetes. <i>Evidence-Based Medicine</i> , 2011 , 16, 27-8	9	
365	GLP-1 receptor agonists and HBA1c target of . <i>Current Medical Research and Opinion</i> , 2011 , 27, 1519-28	2.5	37
364	The possible protective role of glucagon-like peptide 1 on endothelium during the meal and evidence for an "endothelial resistance" to glucagon-like peptide 1 in diabetes. <i>Diabetes Care</i> , 2011 , 34, 697-702	14.6	102
363	When metformin fails in type 2 diabetes mellitus. <i>Archives of Internal Medicine</i> , 2011 , 171, 365-6	12	
362	Efficacy of insulin analogs in achieving the hemoglobin A1c target of . <i>Diabetes Care</i> , 2011 , 34, 510-7	14.6	101
36 ¹	Clinical Inertia and Uncertainty in MedicineReply. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 383	27.4	5
36 ⁰	Cardiovascular disease-related lifestyle factors and longevity. <i>Cardiology Research and Practice</i> , 2011 , 2011, 386892	1.9	3

359	Insulin analogs and glycosylated hemoglobin target of less than 7% in type 2 diabetes: a systematic review of randomized trials. <i>Metabolic Syndrome and Related Disorders</i> , 2011 , 9, 167-76	2.6	2
358	Determinants of female sexual dysfunction in type 2 diabetes. <i>International Journal of Impotence Research</i> , 2010 , 22, 179-84	2.3	112
357	Adding noninsulin antidiabetic drugs to metformin therapy for type 2 diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 405; author reply 406-7	27.4	
356	Dietary glycemic index and glycemic load are associated with metabolic control in type 2 diabetes: The CAPRI experience. <i>Metabolic Syndrome and Related Disorders</i> , 2010 , 8, 255-61	2.6	10
355	Effects of a mixed meal on hemodynamics and autonomic control of the heart in patients with type 1 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 194-200	5.6	9
354	Lifestyle and adiponectin level: four-year follow-up of controlled trials. <i>Archives of Internal Medicine</i> , 2010 , 170, 1270-1		4
353	Prevention of type 2 diabetes by dietary patterns: a systematic review of prospective studies and meta-analysis. <i>Metabolic Syndrome and Related Disorders</i> , 2010 , 8, 471-6	2.6	87
352	Determinants of erectile dysfunction in type 2 diabetes. <i>International Journal of Impotence Research</i> , 2010 , 22, 204-9	2.3	112
351	Prevention and control of type 2 diabetes by Mediterranean diet: a systematic review. <i>Diabetes Research and Clinical Practice</i> , 2010 , 89, 97-102	7.4	141
350	Interleukin-20 circulating levels in obese women: effect of weight loss. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 180-5	4.5	12
349	Olive oil and health: summary of the II international conference on olive oil and health consensus report, Ja�n and C�rdoba (Spain) 2008. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 284-94	4.5	383
348	Mediterranean diet and the metabolic syndrome: the end of the beginning. <i>Metabolic Syndrome and Related Disorders</i> , 2010 , 8, 197-200	2.6	28
347	Effect of acute hyperglycaemia, long-term glycaemic control and insulin on endothelial dysfunction and inflammation in Type 1 diabetic patients with different characteristics. <i>Diabetic Medicine</i> , 2010 , 27, 911-7	3.5	20
346	Long-term effect of mediterranean-style diet and calorie restriction on biomarkers of longevity and oxidative stress in overweight men. <i>Cardiology Research and Practice</i> , 2010 , 2011, 293916	1.9	32
345	Effects of a Mediterranean-Style Diet on the Need for Antihyperglycemic Drug Therapy in Patients With Newly Diagnosed Type 2 Diabetes: A Randomized Trial. <i>Obstetrical and Gynecological Survey</i> , 2010 , 65, 379-380	2.4	2
344	Development and validation of a 6-item version of the female sexual function index (FSFI) as a diagnostic tool for female sexual dysfunction. <i>Journal of Sexual Medicine</i> , 2010 , 7, 1139-46	1.1	138
343	Adherence to Mediterranean diet and erectile dysfunction in men with type 2 diabetes. <i>Journal of Sexual Medicine</i> , 2010 , 7, 1911-7	1.1	32
342	Adherence to Mediterranean diet and sexual function in women with type 2 diabetes. <i>Journal of Sexual Medicine</i> , 2010 , 7, 1883-90	1.1	34

341	Dietary factors, Mediterranean diet and erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2010 , 7, 2338-45.1	41
340	Characterization of a novel polymorphism in PPARG regulatory region associated with type 2 diabetes and diabetic retinopathy in Italy. <i>Journal of Biomedicine and Biotechnology</i> , 2009 , 2009, 126917	31
339	Which Mediterranean diet in the management of metabolic syndrome?. <i>Archives of Internal Medicine</i> , 2009 , 169, 1076; author reply 1077	
338	Long-term glycemic control influences the long-lasting effect of hyperglycemia on endothelial function in type 1 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2751-6	5.6 50
337	Effects of intensive lifestyle changes on erectile dysfunction in men. <i>Journal of Sexual Medicine</i> , 2009 , 6, 243-50	1.1 81
336	Circulating CD34+ KDR+ endothelial progenitor cells correlate with erectile function and endothelial function in overweight men. <i>Journal of Sexual Medicine</i> , 2009 , 6, 107-14	1.1 53
335	Hyperlipidemia and sexual function in premenopausal women. <i>Journal of Sexual Medicine</i> , 2009 , 6, 1696-1703	38
334	Is the current therapeutic armamentarium in diabetes enough to control the epidemic and its consequences? What are the current shortcomings?. <i>Acta Diabetologica</i> , 2009 , 46, 173-81	3.9 19
333	Which diet is best for diabetes?. <i>Diabetologia</i> , 2009 , 52, 988-9	10.3 5
332	Adherence to a Mediterranean diet and glycaemic control in Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2009 , 26, 900-7	3.5 65
331	Simultaneous control of hyperglycemia and oxidative stress normalizes enhanced thrombin generation in type 1 diabetes. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 1228-30	15.4 12
330	Effects of a Mediterranean-style diet on the need for antihyperglycemic drug therapy in patients with newly diagnosed type 2 diabetes: a randomized trial. <i>Annals of Internal Medicine</i> , 2009 , 151, 306-14	8 301
329	Phenotypic assessment of endothelial microparticles in diabetic and nondiabetic men with erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2008 , 5, 1436-42	1.1 32
328	Defining the role of insulin lispro in the management of postprandial hyperglycaemia in patients with type 2 diabetes mellitus. <i>Clinical Drug Investigation</i> , 2008 , 28, 199-210	3.2 7
327	Glucose "peak" and glucose "spike": Impact on endothelial function and oxidative stress. <i>Diabetes Research and Clinical Practice</i> , 2008 , 82, 262-7	7.4 71
326	Post-meal glucose peaks at home associate with carotid intima-media thickness in type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1345-50	5.6 133
325	Obesity and sexual dysfunction, male and female. <i>International Journal of Impotence Research</i> , 2008 , 20, 358-65	2.3 101
324	Mediterranean diet inversely associated with the incidence of metabolic syndrome: the SUN Prospective Cohort: response to Tortosa et al. <i>Diabetes Care</i> , 2008 , 31, e36; author reply e37	14.6 3

323	Addition of neutral protamine lispro insulin or insulin glargine to oral type 2 diabetes regimens for patients with suboptimal glycemic control: a randomized trial. <i>Annals of Internal Medicine</i> , 2008 , 149, 531-9	8	43
322	Mediterranean dietary patterns and chronic diseases. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1179-80; author reply 1180-1	7	5
321	Are there specific treatments for the metabolic syndrome?. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 8-11	7	62
320	Glucose metabolism and hyperglycemia. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 217S-222S	7	136
319	Mediterranean diet and metabolic diseases. <i>Current Opinion in Lipidology</i> , 2008 , 19, 63-8	4.4	143
318	Lifestyle approach for type 2 diabetes and metabolic syndrome. <i>Current Atherosclerosis Reports</i> , 2008 , 10, 523-8	6	18
317	Oscillating glucose is more deleterious to endothelial function and oxidative stress than mean glucose in normal and type 2 diabetic patients. <i>Diabetes</i> , 2008 , 57, 1349-54	0.9	762
316	Mediterranean diet and the metabolic syndrome. <i>Molecular Nutrition and Food Research</i> , 2007 , 51, 1268-74	3.4	52
315	Quantitative sensory and autonomic testing in nondiabetic women with sexual dysfunction. <i>Journal of Sexual Medicine</i> , 2007 , 4, 1367-72	1.1	13
314	Association of body weight with sexual function in women. <i>International Journal of Impotence Research</i> , 2007 , 19, 353-7	2.3	177
313	Endothelial microparticles correlate with erectile dysfunction in diabetic men. <i>International Journal of Impotence Research</i> , 2007 , 19, 161-6	2.3	44
312	Telmisartan shows an equivalent effect of vitamin C in further improving endothelial dysfunction after glycemia normalization in type 1 diabetes. <i>Diabetes Care</i> , 2007 , 30, 1694-8	14.6	40
311	Low-carbohydrate diet and coronary heart disease in women. <i>New England Journal of Medicine</i> , 2007 , 356, 750; author reply 750-2	59.2	16
310	Mediterranean diet improves sexual function in women with the metabolic syndrome. <i>International Journal of Impotence Research</i> , 2007 , 19, 486-91	2.3	46
309	Simultaneous control of hyperglycemia and oxidative stress normalizes endothelial function in type 1 diabetes. <i>Diabetes Care</i> , 2007 , 30, 649-54	14.6	84
308	Effect of a single high-fat meal on endothelial function in patients with the metabolic syndrome: role of tumor necrosis factor-alpha. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007 , 17, 274-9	4.5	41
307	Diet and the metabolic syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2007 , 5, 291-6	2.6	30
306	Endothelial microparticles correlate with endothelial dysfunction in obese women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3676-9	5.6	117

305	Optimal treatments for the metabolic syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, e30	9.4	3
304	Rosiglitazone cools down inflammation in the metabolic syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 1413-4	9.4	10
303	Pioglitazone reduces endothelial microparticles in the metabolic syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 1926	9.4	29
302	The ubiquitin-proteasome system and inflammatory activity in diabetic atherosclerotic plaques: effects of rosiglitazone treatment. <i>Diabetes</i> , 2006 , 55, 622-32	0.9	105
301	Sexual dysfunction and the Mediterranean diet. <i>Public Health Nutrition</i> , 2006 , 9, 1118-20	3.3	21
300	Beneficial effects of a Dietary Approaches to Stop Hypertension eating plan on features of the metabolic syndrome. <i>Diabetes Care</i> , 2006 , 29, 954; author reply 954-5	14.6	12
299	Mediterranean diet, endothelial function and vascular inflammatory markers. <i>Public Health Nutrition</i> , 2006 , 9, 1073-6	3.3	64
298	Re: prevalence and risk factors for female sexual dysfunction in Turkish women. <i>Journal of Urology</i> , 2006 , 176, 840-1; author reply 841	2.5	4
297	The effects of diet on inflammation: emphasis on the metabolic syndrome. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 677-85	15.1	495
296	Virgin olive oil and vegetables improve endothelial health. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 413-4; author reply 414-5	15.1	2
295	Diet and inflammation: a link to metabolic and cardiovascular diseases. <i>European Heart Journal</i> , 2006 , 27, 15-20	9.5	152
294	Oxidative stress in the metabolic syndrome. <i>Journal of Endocrinological Investigation</i> , 2006 , 29, 791-5	5.2	61
293	Statins, diet, and low cholesterol. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 2479; author reply 2479-80	27.4	
292	Whole-grain intake cools down inflammation. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 1440-1; author reply 1441-2	7	15
291	Is the whole-diet approach better than a low-fat diet in cardiovascular risk reduction?. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 921; author reply 921-2	7	1
290	What to eat and chew in acute myocardial infarction?: reply. <i>European Heart Journal</i> , 2006 , 27, 1629-1630	3.5	3
289	Role of adipokines in the obesity-inflammation relationship: the effect of fat removal. <i>Plastic and Reconstructive Surgery</i> , 2006 , 118, 1048-1057	2.7	63
288	Dietary factors in erectile dysfunction. <i>International Journal of Impotence Research</i> , 2006 , 18, 370-4	2.3	40

287	Mediterranean diet improves erectile function in subjects with the metabolic syndrome. <i>International Journal of Impotence Research</i> , 2006 , 18, 405-10	2.3	114
286	Effect of rosiglitazone on endothelial function and inflammatory markers in patients with the metabolic syndrome. <i>Diabetes Care</i> , 2006 , 29, 1071-6	14.6	25
285	Effect of rimonabant on weight reduction and cardiovascular risk. <i>Lancet, The</i> , 2005 , 366, 367-8; author reply 369-70	40	11
284	Regression of carotid atherosclerosis by control of morning blood pressure peak in newly diagnosed hypertensive patients. <i>American Journal of Hypertension</i> , 2005 , 18, 308-18	2.3	53
283	Oral amino acid administration decreases oxidative stress and improves brachial reactivity in elderly individuals. <i>American Journal of Hypertension</i> , 2005 , 18, 858-63	2.3	5
282	Mediterranean diet and cardiovascular health. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1056, 253-60	6.5	37
281	The metabolic syndrome: a cause of sexual dysfunction in women. <i>International Journal of Impotence Research</i> , 2005 , 17, 224-6	2.3	78
280	Obesity, the metabolic syndrome, and sexual dysfunction. <i>International Journal of Impotence Research</i> , 2005 , 17, 391-8	2.3	146
279	Inflammation warms up the metabolic syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, e143	9.4	38
278	Hyperglycemia in streptozotocin-induced diabetic rat increases infarct size associated with low levels of myocardial HO-1 during ischemia/reperfusion. <i>Diabetes</i> , 2005 , 54, 803-10	0.9	112
277	Fitness versus fatness: the debate continues. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, e20-1; author reply e20-1	9.4	5
276	Effect of atorvastatin and irbesartan, alone and in combination, on postprandial endothelial dysfunction, oxidative stress, and inflammation in type 2 diabetic patients. <i>Circulation</i> , 2005 , 111, 2518-24	16.7	243
275	Letter regarding article by Ferriera et al, "postprandial hypertriglyceridemia increases circulating levels of endothelial cell microparticles". <i>Circulation</i> , 2005 , 111, e457-8; author reply e457-8	16.7	
274	Acute pressor and hormonal effects of beta-endorphin at high doses in healthy and hypertensive subjects: role of opioid receptor agonism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 5167-74	5.6	24
273	Resting metabolic rate and respiratory quotient in human longevity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 409-13	5.6	33
272	High proportions of erectile dysfunction in men with the metabolic syndrome. <i>Diabetes Care</i> , 2005 , 28, 1201-3	14.6	201
271	Sexual dysfunction in women with the metabolic syndrome. <i>Diabetes Care</i> , 2005 , 28, 756	14.6	29
270	Metabolic effects of liposuction--yes or no?. <i>New England Journal of Medicine</i> , 2004 , 351, 1354-7; author reply 1354-7	59.2	16

269	Effect of postprandial hypertriglyceridemia and hyperglycemia on circulating adhesion molecules and oxidative stress generation and the possible role of simvastatin treatment. <i>Diabetes</i> , 2004 , 53, 701-10	0.9	287
268	Absence of inducible nitric oxide synthase reduces myocardial damage during ischemia reperfusion in streptozotocin-induced hyperglycemic mice. <i>Diabetes</i> , 2004 , 53, 454-62	0.9	80
267	Effect of a mediterranean-style diet on endothelial dysfunction and markers of vascular inflammation in the metabolic syndrome: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 1440-6	27.4	1456
266	Effect of lifestyle changes on erectile dysfunction in obese men: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 2978-84	27.4	613
265	Expression of angiogenic factors during acute coronary syndromes in human type 2 diabetes. <i>Diabetes</i> , 2004 , 53, 2383-91	0.9	88
264	Impairment of coronary circulation by acute hyperhomocysteinemia in type 2 diabetic patients. <i>Diabetes Care</i> , 2004 , 27, 2055-6	14.6	11
263	Effect of weight loss on cardiac synchronization and proinflammatory cytokines in premenopausal obese women. <i>Diabetes Care</i> , 2004 , 27, 47-52	14.6	183
262	Body weight and glucose metabolism have a different effect on circulating levels of ICAM-1, E-selectin, and endothelin-1 in humans. <i>European Journal of Endocrinology</i> , 2004 , 150, 195-200	6.5	65
261	Plasma interleukin-18 concentrations are elevated in type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27, 272	14.6	29
260	Impairment of coronary circulation by acute hyperhomocysteinaemia and reversal by antioxidant vitamins. <i>Journal of Internal Medicine</i> , 2004 , 256, 398-405	10.8	12
259	Intermittent high glucose enhances ICAM-1, VCAM-1, E-selectin and interleukin-6 expression in human umbilical endothelial cells in culture: the role of poly(ADP-ribose) polymerase. <i>Journal of Thrombosis and Haemostasis</i> , 2004 , 2, 1453-9	15.4	145
258	M40403 prevents myocardial injury induced by acute hyperglycaemia in perfused rat heart. <i>European Journal of Pharmacology</i> , 2004 , 497, 65-74	5.3	22
257	Effect of irbesartan on nitrotyrosine generation in non-hypertensive diabetic patients. <i>Diabetologia</i> , 2004 , 47, 1535-40	10.3	22
256	Erectile dysfunction associates with endothelial dysfunction and raised proinflammatory cytokine levels in obese men. <i>Journal of Endocrinological Investigation</i> , 2004 , 27, 665-9	5.2	110
255	Regression of carotid atherosclerosis by control of postprandial hyperglycemia in type 2 diabetes mellitus. <i>Circulation</i> , 2004 , 110, 214-9	16.7	365
254	Acute effects of beta-endorphin on cardiovascular function in patients with mild to moderate chronic heart failure. <i>American Heart Journal</i> , 2004 , 148, E13	4.9	22
253	Blood pressure and cardiac autonomic nervous system in obese type 2 diabetic patients: effect of metformin administration. <i>American Journal of Hypertension</i> , 2004 , 17, 223-7	2.3	61
252	The effect of weight loss on endothelial functions in obesity: response to Sciacqua et al. <i>Diabetes Care</i> , 2003 , 26, 2968-9	14.6	7

251	Cytokine milieu tends toward inflammation in type 2 diabetes. <i>Diabetes Care</i> , 2003 , 26, 1647	14.6	76
250	Effect of dietary antioxidants on postprandial endothelial dysfunction induced by a high-fat meal in healthy subjects. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 139-43	7	90
249	Meal modulation of circulating interleukin 18 and adiponectin concentrations in healthy subjects and in patients with type 2 diabetes mellitus. <i>American Journal of Clinical Nutrition</i> , 2003 , 78, 1135-40	7	172
248	Sympathovagal balance, nighttime blood pressure, and QT intervals in normotensive obese women. <i>Obesity</i> , 2003 , 11, 653-9		31
247	Effect of a multidisciplinary program of weight reduction on endothelial functions in obese women. <i>Journal of Endocrinological Investigation</i> , 2003 , 26, RC5-8	5.2	31
246	Effects of stress hyperglycemia on acute myocardial infarction: role of inflammatory immune process in functional cardiac outcome. <i>Diabetes Care</i> , 2003 , 26, 3129-35	14.6	132
245	Association of low interleukin-10 levels with the metabolic syndrome in obese women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 1055-8	5.6	238
244	Effect of weight loss and lifestyle changes on vascular inflammatory markers in obese women: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 1799-804	27.4	1087
243	Morning blood pressure peak, QT intervals, and sympathetic activity in hypertensive patients. <i>Hypertension</i> , 2003 , 41, 237-43	8.5	65
242	Effect of high glucose on vasculature. <i>Circulation</i> , 2003 , 108, e74; author reply e74	16.7	1
241	Stress hyperglycemia, inflammation, and cardiovascular events. <i>Diabetes Care</i> , 2003 , 26, 1650-1	14.6	18
240	Endothelin-1 receptor antagonists reduce cardiac electrical instability induced by high glucose in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2002 , 366, 193-7	3.4	5
239	Myocardial infarction in diabetic rats: role of hyperglycaemia on infarct size and early expression of hypoxia-inducible factor 1. <i>Diabetologia</i> , 2002 , 45, 1172-81	10.3	143
238	Elevated post-prandial free fatty acids are associated with cardiac sympathetic overactivity in Type II diabetic patients. <i>Diabetologia</i> , 2002 , 45, 1737-8	10.3	18
237	Acute hyperglycemia induces nitrotyrosine formation and apoptosis in perfused heart from rat. <i>Diabetes</i> , 2002 , 51, 1076-82	0.9	237
236	LL-paraoxonase genotype is associated with a more severe degree of homeostasis model assessment IR in healthy subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 222-5	5.6	30
235	Reduction of inflammatory cytokine concentrations and improvement of endothelial functions in obese women after weight loss over one year. <i>Circulation</i> , 2002 , 105, 804-9	16.7	814
234	Weight loss reduces interleukin-18 levels in obese women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 3864-6	5.6	193

233	FFAs and QT intervals in obese women with visceral adiposity: effects of sustained weight loss over 1 year. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 2080-3	5.6	48
232	Inflammatory cytokine concentrations are acutely increased by hyperglycemia in humans: role of oxidative stress. <i>Circulation</i> , 2002 , 106, 2067-72	16.7	1425
231	Mediterranean diet and prevention of coronary heart disease. <i>Journal of Endocrinological Investigation</i> , 2002 , 25, 296-9	5.2	8
230	Hyperglycemia and heart dysfunction: an oxidant mechanism contributing to heart failure in diabetes. <i>Journal of Endocrinological Investigation</i> , 2002 , 25, 485-8	5.2	6
229	Autonomic dysfunction associates with prolongation of QT intervals and blunted night BP in obese women with visceral obesity. <i>Journal of Endocrinological Investigation</i> , 2002 , 25, RC32-5	5.2	20
228	Elevated plasma free fatty acid concentrations do not modify cardiac repolarization in patients treated by electrolyte-glucose-insulin infusion. <i>Journal of Endocrinological Investigation</i> , 2002 , 25, RC19-22	5.2	14
227	Obesity, cytokines and endothelial dysfunction: a link for the raised cardiovascular risk associated with visceral obesity. <i>Journal of Endocrinological Investigation</i> , 2002 , 25, 646-9	5.2	27
226	Simvastatin normalizes qtc dispersion and reduces ventricular electrical instability in isolated hypercholesterolemia. <i>Journal of Endocrinological Investigation</i> , 2002 , 25, RC16-8	5.2	7
225	Postprandial endothelial activation in healthy subjects and in type 2 diabetic patients: role of fat and carbohydrate meals. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1145-50	15.1	450
224	High glucose induces ventricular instability and increases vasomotor tone in rats. <i>Diabetologia</i> , 2001 , 44, 464-70	10.3	51
223	Erectile and endothelial dysfunction in Type II diabetes: a possible link. <i>Diabetologia</i> , 2001 , 44, 1155-60	10.3	118
222	Pizza and vegetables don't stick to the endothelium. <i>Circulation</i> , 2001 , 104, E34-5	16.7	11
221	Acute hyperglycemia and autonomic function. <i>Diabetes Care</i> , 2001 , 24, 2016-7	14.6	6
220	Role of free fatty acids on cardiac autonomic nervous system in noninsulin-dependent diabetic patients: effects of metabolic control. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 2769-74	5.6	67
219	The BB-paraoxonase genotype is associated with impaired brachial reactivity after acute hypertriglyceridemia in healthy subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 1078-82	5.6	19
218	Effects of surgical menopause and estrogen replacement therapy on atrio-ventricular conduction and ventricular repolarization. <i>Maturitas</i> , 2001 , 40, 47-51	5	5
217	"The obese Etruscan". <i>Journal of Endocrinological Investigation</i> , 2001 , 24, 206	5.2	
216	"The visceral fat of Bek, Pharaoh's sculptor". <i>Journal of Endocrinological Investigation</i> , 2001 , 24, 836	5.2	

215	Elevated plasma fatty acid concentrations prolong cardiac repolarization in healthy subjects. <i>American Journal of Clinical Nutrition</i> , 2001 , 73, 27-30	7	28
214	Reply to MR Goldstein. <i>American Journal of Clinical Nutrition</i> , 2001 , 74, 272-273	7	
213	Acute hyperglycemia induces an oxidative stress in healthy subjects. <i>Journal of Clinical Investigation</i> , 2001 , 108, 635-6	15.9	156
212	The effect of acute hyperglycaemia on QTc duration in healthy man. <i>Diabetologia</i> , 2000 , 43, 571-5	10.3	162
211	Hemodynamic effects of acute hyperglycemia in type 2 diabetic patients. <i>Diabetes Care</i> , 2000 , 23, 658-663	4.6	78
210	Circulating adhesion molecules in humans: role of hyperglycemia and hyperinsulinemia. <i>Circulation</i> , 2000 , 101, 2247-51	16.7	193
209	Stress hyperglycaemia and death after myocardial infarction. <i>Lancet, The</i> , 2000 , 355, 1647	4.0	2
208	Hypertension and ascorbic acid. <i>Lancet, The</i> , 2000 , 355, 1272-3; author reply 1273-4	4.0	7
207	Glycemia, MTHFR genotype and low homocysteine in uncomplicated type 2 diabetic patients. <i>Atherosclerosis</i> , 2000 , 149, 223-4	3.1	12
206	Dietary antioxidants for cardiovascular prevention. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2000 , 10, 38-44	4.5	74
205	Impairment of endothelial functions by acute hyperhomocysteinemia and reversal by antioxidant vitamins. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 2113-8	27.4	204
204	Hemorheological and cardiovascular effects of exercise training in the rehabilitation of elderly patients with chronic obstructive pulmonary disease. <i>Archives of Gerontology and Geriatrics</i> , 1999 , 28, 1-8	4	2
203	Advancing age and insulin resistance: new facts about an ancient history. <i>European Journal of Clinical Investigation</i> , 1999 , 29, 758-69	4.6	82
202	Mean arterial blood pressure and serum levels of the molar ratio of insulin-like growth factor-1 to its binding protein-3 in healthy centenarians. <i>Journal of Hypertension</i> , 1999 , 17, 67-73	1.9	14
201	QTc dispersion, hyperglycemia, and hyperinsulinemia. <i>Circulation</i> , 1999 , 100, e149	16.7	3
200	Lowering fatty acids potentiates acute insulin response in first degree relatives of people with type II diabetes. <i>Diabetologia</i> , 1998 , 41, 1127-32	10.3	75
199	Effect of metformin on food intake in obese subjects. <i>European Journal of Clinical Investigation</i> , 1998 , 28, 441-6	4.6	98
198	Hemodynamic and metabolic effects of transdermal clonidine in patients with hypertension and non-insulin-dependent diabetes mellitus. <i>American Journal of Hypertension</i> , 1998 , 11, 184-9	2.3	13

197	Effects of perindopril and carvedilol on endothelium-dependent vascular functions in patients with diabetes and hypertension. <i>Diabetes Care</i> , 1998 , 21, 631-6	14.6	51
196	Antioxidants and nitrate tolerance. <i>Circulation</i> , 1998 , 98, 1350-1	16.7	4
195	Response to Cantero. <i>Diabetes Care</i> , 1998 , 21, 327-327	14.6	
194	Oxidative Stress and Cardiovascular Complications of Diabetes 1998 , 14, 78-90		
193	Reply to Elhadd et al. <i>Diabetes Care</i> , 1997 , 20, 1338-1339	14.6	1
192	Metabolic and cardiovascular effects of carvedilol and atenolol in non-insulin-dependent diabetes mellitus and hypertension. A randomized, controlled trial. <i>Annals of Internal Medicine</i> , 1997 , 126, 955-9	8	211
191	Peripheral diabetic neuropathy. Current recommendations and future prospects for its prevention and management. <i>Drugs</i> , 1997 , 54, 414-421	12.1	34
190	L-arginine but not D-arginine stimulates insulin-mediated glucose uptake. <i>Metabolism: Clinical and Experimental</i> , 1997 , 46, 1068-73	12.7	29
189	The vascular effects of L-Arginine in humans. The role of endogenous insulin. <i>Journal of Clinical Investigation</i> , 1997 , 99, 433-8	15.9	123
188	L-arginine for testing endothelium-dependent vascular functions in health and disease. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1997 , 273, E606-12	6	14
187	Hyperglycemia counterbalances the antihypertensive effect of glutathione in diabetic patients: evidence linking hypertension and glycemia through the oxidative stress in diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 1997 , 11, 250-5	3.2	28
186	Effect of insulin on blood rheology in non-diabetic subjects and in patients with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 1997 , 14, 959-63	3.5	14
185	Vascular effects of acute hyperglycemia in humans are reversed by L-arginine. Evidence for reduced availability of nitric oxide during hyperglycemia. <i>Circulation</i> , 1997 , 95, 1783-90	16.7	244
184	Effect of insulin on blood rheology in non-diabetic subjects and in patients with type 2 diabetes mellitus 1997 , 14, 959		2
183	Metformin improves hemodynamic and rheological responses to L-arginine in NIDDM patients. <i>Diabetes Care</i> , 1996 , 19, 934-9	14.6	65
182	Oxidative stress and diabetic vascular complications. <i>Diabetes Care</i> , 1996 , 19, 257-67	14.6	1454
181	Pharmacokinetic-pharmacodynamic relationships of Acarbose. <i>Clinical Pharmacokinetics</i> , 1996 , 30, 94-106.2		63
180	The involvement of the opioid system in human obesity: a study in normal weight relatives of obese people. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 713-8	5.6	34

179	Does treatment of noninsulin-dependent diabetes mellitus reduce the risk of coronary heart disease?. <i>Current Opinion in Lipidology</i> , 1996 , 7, 227-33	4.4	4
178	Oxidative stress and insulin action: is there a relationship?. <i>Diabetologia</i> , 1996 , 39, 357-63	10.3	221
177	The involvement of the opioid system in human obesity: a study in normal weight relatives of obese people. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 713-718	5.6	15
176	Oxidative stress and insulin action: is there a relationship? 1996 , 39, 357		16
175	Acetyl-L-carnitine for symptomatic diabetic neuropathy. <i>Diabetologia</i> , 1995 , 38, 123	10.3	35
174	Abnormal rheologic effects of glyceryl trinitrate in patients with non-insulin-dependent diabetes mellitus and reversal by antioxidants. <i>Annals of Internal Medicine</i> , 1995 , 123, 338-43	8	23
173	Glutathione reverses systemic hemodynamic changes induced by acute hyperglycemia in healthy subjects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1995 , 268, E1167-73	6	46
172	Chronic intake of pharmacological doses of vitamin E might be useful in the therapy of elderly patients with coronary heart disease. <i>American Journal of Clinical Nutrition</i> , 1995 , 61, 848-52	7	37
171	Tolrestat in the primary prevention of diabetic neuropathy. <i>Diabetes Care</i> , 1995 , 18, 536-41	14.6	29
170	Hyperinsulinemia in offspring of non-insulin-dependent diabetes mellitus patients: the role played by abnormal clearance of insulin. <i>Metabolism: Clinical and Experimental</i> , 1995 , 44, 1278-82	12.7	8
169	Diabetes mellitus, hypertension, and cardiovascular disease: which role for oxidative stress?. <i>Metabolism: Clinical and Experimental</i> , 1995 , 44, 363-8	12.7	288
168	Influence of ozone on haemoglobin oxygen affinity in type-2 diabetic patients with peripheral vascular disease: in vitro studies. <i>Diabète & Métabolisme</i> , 1995 , 21, 252-5		11
167	Plasma vitamin C affects glucose homeostasis in healthy subjects and in non-insulin-dependent diabetics. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1994 , 266, E261-8	6	40
166	The squatting test. A useful tool to assess both parasympathetic and sympathetic involvement of the cardiovascular autonomic neuropathy in diabetes. <i>Diabetes</i> , 1994 , 43, 607-12	0.9	35
165	Hemorheological and cardiovascular responses to beta-endorphin and naloxone in healthy subjects and in patients with essential hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994 , 79, 826-30	5.6	2
164	Detection of early sympathetic cardiovascular neuropathy by squatting test in NIDDM. <i>Diabetes Care</i> , 1994 , 17, 149-51	14.6	11
163	Evidence for a relationship between oxidative stress and insulin action in non-insulin-dependent (type II) diabetic patients. <i>Metabolism: Clinical and Experimental</i> , 1994 , 43, 1426-9	12.7	102
162	Hyperinsulinemia in glucose intolerance: is it true?. <i>Journal of Endocrinological Investigation</i> , 1994 , 17, 391-6	5.2	1

161	Plasma endothelin in diabetic autonomic neuropathy. <i>Diabetes Care</i> , 1994 , 17, 161-2	14.6	2
160	Medical hypothesis: cardiovascular complications of diabetes mellitus-from glucose to insulin and back. <i>Diabète & Métabolisme</i> , 1994 , 20, 445-53		5
159	The squatting test. A useful tool to assess both parasympathetic and sympathetic involvement of the cardiovascular autonomic neuropathy in diabetes. <i>Diabetes</i> , 1994 , 43, 607-612	0.9	8
158	Hyperinsulinemia in hypertension: increased secretion, reduced clearance or both?. <i>Journal of Endocrinological Investigation</i> , 1993 , 16, 315-21	5.2	9
157	Metformin improves glucose, lipid metabolism, and reduces blood pressure in hypertensive, obese women. <i>Diabetes Care</i> , 1993 , 16, 1387-90	14.6	190
156	Daily vitamin E supplements improve metabolic control but not insulin secretion in elderly type II diabetic patients. <i>Diabetes Care</i> , 1993 , 16, 1433-7	14.6	129
155	Comparison of nitrendipine and cilazapril in patients with hypertension and non-insulin-dependent diabetes mellitus. <i>American Journal of Hypertension</i> , 1993 , 6, 927-32	2.3	9
154	Pharmacologic doses of vitamin E improve insulin action in healthy subjects and non-insulin-dependent diabetic patients. <i>American Journal of Clinical Nutrition</i> , 1993 , 57, 650-6	7	274
153	Combination therapy in NIDDM. <i>Diabetes Care</i> , 1993 , 16, 1625-6	14.6	
152	Respiratory function in IDDM patients. <i>Diabetes Care</i> , 1993 , 16, 851-2	14.6	2
151	Tolrestat for mild diabetic neuropathy. A 52-week, randomized, placebo-controlled trial. <i>Annals of Internal Medicine</i> , 1993 , 118, 7-11	8	44
150	Diabetes mellitus and hypertension: the possible role of hyperglycaemia through oxidative stress. <i>Diabetologia</i> , 1993 , 36, 265-6	10.3	69
149	Metformin for obese, insulin-treated diabetic patients: improvement in glycaemic control and reduction of metabolic risk factors. <i>European Journal of Clinical Pharmacology</i> , 1993 , 44, 107-12	2.8	147
148	Coronary artery disease in type-2 diabetes mellitus: a scintigraphic study. <i>Diabète & Métabolisme</i> , 1993 , 19, 463-6		5
147	The combination of insulin and oral hypoglycaemic drugs: a continuous challenge. <i>Diabète & Métabolisme</i> , 1993 , 19, 219-24		3
146	Impaired fibrinolytic response to increased thrombin activation in type 1 diabetes mellitus: effects of the glycosaminoglycan sulodexide. <i>Diabète & Métabolisme</i> , 1993 , 19, 225-9		12
145	Is a family history of diabetes associated with an increased level of cardiovascular risk factors? Studies in healthy people and in subjects with different degree of glucose intolerance. <i>Diabète & Métabolisme</i> , 1993 , 19, 230-8		3
144	Decreased insulin clearance as a feature of essential hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1992 , 74, 144-9	5.6	22

143	Impaired glucose metabolism and reduced insulin clearance in elderly hypertensives. <i>American Journal of Hypertension</i> , 1992 , 5, 345-53	2.3	18
142	Glutathione infusion potentiates glucose-induced insulin secretion in aged patients with impaired glucose tolerance. <i>Diabetes Care</i> , 1992 , 15, 1-7	14.6	34
141	New insights on non-enzymatic glycosylation may lead to therapeutic approaches for the prevention of diabetic complications. <i>Diabetic Medicine</i> , 1992 , 9, 297-9	3.5	102
140	Isolated fatty change of liver as marker of glucose intolerance. <i>Diabetes Care</i> , 1992 , 15, 1438-9	14.6	
139	Calcitonin in painful diabetic neuropathy. <i>Lancet, The</i> , 1992 , 339, 746-7	40	22
138	Physiological elevations of plasma beta-endorphin alter glucose metabolism in obese, but not normal-weight, subjects. <i>Metabolism: Clinical and Experimental</i> , 1992 , 41, 184-90	12.7	13
137	Height and glucose tolerance. <i>Diabetologia</i> , 1992 , 35, 698-9	10.3	3
136	Nicardipine does not cause deterioration of glucose homeostasis in man: a placebo controlled study in elderly hypertensives with and without diabetes mellitus. <i>European Journal of Clinical Pharmacology</i> , 1992 , 43, 39-45	2.8	10
135	Opioid peptides and obesity. <i>The European Journal of Medicine</i> , 1992 , 1, 90-6		1
134	Metabolic control may influence the increased superoxide generation in diabetic serum. <i>Diabetic Medicine</i> , 1991 , 8, 540-2	3.5	104
133	Anti-oxidants show an anti-hypertensive effect in diabetic and hypertensive subjects. <i>Clinical Science</i> , 1991 , 81, 739-42	6.5	123
132	Hormonal and metabolic effects of beta-endorphin in the elderly. <i>Hormone and Metabolic Research</i> , 1991 , 23, 351-2	3.1	
131	A role for beta-endorphin in the pathogenesis of human obesity?. <i>Hormone and Metabolic Research</i> , 1991 , 23, 251-6	3.1	18
130	Vitamin E reduction of protein glycosylation in diabetes. New prospect for prevention of diabetic complications?. <i>Diabetes Care</i> , 1991 , 14, 68-72	14.6	221
129	Clinical remission in patients with IDDM and family history of NIDDM. <i>Lancet, The</i> , 1991 , 337, 1165	40	2
128	Pulsatile insulin delivery has greater metabolic effects than continuous hormone administration in man: importance of pulse frequency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1991 , 72, 607-15	5.6	91
127	Evidence for peripheral impaired glucose handling in patients with connective tissue diseases. <i>Metabolism: Clinical and Experimental</i> , 1991 , 40, 902-7	12.7	47
126	The combined insulin and sulfonylurea therapy in diabetes of elderly people. <i>Archives of Gerontology and Geriatrics</i> , 1991 , 13, 245-53	4	3

125	Restoration of sensitivity to sulfonylurea after strict glycaemic control with insulin in non-obese type 2 diabetic subjects. <i>Diabète & Métabolisme</i> , 1991 , 17, 443-7		8
124	Sensorimotor evaluation of ano-rectal complex in diabetes mellitus. <i>Diabète & Métabolisme</i> , 1991 , 17, 520-4		4
123	Persistence of altered metabolic responses to beta-endorphin after normalization of body weight in human obesity. <i>European Journal of Endocrinology</i> , 1991 , 124, 159-65	6.5	13
122	The role of hyperglycaemia-induced alterations of antithrombin III and factor X activation in the thrombin hyperactivity of diabetes mellitus. <i>Diabetic Medicine</i> , 1990 , 7, 343-8	3.5	17
121	Effects of oxytocin upon the endocrine pancreas secretion and glucose turnover in normal man. <i>European Journal of Endocrinology</i> , 1990 , 123, 504-10	6.5	9
120	Evidence for a hyperglycaemia-dependent decrease of antithrombin III-thrombin complex formation in humans. <i>Diabetologia</i> , 1990 , 33, 163-7	10.3	48
119	Non-enzymatic glycation reduces heparin cofactor II anti-thrombin activity. <i>Diabetologia</i> , 1990 , 33, 205-7	10.3	28
118	Evidence for a reduced heparin cofactor II biological activity in diabetes. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 1990 , 20, 357-61		1
117	Possible role for increased C4b-binding-protein level in acquired protein S deficiency in type I diabetes. <i>Diabetes</i> , 1990 , 39, 447-9	0.9	16
116	Atypical environmental factor in expressing type I (insulin-dependent) diabetes mellitus. <i>Journal of Endocrinological Investigation</i> , 1990 , 13, 79	5.2	1
115	Hydroxychloroquine in decompensated, treatment-refractory noninsulin-dependent diabetes mellitus. A new job for an old drug?. <i>Annals of Internal Medicine</i> , 1990 , 112, 678-81	8	112
114	Analysis of diabetic family connection in subjects with insulin-dependent diabetes mellitus (IDDM). <i>Diabète & Métabolisme</i> , 1990 , 16, 449-52		2
113	Low molecular weight heparin restores antithrombin III activity from hyperglycemia induced alterations. <i>Diabète & Métabolisme</i> , 1990 , 16, 86-92		2
112	Evidence for a possible role of oxygen free radicals in the abnormal functional arterial vasomotion in insulin dependent diabetes. <i>Diabète & Métabolisme</i> , 1990 , 16, 318-22		13
111	Protein C deficiency in insulin-dependent diabetes: a hyperglycemia-related phenomenon. <i>Thrombosis and Haemostasis</i> , 1990 , 64, 104-7	7	7
110	Beta-endorphin and islet hormone release in humans: evidence for interference with cAMP. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1989 , 257, E361-6	6	2
109	Hyperglycemia-conditioned increase in alpha-2-macroglobulin in healthy normal subjects: a phenomenon correlated with deficient antithrombin III activity. <i>Acta Haematologica</i> , 1989 , 82, 61-3	2.7	3
108	Effects of oxytocin delivery on counter-regulatory hormone response in insulin-dependent (type 1) diabetic subjects. <i>Hormone Research</i> , 1989 , 31, 250-5		17

107	Increased alpha 2-macroglobulin in diabetes: a hyperglycemia related phenomenon associated with reduced antithrombin III activity. <i>Acta Diabetologica Latina</i> , 1989 , 26, 147-54		14
106	Hyperglycemia may determine fibrinopeptide A plasma level increase in humans. <i>Metabolism: Clinical and Experimental</i> , 1989 , 38, 1162-3	12.7	37
105	Pregnancy as environmental factor precipitating IDDM. <i>Diabetes Care</i> , 1989 , 12, 438-40	14.6	2
104	Pathophysiological study of the non-insulin-dependent phase of type I diabetes mellitus. <i>Acta Diabetologica Latina</i> , 1988 , 25, 161-72		2
103	Blood glucose may condition factor VII levels in diabetic and normal subjects. <i>Diabetologia</i> , 1988 , 31, 889-91	10.3	67
102	Impaired insulin-induced erythrocyte magnesium accumulation is correlated to impaired insulin-mediated glucose disposal in type 2 (non-insulin-dependent) diabetic patients. <i>Diabetologia</i> , 1988 , 31, 910-5	10.3	43
101	Pharmacological doses of oxytocin affect plasma hormone levels modulating glucose homeostasis in normal man. <i>Hormone Research</i> , 1988 , 30, 10-6		25
100	Altered metabolic and hormonal responses to epinephrine and beta-endorphin in human obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1988 , 67, 238-44	5.6	22
99	Hyperglycemia alters the beta-cell sensitivity to beta-endorphin in noninsulin-dependent diabetic subjects. <i>Hormone and Metabolic Research</i> , 1988 , 20, 306-7	3.1	1
98	Theophylline prevents the inhibitory effect of prostaglandin E2 on glucose-induced insulin secretion in man. <i>European Journal of Endocrinology</i> , 1988 , 118, 187-92	6.5	1
97	Does a common mechanism induce diverse complications of diabetes?. <i>Diabetes Care</i> , 1988 , 11, 372-3	14.6	5
96	Advantageous metabolic effects of pulsatile insulin delivery in noninsulin-dependent diabetic patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1988 , 67, 1005-10	5.6	39
95	Beta-endorphin-induced inhibition and stimulation of insulin secretion in normal humans is glucose dependent. <i>Diabetes</i> , 1988 , 37, 1265-70	0.9	7
94	Opiate addict as diabetic patient?. <i>Diabetes Care</i> , 1988 , 11, 443	14.6	11
93	Studies on the mechanism of salicylate-induced increase of insulin secretion in man. <i>Diabète & Métabolisme</i> , 1988 , 14, 431-6		4
92	Oxytocin increases arginine-induced A and B cell secretion in normal man and in diabetic subjects. <i>Diabète & Métabolisme</i> , 1988 , 14, 104-7		3
91	Hypertension in the elderly is associated with impaired glucose metabolism independently of obesity and glucose intolerance. <i>Journal of Hypertension Supplement: Official Journal of the International Society of Hypertension</i> , 1988 , 6, S45-8		3
90	A preliminary note on inhibiting effect of alpha-tocopherol (vit. E) on protein glycation. <i>Diabète & Métabolisme</i> , 1988 , 14, 40-2		5

89	Beta-endorphin-induced inhibition and stimulation of insulin secretion in normal humans is glucose dependent. <i>Diabetes</i> , 1988 , 37, 1265-1270	0.9	9
88	Opioid peptides and metabolic regulation. <i>Diabetologia</i> , 1988 , 31, 3-15	10.3	25
87	Beta-endorphin infusion restores acute insulin responses to glucose in type-2 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1987 , 64, 944-8	5.6	20
86	Hyperglycemia and obesity as determinants of glucose, insulin, and glucagon responses to beta-endorphin in human diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1987 , 64, 1122-8	5.6	24
85	Induced hyperglycemia alters antithrombin III activity but not its plasma concentration in healthy normal subjects. <i>Diabetes</i> , 1987 , 36, 320-3	0.9	35
84	Dual effect of beta-endorphin on insulin secretion in man. <i>Hormone and Metabolic Research</i> , 1987 , 19, 502-3	3.1	20
83	Impaired glucose metabolism in heroin and methadone users. <i>Hormone and Metabolic Research</i> , 1987 , 19, 430-3	3.1	38
82	Primary role of glucagon release in the effect of beta-endorphin on glucose homeostasis in normal man. <i>European Journal of Endocrinology</i> , 1987 , 115, 161-9	6.5	24
81	Sensitivity to beta-endorphin as a cause of human obesity. <i>Metabolism: Clinical and Experimental</i> , 1987 , 36, 974-8	12.7	34
80	Inhibitory effect of enkephalin on insulin secretion in healthy subjects and in non insulin-dependent diabetic subjects. <i>Metabolism: Clinical and Experimental</i> , 1987 , 36, 286-9	12.7	18
79	Sodium salicylate restores the impaired insulin response to glucose and improves glucose tolerance in heroin addicts. <i>Acta Diabetologica Latina</i> , 1987 , 24, 205-12		11
78	Aspirin and non-enzymatic glycation. <i>Acta Diabetologica Latina</i> , 1987 , 24, 171-2		
77	Beta-endorphin and islet hormone release in type-2 diabetes mellitus the effects of normoglycemia, enkephalin, naloxone and somatostatin. <i>Diabète & Métabolisme</i> , 1987 , 13, 618-24		4
76	Daily rapid blood glucose variations may condition antithrombin III biologic activity but not its plasma concentration in insulin-dependent diabetes. A possible role for labile non-enzymatic glycation. <i>Diabète & Métabolisme</i> , 1987 , 13, 16-9		9
75	Induced hyperglycemia alters antithrombin III activity but not its plasma concentration in healthy normal subjects. <i>Diabetes</i> , 1987 , 36, 320-323	0.9	7
74	Heterogeneity of diabetes mellitus. <i>Diabetologia</i> , 1987 , 30, 678-9	10.3	2
73	Acetylsalicylic acid and glucose metabolism in man: is there a role for prostaglandins?. <i>Diabetologia</i> , 1986 , 29, 265	10.3	2
72	Insulin induces opposite changes in plasma and erythrocyte magnesium concentrations in normal man. <i>Diabetologia</i> , 1986 , 29, 644-7	10.3	78

71	Impaired insulin secretion in human diabetes mellitus. Effect of pharmacological activation of gamma-aminobutyric acid system. <i>Acta Diabetologica Latina</i> , 1986 , 23, 23-8		4
70	Metabolic control may alter antithrombin III activity but not its plasma concentration in diabetes: a possible role for nonenzymatic glycosylation. <i>Diabetes Care</i> , 1986 , 9, 32-5	14.6	24
69	Impaired insulin response to glucose but not to arginine in heroin addicts. <i>Journal of Endocrinological Investigation</i> , 1986 , 9, 353-7	5.2	16
68	Heparin preserves antithrombin III biological activity from hyperglycemia-induced alterations in insulin-dependent diabetics. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 1986 , 16, 458-64		5
67	Combined insulin and sulfonylurea therapy in non-insulin-dependent diabetics with secondary failure to oral drugs: a one year follow-up. <i>Diabète & Métabolisme</i> , 1986 , 12, 315-8		12
66	Glycemic control with an artificial pancreas improves insulin responses to both oral and glucose in nonobese noninsulin-dependent diabetic subjects. <i>Acta Diabetologica Latina</i> , 1985 , 22, 203-13		8
65	Influence of labile glucose adducts on glycosylated protein assay by aminophenylboronic acid affinity chromatography: in vivo studies. <i>Acta Diabetologica Latina</i> , 1985 , 22, 81-2		2
64	Increased alpha-2-macroglobulin in opiate addicts: further evidence of an alteration in the coagulation system due to opiate addiction. <i>Acta Haematologica</i> , 1985 , 73, 117	2.7	3
63	Effects of salicylate, tolbutamide, and prostaglandin E2 on insulin responses to glucose in noninsulin-dependent diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1985 , 61, 160-6	5.6	23
62	Normalization by sodium salicylate of the impaired counterregulatory glucagon response to hypoglycemia in insulin-dependent diabetes. A possible role for endogenous prostaglandins. <i>Diabetes</i> , 1985 , 34, 521-5	0.9	8
61	Endogenous opiates, heroin addiction, and non-insulin-dependent diabetes. <i>Lancet, The</i> , 1985 , 2, 769-70	40	14
60	SUGAR AND WOUND HEALING. <i>Lancet, The</i> , 1985 , 326, 663-665	40	23
59	Interaction between epinephrine, prostaglandin E, and met-enkephalin in the regulation of insulin release in man. <i>Diabète & Métabolisme</i> , 1985 , 11, 295-302		4
58	Impaired insulin secretion in human diabetes mellitus. Interactions between naloxone, phentolamine and lysine acetylsalicylate upon glucose induced insulin release. <i>Diabète & Métabolisme</i> , 1985 , 11, 350-8		3
57	Normalization by sodium salicylate of the impaired counterregulatory glucagon response to hypoglycemia in insulin-dependent diabetes. A possible role for endogenous prostaglandins. <i>Diabetes</i> , 1985 , 34, 521-525	0.9	5
56	Depressed antithrombin III biological activity in opiate addicts. <i>Journal of Clinical Pathology</i> , 1984 , 37, 1040-2	3.9	11
55	Morphine, opioid peptides, and pancreatic islet function. <i>Diabetes Care</i> , 1984 , 7, 92-8	14.6	79
54	The oxygen-release capacity of red blood cells in insulin-dependent diabetics after artificial pancreas. <i>Acta Diabetologica Latina</i> , 1984 , 21, 281-6		

53	Non-enzymatic glycosylation reduces antithrombin III activity. <i>Thrombosis and Haemostasis</i> , 1984 , 52, 363	7	3
52	Non-Enzymatic Glycosylation Reduces Antithrombin III Activity. <i>Thrombosis and Haemostasis</i> , 1984 , 52, 363-363	7	7
51	Glucose tolerance and hormonal responses in heroin addicts. A possible role for endogenous opiates in the pathogenesis of non-insulin-dependent diabetes. <i>Metabolism: Clinical and Experimental</i> , 1983 , 32, 1163-5	12.7	45
50	A role for endogenous prostaglandin E in biphasic pattern of insulin release in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1983 , 245, E591-7	6	10
49	Glycosaminoglycans in human diabetes. <i>Diabète & Métabolisme</i> , 1983 , 9, 32-4		7
48	A possible role of gamma-aminobutyric acid in the control of the endocrine pancreas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1982 , 54, 1145-9	5.6	31
47	Glucagon secretion in patients with hypoparathyroidism: effect of serum calcium on glucagon release. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1982 , 54, 229-32	5.6	3
46	Hypomagnesemia in relation to diabetic retinopathy. <i>Diabetes Care</i> , 1982 , 5, 558-9	14.6	20
45	Impaired insulin secretion in human diabetes mellitus. The effect of naloxone-induced opiate receptor blockade. <i>Diabetes</i> , 1982 , 31, 367-70	0.9	39
44	Haemoglobin A1 in addicts. <i>Annals of Internal Medicine</i> , 1982 , 96, 536	8	5
43	Calcitonin modulation of insulin and glucagon secretion in man. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1982 , 242, E206-13	6	6
42	Impaired insulin secretion in human diabetes mellitus. I. The effect of alpha-adrenergic inhibition. <i>Pharmacological Research Communications</i> , 1982 , 14, 217-25		10
41	Increased glycosylated haemoglobin A1 in opiate addicts: evidence for a hyperglycaemic effect of morphine. <i>Diabetologia</i> , 1982 , 22, 379	10.3	24
40	Platelet aggregation after strict metabolic control using the artificial pancreas. <i>Diabetologia</i> , 1982 , 23, 545	10.3	10
39	Glycosylated haemoglobin and reticulocyte count in diabetes. <i>Diabetologia</i> , 1982 , 22, 223	10.3	12
38	Influence of acetylsalicylic acid on glucose turnover in normal man. <i>Diabète & Métabolisme</i> , 1982 , 8, 279-82		14
37	Impaired insulin secretion in human diabetes mellitus. The effect of naloxone-induced opiate receptor blockade. <i>Diabetes</i> , 1982 , 31, 367-370	0.9	17
36	Further studies on the significance of circulating platelet aggregates induced by somatostatin in man. <i>Metabolism: Clinical and Experimental</i> , 1981 , 30, 172-5	12.7	8

35	Acetylsalicylic acid in diabetes. <i>Lancet, The</i> , 1981 , 1, 560	40	8
34	Effect of Calcitonin on plasma glucose, C-peptide, glucagon and growth hormone responses to arginine in insulin-dependent diabetic subjects. <i>Acta Diabetologica</i> , 1981 , 18, 235-41	3.9	4
33	Effects of acetylsalicylic acid on plasma glucose, free fatty acid, betahydroxybutyrate, glucagon and C-peptide responses to salbutamol in insulin-dependent diabetic subjects. <i>Acta Diabetologica</i> , 1981 , 18, 27-36	3.9	3
32	Modulation by verapamil of insulin and glucagon secretion in man. <i>Acta Diabetologica</i> , 1981 , 18, 163-71	3.9	11
31	Impaired insulin secretion in human diabetes mellitus. II. A possible role for prostaglandins. <i>Prostaglandins, Leukotrienes and Essential Fatty Acids</i> , 1981 , 6, 41-50		10
30	Prostaglandins and the alpha-cell. <i>Prostaglandins, Leukotrienes and Essential Fatty Acids</i> , 1981 , 6, 283-97		10
29	Colchicine and insulin secretion in man. <i>Diabetes</i> , 1981 , 30, 1008-12	0.9	7
28	Calcitonin, a diabetogenic hormone?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1981 , 53, 318-23	5.6	24
27	Effect of furosemide on insulin and glucagon responses to arginine in normal subjects. <i>Diabetologia</i> , 1980 , 18, 293-6	10.3	9
26	Impairment of insulin secretion in man by nifedipine. <i>European Journal of Clinical Pharmacology</i> , 1980 , 18, 395-8	2.8	146
25	The effects of salbutamol on some metabolic and endocrine patterns of diabetic subjects. <i>Pharmacological Research Communications</i> , 1980 , 12, 909-19		4
24	Somatostatin and insulin secretion in man. I. The effect of phentolamine. <i>Pharmacological Research Communications</i> , 1980 , 12, 57-66		3
23	Somatostatin and insulin secretion in man. IV. The role of calcium. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1980 , 51, 1298-302	5.6	5
22	Calcitonin in diabetes. <i>Lancet, The</i> , 1980 , 1, 653	40	4
21	Plasma C-peptide response to arginine in insulin-dependent diabetic subjects. <i>Journal of Endocrinological Investigation</i> , 1980 , 3, 19-23	5.2	4
20	Effects of acetylsalicylic acid on blood glucose, plasma FFA, glycerol, 3-hydroxybutyrate, alanine, C-peptide, glucagon and growth hormone responses to arginine in insulin-dependent diabetics. <i>Diabète & Métabolisme</i> , 1980 , 6, 39-46		6
19	Acetylsalicylic acid augments insulin and C-peptide responses to arginine in diabetes mellitus. <i>Prostaglandins, Leukotrienes and Essential Fatty Acids</i> , 1979 , 2, 109-10		7
18	Hemodynamic effects of somatostatin in insulin-dependent diabetic subjects. <i>Acta Diabetologica Latina</i> , 1979 , 16, 331-7		

17	Somatostatin and insulin secretion in man. II. The effect of theophylline. <i>Acta Diabetologica Latina</i> , 1979 , 16, 353-8		3
16	A comparative study of metabolic and hormonal responses to somatostatin and propranolol in man. <i>Acta Diabetologica Latina</i> , 1979 , 16, 77-81		
15	Influence of acetylsalicylic acid on plasma glucose, insulin, glucagon, and growth hormone levels following tolbutamide stimulation in man. <i>Metabolism: Clinical and Experimental</i> , 1979 , 28, 887-9	12.7	18
14	Acetylsalicylic acid restores acute insulin response reduced by furosemide in man. <i>Diabetes</i> , 1979 , 28, 841-5	0.9	26
13	Effects of alpha-and beta-adrenergic inhibition and somatostatin on plasma glucose, free fatty acids, insulin glucagon and growth hormone responses to prostaglandin E1 in man. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1979 , 48, 302-8	5.6	43
12	Influence of acetylsalicylic acid on insulin, glucagon and growth hormone responses to glucose and arginine in healthy subjects. <i>Il Farmaco Edizione Pratica</i> , 1979 , 34, 131-7		2
11	Glucose utilization from dialysate in patients on continuous ambulatory peritoneal dialysis (CAPD). <i>International Journal of Artificial Organs</i> , 1979 , 2, 119-24	1.9	35
10	Effect of calcitonin on insulin response to arginine in man. <i>Diabète & Métabolisme</i> , 1979 , 5, 213-6		5
9	Acetylsalicylic acid restores acute insulin response reduced by furosemide in man. <i>Diabetes</i> , 1979 , 28, 841-845	0.9	10
8	The effect of acetylsalicylic acid on insulin response to glucose and arginine in normal man. <i>Diabetologia</i> , 1978 , 14, 359-62	10.3	40
7	Prostaglandin E1 inhibits glucose-induced insulin secretion in man. <i>Prostaglandins, Leukotrienes and Essential Fatty Acids</i> , 1978 , 1, 165-6		19
6	Prostaglandin E1 increases basal glucagon in man. <i>Pharmacological Research Communications</i> , 1978 , 10, 813-21		7
5	Effect of calcitonin on glucose-stimulated insulin secretion in normal, obese and prediabetic subjects. <i>Il Farmaco Edizione Pratica</i> , 1978 , 33, 256-62		5
4	Effects of prostaglandin E1 and prostaglandin F2alpha on insulin and glucagon plasma levels during the intravenous glucose tolerance test in man. <i>Diabète & Métabolisme</i> , 1978 , 4, 187-91		6
3	Effects of vaso-inactive doses of PGA1 and PGE1 on insulin secretion in the rat. <i>Pharmacological Research Communications</i> , 1977 , 9, 427-36		2
2	In vivo and in vitro experiments on relationships between PGA1 and glucose utilization. <i>Acta Diabetologica Latina</i> , 1976 , 13, 40-6		1
1	FFAs and QT Intervals in Obese Women with Visceral Adiposity: Effects of Sustained Weight Loss Over 1 Year		11