C Neil Roberts

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6883154/publications.pdf

Version: 2024-02-01

36271 64755 6,929 86 51 79 h-index citations g-index papers 96 96 96 5232 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Geological evolution of a tectonic and climatic transition zone: the BeyÅŸehir-SuÄŸla basin, lake district of Turkey. International Journal of Earth Sciences, 2021, 110, 1077-1107.	0.9	6
2	Soil erosion and sediment transport in Tanzania: Part II $\hat{a} \in$ sedimentological evidence of phased land degradation. Earth Surface Processes and Landforms, 2021, 46, 3112-3126.	1.2	7
3	Long-Term Demographic Trends in Prehistoric Italy: Climate Impacts and Regionalised Socio-Ecological Trajectories. Journal of World Prehistory, 2021, 34, 381-432.	1.1	15
4	Proxy reconstruction of ultraviolet-B irradiance at the Earth $\hat{a} \in \mathbb{N}$ s surface, and its relationship with solar activity and ozone thickness. Holocene, 2020, 30, 155-161.	0.9	15
5	How humans changed the face of Earth. Science, 2019, 365, 865-866.	6.0	14
6	Prehistoric palaeodemographics and regional land cover change in eastern Iberia. Holocene, 2019, 29, 799-815.	0.9	40
7	Drivers of increased soil erosion in East Africa's agro-pastoral systems: changing interactions between the social, economic and natural domains. Regional Environmental Change, 2019, 19, 1909-1921.	1.4	62
8	Mediterranean landscape change during the Holocene: Synthesis, comparison and regional trends in population, land cover and climate. Holocene, 2019, 29, 923-937.	0.9	96
9	The origin and spread of olive cultivation in the Mediterranean Basin: The fossil pollen evidence. Holocene, 2019, 29, 902-922.	0.9	84
10	Holocene landscape dynamics and long-term population trends in the Levant. Holocene, 2019, 29, 708-727.	0.9	48
11	Holocene hydro-climatic variability in the Mediterranean: A synthetic multi-proxy reconstruction. Holocene, 2019, 29, 847-863.	0.9	79
12	Holocene demographic fluctuations, climate and erosion in the Mediterranean: A meta data-analysis. Holocene, 2019, 29, 864-885.	0.9	54
13	Long-term trends of land use and demography in Greece: A comparative study. Holocene, 2019, 29, 742-760.	0.9	58
14	Tyrrhenian central Italy: Holocene population and landscape ecology. Holocene, 2019, 29, 761-775.	0.9	37
15	The changing face of the Mediterranean – Land cover, demography and environmental change: Introduction and overview. Holocene, 2019, 29, 703-707.	0.9	24
16	Holocene land cover and population dynamics in Southern France. Holocene, 2019, 29, 776-798.	0.9	42
17	Reply to Wainwright and Ayala: Synchronicity of climate and cultural proxies around 8.2 kyBP at ‡atalh¶yük. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 3345-3346.	3.3	О
18	Pollen-inferred regional vegetation patterns and demographic change in Southern Anatolia through the Holocene. Holocene, 2019, 29, 728-741.	0.9	31

#	Article	IF	Citations
19	Human demography changes in Morocco and environmental imprint during the Holocene. Holocene, 2019, 29, 816-829.	0.9	20
20	20,000 years of societal vulnerability and adaptation to climate change in southwest Asia. Wiley Interdisciplinary Reviews: Water, 2019, 6, e1330.	2.8	30
21	Cause-and-effect in Mediterranean erosion: The role of humans and climate upon Holocene sediment flux into a central Anatolian lake catchment. Geomorphology, 2019, 331, 36-48.	1.1	26
22	Not the End of the World? Post-Classical Decline and Recovery in Rural Anatolia. Human Ecology, 2018, 46, 305-322.	0.7	67
23	Europe's lost forests: a pollen-based synthesis for the last 11,000 years. Scientific Reports, 2018, 8, 716.	1.6	139
24	History meets palaeoscience: Consilience and collaboration in studying past societal responses to environmental change. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 3210-3218.	3.3	111
25	Human responses and non-responses to climatic variations during the last Glacial-Interglacial transition in the eastern Mediterranean. Quaternary Science Reviews, 2018, 184, 47-67.	1.4	69
26	Trajectories of change in Mediterranean Holocene vegetation through classification of pollen data. Vegetation History and Archaeobotany, 2018, 27, 351-364.	1.0	34
27	Seasonality of Holocene hydroclimate in the Eastern Mediterranean reconstructed using the oxygen isotope composition of carbonates and diatoms from Lake Nar, central Turkey. Holocene, 2018, 28, 267-276.	0.9	21
28	Comparing pollen and archaeobotanical data for Chalcolithic cereal agriculture at Çatalhöyük, Turkey. Quaternary Science Reviews, 2018, 202, 4-18.	1.4	6
29	Soil erosion in East Africa: an interdisciplinary approach to realising pastoral land management change. Environmental Research Letters, 2018, 13, 124014.	2.2	58
30	Panâ∈Mediterranean Holocene vegetation and landâ€cover dynamics from synthesized pollen data. Journal of Biogeography, 2018, 45, 2159-2174.	1.4	33
31	Evidence for the impact of the 8.2-kyBP climate event on Near Eastern early farmers. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 8705-8709.	3.3	65
32	A tale of two lakes: a multiâ€proxy comparison of Lateglacial and Holocene environmental change in Cappadocia, Turkey. Journal of Quaternary Science, 2016, 31, 348-362.	1.1	58
33	Ursache für den Zerfall der Alten Welt? 2200 BC—A climatic breakdown as a cause for the collapse of the Old World? 7. Mitteldeutscher ArchÃølogentag vom 23. bis 26. Oktober 2014 in Halle (Saale). 7th Archaeological Conference of Central Germany October 23–26, 2014 in Halle (Saale) (2 volumes). 2015. 861 pages, numerous colour and b&w illustrations, and tables, Halle (Saale): Landesamt für	0.5	1
34	The environmental, archaeological and historical evidence for regional climatic changes and their societal impacts in the Eastern Mediterranean in Late Antiquity. Quaternary Science Reviews, 2016, 136, 189-208.	1.4	108
35	Where's the Geography department? The changing administrative place of Geography in <scp>UK</scp> higher education. Area, 2015, 47, 56-64.	1.0	23
36	Eastern Mediterranean hydroclimate over the late glacial and Holocene, reconstructed from the sediments of Nar lake, central Turkey, using stable isotopes and carbonate mineralogy. Quaternary Science Reviews, 2015, 124, 162-174.	1.4	105

#	Article	IF	Citations
37	From forest to farmland: pollenâ€inferred land cover change across Europe using the pseudobiomization approach. Global Change Biology, 2015, 21, 1197-1212.	4.2	133
38	Tracking the hydro-climatic signal from lake to sediment: A field study from central Turkey. Journal of Hydrology, 2015, 529, 608-621.	2.3	32
39	Is Neolithic land use correlated with demography? An evaluation of pollen-derived land cover and radiocarbon-inferred demographic change from Central Europe. Holocene, 2014, 24, 1297-1307.	0.9	57
40	Changes in regional settlement patterns in Cappadocia (central Turkey) since the Neolithic: a combined site survey perspective. Anatolian Studies, 2014, 64, 33-57.	0.6	15
41	The impact of the Neolithic agricultural transition in Britain: a comparison of pollen-based land-cover and archaeological 14C date-inferred population change. Journal of Archaeological Science, 2014, 51, 216-224.	1.2	128
42	The Climate and Environment of Byzantine Anatolia: Integrating Science, History, and Archaeology. Journal of Interdisciplinary History, 2014, 45, 113-161.	0.0	115
43	A comparison of remotely sensed and pollenâ€based approaches to mapping Europe's land cover. Journal of Biogeography, 2014, 41, 2080-2092.	1.4	27
44	Palaeo-seasonality of the last two millennia reconstructed from the oxygen isotope composition of carbonates and diatom silica from Nar Gölü, central Turkey. Quaternary Science Reviews, 2013, 66, 35-44.	1.4	41
45	Palaeolimnological evidence for an east–west climate see-saw in the Mediterranean since AD 900. Global and Planetary Change, 2012, 84-85, 23-34.	1.6	167
46	Multiproxy record for the last 4500 years from Lake Shkodra (Albania/Montenegro). Journal of Quaternary Science, 2012, 27, 780-789.	1.1	74
47	A Review of 2000 Years of Paleoclimatic Evidence in the Mediterranean. , 2012, , 87-185.		86
48	Predictability of biomass burning in response to climate changes. Global Biogeochemical Cycles, 2012, 26, .	1.9	201
49	The 8200yr BP cold event in stable isotope records from the North Atlantic region. Global and Planetary Change, 2011, 79, 288-302.	1.6	84
50	Late Holocene climate of the Eastern Mediterranean inferred from diatom analysis of annually-laminated lake sediments. Quaternary Science Reviews, 2011, 30, 3381-3392.	1.4	41
51	Linking neo- and palaeolimnology: a case study using crater lake diatoms from central Turkey. Journal of Paleolimnology, 2010, 44, 855-871.	0.8	18
52	Fire, climate and the origins of agriculture: microâ€charcoal records of biomass burning during the last glacial–interglacial transition in Southwest Asia. Journal of Quaternary Science, 2010, 25, 371-386.	1.1	68
53	MORPHOLOGY AND ECOLOGY OF A NEW CENTRIC DIATOM FROM CAPPADOCIA (CENTRAL TURKEY). Diatom Research, 2010, 25, 195-212.	0.5	7
54	Detrital carbonate influences on bulk oxygen and carbon isotope composition of lacustrine sediments from the Mediterranean. Global and Planetary Change, 2010, 71, 175-182.	1.6	37

#	Article	IF	Citations
55	Oxygen isotopes as tracers of Mediterranean climate variability: An introduction. Global and Planetary Change, 2010, 71, 135-140.	1.6	27
56	Interpreting lake isotope records of Holocene environmental change in the Eastern Mediterranean. Quaternary International, 2008, 181, 32-38.	0.7	62
57	Stable isotope records of Late Quaternary climate and hydrology from Mediterranean lakes: the ISOMED synthesis. Quaternary Science Reviews, 2008, 27, 2426-2441.	1.4	279
58	Climatic pacing of Mediterranean fire histories from lake sedimentary microcharcoal. Global and Planetary Change, 2008, 63, 317-324.	1.6	87
59	Historical landscape change in Cappadocia (central Turkey): a palaeoecological investigation of annually laminated sediments from Nar lake. Holocene, 2008, 18, 1229-1245.	0.9	107
60	Holocene climate change in the eastern Mediterranean region: a comparison of stable isotope and pollen data from Lake GA¶lhisar, southwest Turkey. Journal of Quaternary Science, 2007, 22, 327-341.	1.1	151
61	Quantifying climatic change through the last glacial–interglacial transition based on lake isotope palaeohydrology from central Turkey. Quaternary Research, 2007, 67, 463-473.	1.0	116
62	A high-resolution late Holocene lake isotope record from Turkey and links to North Atlantic and monsoon climate. Geology, 2006, 34, 361.	2.0	216
63	Holocene environment and settlement on the \tilde{A} ‡ar \mathring{A} Ÿamba alluvial fan, south-central Turkey: Integrating geoarchaeology and archaeological field survey. Geoarchaeology - an International Journal, 2006, 21, 675-698.	0.7	74
64	A Coupled Calibration and Modelling Approach to the Understanding of Dry-Land Lake Oxygen Isotope Records. Journal of Paleolimnology, 2005, 34, 391-411.	0.8	58
65	Global change in the Holocene. Journal of Paleolimnology, 2004, 32, 311-312.	0.8	0
66	Holocene climate, environment and cultural change in the circum-Mediterranean region. Developments in Paleoenvironmental Research, 2004, , 343-362.	7.5	50
67	Did prehistoric landscape management retard the post-glacial spread of woodland in Southwest Asia?. Antiquity, 2002, 76, 1002-1010.	0.5	85
68	Towards a Regional Synthesis of Mediterranean Climatic Change Using Lake Stable Isotope Records. PAGES News, 2002, 10, 13-15.	0.3	6
69	The history of mediterranean-type environments: climate, culture and landscape. Holocene, 2001, 11, 631-634.	0.9	55
70	Oxygen isotope analysis of diatom silica and authigenic calcite from Lake Pinarbasi, Turkey. Journal of Paleolimnology, 2001, 25, 343-349.	0.8	61
71	The tempo of Holocene climatic change in the eastern Mediterranean region: new high-resolution crater-lake sediment data from central Turkey. Holocene, 2001, 11, 721-736.	0.9	308
72	EFFECTS OF DEPTH, SALINITY, AND SUBSTRATE ON THE INVERTEBRATE COMMUNITY OF A FLUCTUATING TROPICAL LAKE. Ecology, 2000, 81, 164-182.	1.5	106

#	Article	IF	CITATIONS
73	Biodiversity changes in a shallow lake ecosystem: a multiâ€proxy palaeolimnological analysis. Journal of Biogeography, 1999, 26, 97-114.	1.4	77
74	Title is missing!. Journal of Paleolimnology, 1999, 22, 187-204.	0.8	72
75	Title is missing!. Journal of Paleolimnology, 1999, 21, 325-343.	0.8	60
76	Chronology and stratigraphy of Late Quaternary sediments in the Konya Basin, Turkey: Results from the KOPAL Project. Quaternary Science Reviews, 1999, 18, 611-630.	1.4	127
77	An evaluation of the diatom response to Late Quaternary environmental change in two lakes in the Konya Basin, Turkey, by comparison with stable isotope data. Quaternary Science Reviews, 1999, 18, 631-646.	1.4	52
78	Holocene environmental change in southwest Turkey: a palaeoecological record of lake and catchment-related changes. Quaternary Science Reviews, 1999, 18, 671-695.	1.4	141
79	Palaeoecological and archaeological evidence for human occupance in southwest Turkey: the BeyÅŸehir occupation phase. Anatolian Studies, 1998, 48, 69-86.	0.6	104
80	Interpretation of Holocene lake-level change from diatom assemblages in Lake Sidi Ali, Middle Atlas, Morocco. Journal of Paleolimnology, 1994, 12, 223-234.	0.8	75
81	Late quaternary geomorphological change and the origins of agriculture in south central Turkey. Geoarchaeology - an International Journal, 1991, 6, 1-26.	0.7	15
82	Ups and downs of African lakes. Nature, 1990, 346, 107-107.	13.7	11
83	Reply to Comments by Ann P. El-Moslim. Quaternary Research, 1984, 21, 117-120.	1.0	4
84	Age, Palaeoenvironments, and Climatic Significance of Late Pleistocene Konya Lake, Turkey. Quaternary Research, 1983, 19, 154-171.	1.0	112
85	Fluctuations in Closed-Basin Lakes as An Indicator of Past Atmospheric Circulation Patterns. , 1983 , , $331-345$.		127
86	The origin and spread of olive cultivation in the Mediterranean Basin: The fossil pollen evidence. , 0, .		1