

# Roberta Longo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6883156/publications.pdf>

Version: 2024-02-01

11  
papers

148  
citations

1684188

5  
h-index

1372567

10  
g-index

11  
all docs

11  
docs citations

11  
times ranked

391  
citing authors

#	ARTICLE	IF	CITATIONS
1	Economic evaluation alongside a randomised controlled trial to assess the effectiveness and cost-effectiveness of acupuncture in the management of chemotherapy-induced peripheral neuropathy. <i>Acupuncture in Medicine</i> , 2021, 39, 41-52.	1.0	3
2	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-114.	2.8	12
3	Screening and Intervention to Prevent Falls and Fractures in Older People. <i>New England Journal of Medicine</i> , 2020, 383, 1848-1859.	27.0	74
4	Multiple Interventions for Diabetic Foot Ulcer Treatment Trial (MIDFUT): study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035947.	1.9	9
5	Effects of interorganisational information technology networks on patient safety: a realist synthesis. <i>BMJ Open</i> , 2020, 10, e036608.	1.9	1
6	The effects of interoperable information technology networks on patient safety: a realist synthesis. <i>Health Services and Delivery Research</i> , 2020, 8, 1-162.	1.4	2
7	Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). <i>Journal of Clinical Epidemiology</i> , 2019, 106, 32-40.	5.0	21
8	Networked information technologies and patient safety: a protocol for a realist synthesis. <i>Systematic Reviews</i> , 2019, 8, 307.	5.3	4
9	Methods for the evaluation of biomarkers in patients with kidney and liver diseases: multicentre research programme including ELUCIDATE RCT. <i>Programme Grants for Applied Research</i> , 2018, 6, 1-528.	1.0	3
10	Clinical effectiveness and cost-effectiveness results from the randomised, Phase IIB trial in previously untreated patients with chronic lymphocytic leukaemia to compare fludarabine, cyclophosphamide and rituximab with fludarabine, cyclophosphamide, mitoxantrone and low-dose rituximab: the Attenuated dose Rituximab with ChemoTherapy In Chronic lymphocytic leukaemia (ARCTIC) trial. <i>Health Technology Assessment</i> , 2017, 21, 1-374.	2.8	14
11	Methods for Identifying the Cost-effective Case Definition Cut-Off for Sequential Monitoring Tests: An Extension of Phelps and Mushlin. <i>Pharmacoeconomics</i> , 2014, 32, 327-334.	3.3	5