

Jerome Robert

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6883568/jerome-robert-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169
papers

7,552
citations

44
h-index

84
g-index

201
ext. papers

8,767
ext. citations

8
avg, IF

5.35
L-index

#	Paper	IF	Citations
169	Association of Healthcare and Aesthetic Procedures with Infections Caused by Nontuberculous Mycobacteria, France, 2012-2020.. <i>Emerging Infectious Diseases</i> , 2022 , 28, 518-526	10.2	1
168	Surging bloodstream infections and antimicrobial resistance during the first wave of COVID-19: a study in a large multihospital institution in the Paris region. <i>International Journal of Infectious Diseases</i> , 2021 , 114, 90-96	10.5	7
167	Clostridioides difficile Infection Rates after Ceftolozane/Tazobactam and Ceftazidime/Avibactam Treatment Compared to Carbapenem Treatment: A Retrospective Single-Center Study. <i>Hygiene</i> , 2021 , 1, 99-105		
166	A Comprehensive Evaluation of GeneLEAD VIII DNA Platform Combined to Deeplex Myc-TB Assay to Detect in 8 Days Drug Resistance to 13 Antituberculous Drugs and Transmission of Complex Directly From Clinical Samples. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 707244	5.9	2
165	Do Contact Precautions Reduce the Incidence of Intensive Care Unit-Acquired Pseudomonas aeruginosa Infections? The DPCPYO (Detection and Contact Precautions for Patients With P. aeruginosa) Cluster-Randomized Crossover Trial. <i>Clinical Infectious Diseases</i> , 2021 , 73, e2781-e2788	11.6	2
164	Impact of the revised definition of extensively drug-resistant tuberculosis. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	2
163	Genomics With Regard to Epidemiological and Clinical Investigations Conducted for an Open Chest Postsurgical Infection Outbreak. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab192	1	1
162	Sampling strategy for bacteriological diagnosis of intrathoracic tuberculosis. <i>Respiratory Medicine and Research</i> , 2021 , 79, 100825	1.4	0
161	Isoniazid-mono-resistant tuberculosis in France: Risk factors, treatment outcomes and adverse events. <i>International Journal of Infectious Diseases</i> , 2021 , 107, 86-91	10.5	2
160	Ciprofloxacin population pharmacokinetics during long-term treatment of osteoarticular infections. <i>Journal of Antimicrobial Chemotherapy</i> , 2021 , 76, 2906-2913	5.1	2
159	Susceptibility Testing Is Key for the Success of Cefiderocol Treatment: A Retrospective Cohort Study. <i>Microorganisms</i> , 2021 , 9,	4.9	8
158	Efficacy of aztreonam with β -lactamase inhibitors against metallo-carbapenemase-producing Enterobacteria. <i>Infectious Diseases Now</i> , 2021 , 51, 639-640		
157	Impact of stewardship strategy on antibiotic use in Clostridioides difficile infection. <i>Infectious Diseases Now</i> , 2021 , 51, 499-501		
156	Controlling healthcare-associated transmission of SARS-CoV-2 variant of concern 202012/01 in a large hospital network. <i>Journal of Hospital Infection</i> , 2021 , 114, 182-184	6.9	1
155	thrombophlebitis: a nosocomial multidrug-resistant disease?. <i>Access Microbiology</i> , 2021 , 3, 000307	1	0
154	Rifampicin and clarithromycin (extended release) versus rifampicin and streptomycin for limited Buruli ulcer lesions: a randomised, open-label, non-inferiority phase 3 trial. <i>Lancet, The</i> , 2020 , 395, 1259-1267	40	33
153	Rational Choice of Antibiotics and Media for Complex Drug Susceptibility Testing. <i>Frontiers in Microbiology</i> , 2020 , 11, 81	5.7	3

152	Combining bacteriophages and dalbavancin for salvage therapy of complex Staphylococcus aureus extradural empyema. <i>Médecine Et Maladies Infectieuses</i> , 2020 , 50, 458-459	4	1
151	Usefulness of point-of-care multiplex PCR to rapidly identify pathogens responsible for ventilator-associated pneumonia and their resistance to antibiotics: an observational study. <i>Critical Care</i> , 2020 , 24, 378	10.8	10
150	Ventilator-associated pneumonia in patients with SARS-CoV-2-associated acute respiratory distress syndrome requiring ECMO: a retrospective cohort study. <i>Annals of Intensive Care</i> , 2020 , 10, 158	8.9	50
149	359. Ventilator-associated pneumonia in patients with SARS-CoV-2-associated acute respiratory failure requiring mechanical ventilation: a retrospective cohort study. <i>Open Forum Infectious Diseases</i> , 2020 , 7, S249-S250	1	
148	Validation of the Bacterial Meningitis Score in adults consulting at an emergency department: a retrospective multicentric study. <i>European Journal of Emergency Medicine</i> , 2020 , 27, 447-453	2.3	1
147	Neurological diseases of unknown etiology: Brain-biopsy diagnostic yields and safety. <i>European Journal of Internal Medicine</i> , 2020 , 80, 78-85	3.9	10
146	Bedaquiline and delamanid for drug-resistant tuberculosis: a clinician's perspective. <i>Future Microbiology</i> , 2020 , 15, 779-799	2.9	5
145	Telacebec (Q203)-containing intermittent oral regimens sterilized mice infected with Mycobacterium ulcerans after only 16 doses. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0007857	4.8	3
144	Telacebec (Q203)-containing intermittent oral regimens sterilized mice infected with Mycobacterium ulcerans after only 16 doses 2020 , 14, e0007857		
143	Telacebec (Q203)-containing intermittent oral regimens sterilized mice infected with Mycobacterium ulcerans after only 16 doses 2020 , 14, e0007857		
142	Telacebec (Q203)-containing intermittent oral regimens sterilized mice infected with Mycobacterium ulcerans after only 16 doses 2020 , 14, e0007857		
141	Telacebec (Q203)-containing intermittent oral regimens sterilized mice infected with Mycobacterium ulcerans after only 16 doses 2020 , 14, e0007857		
140	Telacebec (Q203)-containing intermittent oral regimens sterilized mice infected with Mycobacterium ulcerans after only 16 doses 2020 , 14, e0007857		
139	Telacebec (Q203)-containing intermittent oral regimens sterilized mice infected with Mycobacterium ulcerans after only 16 doses 2020 , 14, e0007857		
138	Outcomes of Bedaquiline Treatment in Patients with Multidrug-Resistant Tuberculosis. <i>Emerging Infectious Diseases</i> , 2019 , 25, 936-943	10.2	40
137	A nationwide survey on involvement of clinical microbiologists in antibiotic stewardship programmes in large French hospitals. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019 , 38, 2235-2241	5.3	1
136	Erwinia billingiae as Unusual Cause of Septic Arthritis, France, 2017. <i>Emerging Infectious Diseases</i> , 2019 , 25, 1587-1589	10.2	2
135	Trends and prediction of antimicrobial susceptibility in urinary bacteria isolated in European emergency departments: the EuroUTI 2010-2016 Study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 3069-3076	5.1	6

134	Molecular epidemiology of <i>Pseudomonas aeruginosa</i> isolated from infected ICU patients: a French multicenter 2012-2013 study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019 , 38, 921-926	5.3	10
133	Multidisciplinary advisory teams to manage multidrug-resistant tuberculosis: the example of the French Consilium. <i>International Journal of Tuberculosis and Lung Disease</i> , 2019 , 23, 1050-1054	2.1	4
132	Awareness among French healthcare workers of the transmission of multidrug resistant organisms: a large cross-sectional survey. <i>Antimicrobial Resistance and Infection Control</i> , 2019 , 8, 173	6.2	4
131	Risk factors for carbapenem-resistant Enterobacteriaceae infections: a French case-control-control study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019 , 38, 383-393	5.3	19
130	Poor Performance of Rapid Molecular Tests to Define Eligibility for the Shortcourse Multidrug-resistant Tuberculosis Regimen. <i>Clinical Infectious Diseases</i> , 2019 , 68, 1410-1411	11.6	1
129	Trimethoprim susceptibility in <i>E. coli</i> community-acquired urinary tract infections in France. <i>Médecine Et Maladies Infectieuses</i> , 2018 , 48, 410-413	4	5
128	A cluster of multidrug-resistant Mycobacterium tuberculosis among patients arriving in Europe from the Horn of Africa: a molecular epidemiological study. <i>Lancet Infectious Diseases, The</i> , 2018 , 18, 431-440	25.5	81
127	Safety and efficacy of exposure to bedaquiline-delamanid in multidrug-resistant tuberculosis: a case series from France and Latvia. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	22
126	Risk factors for extensive drug resistance in multidrug-resistant tuberculosis cases: a case-case study. <i>International Journal of Tuberculosis and Lung Disease</i> , 2018 , 22, 54-59	2.1	5
125	Clinical management of respiratory syndrome in patients hospitalized for suspected Middle East respiratory syndrome coronavirus infection in the Paris area from 2013 to 2016. <i>BMC Infectious Diseases</i> , 2018 , 18, 331	4	19
124	Bacillus cereus, a serious cause of nosocomial infections: Epidemiologic and genetic survey. <i>PLoS ONE</i> , 2018 , 13, e0194346	3.7	53
123	Efficiency of different control measures for preventing carbapenemase-producing enterobacteria and glycopeptide-resistant outbreaks: a 6-year prospective study in a French multihospital institution, January 2010 to December 2015. <i>Eurosurveillance</i> , 2018 , 23,	19.8	11
122	Surveillance for control of antimicrobial resistance. <i>Lancet Infectious Diseases, The</i> , 2018 , 18, e99-e106	25.5	144
121	Comparison of methods available for identification of Mycobacterium chimaera. <i>Clinical Microbiology and Infection</i> , 2018 , 24, 409-413	9.5	25
120	Management and outcome of bloodstream infections: a prospective survey in 121 French hospitals (SPA-BACT survey). <i>Infection and Drug Resistance</i> , 2018 , 11, 1359-1368	4.2	11
119	Treatment correlates of successful outcomes in pulmonary multidrug-resistant tuberculosis: an individual patient data meta-analysis. <i>Lancet, The</i> , 2018 , 392, 821-834	40	281
118	Application of guidelines for aminoglycosides use in French hospitals in 2013-2014. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017 , 36, 1083-1090	5.3	6
117	Multidrug and extensively drug-resistant tuberculosis. <i>Médecine Et Maladies Infectieuses</i> , 2017 , 47, 3-10	4	18

116	Rapid emergence of bedaquiline resistance: lessons to avoid repeating past errors. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	52
115	Long-term outcome and safety of prolonged bedaquiline treatment for multidrug-resistant tuberculosis. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	78
114	Molecular detection methods of resistance to antituberculosis drugs in Mycobacterium tuberculosis. <i>Médecine Et Maladies Infectieuses</i> , 2017 , 47, 340-348	4	7
113	Reply: Benefit of the Shorter Multidrug-Resistant Tuberculosis Treatment Regimen in California and Modified Eligibility Criteria. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 1489-1490	10.2	2
112	Development of an algorithm for phenotypic screening of carbapenemase-producing Enterobacteriaceae in the routine laboratory. <i>BMC Infectious Diseases</i> , 2017 , 17, 78	4	11
111	Is bedaquiline as effective as fluoroquinolones in the treatment of multidrug-resistant tuberculosis?. <i>European Respiratory Journal</i> , 2016 , 48, 582-5	13.6	14
110	qnrA6 genetic environment and quinolone resistance conferred on Proteus mirabilis. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 903-8	5.1	4
109	Surgery as an Adjunctive Treatment for Multidrug-Resistant Tuberculosis: An Individual Patient Data Metaanalysis. <i>Clinical Infectious Diseases</i> , 2016 , 62, 887-895	11.6	45
108	XDR-tuberculosis in France: Community transmission due to non-compliance with isolation precautions. <i>Médecine Et Maladies Infectieuses</i> , 2016 , 46, 52-5	4	7
107	Tenofovir DF/emtricitabine and efavirenz combination therapy for HIV infection in patients treated for tuberculosis: the ANRS 129 BKVIR trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 783-93	5.1	1
106	Prevalence of extended-spectrum beta-lactamase producing Escherichia coli in community-onset urinary tract infections in France in 2013. <i>Journal of Infection</i> , 2016 , 72, 201-6	18.9	34
105	Sterilizing Activity of Fully Oral Intermittent Regimens against Mycobacterium Ulcerans Infection in Mice. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0005066	4.8	17
104	Propensity Score-Based Approaches to Confounding by Indication in Individual Patient Data Meta-Analysis: Non-Standardized Treatment for Multidrug Resistant Tuberculosis. <i>PLoS ONE</i> , 2016 , 11, e0151724	3.7	9
103	Multidrug-resistant bacteria transmitted through high-density EEG in ICU. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016 , 37, 65-8	3.2	1
102	Performance of the New Version (v2.0) of the GenoType MTBDRsl Test for Detection of Resistance to Second-Line Drugs in Multidrug-Resistant Mycobacterium tuberculosis Complex Strains. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 1573-1580	9.7	40
101	In vivo Mycobacterium tuberculosis fluoroquinolone resistance emergence: a complex phenomenon poorly detected by current diagnostic tests. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 3465-3472	5.1	7
100	Limited Benefit of the New Shorter Multidrug-Resistant Tuberculosis Regimen in Europe. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 194, 1029-1031	10.2	55
99	Elaboration of a consensual definition of de-escalation allowing a ranking of β -lactams. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 649.e1-10	9.5	75

98	Assessing primary and secondary resistance to clarithromycin and amikacin in infections due to <i>Mycobacterium avium</i> complex. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 7153-5	5.9	9
97	First multicenter study on multidrug resistant bacteria carriage in Chinese ICUs. <i>BMC Infectious Diseases</i> , 2015 , 15, 358	4	22
96	Carbapenem use in French hospitals: A nationwide survey at the patient level. <i>International Journal of Antimicrobial Agents</i> , 2015 , 46, 707-12	14.3	13
95	Treatment outcomes for HIV and MDR-TB co-infected adults and children: systematic review and meta-analysis. <i>International Journal of Tuberculosis and Lung Disease</i> , 2015 , 19, 969-78	2.1	80
94	Compassionate use of bedaquiline for the treatment of multidrug-resistant and extensively drug-resistant tuberculosis: interim analysis of a French cohort. <i>Clinical Infectious Diseases</i> , 2015 , 60, 188-94	11.6	136
93	Antibiotic use and good practice in 314 French hospitals: The 2010 SPA2 prevalence study. <i>Médecine Et Maladies Infectieuses</i> , 2015 , 45, 475-80	4	10
92	Survey of French physician practices in treatment and control of transmission of smear-positive tuberculosis. <i>International Journal of Tuberculosis and Lung Disease</i> , 2015 , 19, 205-9	2.1	3
91	High Rate of Multidrug-Resistant Gram-Negative Bacilli Carriage and Infection in Hospitalized Returning Travelers: A Cross-Sectional Cohort Study. <i>Journal of Travel Medicine</i> , 2015 , 22, 292-9	12.9	38
90	Molecular diagnosis of fluoroquinolone resistance in <i>Mycobacterium tuberculosis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 1519-24	5.9	27
89	Bedaquiline: de l'in vitro aux essais cliniques d'un nouvel antituberculeux. <i>Journal Des Anti-infectieux</i> , 2015 , 17, 60-66		
88	Detection of OXA-48-like carbapenemase genes by the Xpert® Carba-R test: room for improvement. <i>International Journal of Antimicrobial Agents</i> , 2015 , 45, 441-2	14.3	24
87	Impact of the BCG vaccination policy on tuberculous meningitis in children under 6 years in metropolitan France between 2000 and 2011. <i>Eurosurveillance</i> , 2015 , 20,	19.8	7
86	Rifampicin mono-resistant tuberculosis in France: a 2005-2010 retrospective cohort analysis. <i>BMC Infectious Diseases</i> , 2014 , 14, 18	4	16
85	Treatment outcomes of patients with multidrug-resistant and extensively drug-resistant tuberculosis according to drug susceptibility testing to first- and second-line drugs: an individual patient data meta-analysis. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1364-74	11.6	105
84	<i>Pseudomonas aeruginosa</i> in French hospitals between 2001 and 2011: back to susceptibility. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014 , 33, 1713-7	5.3	11
83	Incidence rates of carbapenemase-producing Enterobacteriaceae clinical isolates in France: a prospective nationwide study in 2011-12. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 2706-12	5.1	48
82	Molecular epidemiology of OXA-48-producing <i>Klebsiella pneumoniae</i> in France. <i>Clinical Microbiology and Infection</i> , 2014 , 20, O1121-3	9.5	37
81	Decrease in the incidence of culture-positive meningitis and cerebral tuberculomas in France from 1990 to 2007. <i>Epidemiology and Infection</i> , 2014 , 142, 1510-6	4.3	1

80	First report of the predominance of clonal complex 398 <i>Staphylococcus aureus</i> strains in osteomyelitis complicating diabetic foot ulcers: a national French study. <i>Clinical Microbiology and Infection</i> , 2014 , 20, O274-7	9.5	21
79	Significant difference in drug susceptibility distribution between <i>Mycobacterium avium</i> and <i>Mycobacterium intracellulare</i> . <i>Journal of Clinical Microbiology</i> , 2014 , 52, 4439-40	9.7	8
78	Long-term control of carbapenemase-producing Enterobacteriaceae at the scale of a large French multihospital institution: a nine-year experience, France, 2004 to 2012. <i>Eurosurveillance</i> , 2014 , 19,	19.8	41
77	Drug resistance beyond extensively drug-resistant tuberculosis: individual patient data meta-analysis. <i>European Respiratory Journal</i> , 2013 , 42, 169-179	13.6	182
76	Assessment of organizational measures to prevent nosocomial tuberculosis in health facilities of 4 sub-Saharan countries in 2010. <i>Infection Control and Hospital Epidemiology</i> , 2013 , 34, 190-5	2	11
75	Resistance to fluoroquinolones and second-line injectable drugs: impact on multidrug-resistant TB outcomes. <i>European Respiratory Journal</i> , 2013 , 42, 156-68	13.6	289
74	Different factors associated with CTX-M-producing ST131 and non-ST131 <i>Escherichia coli</i> clinical isolates. <i>PLoS ONE</i> , 2013 , 8, e72191	3.7	17
73	A surge of MDR and XDR tuberculosis in France among patients born in the Former Soviet Union. <i>Eurosurveillance</i> , 2013 , 18, 20555	19.8	31
72	Increase in primary drug resistance of <i>Mycobacterium tuberculosis</i> in younger birth cohorts in France. <i>Journal of Infection</i> , 2012 , 64, 589-95	18.9	9
71	Twenty years of antimicrobial resistance control programme in a regional multi hospital institution, with focus on emerging bacteria (VRE and CPE). <i>Antimicrobial Resistance and Infection Control</i> , 2012 , 1, 9	6.2	27
70	Impact of a 14-year screening programme on tuberculosis transmission among the homeless in Paris. <i>International Journal of Tuberculosis and Lung Disease</i> , 2012 , 16, 649-55	2.1	14
69	Link between carbapenemase-producing Enterobacteria carriage and cross-border exchanges: eight-year surveillance in a large French multihospitals institution. <i>Journal of Travel Medicine</i> , 2012 , 19, 320-3	12.9	23
68	Multidrug resistant pulmonary tuberculosis treatment regimens and patient outcomes: an individual patient data meta-analysis of 9,153 patients. <i>PLoS Medicine</i> , 2012 , 9, e1001300	11.6	348
67	Distinguishing colonization from infection with <i>Staphylococcus aureus</i> in diabetic foot ulcers with miniaturized oligonucleotide arrays: a French multicenter study. <i>Diabetes Care</i> , 2012 , 35, 617-23	14.6	33
66	Point prevalence survey of antibiotic use in French hospitals in 2009. <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 1020-6	5.1	47
65	Efficacy of high-dose nebulized colistin in ventilator-associated pneumonia caused by multidrug-resistant <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter baumannii</i> . <i>Anesthesiology</i> , 2012 , 117, 1335-47	4.3	143
64	Aerosolized antibiotics for ventilator-associated pneumonia: lessons from experimental studies. <i>Anesthesiology</i> , 2012 , 117, 1364-80	4.3	70
63	Patient's origin and lifestyle associated with CTX-M-producing <i>Escherichia coli</i> : a case-control-control study. <i>PLoS ONE</i> , 2012 , 7, e30498	3.7	34

62	Long-term control of vancomycin-resistant <i>Enterococcus faecium</i> at the scale of a large multihospital institution: a seven-year experience. <i>Eurosurveillance</i> , 2012 , 17,	19.8	24
61	Multidrug-resistant <i>Acinetobacter baumannii</i> infections in three returning travelers evacuated from Algeria, Thailand, and Turkey after hospitalization in local intensive care units. <i>Journal of Travel Medicine</i> , 2011 , 18, 358-60	12.9	5
60	Low carriage of vancomycin-resistant enterococci in the digestive tract of French hospitalised patients: a nationwide prospective study in 2006. <i>Journal of Hospital Infection</i> , 2011 , 77, 179-81	6.9	3
59	Nebulized ceftazidime and amikacin in ventilator-associated pneumonia caused by <i>Pseudomonas aeruginosa</i> . <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 184, 106-15	10.2	158
58	Comparison of nine phenotypic methods for detection of extended-spectrum beta-lactamase production by Enterobacteriaceae. <i>Journal of Clinical Microbiology</i> , 2011 , 49, 1048-57	9.7	91
57	Panton-valentine leukocidin-positive and toxic shock syndrome toxin 1-positive methicillin-resistant <i>Staphylococcus aureus</i> : a French multicenter prospective study in 2008. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 1734-9	5.9	41
56	Nationwide investigation of extended-spectrum beta-lactamases, metallo-beta-lactamases, and extended-spectrum oxacillinases produced by ceftazidime-resistant <i>Pseudomonas aeruginosa</i> strains in France. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 3512-5	5.9	49
55	Effect of catheter-lock solutions on catheter-related infection and inflammatory syndrome in hemodialysis patients: heparin versus citrate 46% versus heparin/gentamicin. <i>Blood Purification</i> , 2010 , 29, 268-73	3.1	25
54	Curbing methicillin-resistant <i>Staphylococcus aureus</i> in 38 French hospitals through a 15-year institutional control program. <i>Archives of Internal Medicine</i> , 2010 , 170, 552-9		119
53	Impacts of dosing frequency of the combination rifampin-streptomycin on its bactericidal and sterilizing activities against <i>Mycobacterium ulcerans</i> in mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 2955-9	5.9	6
52	Nationwide survey of extended-spectrum {beta}-lactamase-producing Enterobacteriaceae in the French community setting. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 63, 1205-14	5.1	81
51	Carriage of methicillin-resistant <i>Staphylococcus aureus</i> in home care settings: prevalence, duration, and transmission to household members. <i>Archives of Internal Medicine</i> , 2009 , 169, 1372-8		57
50	Rapid curbing of a vancomycin-resistant <i>Enterococcus faecium</i> outbreak in a nephrology department. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1559-64	6.9	18
49	Increase in hospital-acquired bloodstream infections caused by extended spectrum beta-lactamase-producing <i>Escherichia coli</i> in a large French teaching hospital. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2009 , 28, 491-8	5.3	22
48	Systematic microbiological tests in kidney transplantation and their value in predicting posttransplantation infection. <i>Transplantation Proceedings</i> , 2009 , 41, 666-8	1.1	0
47	Extended-spectrum beta-lactamases in long-term-care facilities. <i>Clinical Microbiology and Infection</i> , 2008 , 14 Suppl 1, 111-6	9.5	35
46	Bactericidal and sterilizing activities of several orally administered combined regimens against <i>Mycobacterium ulcerans</i> in mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 1912-6	5.9	29
45	Evaluation of data quality in a laboratory-based surveillance of <i>M. tuberculosis</i> drug resistance and impact on the prevalence of resistance: France, 2004. <i>Epidemiology and Infection</i> , 2008 , 136, 1172-8	4.3	1

44	Type II topoisomerase mutations in clinical isolates of <i>Enterobacter cloacae</i> and other enterobacterial species harbouring the qnrA gene. <i>International Journal of Antimicrobial Agents</i> , 2007 , 29, 402-9	14.3	40
43	An intervention programme for the management of multidrug-resistant tuberculosis in France. <i>International Journal of Antimicrobial Agents</i> , 2007 , 29, 434-9	14.3	18
42	Curing <i>Mycobacterium ulcerans</i> infection in mice with a combination of rifampin-streptomycin or rifampin-amikacin. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 645-50	5.9	22
41	A 10-year prospective surveillance of <i>Mycobacterium tuberculosis</i> drug resistance in France 1995-2004. <i>European Respiratory Journal</i> , 2007 , 30, 937-44	13.6	22
40	Preemptive isolation to prevent methicillin-resistant <i>Staphylococcus aureus</i> cross-transmission in diabetic foot. <i>Diabetes Care</i> , 2007 , 30, 2341-2	14.6	10
39	Orally administered combined regimens for treatment of <i>Mycobacterium ulcerans</i> infection in mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 3737-9	5.9	50
38	Comparison of silver-impregnated with standard multi-lumen central venous catheters in critically ill patients. <i>Critical Care Medicine</i> , 2007 , 35, 1032-9	1.4	74
37	In vitro and in vivo activities of rifampin, streptomycin, amikacin, moxifloxacin, R207910, linezolid, and PA-824 against <i>Mycobacterium ulcerans</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 1921-6	5.9	93
36	Decreased susceptibility to glycopeptides in methicillin-resistant <i>Staphylococcus aureus</i> : a 20 year study in a large French teaching hospital, 1983-2002. <i>Journal of Antimicrobial Chemotherapy</i> , 2006 , 57, 506-10	5.1	72
35	Epidemiology of antituberculosis drug resistance (the Global Project on Anti-tuberculosis Drug Resistance Surveillance): an updated analysis. <i>Lancet, The</i> , 2006 , 368, 2142-54	40	252
34	Gentamicin-susceptible or gentamicin-resistant methicillin-resistant <i>Staphylococcus aureus</i> : a case-case study. <i>Infection Control and Hospital Epidemiology</i> , 2006 , 27, 879-83	2	4
33	Implementation of isolation precautions: role of a targeted information flyer. <i>Journal of Hospital Infection</i> , 2006 , 62, 163-5	6.9	11
32	Occurrence of qnrA-positive clinical isolates in French teaching hospitals during 2002-2005. <i>Clinical Microbiology and Infection</i> , 2006 , 12, 1013-20	9.5	45
31	An evaluation of data quality in a network for surveillance of <i>Mycobacterium tuberculosis</i> resistance to antituberculosis drugs in Ile-de-France region-2001-2002. <i>European Journal of Epidemiology</i> , 2006 , 21, 783-5	12.1	6
30	Three-year survey of community-acquired methicillin-resistant <i>Staphylococcus aureus</i> producing Panton-Valentine leukocidin in a French university hospital. <i>Journal of Hospital Infection</i> , 2005 , 61, 321-9	6.9	40
29	Methicillin-resistant <i>Staphylococcus aureus</i> producing Panton-Valentine leukocidin in a retrospective case series from 12 French hospital laboratories, 2000-2003. <i>Clinical Microbiology and Infection</i> , 2005 , 11, 585-7	9.5	33
28	Sentinel-site surveillance of <i>Mycobacterium avium</i> complex pulmonary disease. <i>European Respiratory Journal</i> , 2005 , 26, 1092-6	13.6	27
27	Clinical features of <i>Clostridium difficile</i> -associated diarrhoea due to binary toxin (actin-specific ADP-ribosyltransferase)-producing strains. <i>Journal of Medical Microbiology</i> , 2005 , 54, 181-185	3.2	147

26	Incidence of tuberculous meningitis in France, 2000: a capture-recapture analysis. <i>International Journal of Tuberculosis and Lung Disease</i> , 2005 , 9, 803-8	2.1	10
25	Diabetic foot ulcer and multidrug-resistant organisms: risk factors and impact. <i>Diabetic Medicine</i> , 2004 , 21, 710-5	3.5	133
24	Nosocomial infections and hospital mortality: a multicentre epidemiology study. <i>Journal of Hospital Infection</i> , 2004 , 58, 268-75	6.9	36
23	Preventing central venous catheter-associated primary bloodstream infections: characteristics of practices among hospitals participating in the Evaluation of Processes and Indicators in Infection Control (EPIC) study. <i>Infection Control and Hospital Epidemiology</i> , 2003 , 24, 926-35	2	29
22	La multirésistance (MDR) de Mycobacterium tuberculosis aux antibiotiques en France depuis 1992. <i>Médecine Et Maladies Infectieuses</i> , 2003 , 33, 183-187	4	0
21	Comparison of US and non-US central venous catheter infection rates: evaluation of processes and indicators in infection control study. <i>American Journal of Infection Control</i> , 2003 , 31, 237-42	3.8	11
20	Multidrug-resistant tuberculosis: eight years of surveillance in France. <i>European Respiratory Journal</i> , 2003 , 22, 833-7	13.6	36
19	Bactericidal activity of rifampin-amikacin against Mycobacterium ulcerans in mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2002 , 46, 3193-6	5.9	70
18	Sixty-three cases of Mycobacterium marinum infection: clinical features, treatment, and antibiotic susceptibility of causative isolates. <i>Archives of Internal Medicine</i> , 2002 , 162, 1746-52		240
17	Lung tissue concentrations of nebulized amikacin during mechanical ventilation in piglets with healthy lungs. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002 , 165, 171-5	10.2	78
16	Trends in quinolone susceptibility of Enterobacteriaceae among inpatients of a large university hospital: 1992-98. <i>Clinical Microbiology and Infection</i> , 2001 , 7, 553-61	9.5	12
15	Activities of new macrolides and fluoroquinolones against Mycobacterium ulcerans infection in mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2001 , 45, 3109-12	5.9	58
14	Efficacies of clarithromycin regimens against Mycobacterium xenopi in mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2001 , 45, 3229-30	5.9	21
13	Outcomes of primary and catheter-related bacteremia. A cohort and case-control study in critically ill patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001 , 163, 1584-90	10.2	777
12	Global trends in resistance to antituberculosis drugs. World Health Organization-International Union against Tuberculosis and Lung Disease Working Group on Anti-Tuberculosis Drug Resistance Surveillance. <i>New England Journal of Medicine</i> , 2001 , 344, 1294-303	59.2	473
11	Impact of hospital care on incidence of bloodstream infection: the evaluation of processes and indicators in infection control study. <i>Emerging Infectious Diseases</i> , 2001 , 7, 193-6	10.2	12
10	Activities of several antimicrobials against Mycobacterium ulcerans infection in mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 2367-72	5.9	58
9	The influence of the composition of the nursing staff on primary bloodstream infection rates in a surgical intensive care unit. <i>Infection Control and Hospital Epidemiology</i> , 2000 , 21, 12-7	2	183

8	Surveillance of Mycobacterium tuberculosis drug resistance in France, 1995-1997. AZAY Mycobacteria Study Group. <i>International Journal of Tuberculosis and Lung Disease</i> , 2000 , 4, 665-72	2.1	12
7	Outcome of multi-drug-resistant tuberculosis in France: a nationwide case-control study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 160, 587-93	10.2	60
6	Type II topoisomerase mutations in ciprofloxacin-resistant strains of <i>Pseudomonas aeruginosa</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 62-6	5.9	94
5	Pacemaker endocarditis due to <i>Candida albicans</i> : case report and review. <i>Clinical Infectious Diseases</i> , 1997 , 25, 1359-62	11.6	33
4	Pharmacodynamics of antibiotics in fibrin clots. <i>Journal of Antimicrobial Chemotherapy</i> , 1993 , 31 Suppl D, 113-36	5.1	42
3	Reexpansion pulmonary edema localized to a lobe. <i>Chest</i> , 1989 , 95, 1170	5.3	1
2	Subacute polyneuropathy with encephalopathy in AIDS with human cytomegalovirus pathogenicity?. <i>Lancet, The</i> , 1986 , 2, 1039	4.0	11
1	Q203 containing fully intermittent oral regimens exhibited high sterilizing activity against <i>Mycobacterium ulcerans</i> in mice		1