

Carlos Monteagudo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6884501/publications.pdf>

Version: 2024-02-01

65
papers

1,458
citations

535685

17
h-index

388640

36
g-index

69
all docs

69
docs citations

69
times ranked

1825
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Fluorescent in situ hybridization (FISH): A useful diagnostic tool for childhood conjunctival melanoma. <i>European Journal of Ophthalmology</i> , 2022, 32, NP13-NP19. | 0.7 | 1 |
| 2 | A deep embedded refined clustering approach for breast cancer distinction based on DNA methylation. <i>Neural Computing and Applications</i> , 2022, 34, 10243-10255. | 3.2 | 12 |
| 3 | The Prognostic Value of miR-125b, miR-200c and miR-205 in Primary Cutaneous Malignant Melanoma Is Independent of BRAF Mutational Status. <i>Cancers</i> , 2022, 14, 1532. | 1.7 | 1 |
| 4 | Prognostic Value of IGF2 mRNA-Binding Protein 3 (IGF2BP3) Intratumoral Expression in Melanoma Patients at the Time of Diagnosis: Comparative Analysis of RT-qPCR Versus Immunohistochemistry. <i>Cancers</i> , 2022, 14, 2319. | 1.7 | 2 |
| 5 | Fibroxantoma atpico y sarcoma pleomrfico dormico: estudio bicntrico retrospectivo de 74 casos. <i>Actas Dermo-sifilogrficas</i> , 2022, 113, T654-T654. | 0.2 | 0 |
| 6 | Multi-Resolution Framework For Spitzoid Neoplasm Classification Using Histological Data. , 2022, , . | | 2 |
| 7 | Dermatopatologa de la oclusin intraluminal vascular: parte II (coagulopatas, ombolos y Tj ETQq1 1 0.784314,rgBT /Oyerlock 10 | 0.2 | 3 |
| 8 | Liquen plano hipertrfico: importancia del seguimiento y de la correlacin clinicopatolgica. <i>Actas Dermo-sifilogrficas</i> , 2021, 112, 184-185. | 0.2 | 0 |
| 9 | Dermatopatologa de la oclusin intraluminal vascular: parte I (trombos). <i>Actas Dermo-sifilogrficas</i> , 2021, 112, 1-13. | 0.2 | 2 |
| 10 | Painful cutaneous lesions on the hand palm after Takotsubo cardiomyopathy and coronary angiography. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 387-390. | 0.6 | 0 |
| 11 | Subcutaneous panniculitis-like T-cell lymphoma, lupus erythematosus profundus, and overlapping cases: molecular characterization through the study of 208 genes. <i>Leukemia and Lymphoma</i> , 2021, 62, 2130-2140. | 0.6 | 9 |
| 12 | A heterozygous mutation in the <i>RAG2</i> gene with cutaneous and systemic manifestations partially resembling Omenn syndrome. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021, 19, 906-908. | 0.4 | 1 |
| 13 | Granulomas en dermatopatologa: principales entidades. Parte II. <i>Actas Dermo-sifilogrficas</i> , 2021, 112, 705-724. | 0.2 | 1 |
| 14 | Granulomas en dermatopatologa: principales entidades. Parte I. <i>Actas Dermo-sifilogrficas</i> , 2021, 112, 682-704. | 0.2 | 3 |
| 15 | CCL27 Signaling in the Tumor Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1302, 113-132. | 0.8 | 7 |
| 16 | An attention-based weakly supervised framework for spitzoid melanocytic lesion diagnosis in whole slide images. <i>Artificial Intelligence in Medicine</i> , 2021, 121, 102197. | 3.8 | 18 |
| 17 | Melanocytic Hyperactivation Simulating an Acral Lentiginous Melanoma in a Patient With Parkinson Disease Treated by Levodopa. <i>American Journal of Dermatopathology</i> , 2021, 43, 238-241. | 0.3 | 2 |
| 18 | A Deep Embedded Framework for Spitzoid Neoplasm Classification Using DNA Methylation Data. , 2021, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Asymptomatic erythematous hardened plaque on the scalp. <i>Clinical and Experimental Dermatology</i> , 2020, 45, 218-221. | 0.6 | 0 |
| 20 | Circulating miRNA expression analysis reveals new potential biomarkers for human cutaneous melanoma staging. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e126-e129. | 1.3 | 8 |
| 21 | Transcriptomic identification of miR-205 target genes potentially involved in metastasis and survival of cutaneous malignant melanoma. <i>Scientific Reports</i> , 2020, 10, 4771. | 1.6 | 9 |
| 22 | Reply to "Primary cutaneous biphasic sarcomatoid basal cell carcinoma with myoepithelial carcinoma differentiation. Is it a new variant of sarcomatoid basal cell carcinoma or a collision tumor composed of a myoepithelial carcinoma and an incidental basal cell carcinoma?" <i>Journal of Cutaneous Pathology</i> , 2020, 47, 578-580. | 0.7 | 0 |
| 23 | Epigenetic Silencing of CDR1as Drives IGF2BP3-Mediated Melanoma Invasion and Metastasis. <i>Cancer Cell</i> , 2020, 37, 55-70.e15. | 7.7 | 200 |
| 24 | Mioepitelioma sincitial cutáneo doloroso: desde la clínica inespecífica al diagnóstico histopatológico. <i>Actas Dermo-sifiligráficas</i> , 2020, 111, 173-175. | 0.2 | 0 |
| 25 | Levetiracetam-induced pediatric toxic epidermal necrolysis successfully treated with etanercept. <i>Pediatric Dermatology</i> , 2020, 37, 701-705. | 0.5 | 8 |
| 26 | Primary cutaneous biphasic sarcomatoid basal cell carcinoma with myoepithelial carcinoma differentiation: A new variant. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 949-953. | 0.7 | 7 |
| 27 | Meningioma-like Tumor of the Skin Revisited. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1518-1525. | 2.1 | 1 |
| 28 | h-caldesmon immunoreactivity in atypical fibroxanthoma: implications for the differential diagnosis. <i>Pathology</i> , 2018, 50, 358-361. | 0.3 | 5 |
| 29 | Verrucous Plaque With Unusually Large Candida Blastocidia: A Unique Clinicopathological Presentation of Systemic Mucocutaneous Candidiasis. <i>American Journal of Dermatopathology</i> , 2018, 40, 846-848. | 0.3 | 1 |
| 30 | Pruriginous Lesions in a Young Girl: Challenge. <i>American Journal of Dermatopathology</i> , 2018, 40, e32-e33. | 0.3 | 1 |
| 31 | Expression of Peripheral Node Addressins by Plasmacytic Plaque of Children, APACHE, TRAPP, and Primary Cutaneous Angioplasmacellular Hyperplasia. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 411-419. | 0.6 | 5 |
| 32 | Downregulation of intratumoral expression of miR-205, miR-200c and miR-125b in primary human cutaneous melanomas predicts shorter survival. <i>Scientific Reports</i> , 2018, 8, 17076. | 1.6 | 25 |
| 33 | Two-year-old girl with tuberous xanthomas. <i>Journal of Clinical Pathology</i> , 2018, 71, 860-862. | 1.0 | 3 |
| 34 | In regard to "A tale of two clones: Caldesmon staining in the differentiation of cutaneous spindle cell neoplasms" <i>Journal of Cutaneous Pathology</i> , 2018, 45, 869-870. | 0.7 | 0 |
| 35 | Answer to "Immunoexpression of p53 in cutaneous and subcutaneous leiomyosarcomas" <i>Annals of Diagnostic Pathology</i> , 2017, 26, 75-76. | 0.6 | 0 |
| 36 | High CCL27 immunoreactivity in "supratumoral" epidermis correlates with better prognosis in patients with cutaneous malignant melanoma. <i>Journal of Clinical Pathology</i> , 2017, 70, 15-19. | 1.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Desmoplastic melanoma may mimic a cutaneous peripheral nerve sheath tumor: Report of 3 challenging cases. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 632-638. | 0.7 | 11 |
| 38 | Familial seborrhoeic keratosis associated with multiple "pure reticulated acanthomas" and infundibulocystic basal cell carcinomas. <i>British Journal of Dermatology</i> , 2017, 177, 1654-1663. | 1.4 | 3 |
| 39 | Histiocytosis with mixed cell populations. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 456-460. | 0.7 | 7 |
| 40 | Telomeric length heterogeneity influences spontaneous regression of malignant melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, e223-e224. | 1.3 | 0 |
| 41 | Immunoexpression of p53 in cutaneous and subcutaneous leiomyosarcomas. <i>Annals of Diagnostic Pathology</i> , 2016, 24, 25-29. | 0.6 | 7 |
| 42 | Pigmented desmoplastic trichilemmoma. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 535-537. | 0.7 | 7 |
| 43 | Biphasic dermatofibrosarcoma protuberans with a labyrinthine plexiform high-grade fibrosarcomatous transformation. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 206-212. | 0.7 | 5 |
| 44 | Expression of the Chemokine Receptors CXCR3, CXCR4, CXCR7 and Their Ligands in Rhabdomyosarcoma. <i>Pathology and Oncology Research</i> , 2015, 21, 1191-1199. | 0.9 | 3 |
| 45 | Deregulation of glyceraldehyde-3-phosphate dehydrogenase expression during tumor progression of human cutaneous melanoma. <i>Anticancer Research</i> , 2015, 35, 439-44. | 0.5 | 13 |
| 46 | Intracellular coexpression of CXC- and CC" chemokine receptors and their ligands in human melanoma cell lines and dynamic variations after xenotransplantation. <i>BMC Cancer</i> , 2014, 14, 118. | 1.1 | 20 |
| 47 | Evaluaci3n de la regresi3n en melanomas primarios sucesivos. <i>Actas Dermo-sifiliogr3ficas</i> , 2014, 105, 768-773. | 0.2 | 7 |
| 48 | Dermatofibrosarcoma protuberans: a comprehensive review and update on diagnosis and management. <i>Seminars in Diagnostic Pathology</i> , 2013, 30, 13-28. | 1.0 | 208 |
| 49 | The density and type of MECA" positive high endothelial venules correlate with lymphocytic infiltration and tumour regression in primary cutaneous melanoma. <i>Histopathology</i> , 2013, 63, 852-861. | 1.6 | 41 |
| 50 | CCL27"CCR10 and CXCL12"CXCR4 chemokine ligand-receptor mRNA expression ratio: new predictive factors of tumor progression in cutaneous malignant melanoma. <i>Clinical and Experimental Metastasis</i> , 2012, 29, 625-637. | 1.7 | 27 |
| 51 | Role of Chemokines in Melanoma Progression. <i>Actas Dermo-sifiliogr3ficas</i> , 2011, 102, 498-504. | 0.2 | 4 |
| 52 | Dermatofibrosarcoma protuberans: A clinicopathological, immunohistochemical, genetic () Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 T <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 564-575. | 0.6 | 92 |
| 53 | Molecular diagnosis of dermatofibrosarcoma protuberans: A comparison between reverse transcriptase"polymerase chain reaction and fluorescence in situ hybridization methodologies. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 510-517. | 1.5 | 69 |
| 54 | CXCR3 chemokine receptor immunoreactivity in primary cutaneous malignant melanoma: correlation with clinicopathological prognostic factors. <i>Journal of Clinical Pathology</i> , 2007, 60, 596-599. | 1.0 | 89 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Tissue invasiveness and non-acidic pH in human candidiasis correlate with "in vivo" expression by <i>Candida albicans</i> of the carbohydrate epitope recognised by new monoclonal antibody 1H4. <i>Journal of Clinical Pathology</i> , 2004, 57, 598-603. | 1.0 | 10 |
| 56 | Matrical Carcinoma with Prominent Melanocytic Hyperplasia (Malignant Melanocytic Matricoma?). <i>American Journal of Dermatopathology</i> , 2003, 25, 485-489. | 0.3 | 40 |
| 57 | CD99 Immunoreactivity in Atypical Fibroxanthoma. <i>American Journal of Clinical Pathology</i> , 2002, 117, 126-131. | 0.4 | 106 |
| 58 | Psammomatous malignant melanoma arising in an intradermal naevus. <i>Histopathology</i> , 2001, 39, 493-497. | 1.6 | 27 |
| 59 | Immunodetection of CD45 Epitopes on the Surface of <i>Candida albicans</i> Cells in Culture and Infected Human Tissues. <i>American Journal of Clinical Pathology</i> , 2000, 113, 59-63. | 0.4 | 2 |
| 60 | Diagnostic value of CD34 immunostaining in desmoplastic trichilemmoma. <i>Journal of Cutaneous Pathology</i> , 1998, 25, 435-439. | 0.7 | 65 |
| 61 | New type of chimeric fusion product between the EWS and ATF1 genes in clear cell sarcoma (malignant) Tj ETQq1 1 0.784314 r gBT / Oe 32 | 0.7 | 32 |
| 62 | Erythrophagocytic tumour cells in melanoma and squamous cell carcinoma of the skin. <i>Histopathology</i> , 1997, 31, 367-373. | 1.6 | 31 |
| 63 | Expression of the fibrinogen binding mannoprotein and the laminin receptor of <i>Candida albicans</i> in vitro and in infected tissues. <i>FEMS Microbiology Letters</i> , 1996, 142, 117-122. | 0.7 | 25 |
| 64 | Specific Immunohistochemical Identification of <i>Candida albicans</i> in Paraffin-embedded Tissue With a New Monoclonal Antibody (1B12). <i>American Journal of Clinical Pathology</i> , 1995, 103, 130-135. | 0.4 | 21 |
| 65 | Identification of a 58-kilodalton cell surface fibrinogen-binding mannoprotein from <i>Candida albicans</i> . <i>Infection and Immunity</i> , 1992, 60, 4221-4229. | 1.0 | 119 |