

# Qiuyin Cai

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6885747/qiuyin-cai-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

372  
papers

17,552  
citations

66  
h-index

117  
g-index

397  
ext. papers

20,884  
ext. citations

7.4  
avg, IF

5.57  
L-index

#	Paper	IF	Citations
372	Association Between Long-Term Regular Exercise and Gut Microbiota Among Middle-Aged and Older Urban Chinese.. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , <b>2022</b> , 1-9	4.4	0
371	Quality of dietary carbohydrate is more important than its quantity in lipid peroxidation.. <i>American Journal of Clinical Nutrition</i> , <b>2022</b> ,	7	2
370	The Role of Thoracic Radiation Therapy Dosing in the Treatment of Limited-Stage Small Cell Lung Cancer: A Study Based on the National Cancer Database.. <i>Advances in Radiation Oncology</i> , <b>2022</b> , 7, 10090 <sup>33</sup>	7.3	3
369	Incorporating Polygenic Risk Scores and Nongenetic Risk Factors for Breast Cancer Risk Prediction Among Asian Women.. <i>JAMA Network Open</i> , <b>2022</b> , 5, e2149030	10.4	2
368	Tooth Loss and Risk of Lung Cancer among Urban Chinese Adults: A Cohort Study with Meta-Analysis. <i>Cancers</i> , <b>2022</b> , 14, 2428	6.6	
367	Differential pre-malignant programs and microenvironment chart distinct paths to malignancy in human colorectal polyps.. <i>Cell</i> , <b>2021</b> , 184, 6262-6280.e26	56.2	10
366	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , <b>2021</b> ,	50.4	24
365	Variation in oral microbiome is associated with future risk of lung cancer among never-smokers. <i>Thorax</i> , <b>2021</b> , 76, 256-263	7.3	15
364	Potential Microbiological Risk Factors Associated With Periodontitis and Periodontal Health Disparities. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2021</b> , 11, 789919	5.9	0
363	The oral microbiome in relation to pancreatic cancer risk in African Americans. <i>British Journal of Cancer</i> , <b>2021</b> ,	8.7	2
362	A Prospective Investigation of Circulating Metabolome Identifies Potential Biomarkers for Gastric Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 1634-1642	4	1
361	Functional Genomic Analyses of the 21q22.3 Locus Identifying Functional Variants and Candidate Gene for Breast Cancer Risk. <i>Cancers</i> , <b>2021</b> , 13,	6.6	1
360	Long-term Diet Quality and Gut Microbiome Functionality: A Prospective, Shotgun Metagenomic Study among Urban Chinese Adults. <i>Current Developments in Nutrition</i> , <b>2021</b> , 5, nzab026	0.4	5
359	Circulating trimethylamine N-oxide in association with diet and cardiometabolic biomarkers: an international pooled analysis. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> , 113, 1145-1156	7	6
358	Discovery and fine-mapping of height loci via high-density imputation of GWASs in individuals of African ancestry. <i>American Journal of Human Genetics</i> , <b>2021</b> , 108, 564-582	11	7
357	Associations of circulating choline and its related metabolites with cardiometabolic biomarkers: an international pooled analysis. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> , 114, 893-906	7	1
356	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , <b>2021</b> , 53, 840-860	36.3	44

355	Legume Consumption and Gut Microbiome in Elderly Chinese Men and Women. <i>Journal of Nutrition</i> , <b>2021</b> , 151, 2399-2408	4.1	1
354	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , <b>2021</b> , 108, 1190-1203	11	1
353	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , <b>2021</b> , 113, 329-337	9.7	14
352	Recommended Definitions of Aggressive Prostate Cancer for Etiologic Epidemiologic Research. <i>Journal of the National Cancer Institute</i> , <b>2021</b> , 113, 727-734	9.7	12
351	Identifying Novel Susceptibility Genes for Colorectal Cancer Risk From a Transcriptome-Wide Association Study of 125,478 Subjects. <i>Gastroenterology</i> , <b>2021</b> , 160, 1164-1178.e6	13.3	15
350	Association between lincRNA expression and overall survival for patients with triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2021</b> , 186, 769-777	4.4	5
349	MicroRNA-374b inhibits breast cancer progression through regulating CCND1 and TGFA genes. <i>Carcinogenesis</i> , <b>2021</b> , 42, 528-536	4.6	2
348	Long-term diet quality is associated with gut microbiome diversity and composition among urban Chinese adults. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> , 113, 684-694	7	8
347	Multi-omics analysis to identify susceptibility genes for colorectal cancer. <i>Human Molecular Genetics</i> , <b>2021</b> , 30, 321-330	5.6	2
346	Sub-multiplicative interaction between polygenic risk score and household coal use in relation to lung adenocarcinoma among never-smoking women in Asia. <i>Environment International</i> , <b>2021</b> , 147, 105975	12.9	5
345	Prospective study of plasma levels of coenzyme Q10 and lung cancer risk in a low-income population in the Southeastern United States. <i>Cancer Medicine</i> , <b>2021</b> , 10, 1439-1447	4.8	2
344	N-3 Long Chain Fatty Acids Supplementation, Fatty Acids Desaturase Activity, and Colorectal Cancer Risk: A Randomized Controlled Trial. <i>Nutrition and Cancer</i> , <b>2021</b> , 1-11	2.8	2
343	Epidemiology of 40 blood biomarkers of one-carbon metabolism, vitamin status, inflammation, and renal and endothelial function among cancer-free older adults. <i>Scientific Reports</i> , <b>2021</b> , 11, 13805	4.9	1
342	Associations of Subtype and Isomeric Plasma Carotenoids with Prostate Cancer Risk in Low-Income African and European Americans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 1846-1857	4	4
341	Discovery of structural deletions in breast cancer predisposition genes using whole genome sequencing data from > 2000 women of African-ancestry. <i>Human Genetics</i> , <b>2021</b> , 140, 1449-1457	6.3	1
340	Association of oral microbiota with lung cancer risk in a low-income population in the Southeastern USA. <i>Cancer Causes and Control</i> , <b>2021</b> , 32, 1423-1432	2.8	2
339	Association between body mass index and colorectal adenomas: Findings from a case-control study in Vietnam. <i>International Journal of Cancer</i> , <b>2021</b> , 149, 1898-1909	7.5	1
338	Integrating Genome and Methylome Data to Identify Candidate DNA Methylation Biomarkers for Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 2079-2087	4	0

337	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , <b>2020</b> , 10, 9688	4.9	2
336	Mendelian Randomization of Circulating Polyunsaturated Fatty Acids and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 860-870	4	12
335	Identification of novel breast cancer susceptibility loci in meta-analyses conducted among Asian and European descendants. <i>Nature Communications</i> , <b>2020</b> , 11, 1217	17.4	16
334	Transcriptome-wide association study of breast cancer risk by estrogen-receptor status. <i>Genetic Epidemiology</i> , <b>2020</b> , 44, 442-468	2.6	9
333	Differences in gene-expression profiles in breast cancer between African and European-ancestry women. <i>Carcinogenesis</i> , <b>2020</b> , 41, 887-893	4.6	2
332	The Human Tumor Atlas Network: Charting Tumor Transitions across Space and Time at Single-Cell Resolution. <i>Cell</i> , <b>2020</b> , 181, 236-249	56.2	140
331	Associations between Genetically Predicted Blood Protein Biomarkers and Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 1501-1508	4	9
330	Urinary metabolites and risk of coronary heart disease: A prospective investigation among urban Chinese adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2020</b> , 30, 467-473	4.5	0
329	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , <b>2020</b> , 52, 56-73	36.3	56
328	Identification of Novel Loci and New Risk Variant in Known Loci for Colorectal Cancer Risk in East Asians. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 477-486	4	4
327	Discovery of rare coding variants in OGDHL and BRCA2 in relation to breast cancer risk in Chinese women. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 2175-2181	7.5	5
326	An integrative multi-omics analysis to identify candidate DNA methylation biomarkers related to prostate cancer risk. <i>Nature Communications</i> , <b>2020</b> , 11, 3905	17.4	12
325	From tobacco smoking to cancer mutational signature: a mediation analysis strategy to explore the role of epigenetic changes. <i>BMC Cancer</i> , <b>2020</b> , 20, 880	4.8	6
324	Genetically Predicted Levels of DNA Methylation Biomarkers and Breast Cancer Risk: Data From 228 951 Women of European Descent. <i>Journal of the National Cancer Institute</i> , <b>2020</b> , 112, 295-304	9.7	18
323	Food intake of folate, folic acid and other B vitamins with lung cancer risk in a low-income population in the Southeastern United States. <i>European Journal of Nutrition</i> , <b>2020</b> , 59, 671-683	5.2	5
322	Circulating markers of cellular immune activation in prediagnostic blood sample and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Cancer</i> , <b>2020</b> , 146, 2394-2405	7.5	8
321	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , <b>2020</b> , 112, 1223-1232	4.3	8
320	Evaluation of pathogenetic mutations in breast cancer predisposition genes in population-based studies conducted among Chinese women. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 181, 465-473	4.4	7

319	Re-evaluating genetic variants identified in candidate gene studies of breast cancer risk using data from nearly 280,000 women of Asian and European ancestry. <i>EBioMedicine</i> , <b>2019</b> , 48, 203-211	8.8	9
318	Oral microbiome and obesity in a large study of low-income and African-American populations. <i>Journal of Oral Microbiology</i> , <b>2019</b> , 11, 1650597	6.3	24
317	Integrative genomic analyses of APOBEC-mutational signature, expression and germline deletion of APOBEC3 genes, and immunogenicity in multiple cancer types. <i>BMC Medical Genomics</i> , <b>2019</b> , 12, 131	3.7	23
316	Association of Untargeted Urinary Metabolomics and Lung Cancer Risk Among Never-Smoking Women in China. <i>JAMA Network Open</i> , <b>2019</b> , 2, e1911970	10.4	15
315	Discovery of a Pathogenic Variant rs139379666 (p. P2974L) in for Breast Cancer Risk in Chinese Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1308-1315	4	2
314	Identification of Novel Susceptibility Loci and Genes for Prostate Cancer Risk: A Transcriptome-Wide Association Study in Over 140,000 European Descendants. <i>Cancer Research</i> , <b>2019</b> , 79, 3192-3204	10.1	23
313	Transcriptome-Wide Association Study Identifies Susceptibility Loci and Genes for Age at Natural Menopause. <i>Reproductive Sciences</i> , <b>2019</b> , 26, 496-502	3	4
312	Identifying Putative Susceptibility Genes and Evaluating Their Associations with Somatic Mutations in Human Cancers. <i>American Journal of Human Genetics</i> , <b>2019</b> , 105, 477-492	11	12
311	Large-Scale Genome-Wide Association Study of East Asians Identifies Loci Associated With Risk for Colorectal Cancer. <i>Gastroenterology</i> , <b>2019</b> , 156, 1455-1466	13.3	55
310	Racial Differences in the Oral Microbiome: Data from Low-Income Populations of African Ancestry and European Ancestry. <i>MSystems</i> , <b>2019</b> , 4,	7.6	15
309	Circulating high sensitivity C reactive protein concentrations and risk of lung cancer: nested case-control study within Lung Cancer Cohort Consortium. <i>BMJ, The</i> , <b>2019</b> , 364, k4981	5.9	18
308	Association of oral health with lung cancer risk in a low-income population of African Americans and European Americans in the Southeastern United States. <i>Lung Cancer</i> , <b>2019</b> , 127, 90-95	5.9	10
307	Urinary Levels of Trimethylamine-N-Oxide and Incident Coronary Heart Disease: A Prospective Investigation Among Urban Chinese Adults. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e010606	6	35
306	Prospective study of oral microbiome and colorectal cancer risk in low-income and African American populations. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 2381-2389	7.5	43
305	Is high vitamin B12 status a cause of lung cancer?. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 1499-1503	7.5	33
304	Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , <b>2019</b> , 48, 795-806	7.8	52
303	Arachidonic acid and colorectal adenoma risk: a Mendelian randomization study. <i>Clinical Epidemiology</i> , <b>2019</b> , 11, 17-22	5.9	3
302	Genetic Data From Nearly 63,000 Women of European Descent Predicts DNA Methylation Biomarkers and Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , <b>2019</b> , 79, 505-517	10.1	28

301	Intra-individual variation of miRNA expression levels in human plasma samples. <i>Biomarkers</i> , <b>2018</b> , 23, 339-346	2.6	7
300	Impaired functional vitamin B6 status is associated with increased risk of lung cancer. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 2425-2434	7.5	9
299	Use of deep whole-genome sequencing data to identify structure risk variants in breast cancer susceptibility genes. <i>Human Molecular Genetics</i> , <b>2018</b> , 27, 853-859	5.6	15
298	A Comprehensive cis-eQTL Analysis Revealed Target Genes in Breast Cancer Susceptibility Loci Identified in Genome-wide Association Studies. <i>American Journal of Human Genetics</i> , <b>2018</b> , 102, 890-903 <sup>11</sup>	11	42
297	Gene expression in triple-negative breast cancer in relation to survival. <i>Breast Cancer Research and Treatment</i> , <b>2018</b> , 171, 199-207	4.4	23
296	Plasma selenoprotein P concentration and lung cancer risk: results from a case-control study nested within the Shanghai MenQ Health Study. <i>Carcinogenesis</i> , <b>2018</b> , 39, 1352-1358	4.6	3
295	Epstein-Barr Virus Antibody Titers Are Not Associated with Gastric Cancer Risk in East Asia. <i>Digestive Diseases and Sciences</i> , <b>2018</b> , 63, 2765-2772	4	7
294	A prospective study of dietary polyunsaturated fatty acids intake and lung cancer risk. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 2225-2237	7.5	17
293	Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Epidemiology</i> , <b>2018</b> , 47, 1760-1771	7.8	10
292	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , <b>2018</b> , 50, 968-978	36.3	101
291	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , <b>2018</b> , 13, e0198166	3.7	31
290	Genetic Evidence for the Association between Schizophrenia and Breast Cancer. <i>Journal of Psychiatry and Brain Science</i> , <b>2018</b> , 3,	1.7	6
289	Neighbourhood deprivation and lung cancer risk: a nested case-control study in the USA. <i>BMJ Open</i> , <b>2018</b> , 8, e021059	3	5
288	Colorectal cancer susceptibility loci and influence on survival. <i>Genes Chromosomes and Cancer</i> , <b>2018</b> , 57, 630-637	5	15
287	Circulating concentrations of biomarkers and metabolites related to vitamin status, one-carbon and the kynurenine pathways in US, Nordic, Asian, and Australian populations. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 105, 1314-1326	7	13
286	Genetic variation in SLC7A2 interacts with calcium and magnesium intakes in modulating the risk of colorectal polyps. <i>Journal of Nutritional Biochemistry</i> , <b>2017</b> , 47, 35-40	6.3	4
285	Total and Free Circulating Vitamin D and Vitamin D-Binding Protein in Relation to Colorectal Cancer Risk in a Prospective Study of African Americans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 1242-1247	4	16
284	Evaluating genetic variants associated with breast cancer risk in high and moderate-penetrance genes in Asians. <i>Carcinogenesis</i> , <b>2017</b> , 38, 511-518	4.6	20

283	Interactions between calcium intake and polymorphisms in genes essential for calcium reabsorption and risk of colorectal neoplasia in a two-phase study. <i>Molecular Carcinogenesis</i> , <b>2017</b> , 56, 2258-2266	5	5
282	Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. <i>Human Molecular Genetics</i> , <b>2017</b> , 26, 1770-1784	5.6	90
281	Characterizing Genetic Susceptibility to Breast Cancer in Women of African Ancestry. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 1016-1026	4	12
280	Exome chip meta-analysis identifies novel loci and East Asian-specific coding variants that contribute to lipid levels and coronary artery disease. <i>Nature Genetics</i> , <b>2017</b> , 49, 1722-1730	36.3	83
279	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , <b>2017</b> , 551, 92-94	50.4	643
278	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , <b>2017</b> , 49, 1767-1778	36.3	186
277	Prospective study of urinary prostaglandin E2 metabolite and pancreatic cancer risk. <i>International Journal of Cancer</i> , <b>2017</b> , 141, 2423-2429	7.5	19
276	PUFA levels in erythrocyte membrane phospholipids are differentially associated with colorectal adenoma risk. <i>British Journal of Nutrition</i> , <b>2017</b> , 117, 1615-1622	3.6	13
275	Comparison of biomarker expression between proximal and distal colorectal adenomas: The Tennessee-Indiana Adenoma Recurrence Study. <i>Molecular Carcinogenesis</i> , <b>2017</b> , 56, 761-773	5	4
274	- a novel candidate breast cancer susceptibility locus on 6q14.1. <i>Oncotarget</i> , <b>2017</b> , 8, 102769-102782	3.3	3
273	A prospective study of immune and inflammation markers and risk of lung cancer among female never smokers in Shanghai. <i>Carcinogenesis</i> , <b>2017</b> , 38, 1004-1010	4.6	19
272	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , <b>2017</b> , 26, 454-465	5.6	40
271	Serum biomarkers of polyomavirus infection and risk of lung cancer in never smokers. <i>British Journal of Cancer</i> , <b>2016</b> , 115, 1131-1139	8.7	12
270	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , <b>2016</b> , 6, 1052-674.4	74.4	104
269	Genome-wide association studies in East Asians identify new loci for waist-hip ratio and waist circumference. <i>Scientific Reports</i> , <b>2016</b> , 6, 17958	4.9	48
268	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , <b>2016</b> , 7, 12675	17.4	53
267	Genome-wide association study in East Asians identifies two novel breast cancer susceptibility loci. <i>Human Molecular Genetics</i> , <b>2016</b> , 25, 3361-3371	5.6	22
266	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <i>Human Molecular Genetics</i> , <b>2016</b> , 25, 620-9	5.6	32

265	Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. <i>Nature Genetics</i> , <b>2016</b> , 48, 374-86	36.3	93
264	Identification of Susceptibility Loci and Genes for Colorectal Cancer Risk. <i>Gastroenterology</i> , <b>2016</b> , 150, 1633-1645	13.3	64
263	Evaluation of potential regulatory function of breast cancer risk locus at 6q25.1. <i>Carcinogenesis</i> , <b>2016</b> , 37, 163-168	4.6	11
262	Abstract 3455: Association of oral microbiome with lung cancer risk: Results from the Southern Community Cohort Study <b>2016</b> ,		4
261	Cooking Coal Use and All-Cause and Cause-Specific Mortality in a Prospective Cohort Study of Women in Shanghai, China. <i>Environmental Health Perspectives</i> , <b>2016</b> , 124, 1384-9	8.4	24
260	RNA Sequencing of Formalin-Fixed, Paraffin-Embedded Specimens for Gene Expression Quantification and Data Mining. <i>International Journal of Genomics</i> , <b>2016</b> , 2016, 9837310	2.5	14
259	The Circadian Rhythm Gene Arntl2 Is a Metastasis Susceptibility Gene for Estrogen Receptor-Negative Breast Cancer. <i>PLoS Genetics</i> , <b>2016</b> , 12, e1006267	6	30
258	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , <b>2016</b> , 11, e0160316	3.7	11
257	Fine-scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 1303-1317	7.5	26
256	Calcium/magnesium intake ratio, but not magnesium intake, interacts with genetic polymorphism in relation to colorectal neoplasia in a two-phase study. <i>Molecular Carcinogenesis</i> , <b>2016</b> , 55, 1449-57	5	7
255	Evaluation of pro-inflammatory markers plasma C-reactive protein and urinary prostaglandin-E2 metabolite in colorectal adenoma risk. <i>Molecular Carcinogenesis</i> , <b>2016</b> , 55, 1251-61	5	20
254	Long-term soy consumption and tumor tissue MicroRNA and gene expression in triple-negative breast cancer. <i>Cancer</i> , <b>2016</b> , 122, 2544-51	6.4	16
253	Long intergenic non-coding RNA expression signature in human breast cancer. <i>Scientific Reports</i> , <b>2016</b> , 6, 37821	4.9	20
252	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. <i>Breast Cancer Research</i> , <b>2016</b> , 18, 64	8.3	25
251	Prediction of breast cancer risk based on common genetic variants in women of East Asian ancestry. <i>Breast Cancer Research</i> , <b>2016</b> , 18, 124	8.3	34
250	Urinary Metabolite Risk Biomarkers of Lung Cancer: A Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2016</b> , 25, 978-86	4	26
249	Telomere length: A possible link between phthalate exposure and cancer development?. <i>EBioMedicine</i> , <b>2016</b> , 6, 6-7	8.8	2
248	Genome-wide association study confirms lung cancer susceptibility loci on chromosomes 5p15 and 15q25 in an African-American population. <i>Lung Cancer</i> , <b>2016</b> , 98, 33-42	5.9	31



247	Helicobacter pylori blood biomarker for gastric cancer risk in East Asia. <i>International Journal of Epidemiology</i> , <b>2016</b> , 45, 774-81	7.8	37
246	MiR-374a suppresses lung adenocarcinoma cell proliferation and invasion by targeting TGFA gene expression. <i>Carcinogenesis</i> , <b>2016</b> , 37, 567-75	4.6	32
245	Endogenous Estrogens, Estrogen Metabolites, and Breast Cancer Risk in Postmenopausal Chinese Women. <i>Journal of the National Cancer Institute</i> , <b>2016</b> , 108,	9.7	46
244	Genomic Characterization of Esophageal Squamous Cell Carcinoma Reveals Critical Genes Underlying Tumorigenesis and Poor Prognosis. <i>American Journal of Human Genetics</i> , <b>2016</b> , 98, 709-27	11	95
243	Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. <i>Cancer Causes and Control</i> , <b>2016</b> , 27, 679-93	2.8	15
242	A prospective study of autoantibodies to Ezrin and pancreatic cancer risk. <i>Cancer Causes and Control</i> , <b>2016</b> , 27, 831-5	2.8	3
241	Association between genetic risk score for telomere length and risk of breast cancer. <i>Cancer Causes and Control</i> , <b>2016</b> , 27, 1219-28	2.8	14
240	Genome-wide association studies in women of African ancestry identified 3q26.21 as a novel susceptibility locus for oestrogen receptor negative breast cancer. <i>Human Molecular Genetics</i> , <b>2016</b> , 25, 4835-4846	5.6	34
239	An InVivo Gain-of-Function Screen Identifies the Williams-Beuren Syndrome Gene GTF2IRD1 as a Mammary Tumor Promoter. <i>Cell Reports</i> , <b>2016</b> , 15, 2089-2096	10.6	8
238	Age at menarche and age at natural menopause in East Asian women: a genome-wide association study. <i>Age</i> , <b>2016</b> , 38, 513-523		30
237	Associations of the Transforming Growth Factor $\beta$ Smad Pathway, Body Mass Index, and Physical Activity With Breast Cancer Outcomes: Results From the Shanghai Breast Cancer Study. <i>American Journal of Epidemiology</i> , <b>2016</b> , 184, 501-509	3.8	4
236	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , <b>2016</b> , 99, 903-911	11	43
235	Inherited variants in the inner centromere protein (INCENP) gene of the chromosomal passenger complex contribute to the susceptibility of ER-negative breast cancer. <i>Carcinogenesis</i> , <b>2015</b> , 36, 256-71	4.6	12
234	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , <b>2015</b> , 47, 373-80	36.3	406
233	Interactions between household air pollution and GWAS-identified lung cancer susceptibility markers in the Female Lung Cancer Consortium in Asia (FLCCA). <i>Human Genetics</i> , <b>2015</b> , 134, 333-41	6.3	24
232	Tumor tissue microRNA expression in association with triple-negative breast cancer outcomes. <i>Breast Cancer Research and Treatment</i> , <b>2015</b> , 152, 183-191	4.4	49
231	Increased pSmad2 expression and cytoplasmic predominant presence of TGF- $\beta$ II in breast cancer tissue are associated with poor prognosis: results from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , <b>2015</b> , 149, 467-77	4.4	6
230	Plasma lipid levels and colorectal adenoma risk. <i>Cancer Causes and Control</i> , <b>2015</b> , 26, 635-43	2.8	23

229	Intraindividual variation and short-term temporal trend in DNA methylation of human blood. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 490-7	4	21
228	CYP2A6 reduced activity gene variants confer reduction in lung cancer risk in African American smokers--findings from two independent populations. <i>Carcinogenesis</i> , <b>2015</b> , 36, 99-103	4.6	33
227	Dietary isoflavones, urinary isoflavonoids, and risk of ischemic stroke in women. <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 102, 680-6	7	28
226	Predictors and long-term reproducibility of urinary phthalate metabolites in middle-aged men and women living in urban Shanghai. <i>Environment International</i> , <b>2015</b> , 84, 94-106	12.9	16
225	Uric acid correlates to oxidation and inflammation in opposite directions in women. <i>Biomarkers</i> , <b>2015</b> , 20, 225-31	2.6	14
224	Fine-scale mapping of the 4q24 locus identifies two independent loci associated with breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 1680-91	4	17
223	Meta-analysis of genome-wide association studies of adult height in East Asians identifies 17 novel loci. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 1791-800	5.6	71
222	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 285-98	5.6	35
221	Evaluating 17 breast cancer susceptibility loci in the Nashville breast health study. <i>Breast Cancer</i> , <b>2015</b> , 22, 544-51	3.4	14
220	Genetic variants associated with longer telomere length are associated with increased lung cancer risk among never-smoking women in Asia: a report from the female lung cancer consortium in Asia. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 311-9	7.5	55
219	Genetic Variation and Insulin Resistance in Middle-Aged Chinese Men. <i>Annals of Human Genetics</i> , <b>2015</b> , 79, 357-365	2.2	2
218	ALDH1A1 mRNA expression in association with prognosis of triple-negative breast cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 41360-9	3.3	17
217	Whole-Exome Sequencing Identifies Novel Somatic Mutations in Chinese Breast Cancer Patients. <i>Journal of Molecular and Genetic Medicine: an International Journal of Biomedical Research</i> , <b>2015</b> , 9,	2.5	15
216	Methodological Considerations in Estimation of Phenotype Heritability Using Genome-Wide SNP Data, Illustrated by an Analysis of the Heritability of Height in a Large Sample of African Ancestry Adults. <i>PLoS ONE</i> , <b>2015</b> , 10, e0131106	3.7	2
215	Genome-wide association meta-analysis identifies novel variants associated with fasting plasma glucose in East Asians. <i>Diabetes</i> , <b>2015</b> , 64, 291-8	0.9	43
214	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 2966-84	5.6	36
213	Fine-scale mapping of the 5q11.2 breast cancer locus reveals at least three independent risk variants regulating MAP3K1. <i>American Journal of Human Genetics</i> , <b>2015</b> , 96, 5-20	11	59
212	Home kitchen ventilation, cooking fuels, and lung cancer risk in a prospective cohort of never smoking women in Shanghai, China. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 632-8	7.5	41

211	Genome-wide association study identifies a new SMAD7 risk variant associated with colorectal cancer risk in East Asians. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 948-55	7.5	49
210	Human metabolic correlates of body mass index. <i>Metabolomics</i> , <b>2014</b> , 10, 259-269	4.7	111
209	Large-scale genetic study in East Asians identifies six new loci associated with colorectal cancer risk. <i>Nature Genetics</i> , <b>2014</b> , 46, 533-42	36.3	175
208	Genome-wide association study identifies 25 known breast cancer susceptibility loci as risk factors for triple-negative breast cancer. <i>Carcinogenesis</i> , <b>2014</b> , 35, 1012-9	4.6	121
207	Association of leukocyte mitochondrial DNA copy number with colorectal cancer risk: Results from the Shanghai Women@Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2014</b> , 23, 2357-65	4	28
206	Dual specificity phosphatase 4 gene expression in association with triple-negative breast cancer outcome. <i>Breast Cancer Research and Treatment</i> , <b>2014</b> , 148, 211-20	4.4	18
205	Genetic variation in the peroxisome proliferator-activated receptor (PPAR) and peroxisome proliferator-activated receptor gamma co-activator 1 (PGC1) gene families and type 2 diabetes. <i>Annals of Human Genetics</i> , <b>2014</b> , 78, 23-32	2.2	22
204	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at 1q32.1, 5q14.3 and 15q26.1. <i>Nature Genetics</i> , <b>2014</b> , 46, 886-90	36.3	110
203	Urinary prostaglandin E2 metabolite and breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2014</b> , 23, 2866-73	4	17
202	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , <b>2014</b> , 4, 4999	17.4	87
201	Urinary biomarkers of oxidative stress and breast cancer survival. <i>Cancer Causes and Control</i> , <b>2014</b> , 25, 701-7	2.8	10
200	Telomere length in white blood cell DNA and lung cancer: a pooled analysis of three prospective cohorts. <i>Cancer Research</i> , <b>2014</b> , 74, 4090-8	10.1	88
199	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , <b>2014</b> , 46, 234-44	36.3	784
198	Rare coding variants and breast cancer risk: evaluation of susceptibility Loci identified in genome-wide association studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2014</b> , 23, 622-8	4	21
197	Correlates of 25-hydroxyvitamin D among Chinese breast cancer patients. <i>PLoS ONE</i> , <b>2014</b> , 9, e86467	3.7	15
196	Multiple nonglycemic genomic loci are newly associated with blood level of glycated hemoglobin in East Asians. <i>Diabetes</i> , <b>2014</b> , 63, 2551-62	0.9	46
195	Meta-analysis of genome-wide association studies in East Asian-ancestry populations identifies four new loci for body mass index. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 5492-504	5.6	141
194	Diet, <i>Helicobacter pylori</i> strain-specific infection, and gastric cancer risk among Chinese men. <i>Nutrition and Cancer</i> , <b>2014</b> , 66, 550-7	2.8	19

193	A meta-analysis of genome-wide association studies for adiponectin levels in East Asians identifies a novel locus near WDR11-FGFR2. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 1108-19	5.6	53
192	Predictors and variability of repeat measurements of urinary phenols and parabens in a cohort of Shanghai women and men. <i>Environmental Health Perspectives</i> , <b>2014</b> , 122, 733-40	8.4	72
191	Meta-analysis of genome-wide association studies in African Americans provides insights into the genetic architecture of type 2 diabetes. <i>PLoS Genetics</i> , <b>2014</b> , 10, e1004517	6	151
190	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 6616-33	5.6	77
189	A prospective study of plasma Selenoprotein P and lung cancer risk among low-income adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2014</b> , 23, 1238-44	4	20
188	FTO genetic variants, dietary intake and body mass index: insights from 177,330 individuals. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 6961-72	5.6	120
187	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 6096-111	5.6	48
186	Plasma folate concentrations and colorectal cancer risk: a case-control study nested within the Shanghai Men@ Health Study. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2191-8	7.5	12
185	Calcium intake and ion transporter genetic polymorphisms interact in human colorectal neoplasia risk in a 2-phase study. <i>Journal of Nutrition</i> , <b>2014</b> , 144, 1734-41	4.1	7
184	Improved variant calling accuracy by merging replicates in whole-exome sequencing studies. <i>BioMed Research International</i> , <b>2014</b> , 2014, 319534	3	9
183	Association of soy food intake with risk and biomarkers of coronary heart disease in Chinese men. <i>International Journal of Cardiology</i> , <b>2014</b> , 172, e285-7	3.2	27
182	Interaction of cigarette smoking and carcinogen-metabolizing polymorphisms in the risk of colorectal polyps. <i>Carcinogenesis</i> , <b>2013</b> , 34, 779-86	4.6	20
181	Very low-level heteroplasmy mtDNA variations are inherited in humans. <i>Journal of Genetics and Genomics</i> , <b>2013</b> , 40, 607-15	4	45
180	Fine-scale mapping of the FGFR2 breast cancer risk locus: putative functional variants differentially bind FOXA1 and E2F1. <i>American Journal of Human Genetics</i> , <b>2013</b> , 93, 1046-60	11	80
179	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , <b>2013</b> , 45, 371-84, 384e1-2	36.3	422
178	Genome-wide association analyses in East Asians identify new susceptibility loci for colorectal cancer. <i>Nature Genetics</i> , <b>2013</b> , 45, 191-6	36.3	155
177	Circulating cytokines and gastric cancer risk. <i>Cancer Causes and Control</i> , <b>2013</b> , 24, 2245-50	2.8	30
176	Association of leukocyte telomere length with breast cancer risk: nested case-control findings from the Shanghai Women@ Health Study. <i>American Journal of Epidemiology</i> , <b>2013</b> , 177, 617-24	3.8	52

175	A genome-wide association study of breast cancer in women of African ancestry. <i>Human Genetics</i> , <b>2013</b> , 132, 39-48	6.3	63
174	Functional variants at the 11q13 risk locus for breast cancer regulate cyclin D1 expression through long-range enhancers. <i>American Journal of Human Genetics</i> , <b>2013</b> , 92, 489-503	11	167
173	Visceral adiposity and risk of coronary heart disease in relatively lean Chinese adults. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 2141-5	3.2	30
172	A small number of candidate gene SNPs reveal continental ancestry in African Americans. <i>Annals of Human Genetics</i> , <b>2013</b> , 77, 56-66	2.2	7
171	A common deletion in the APOBEC3 genes and breast cancer risk. <i>Journal of the National Cancer Institute</i> , <b>2013</b> , 105, 573-9	9.7	109
170	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , <b>2013</b> , 45, 392-8, 398e1-2	36.3	327
169	Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. <i>Nature Genetics</i> , <b>2013</b> , 45, 385-91, 391e1-2	36.3	413
168	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , <b>2013</b> , 45, 353-61, 361e1-2	36.3	813
167	Common genetic determinants of breast-cancer risk in East Asian women: a collaborative study of 23 637 breast cancer cases and 25 579 controls. <i>Human Molecular Genetics</i> , <b>2013</b> , 22, 2539-50	5.6	75
166	An evaluation of allele frequency estimation accuracy using pooled sequencing data. <i>International Journal of Computational Biology and Drug Design</i> , <b>2013</b> , 6, 279-93	0.4	6
165	Polymorphisms in inflammation pathway genes and endometrial cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 216-23	4	22
164	Intraindividual variation in one-carbon metabolism plasma biomarkers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 1894-9	4	11
163	Helicobacter pylori protein-specific antibodies and risk of colorectal cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 1964-74	4	37
162	Circulating C-reactive protein and colorectal cancer risk: a report from the Shanghai MenQ Health Study. <i>Carcinogenesis</i> , <b>2013</b> , 34, 2799-803	4.6	31
161	APOBEC3 deletion polymorphism is associated with breast cancer risk among women of European ancestry. <i>Carcinogenesis</i> , <b>2013</b> , 34, 2240-3	4.6	74
160	A prospective study of serum 25-hydroxyvitamin d levels and mortality among African Americans and non-African Americans. <i>American Journal of Epidemiology</i> , <b>2013</b> , 177, 171-9	3.8	19
159	Evaluating GWAS-identified SNPs for age at natural menopause among chinese women. <i>PLoS ONE</i> , <b>2013</b> , 8, e58766	3.7	21
158	Calcium intake and lung cancer risk among female nonsmokers: a report from the Shanghai WomenQ Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 50-7	4	26

157	No association between ovarian cancer susceptibility variants and breast cancer risk among Chinese women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 467-9	4	1
156	Gene-environment interactions for breast cancer risk among Chinese women: a report from the Shanghai Breast Cancer Genetics Study. <i>American Journal of Epidemiology</i> , <b>2013</b> , 177, 161-70	3.8	20
155	Genome-wide association study meta-analysis reveals transethnic replication of mean arterial and pulse pressure loci. <i>Hypertension</i> , <b>2013</b> , 62, 853-9	8.5	60
154	Metabolomics in epidemiology: sources of variability in metabolite measurements and implications. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 631-40	4	109
153	New breast cancer risk variant discovered at 10q25 in East Asian women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 1297-303	4	5
152	Genome-wide association study identifies possible genetic risk factors for colorectal adenomas. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 1219-26	4	11
151	Adiposity and Fat Distribution in relation to Inflammation and Oxidative Stress in a Relatively Lean Population of Chinese Women. <i>Disease Markers</i> , <b>2013</b> , 34, 279-293	3.2	7
150	Evaluating genome-wide association study-identified breast cancer risk variants in African-American women. <i>PLoS ONE</i> , <b>2013</b> , 8, e58350	3.7	58
149	Longer telomere length in peripheral white blood cells is associated with risk of lung cancer and the rs2736100 (CLPTM1L-TERT) polymorphism in a prospective cohort study among women in China. <i>PLoS ONE</i> , <b>2013</b> , 8, e59230	3.7	90
148	Association of genetic markers in the BCL-2 family of apoptosis-related genes with endometrial cancer risk in a Chinese population. <i>PLoS ONE</i> , <b>2013</b> , 8, e60915	3.7	21
147	Adiposity and fat distribution in relation to inflammation and oxidative stress in a relatively lean population of Chinese women. <i>Disease Markers</i> , <b>2013</b> , 34, 279-93	3.2	6
146	Breast cancer susceptibility associated with rs1219648 (fibroblast growth factor receptor 2) and postmenopausal hormone therapy use in a population-based United States study. <i>Menopause</i> , <b>2013</b> , 20, 354-8	2.5	12
145	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. <i>Nature Genetics</i> , <b>2012</b> , 44, 1330-5	36.3	237
144	Dietary B vitamin and methionine intakes and lung cancer risk among female never smokers in China. <i>Cancer Causes and Control</i> , <b>2012</b> , 23, 1965-75	2.8	27
143	Dietary intake of PUFAs and colorectal polyp risk. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 95, 703-127		43
142	Analysis of microsatellite mutations in buccal cells from a case-control study for lung cancer. <i>Cancer Epidemiology</i> , <b>2012</b> , 36, e33-9	2.8	1
141	Exome sequencing generates high quality data in non-target regions. <i>BMC Genomics</i> , <b>2012</b> , 13, 194	4.5	95
140	Circulating 25-hydroxyvitamin D levels in relation to blood pressure parameters and hypertension in the Shanghai Women@ and Men@ Health Studies. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 449-58	3.6	30

139	Meta-analysis identifies common variants associated with body mass index in east Asians. <i>Nature Genetics</i> , <b>2012</b> , 44, 307-11	36.3	301
138	Joint effect of genetic and lifestyle risk factors on type 2 diabetes risk among Chinese men and women. <i>PLoS ONE</i> , <b>2012</b> , 7, e49464	3.7	12
137	Urinary polyphenols, glutathione S-transferases copy number variation, and breast cancer risk: results from the Shanghai women@health study. <i>Molecular Carcinogenesis</i> , <b>2012</b> , 51, 379-88	5	15
136	Genetic polymorphisms in obesity-related genes and endometrial cancer risk. <i>Cancer</i> , <b>2012</b> , 118, 3356-64	6.4	19
135	Genome-wide association study identifies a possible susceptibility locus for endometrial cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 980-7	4	30
134	Replication study for reported SNP associations with breast cancer survival. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2012</b> , 138, 1019-26	4.9	9
133	Genetic variant in TP63 on locus 3q28 is associated with risk of lung adenocarcinoma among never-smoking females in Asia. <i>Human Genetics</i> , <b>2012</b> , 131, 1197-203	6.3	35
132	Melatonin pathway genes and breast cancer risk among Chinese women. <i>Breast Cancer Research and Treatment</i> , <b>2012</b> , 132, 693-9	4.4	23
131	Association of leukocyte telomere length with colorectal cancer risk: nested case-control findings from the Shanghai Women@Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 1807-13	4	49
130	Genome-wide association study in east Asians identifies novel susceptibility loci for breast cancer. <i>PLoS Genetics</i> , <b>2012</b> , 8, e1002532	6	118
129	Major metabolite of F2-isoprostane in urine may be a more sensitive biomarker of oxidative stress than isoprostane itself. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 405-14	7	56
128	A study of prostaglandin pathway genes and interactions with current nonsteroidal anti-inflammatory drug use in colorectal adenoma. <i>Cancer Prevention Research</i> , <b>2012</b> , 5, 855-63	3.2	13
127	Pathway analyses identify TGFBR2 as potential breast cancer susceptibility gene: results from a consortium study among Asians. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 1176-84	4	18
126	Urinary prostaglandin E2 metabolite and risk for colorectal adenoma. <i>Cancer Prevention Research</i> , <b>2012</b> , 5, 336-42	3.2	37
125	Association of genetic variants for colorectal cancer differs by subtypes of polyps in the colorectum. <i>Carcinogenesis</i> , <b>2012</b> , 33, 2417-23	4.6	20
124	Using gene-environment interaction analyses to clarify the role of well-done meat and heterocyclic amine exposure in the etiology of colorectal polyps. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 1119-28	7	11
123	Novel genetic markers of breast cancer survival identified by a genome-wide association study. <i>Cancer Research</i> , <b>2012</b> , 72, 1182-9	10.1	56
122	Differences in the association between serum leptin levels and body mass index in black and white women: a report from the Southern Community Cohort Study. <i>Annals of Nutrition and Metabolism</i> , <b>2012</b> , 60, 90-7	4.5	19

121	Evaluation of genome-wide association study-identified type 2 diabetes loci in African Americans. <i>American Journal of Epidemiology</i> , <b>2012</b> , 176, 995-1001	3.8	32
120	HTR1B, ADIPOR1, PPARGC1A, and CYP19A1 and obesity in a cohort of Caucasians and African Americans: an evaluation of gene-environment interactions and candidate genes. <i>American Journal of Epidemiology</i> , <b>2012</b> , 175, 11-21	3.8	35
119	Urinary isoflavonoids and risk of coronary heart disease. <i>International Journal of Epidemiology</i> , <b>2012</b> , 41, 1367-75	7.8	41
118	Prospective study of Helicobacter pylori biomarkers for gastric cancer risk among Chinese men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 2185-92	4	50
117	Correlations of urinary phytoestrogen excretion with lifestyle factors and dietary intakes among middle-aged and elderly Chinese women. <i>International Journal of Molecular Epidemiology and Genetics</i> , <b>2012</b> , 3, 18-29	0.9	12
116	Evaluation of functional genetic variants for breast cancer risk: results from the Shanghai breast cancer study. <i>American Journal of Epidemiology</i> , <b>2011</b> , 173, 1159-70	3.8	15
115	Serum adiponectin in relation to body mass index and other correlates in black and white women. <i>Annals of Epidemiology</i> , <b>2011</b> , 21, 86-94	6.4	38
114	No evidence for association of the MDM2-309 T/G promoter polymorphism with prostate cancer outcomes. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2011</b> , 29, 319-23	2.8	9
113	Common variation in vitamin D pathway genes predicts circulating 25-hydroxyvitamin D Levels among African Americans. <i>PLoS ONE</i> , <b>2011</b> , 6, e28623	3.7	92
112	Systemic cytokine levels and subsequent risk of gastric cancer in Chinese Women. <i>Cancer Science</i> , <b>2011</b> , 102, 1911-5	6.9	18
111	Peroxisome proliferator-activated receptor delta (PPARD) genetic variation and type 2 diabetes in middle-aged Chinese women. <i>Annals of Human Genetics</i> , <b>2011</b> , 75, 621-9	2.2	14
110	Genome-wide association study of prostate cancer in men of African ancestry identifies a susceptibility locus at 17q21. <i>Nature Genetics</i> , <b>2011</b> , 43, 570-3	36.3	171
109	Distinct distribution and prognostic significance of molecular subtypes of breast cancer in Chinese women: a population-based cohort study. <i>BMC Cancer</i> , <b>2011</b> , 11, 292	4.8	80
108	MMP9 polymorphisms and breast cancer risk: a report from the Shanghai Breast Cancer Genetics Study. <i>Breast Cancer Research and Treatment</i> , <b>2011</b> , 126, 507-13	4.4	19
107	The matrix metalloproteinase-7 polymorphism rs10895304 is associated with increased recurrence risk in patients with clinically localized prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2011</b> , 79, 1330-5	4	12
106	Association of obesity-related genetic variants with endometrial cancer risk: a report from the Shanghai Endometrial Cancer Genetics Study. <i>American Journal of Epidemiology</i> , <b>2011</b> , 174, 1115-26	3.8	49
105	Liver enzymes, type 2 diabetes, and metabolic syndrome in middle-aged, urban Chinese men. <i>Metabolic Syndrome and Related Disorders</i> , <b>2011</b> , 9, 305-11	2.6	19
104	Common genetic variants in the vitamin D pathway including genome-wide associated variants are not associated with breast cancer risk among Chinese women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 2313-6	4	31



103	Helicobacter pylori prevalence and circulating micronutrient levels in a low-income United States population. <i>Cancer Prevention Research</i> , <b>2011</b> , 4, 871-8	3.2	12
102	Genetic variation in VEGF family genes and breast cancer risk: a report from the Shanghai Breast Cancer Genetics Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 33-41	4	21
101	Race, African ancestry, and Helicobacter pylori infection in a low-income United States population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 826-34	4	61
100	Low plasma coenzyme Q(10) levels and breast cancer risk in Chinese women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 1124-30	4	25
99	Relation of FGFR2 genetic polymorphisms to the association between oral contraceptive use and the risk of breast cancer in Chinese women. <i>American Journal of Epidemiology</i> , <b>2011</b> , 173, 923-31	3.8	13
98	The landscape of recombination in African Americans. <i>Nature</i> , <b>2011</b> , 476, 170-5	50.4	243
97	Association of genetic polymorphisms in cell-cycle control genes and susceptibility to endometrial cancer among Chinese women. <i>American Journal of Epidemiology</i> , <b>2011</b> , 173, 1263-71	3.8	17
96	Replication and functional genomic analyses of the breast cancer susceptibility locus at 6q25.1 generalize its importance in women of Chinese, Japanese, and European ancestry. <i>Cancer Research</i> , <b>2011</b> , 71, 1344-55	10.1	60
95	Genome-wide association study identifies breast cancer risk variant at 10q21.2: results from the Asia Breast Cancer Consortium. <i>Human Molecular Genetics</i> , <b>2011</b> , 20, 4991-9	5.6	79
94	Association of a single nucleotide polymorphism at 6q25.1, rs2046210, with endometrial cancer risk among Chinese women. <i>Chinese Journal of Cancer</i> , <b>2011</b> , 30, 138-43		8
93	Blood vitamin D levels in relation to genetic estimation of African ancestry. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 2325-31	4	46
92	Evaluation of genetic susceptibility loci for obesity in Chinese women. <i>American Journal of Epidemiology</i> , <b>2010</b> , 172, 244-54	3.8	40
91	Isothiocyanate exposure, glutathione S-transferase polymorphisms, and colorectal cancer risk. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 91, 704-11	7	45
90	Genetic and clinical predictors for breast cancer risk assessment and stratification among Chinese women. <i>Journal of the National Cancer Institute</i> , <b>2010</b> , 102, 972-81	9.7	73
89	Prevalence and determinants of hyperuricemia in middle-aged, urban Chinese men. <i>Metabolic Syndrome and Related Disorders</i> , <b>2010</b> , 8, 263-70	2.6	39
88	Intra-person variation of urinary biomarkers of oxidative stress and inflammation. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 947-52	4	36
87	Racial differences in the association between body mass index and serum IGF1, IGF2, and IGFBP3. <i>Endocrine-Related Cancer</i> , <b>2010</b> , 17, 51-60	5.7	45
86	Biochemical validation of food frequency questionnaire-estimated carotenoid, alpha-tocopherol, and folate intakes among African Americans and non-Hispanic Whites in the Southern Community Cohort Study. <i>American Journal of Epidemiology</i> , <b>2010</b> , 171, 488-97	3.8	44

85	Identification of new genetic risk variants for type 2 diabetes. <i>PLoS Genetics</i> , <b>2010</b> , 6, e1001127	6	168
84	Circulating 25-hydroxyvitamin D and risk of kidney cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , <b>2010</b> , 172, 47-57	3.8	37
83	Identification of a functional genetic variant at 16q12.1 for breast cancer risk: results from the Asia Breast Cancer Consortium. <i>PLoS Genetics</i> , <b>2010</b> , 6, e1001002	6	93
82	The 5p15.33 locus is associated with risk of lung adenocarcinoma in never-smoking females in Asia. <i>PLoS Genetics</i> , <b>2010</b> , 6, e1001051	6	141
81	Evaluation of breast cancer susceptibility loci in Chinese women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 2357-65	4	87
80	Circulating 25-hydroxyvitamin D and risk of pancreatic cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , <b>2010</b> , 172, 81-93	3.8	155
79	Mutations in the mitochondrial DNA D-loop region and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , <b>2010</b> , 119, 431-6	4.4	21
78	Urinary polyphenols and breast cancer risk: results from the Shanghai Women@ Health Study. <i>Breast Cancer Research and Treatment</i> , <b>2010</b> , 120, 693-702	4.4	30
77	Two-stage case-control study of DNMT-1 and DNMT-3B gene variants and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , <b>2010</b> , 121, 765-9	4.4	12
76	E-cadherin polymorphisms and breast cancer susceptibility: a report from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , <b>2010</b> , 121, 445-52	4.4	16
75	Inhibition of 11beta-hydroxysteroid dehydrogenase type II selectively blocks the tumor COX-2 pathway and suppresses colon carcinogenesis in mice and humans. <i>Journal of Clinical Investigation</i> , <b>2009</b> , 119, 876-85	15.9	82
74	Prevalence and determinants of metabolic syndrome according to three definitions in middle-aged Chinese men. <i>Metabolic Syndrome and Related Disorders</i> , <b>2009</b> , 7, 37-45	2.6	18
73	A two-stage case-control study of EGFR polymorphisms and breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 680-3	4	9
72	Drinking green tea modestly reduces breast cancer risk. <i>Journal of Nutrition</i> , <b>2009</b> , 139, 310-6	4.1	77
71	No association between matrix metalloproteinase-1 or matrix metalloproteinase-3 polymorphisms and breast cancer susceptibility: a report from the Shanghai Breast Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1324-7	4	12
70	No association between matrix metalloproteinase (MMP)-1, MMP-3, and MMP-7 SNPs and endometrial cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1925-8	4	7
69	Dietary B vitamin and methionine intakes and plasma folate are not associated with colorectal cancer risk in Chinese women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1003-6	4	29
68	Matrix metalloproteinase-2 polymorphisms and breast cancer susceptibility. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1770-6	4	26

67	Polymorphisms and haplotypes in the caspase-3, caspase-7, and caspase-8 genes and risk for endometrial cancer: a population-based, case-control study in a Chinese population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 2114-22	4	30
66	Oxidative stress, obesity, and breast cancer risk: results from the Shanghai Women@ Health Study. <i>Journal of Clinical Oncology</i> , <b>2009</b> , 27, 2482-8	2.2	83
65	Association of thymidylate synthase gene with endometrial cancer risk in a Chinese population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 579-84	4	9
64	Genetic polymorphisms in the MMP-7 gene and breast cancer survival. <i>International Journal of Cancer</i> , <b>2009</b> , 124, 208-14	7.5	33
63	Polymorphisms in tissue inhibitors of metalloproteinases-2 and -3 and breast cancer susceptibility and survival. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 844-50	7.5	31
62	Association of the progesterone receptor gene with endometrial cancer risk in a Chinese population. <i>Cancer</i> , <b>2009</b> , 115, 2693-700	6.4	11
61	Plasma carotenoids, tocopherols, retinol and breast cancer risk: results from the Shanghai Women Health Study (SWHS). <i>Breast Cancer Research and Treatment</i> , <b>2009</b> , 117, 381-9	4.4	32
60	Genome-wide association study identifies a new breast cancer susceptibility locus at 6q25.1. <i>Nature Genetics</i> , <b>2009</b> , 41, 324-8	36.3	434
59	Evaluation of 11 breast cancer susceptibility loci in African-American women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 2761-4	4	71
58	Racial differences in serum cotinine levels of smokers. <i>Disease Markers</i> , <b>2009</b> , 27, 187-92	3.2	25
57	Obesity is Associated with a 2-Fold Elevated Risk of Monoclonal Gammopathy of Undetermined Significance (MGUS) Among African-American and Caucasian Women.. <i>Blood</i> , <b>2009</b> , 114, 4876-4876	2.2	
56	Common MMP-7 polymorphisms and breast cancer susceptibility: a multistage study of association and functionality. <i>Cancer Research</i> , <b>2008</b> , 68, 6453-9	10.1	37
55	Genetic polymorphisms of metastasis suppressor gene NME1 and breast cancer survival. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 4787-93	12.9	30
54	The Asp(327)Asn polymorphism in the sex hormone-binding globulin gene modifies the association of soy food and tea intake with endometrial cancer risk. <i>Nutrition and Cancer</i> , <b>2008</b> , 60, 736-43	2.8	16
53	Haplotype analyses of CYP19A1 gene variants and breast cancer risk: results from the Shanghai Breast Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 27-32	4	21
52	Association of mitochondrial DNA displacement loop (CA) <sub>n</sub> dinucleotide repeat polymorphism with breast cancer risk and survival among Chinese women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 2117-22	4	24
51	Cruciferous vegetables, the GSTP1 Ile105Val genetic polymorphism, and breast cancer risk. <i>American Journal of Clinical Nutrition</i> , <b>2008</b> , 87, 753-60	7	72
50	Stability and reliability of plasma level of lipid biomarkers and their correlation with dietary fat intake. <i>Disease Markers</i> , <b>2008</b> , 24, 73-9	3.2	7

49	Correlates of high serum C-reactive protein levels in a socioeconomically disadvantaged population. <i>Disease Markers</i> , <b>2008</b> , 24, 351-9	3.2	17
48	Quantitative analysis of mitochondrial DNA 4977-bp deletion in sporadic breast cancer and benign breast diseases. <i>Breast Cancer Research and Treatment</i> , <b>2008</b> , 108, 427-34	4.4	45
47	ERBB2 genetic polymorphism and breast cancer risk in Chinese women: a population-based case-control study. <i>Breast Cancer Research and Treatment</i> , <b>2008</b> , 110, 169-76	4.4	10
46	Circulating transforming growth factor-beta-1 and breast cancer prognosis: results from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , <b>2008</b> , 112, 335-41	4.4	34
45	The modifying effect of C-reactive protein gene polymorphisms on the association between central obesity and endometrial cancer risk. <i>Cancer</i> , <b>2008</b> , 112, 2409-16	6.4	24
44	Her-2/neu amplification and breast cancer survival: results from the Shanghai breast cancer study. <i>Oncology Reports</i> , <b>2008</b> , 19, 1347-54	3.5	6
43	The relation of magnesium and calcium intakes and a genetic polymorphism in the magnesium transporter to colorectal neoplasia risk. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 86, 743-51	7	125
42	Assessment of dietary isoflavone intake among middle-aged Chinese men. <i>Journal of Nutrition</i> , <b>2007</b> , 137, 1011-6	4.1	45
41	Association of endometrial cancer risk with a functional polymorphism (Asp(327)Asn) in the sex hormone-binding globulin gene. <i>Cancer</i> , <b>2007</b> , 109, 1296-302	6.4	16
40	Expression patterns of the ATM gene in mammary tissues and their associations with breast cancer survival. <i>Cancer</i> , <b>2007</b> , 109, 1729-35	6.4	37
39	Genetic variation in IGF1, IGF-1R, IGFALS, and IGFBP3 in breast cancer survival among Chinese women: a report from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , <b>2007</b> , 104, 309-19	4.4	23
38	Expression patterns of insulin-like growth factor 1 (IGF-I) and its receptor in mammary tissues and their associations with breast cancer survival. <i>Breast Cancer Research and Treatment</i> , <b>2007</b> , 105, 55-61	4.4	24
37	Two-stage case-control study of common ATM gene variants in relation to breast cancer risk. <i>Breast Cancer Research and Treatment</i> , <b>2007</b> , 106, 121-6	4.4	18
36	Role of TGF- $\beta$ and its receptors in breast carcinogenesis: Evaluation of gene expression patterns and clinical implications. <i>Chinese Journal of Clinical Oncology</i> , <b>2007</b> , 4, 153-159		
35	Polymorphisms in the CYP19A1 (aromatase) gene and endometrial cancer risk in Chinese women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 943-9	4	31
34	Expression of cytochrome P450 1B1 and catechol-O-methyltransferase in breast tissue and their associations with breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 917-20	4	25
33	Dietary folate intake, MTHFR genetic polymorphisms, and the risk of endometrial cancer among Chinese women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 281-7	4	55
32	Haplotype analysis of CYP11A1 identifies promoter variants associated with breast cancer risk. <i>Cancer Research</i> , <b>2007</b> , 67, 5673-82	10.1	14

31	Expression of LINE-1 p40 protein in pediatric malignant germ cell tumors and its association with clinicopathological parameters: a report from the Children's Oncology Group. <i>Cancer Letters</i> , <b>2007</b> , 247, 204-12	9.9	23
30	Functional plasminogen activator inhibitor-1 gene variants and breast cancer survival. <i>Clinical Cancer Research</i> , <b>2006</b> , 12, 6037-42	12.9	18
29	Functional Ser326Cys polymorphism in the hOGG1 gene is not associated with breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 403-4	4	27
28	Cytochrome P450 1B1 and catechol-O-methyltransferase genetic polymorphisms and endometrial cancer risk in Chinese women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 2570-3	4	18
27	Immunohistochemical expressions of Ki-67, cyclin D1, beta-catenin, cyclooxygenase-2, and epidermal growth factor receptor in human colorectal adenoma: a validation study of tissue microarrays. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 1719-26	4	35
26	Polymorphisms of the CYP1B1 gene may be associated with the onset of natural menopause in Chinese women. <i>Maturitas</i> , <b>2006</b> , 55, 238-46	5	22
25	ATM polymorphism IVS62+60G>A is not associated with disease aggressiveness in prostate cancer. <i>Urology</i> , <b>2006</b> , 67, 1320-3	1.6	9
24	E-cadherin promoter polymorphisms are not associated with the aggressiveness of prostate cancer in Caucasian patients. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2006</b> , 24, 496-502	2.8	3
23	Promoter methylation status of the MGMT, hMLH1, and CDKN2A/p16 genes in non-neoplastic mucosa of patients with and without colorectal adenomas. <i>Oncology Reports</i> , <b>2006</b> , 16, 429-35	3.5	29
22	Insulin-like growth factor-I gene polymorphism and breast cancer risk in Chinese women. <i>International Journal of Cancer</i> , <b>2005</b> , 113, 307-11	7.5	37
21	Soyfood intake and breast cancer survival: a followup of the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , <b>2005</b> , 92, 11-7	4.4	80
20	MTHFR genotypes and breast cancer survival after surgery and chemotherapy: a report from the Shanghai Breast Cancer Study. <i>Breast Cancer Research and Treatment</i> , <b>2005</b> , 91, 73-9	4.4	25
19	Association of genetic polymorphisms in the VEGF gene with breast cancer survival. <i>Cancer Research</i> , <b>2005</b> , 65, 5015-9	10.1	133
18	Southern community cohort study: establishing a cohort to investigate health disparities. <i>Journal of the National Medical Association</i> , <b>2005</b> , 97, 972-9	2.3	144
17	Polymorphisms in ER-alpha gene interact with estrogen receptor status in breast cancer survival. <i>Clinical Cancer Research</i> , <b>2005</b> , 11, 1093-8	12.9	28
16	Genetic polymorphisms in the TGF-beta 1 gene and breast cancer survival: a report from the Shanghai Breast Cancer Study. <i>Cancer Research</i> , <b>2004</b> , 64, 836-9	10.1	87
15	Genetic polymorphisms in uridine diphospho-glucuronosyltransferase 1A1 (UGT1A1) and risk of breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2004</b> , 85, 239-45	4.4	61
14	Genetic polymorphisms in the human growth hormone-1 gene (GH1) and the risk of breast carcinoma. <i>Cancer</i> , <b>2004</b> , 101, 251-7	6.4	20

13	Genetic polymorphism in the manganese superoxide dismutase gene, antioxidant intake, and breast cancer risk: results from the Shanghai Breast Cancer Study. <i>Breast Cancer Research</i> , <b>2004</b> , 6, R647-55	8.3	93
12	Urinary isothiocyanate levels, brassica, and human breast cancer. <i>Cancer Research</i> , <b>2003</b> , 63, 3980-6	10.1	158
11	Genetic polymorphisms in the estrogen receptor alpha gene and risk of breast cancer: results from the Shanghai Breast Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2003</b> , 12, 853-9	4	58
10	Association of breast cancer risk with a GT dinucleotide repeat polymorphism upstream of the estrogen receptor-alpha gene. <i>Cancer Research</i> , <b>2003</b> , 63, 5727-30	10.1	20
9	Joint effect of estrogen receptor beta sequence variants and endogenous estrogen exposure on breast cancer risk in Chinese women. <i>Cancer Research</i> , <b>2003</b> , 63, 7624-9	10.1	34
8	Preclinical pharmacology of the natural product anticancer agent 10-hydroxycamptothecin, an inhibitor of topoisomerase I. <i>Cancer Chemotherapy and Pharmacology</i> , <b>1998</b> , 41, 257-67	3.5	66
7	Dietary flavonoids, quercetin, luteolin and genistein, reduce oxidative DNA damage and lipid peroxidation and quench free radicals. <i>Cancer Letters</i> , <b>1997</b> , 119, 99-107	9.9	165
6	Singlet oxygen involvement in ultraviolet (254 nm) radiation-induced formation of 8-hydroxy-deoxyguanosine in DNA. <i>Free Radical Biology and Medicine</i> , <b>1997</b> , 23, 148-54	7.8	66
5	Inhibition of UV light- and Fenton reaction-induced oxidative DNA damage by the soybean isoflavone genistein. <i>Carcinogenesis</i> , <b>1996</b> , 17, 73-7	4.6	147
4	Age-dependent increase of indigenous DNA adducts in rat brain is associated with a lipid peroxidation product. <i>Experimental Gerontology</i> , <b>1996</b> , 31, 373-85	4.5	23
3	Effects of caloric restriction on age-related oxidative modifications of macromolecules and lymphocyte proliferation in rats. <i>Free Radical Biology and Medicine</i> , <b>1995</b> , 19, 859-65	7.8	37
2	In vivo formation of DNA-adducts in mouse skin DNA by tamoxifen. <i>Cancer Letters</i> , <b>1995</b> , 92, 187-92	9.9	5
1	Fine-mapping of 150 breast cancer risk regions identifies 178 high confidence target genes		2