Yan Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6885893/publications.pdf

Version: 2024-02-01

623734 713466 20 479 14 21 citations h-index g-index papers 22 22 22 794 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	The elevated expression of Th17-related cytokines and receptors is associated with skin lesion severity in early systemic sclerosis. Human Immunology, 2015, 76, 22-29.	2.4	55
2	Cardiovascular Risk Factors Significantly Correlate With Autonomic Nervous System Activity in Children. Canadian Journal of Cardiology, 2012, 28, 477-482.	1.7	53
3	TRPV1 mediates inflammation and hyperplasia in imiquimod (IMQ)-induced psoriasiform dermatitis (PsD) in mice. Journal of Dermatological Science, 2018, 92, 264-271.	1.9	43
4	A Western Diet, but Not a High-Fat and Low-Sugar Diet, Predisposes Mice to Enhanced Susceptibility to Imiquimod-Induced Psoriasiform Dermatitis. Journal of Investigative Dermatology, 2019, 139, 1404-1407.	0.7	35
5	Transient receptor potential ankyrin 1 (TRPA1) positively regulates imiquimodâ€induced, psoriasiform dermal inflammation in mice. Journal of Cellular and Molecular Medicine, 2019, 23, 4819-4828.	3.6	34
6	Diet-induced obesity exacerbates imiquimod-mediated psoriasiform dermatitis in anti-PD-1 antibody-treated mice: Implications for patients being treated with checkpoint inhibitors for cancer. Journal of Dermatological Science, 2020, 97, 194-200.	1.9	34
7	IncRNA-ATB functions as a competing endogenous RNA to promote YAP1 by sponging miR-590-5p in malignant melanoma. International Journal of Oncology, 2018, 53, 1094-1104.	3.3	31
8	Câ€reactive protein exacerbates epithelialâ€mesenchymal transition through Wntſl²â€catenin and ERK signaling in streptozocinâ€induced diabetic nephropathy. FASEB Journal, 2019, 33, 6551-6563.	0.5	29
9	Elevated IL-22 in psoriasis plays an anti-apoptotic role in keratinocytes through mediating Bcl-xL/Bax. Apoptosis: an International Journal on Programmed Cell Death, 2020, 25, 663-673.	4.9	26
10	A Small Molecule CCR2 Antagonist Depletes Tumor Macrophages and Synergizes with Anti–PD-1 in a Murine Model of Cutaneous T-Cell Lymphoma (CTCL). Journal of Investigative Dermatology, 2020, 140, 1390-1400.e4.	0.7	25
11	Immune mediators and therapies for pruritus in atopic dermatitis and psoriasis. Journal of Cutaneous Immunology and Allergy, 2019, 2, 4-14.	0.3	19
12	Adiponectin may be a biomarker of early atherosclerosis of smokers and decreased by nicotine through KATP channel in adipocytes. Nutrition, 2015, 31, 955-958.	2.4	16
13	LNMAT1 Promotes Invasion-Metastasis Cascade in Malignant Melanoma by Epigenetically Suppressing CADM1 Expression. Frontiers in Oncology, 2019, 9, 569.	2.8	16
14	Linc00961 inhibits the proliferation and invasion of skin melanoma by targeting the miR‑367/PTEN axis. International Journal of Oncology, 2019, 55, 708-720.	3.3	16
15	Signs of chronic itch in the mouse imiquimod model of psoriasiform dermatitis: sex differences and roles of TRPV1 and TRPA1. Itch (Philadelphia, Pa), 2019, 4, e25-e25.	0.2	13
16	Is CCR6 Required for the Development of Psoriasiform Dermatitis in Mice?. Journal of Investigative Dermatology, 2019, 139, 485-488.	0.7	9
17	miR‑590‑5p inhibits tumor growth in malignant melanoma by suppressing YAP1 expression. Oncology Reports, 2018, 40, 2056-2066.	2.6	7
18	IL-22 expression is increased variedly in the initial phase, onset and chronic phase of a pristane-induced arthritis rat model. Molecular Medicine Reports, 2017, 16, 1109-1116.	2.4	5

#	Article	IF	CITATIONS
19	Increased expression of Th17 cytokines and interleukin-22 correlates with disease activity in pristane-induced arthritis in rats. PLoS ONE, 2017, 12, e0188199.	2.5	4
20	Topical Treatment of Colquhounia Root Relieves Skin Inflammation and Itch in Imiquimod-Induced Psoriasiform Dermatitis in Mice. Mediators of Inflammation, 2022, 2022, 1-15.	3.0	3