## Yan Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6885893/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Topical Treatment of Colquhounia Root Relieves Skin Inflammation and Itch in Imiquimod-Induced Psoriasiform Dermatitis in Mice. Mediators of Inflammation, 2022, 2022, 1-15.	3.0	3
2	Elevated IL-22 in psoriasis plays an anti-apoptotic role in keratinocytes through mediating Bcl-xL/Bax. Apoptosis: an International Journal on Programmed Cell Death, 2020, 25, 663-673.	4.9	26
3	Diet-induced obesity exacerbates imiquimod-mediated psoriasiform dermatitis in anti-PD-1 antibody-treated mice: Implications for patients being treated with checkpoint inhibitors for cancer. Journal of Dermatological Science, 2020, 97, 194-200.	1.9	34
4	A Small Molecule CCR2 Antagonist Depletes Tumor Macrophages and Synergizes with Anti–PD-1 in a Murine Model of Cutaneous T-Cell Lymphoma (CTCL). Journal of Investigative Dermatology, 2020, 140, 1390-1400.e4.	0.7	25
5	LNMAT1 Promotes Invasion-Metastasis Cascade in Malignant Melanoma by Epigenetically Suppressing CADM1 Expression. Frontiers in Oncology, 2019, 9, 569.	2.8	16
6	Linc00961 inhibits the proliferation and invasion of skin melanoma by targeting the miR‑367/PTEN axis. International Journal of Oncology, 2019, 55, 708-720.	3.3	16
7	Transient receptor potential ankyrin 1 (TRPA1) positively regulates imiquimodâ€induced, psoriasiform dermal inflammation in mice. Journal of Cellular and Molecular Medicine, 2019, 23, 4819-4828.	3.6	34
8	A Western Diet, but Not a High-Fat and Low-Sugar Diet, Predisposes Mice to Enhanced Susceptibility to Imiquimod-Induced Psoriasiform Dermatitis. Journal of Investigative Dermatology, 2019, 139, 1404-1407.	0.7	35
9	Câ€reactive protein exacerbates epithelialâ€mesenchymal transition through Wnt/βâ€catenin and ERK signaling in streptozocinâ€induced diabetic nephropathy. FASEB Journal, 2019, 33, 6551-6563.	0.5	29
10	Immune mediators and therapies for pruritus in atopic dermatitis and psoriasis. Journal of Cutaneous Immunology and Allergy, 2019, 2, 4-14.	0.3	19
11	Signs of chronic itch in the mouse imiquimod model of psoriasiform dermatitis: sex differences and roles of TRPV1 and TRPA1. Itch (Philadelphia, Pa ), 2019, 4, e25-e25.	0.2	13
12	Is CCR6 Required for the Development of Psoriasiform Dermatitis in Mice?. Journal of Investigative Dermatology, 2019, 139, 485-488.	0.7	9
13	TRPV1 mediates inflammation and hyperplasia in imiquimod (IMQ)-induced psoriasiform dermatitis (PsD) in mice. Journal of Dermatological Science, 2018, 92, 264-271.	1.9	43
14	lncRNA-ATB functions as a competing endogenous RNA to promote YAP1 by sponging miR-590-5p in malignant melanoma. International Journal of Oncology, 2018, 53, 1094-1104.	3.3	31
15	miR‑590‑5p inhibits tumor growth in malignant melanoma by suppressing YAP1 expression. Oncology Reports, 2018, 40, 2056-2066.	2.6	7
16	IL-22 expression is increased variedly in the initial phase, onset and chronic phase of a pristane-induced arthritis rat model. Molecular Medicine Reports, 2017, 16, 1109-1116.	2.4	5
17	Increased expression of Th17 cytokines and interleukin-22 correlates with disease activity in pristane-induced arthritis in rats. PLoS ONE, 2017, 12, e0188199.	2.5	4
18	The elevated expression of Th17-related cytokines and receptors is associated with skin lesion severity in early systemic sclerosis. Human Immunology, 2015, 76, 22-29.	2.4	55

Υάν Ζηου

#	Article	IF	CITATIONS
19	Adiponectin may be a biomarker of early atherosclerosis of smokers and decreased by nicotine through KATP channel in adipocytes. Nutrition, 2015, 31, 955-958.	2.4	16
20	Cardiovascular Risk Factors Significantly Correlate With Autonomic Nervous System Activity in Children. Canadian Journal of Cardiology, 2012, 28, 477-482.	1.7	53