

Jakob Linseisen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6886651/jakob-linseisen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

393
papers

25,560
citations

87
h-index

141
g-index

431
ext. papers

28,591
ext. citations

5.6
avg, IF

6.18
L-index

#	Paper	IF	Citations
393	The German version of the Pulmonary Embolism Quality of Life (PEmb-QoL) questionnaire: reliability, responsiveness and structural validity.. <i>Quality of Life Research</i> , 2022 , 1	3.7	
392	Asthma and the risk of gastrointestinal disorders: a Mendelian randomization study.. <i>BMC Medicine</i> , 2022 , 20, 82	11.4	1
391	Association of post-stroke-depression and health-related quality of life three months after the stroke event. Results from the Stroke Cohort Augsburg (SCHANA) study.. <i>Psychology, Health and Medicine</i> , 2022 , 1-12	2.1	0
390	Factors Associated With Early and Late Post-stroke Fatigue in Patients With Mild Impairment. Results From the Stroke Cohort Study Augsburg.. <i>Frontiers in Neurology</i> , 2022 , 13, 852486	4.1	1
389	Shock index and modified shock index are predictors of long-term mortality not only in STEMI but also in NSTEMI patients.. <i>Annals of Medicine</i> , 2022 , 54, 900-908	1.5	0
388	Letter: proton pump inhibitors and risk of myocardial infarction-authors Reply.. <i>Alimentary Pharmacology and Therapeutics</i> , 2022 , 55, 141-142	6.1	
387	Undiagnosed Impaired Glucose Tolerance and Type-2 Diabetes in Acute Myocardial Infarction Patients: Fequency, Characteristics and Long-Term Mortality.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 869395	5.4	
386	Epidemiological trends in mortality, event rates and case fatality of acute myocardial infarction from 2004 to 2015: results from the KORA MI registry. <i>Annals of Medicine</i> , 2021 , 53, 2142-2152	1.5	2
385	Association of eating motives with anthropometry, body composition, and dietary intake in healthy German adults.. <i>Appetite</i> , 2021 , 170, 105865	4.5	
384	Changes of Health-Related Quality of Life Within the 1st Year After Stroke-Results From a Prospective Stroke Cohort Study. <i>Frontiers in Neurology</i> , 2021 , 12, 715313	4.1	2
383	Association between dietary patterns and prediabetes, undetected diabetes or clinically diagnosed diabetes: results from the KORA FF4 study. <i>European Journal of Nutrition</i> , 2021 , 60, 2331-2341	5.2	4
382	Admission ECG changes predict short term-mortality after acute myocardial infarction less reliable in patients with diabetes. <i>Scientific Reports</i> , 2021 , 11, 6307	4.9	3
381	Significant Impact of Coffee Consumption on MR-Based Measures of Cardiac Function in a Population-Based Cohort Study without Manifest Cardiovascular Disease. <i>Nutrients</i> , 2021 , 13,	6.7	1
380	Dietary Macronutrient Composition in Relation to Circulating HDL and Non-HDL Cholesterol: A Federated Individual-Level Analysis of Cross-Sectional Data from Adolescents and Adults in 8 European Studies. <i>Journal of Nutrition</i> , 2021 , 151, 2317-2329	4.1	1
379	Impact of body composition on COVID-19 susceptibility and severity: A two-sample multivariable Mendelian randomization study. <i>Metabolism: Clinical and Experimental</i> , 2021 , 118, 154732	12.7	16
378	Admission glucose level and short-term mortality in older patients with acute myocardial infarction: results from the KORA Myocardial Infarction Registry. <i>BMJ Open</i> , 2021 , 11, e046641	3	2
377	COVID-19 risk perceptions, worries and preventive behaviors in patients with previous pulmonary embolism. <i>Thrombosis Research</i> , 2021 , 202, 77-83	8.2	5

376	Causal relationship between dietary macronutrient composition and anthropometric measures: A bidirectional two-sample Mendelian randomization analysis. <i>Clinical Nutrition</i> , 2021 , 40, 4120-4131	5.9	4
375	Impact of COVID-19 pandemic lockdown on myocardial infarction care. <i>European Journal of Epidemiology</i> , 2021 , 36, 619-627	12.1	0
374	Magnetic Resonance Imaging of Diverticular Disease and its Association with Adipose Tissue Compartments and Constitutional Risk Factors in Subjects from a Western General Population. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2021 , 193, 33-41	2.3	0
373	Lack of association between proton pump inhibitor use and brain aging: a cross-sectional study. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 1039-1048	2.8	1
372	Low serum calcium is associated with higher long-term mortality in myocardial infarction patients from a population-based registry. <i>Scientific Reports</i> , 2021 , 11, 2476	4.9	4
371	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 874-885	4	3
370	Association of proton pump inhibitor use with endothelial function and metabolites of the nitric oxide pathway: A cross-sectional study. <i>Pharmacotherapy</i> , 2021 , 41, 198-204	5.8	4
369	Associations between habitual diet, metabolic disease, and the gut microbiota using latent Dirichlet allocation. <i>Microbiome</i> , 2021 , 9, 61	16.6	7
368	Association between inflammatory markers and serum paraoxonase and arylesterase activities in the general population: a cross-sectional study. <i>Lipids in Health and Disease</i> , 2021 , 20, 81	4.4	2
367	Dietary habits and the presence and degree of asymptomatic diverticular disease by magnetic resonance imaging in a Western population: a population-based cohort study. <i>Nutrition and Metabolism</i> , 2021 , 18, 73	4.6	1
366	Determinants of prehospital coronary heart disease death. <i>Scientific Reports</i> , 2021 , 11, 17134	4.9	0
365	The long-term risk for myocardial infarction or stroke after proton pump inhibitor therapy (2008-2018). <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 1033-1040	6.1	2
364	A Phenotyping Platform to Characterize Healthy Individuals Across Four Stages of Life - The Study. <i>Frontiers in Nutrition</i> , 2020 , 7, 582387	6.2	7
363	Association of physical activity and sedentary behavior with type 2 diabetes and glycemic traits: a two-sample Mendelian randomization study. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	3
362	The lived experience with pulmonary embolism: A qualitative study using focus groups. <i>Respiratory Medicine</i> , 2020 , 167, 105978	4.6	6
361	Machine-learning based exploration of determinants of gray matter volume in the KORA-MRI study. <i>Scientific Reports</i> , 2020 , 10, 8363	4.9	2
360	Association of Dietary Patterns and Type-2 Diabetes Mellitus in Metabolically Homogeneous Subgroups in the KORA FF4 Study. <i>Nutrients</i> , 2020 , 12,	6.7	6
359	Revised D-A-CH-reference values for the intake of zinc. <i>Journal of Trace Elements in Medicine and Biology</i> , 2020 , 61, 126536	4.1	14

358	Long-Term Outcomes in Patients with Stroke after in-Hospital Treatment-Study Protocol of the Prospective Stroke Cohort Augsburg (SCHANA Study). <i>Medicina (Lithuania)</i> , 2020 , 56,	3.1	3
357	Arrhythmic Gut Microbiome Signatures Predict Risk of Type 2 Diabetes. <i>Cell Host and Microbe</i> , 2020 , 28, 258-272.e6	23.4	68
356	Factors associated with habitual time spent in different physical activity intensities using multiday accelerometry. <i>Scientific Reports</i> , 2020 , 10, 774	4.9	2
355	Seropositivity of selected chronic infections and different measures of obesity. <i>PLoS ONE</i> , 2020 , 15, e0231974	3.1	1
354	Revised D-A-CH Reference Values for the Intake of Vitamin B6. <i>Annals of Nutrition and Metabolism</i> , 2020 , 76, 213-222	4.5	5
353	Evaluation of the Metabotype Concept Identified in an Irish Population in the German KORA Cohort Study. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1900918	5.9	1
352	Trends in cancer incidence and survival in the Augsburg study region-results from the Augsburg cancer registry. <i>BMJ Open</i> , 2020 , 10, e036176	3	1
351	Association of dietary intake of milk and dairy products with blood concentrations of insulin-like growth factor 1 (IGF-1) in Bavarian adults. <i>European Journal of Nutrition</i> , 2020 , 59, 1413-1420	5.2	15
350	Response to Yang, Shi, Wang, et al. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 653	9.7	
349	Modifying effect of metabotype on diet-diabetes associations. <i>European Journal of Nutrition</i> , 2020 , 59, 1357-1369	5.2	6
348	Role of Vitamin D in Preventing and Treating Selected Extraskkeletal Diseases-An Umbrella Review. <i>Nutrients</i> , 2020 , 12,	6.7	36
347	Periodontal Health and Use of Oral Health Services: A Comparison of Germans and Two Migrant Groups. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	1
346	Herpes zoster incidence in Germany - an indirect validation study for self-reported disease data from pretest studies of the population-based German National Cohort. <i>BMC Infectious Diseases</i> , 2019 , 19, 99	4	7
345	The Association Between Polypharmacy and Physical Function in Older Adults: a Systematic Review. <i>Journal of General Internal Medicine</i> , 2019 , 34, 1865-1873	4	8
344	Physical Activity and the Risk of Liver Cancer: A Systematic Review and Meta-Analysis of Prospective Studies and a Bias Analysis. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 1142-1151	9.7	19
343	Associations between usual food intake and faecal sterols and bile acids: results from the Cooperative Health Research in the Augsburg Region (KORA FF4) study. <i>British Journal of Nutrition</i> , 2019 , 122, 309-321	3.6	4
342	Iso-caloric Substitution of Dietary Carbohydrate Intake with Fat Intake and MRI-Determined Total Volumes of Visceral, Subcutaneous and Hepatic Fat Content in Middle-Aged Adults. <i>Nutrients</i> , 2019 , 11,	6.7	6
341	Seropositivity: Prevalence, Associations, and the Impact on Incident Metabolic Diseases/Risk Factors in the Population-Based KORA Study. <i>Frontiers in Public Health</i> , 2019 , 7, 96	6	9

340	Association between muscular strength and depressive symptoms : A narrative review. <i>Wiener Klinische Wochenschrift</i> , 2019 , 131, 255-264	2.3	15
339	Plasma concentrations of anserine, carnosine and pi-methylhistidine as biomarkers of habitual meat consumption. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 692-702	5.2	21
338	Associations between fecal bile acids, neutral sterols, and serum lipids in the KORA FF4 study. <i>Atherosclerosis</i> , 2019 , 288, 1-8	3.1	5
337	Usual Dietary Intake Estimation Based on a Combination of Repeated 24-H Food Lists and a Food Frequency Questionnaire in the KORA FF4 Cross-Sectional Study. <i>Frontiers in Nutrition</i> , 2019 , 6, 145	6.2	10
336	Long-term outcomes in patients with acute pulmonary embolism after in-hospital treatment: study protocol of the prospective Lungenembolie Augsburg Studie (LEA study). <i>BMJ Open</i> , 2019 , 9, e031411	3	3
335	Long-term outcomes in patients with severe depression after in-hospital treatment - study protocol of the depression long-term Augsburg (DELTA) study. <i>BMJ Open</i> , 2019 , 9, e032507	3	1
334	Characteristics and associated risk factors of diverticular disease assessed by magnetic resonance imaging in subjects from a Western general population. <i>European Radiology</i> , 2019 , 29, 1094-1103	8	5
333	Design and characterization of dietary assessment in the German National Cohort. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 1480-1491	5.2	3
332	Dietary Heterocyclic Amine Intake and Colorectal Adenoma Risk: A Systematic Review and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 99-109	4	16
331	Joint Data Analysis in Nutritional Epidemiology: Identification of Observational Studies and Minimal Requirements. <i>Journal of Nutrition</i> , 2018 , 148, 285-297	4.1	7
330	Associations of fats and carbohydrates with cardiovascular disease and mortality-PURE and simple?. <i>Lancet, The</i> , 2018 , 391, 1678-1679	4.0	2
329	New indexes of body fat distribution and sex-specific risk of total and cause-specific mortality: a prospective cohort study. <i>BMC Public Health</i> , 2018 , 18, 427	4.1	30
328	Time trends in stroke incidence and in prevalence of risk factors in Southern Germany, 1989 to 2008/09. <i>Scientific Reports</i> , 2018 , 8, 11981	4.9	11
327	Body fat distribution and risk of incident ischemic stroke in men and women aged 50 to 74 years from the general population. The KORA Augsburg cohort study. <i>PLoS ONE</i> , 2018 , 13, e0191630	3.7	11
326	Differential associations between diet and prediabetes or diabetes in the KORA FF4 study. <i>Journal of Nutritional Science</i> , 2018 , 7, e34	2.7	7
325	Identification of Comprehensive Metabotypes Associated with Cardiometabolic Diseases in the Population-Based KORA Study. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800117	5.9	8
324	Are sleep duration, midpoint of sleep and sleep quality associated with dietary intake among Bavarian adults?. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 631-637	5.2	14
323	Determination of nasal and oropharyngeal microbiomes in a multicenter population-based study - findings from Pretest 1 of the German National Cohort. <i>Scientific Reports</i> , 2017 , 7, 1855	4.9	11

322	Estimating Usual Intake in the 2nd Bavarian Food Consumption Survey: Comparison of the Results Derived by the National Cancer Institute Method and a Basic Individual Means Approach. <i>Annals of Nutrition and Metabolism</i> , 2017 , 71, 164-174	4.5	4
321	Metabotyping and its application in targeted nutrition: an overview. <i>British Journal of Nutrition</i> , 2017 , 117, 1631-1644	3.6	41
320	Haem iron and nitrate/nitrite account for much of the mortality increase associated with red meat consumption. <i>Evidence-Based Medicine</i> , 2017 , 22, 179		
319	Combining traditional dietary assessment methods with novel metabolomics techniques: present efforts by the Food Biomarker Alliance. <i>Proceedings of the Nutrition Society</i> , 2017 , 76, 619-627	2.9	62
318	Anti-nuclear autoantibodies in the general German population: prevalence and lack of association with selected cardiovascular and metabolic disorders-findings of a multicenter population-based study. <i>Arthritis Research and Therapy</i> , 2017 , 19, 127	5.7	14
317	Plasma Inflammation Markers of the Tumor Necrosis Factor Pathway but Not C-Reactive Protein Are Associated with Processed Meat and Unprocessed Red Meat Consumption in Bavarian Adults. <i>Journal of Nutrition</i> , 2017 , 147, 78-85	4.1	21
316	Bayesian and frequentist analysis of an Austrian genome-wide association study of colorectal cancer and advanced adenomas. <i>Oncotarget</i> , 2017 , 8, 98623-98634	3.3	12
315	Association of serum vitamin D with change in weight and total body fat in a German cohort of older adults. <i>European Journal of Clinical Nutrition</i> , 2016 , 70, 136-9	5.2	6
314	Seasonality of food groups and total energy intake: a systematic review and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2016 , 70, 700-8	5.2	66
313	Plasma Concentrations of Trimethylamine-N-oxide Are Directly Associated with Dairy Food Consumption and Low-Grade Inflammation in a German Adult Population. <i>Journal of Nutrition</i> , 2016 , 146, 283-9	4.1	110
312	Treatment of Thyroid Dysfunctions Decreases the Risk of Cerebrovascular Events in Men but Not in Women: Results of the MONICA/KORA Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0155499	3.7	3
311	DNA methylation-based measures of biological age: meta-analysis predicting time to death. <i>Ageing</i> , 2016 , 8, 1844-1865	5.6	531
310	Selenium and Prostate Cancer: Analysis of Individual Participant Data From Fifteen Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	33
309	Association between alcohol consumption and serum paraoxonase and arylesterase activities: a cross-sectional study within the Bavarian population. <i>British Journal of Nutrition</i> , 2016 , 115, 730-6	3.6	4
308	Biomarkers for nutrient intake with focus on alternative sampling techniques. <i>Genes and Nutrition</i> , 2016 , 11, 12	4.3	28
307	Processed meat: the real villain?. <i>Proceedings of the Nutrition Society</i> , 2016 , 75, 233-41	2.9	42
306	Associations between calcium and vitamin D supplement use as well as their serum concentrations and subclinical cardiovascular disease phenotypes. <i>Atherosclerosis</i> , 2015 , 241, 743-51	3.1	12
305	Pocket depth and bleeding on probing and their associations with dental, lifestyle, socioeconomic and blood variables: a cross-sectional, multicenter feasibility study of the German National Cohort. <i>BMC Oral Health</i> , 2015 , 15, 7	3.7	25

304	Multi-omic signature of body weight change: results from a population-based cohort study. <i>BMC Medicine</i> , 2015 , 13, 48	11.4	51
303	Associations between objective and self-reported physical activity and vitamin D serum levels in the US population. <i>Cancer Causes and Control</i> , 2015 , 26, 881-91	2.8	44
302	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 136, E423-31	7.5	15
301	Common colorectal cancer risk alleles contribute to the multiple colorectal adenoma phenotype, but do not influence colonic polyposis in FAP. <i>European Journal of Human Genetics</i> , 2015 , 23, 260-3	5.3	14
300	Association between dietary factors and plasma fetuin-A concentrations in the general population. <i>British Journal of Nutrition</i> , 2015 , 114, 1278-85	3.6	8
299	Evidence-Based Guideline of the German Nutrition Society: Fat Intake and Prevention of Selected Nutrition-Related Diseases. <i>Annals of Nutrition and Metabolism</i> , 2015 , 67, 141-204	4.5	43
298	Whole-Body MR Imaging in the German National Cohort: Rationale, Design, and Technical Background. <i>Radiology</i> , 2015 , 277, 206-20	20.5	92
297	Urinary lignans and inflammatory markers in the US National Health and Nutrition Examination Survey (NHANES) 1999-2004 and 2005-2008. <i>Cancer Causes and Control</i> , 2014 , 25, 395-403	2.8	16
296	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 196-202	5.2	12
295	Influence of external, intrinsic and individual behaviour variables on serum 25(OH)D in a German survey. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2014 , 140, 120-9	6.7	14
294	The association between urinary phytoestrogen excretion and components of the metabolic syndrome in NHANES. <i>European Journal of Nutrition</i> , 2014 , 53, 1371-81	5.2	19
293	The German National Cohort: aims, study design and organization. <i>European Journal of Epidemiology</i> , 2014 , 29, 371-82	12.1	158
292	Development and evaluation of a short 24-h food list as part of a blended dietary assessment strategy in large-scale cohort studies. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 324-9	5.2	30
291	Feasibility and quality development of biomaterials in the pretest studies of the German National Cohort. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , 2014 , 57, 1255-63	7.5	5
290	Serum 25(OH)D concentrations and atopic diseases at age 10: results from the GINIplus and LISAPLUS birth cohort studies. <i>BMC Pediatrics</i> , 2014 , 14, 286	2.6	17
289	Enterolactone concentrations and prognosis after postmenopausal breast cancer: assessment of effect modification and meta-analysis. <i>International Journal of Cancer</i> , 2014 , 135, 923-33	7.5	42
288	Public perceptions of cohort studies and biobanks in Germany. <i>Biopreservation and Biobanking</i> , 2014 , 12, 121-30	2.1	5
287	Associations between thyroid hormones and serum metabolite profiles in an euthyroid population. <i>Metabolomics</i> , 2014 , 10, 152-164	4.7	18

286	Response in individuals with and without foreign background and application to the National Cohort in Germany: which factors have an effect?. <i>International Journal of Public Health</i> , 2014 , 59, 555-63 ⁴		18
285	Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 617-24	7.5	46
284	Meat consumption and mortality--results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013 , 11, 63	11.4	257
283	Urinary phytoestrogen levels and frailty in older American women of the National Health and Nutrition Examination Survey (NHANES) 1999-2002: a cross-sectional study. <i>Annals of Nutrition and Metabolism</i> , 2013 , 63, 269-76	4.5	8
282	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013 , 108, 708-14	8.7	39
281	Calcium intake and serum concentration in relation to risk of cardiovascular death in NHANES III. <i>PLoS ONE</i> , 2013 , 8, e61037	3.7	49
280	New reference values for calcium. <i>Annals of Nutrition and Metabolism</i> , 2013 , 63, 186-92	4.5	15
279	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 827-38	7	29
278	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: a nested case-control study. <i>International Journal of Cancer</i> , 2013 , 133, 1689-700	7.5	44
277	Association of urinary phytoestrogen concentrations with serum concentrations of prostate-specific antigen in the National Health and Nutrition Examination Survey. <i>Nutrition and Cancer</i> , 2013 , 65, 813-9	2.8	3
276	Plasma protein analysis of patients with different B-cell lymphomas using high-content antibody microarrays. <i>Proteomics - Clinical Applications</i> , 2013 , 7, 802-12	3.1	15
275	Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013 , 65, 178-87	2.8	28
274	Serum enterolactone and postmenopausal breast cancer risk by estrogen, progesterone and herceptin 2 receptor status. <i>International Journal of Cancer</i> , 2012 , 130, 1401-10	7.5	30
273	Effects of selenium status, dietary glucosinolate intake and serum glutathione S-transferase γ activity on the risk of benign prostatic hyperplasia. <i>BJU International</i> , 2012 , 110, E879-85	5.6	7
272	Effects of phenotypes in heterocyclic aromatic amine (HCA) metabolism-related genes on the association of HCA intake with the risk of colorectal adenomas. <i>Cancer Causes and Control</i> , 2012 , 23, 1429-42	2.8	18
271	Associations of dietary calcium intake and calcium supplementation with myocardial infarction and stroke risk and overall cardiovascular mortality in the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition study (EPIC-Heidelberg). <i>Heart</i> , 2012 , 98, 920-5	5.1	230
270	Identifying dietary patterns using a normal mixture model: application to the EPIC study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 89-94	5.1	9
269	Heterocyclic aromatic amine [HCA] intake and prostate cancer risk: effect modification by genetic variants. <i>Nutrition and Cancer</i> , 2012 , 64, 704-13	2.8	16

268	Body fat free mass is associated with the serum metabolite profile in a population-based study. <i>PLoS ONE</i> , 2012 , 7, e40009	3.7	77
267	The association between dietary lignans, phytoestrogen-rich foods, and fiber intake and postmenopausal breast cancer risk: a German case-control study. <i>Nutrition and Cancer</i> , 2012 , 64, 652-65	2.8	50
266	Polymorphisms in thioredoxin reductase and selenoprotein K genes and selenium status modulate risk of prostate cancer. <i>PLoS ONE</i> , 2012 , 7, e48709	3.7	40
265	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012 , 21, 456-62	5.6	74
264	Lipid peroxidation and DNA adduct formation in lymphocytes of premenopausal women: Role of estrogen metabolites and fatty acid intake. <i>International Journal of Cancer</i> , 2012 , 131, 1983-90	7.5	13
263	Vitamin/mineral supplementation and cancer, cardiovascular, and all-cause mortality in a German prospective cohort (EPIC-Heidelberg). <i>European Journal of Nutrition</i> , 2012 , 51, 407-13	5.2	30
262	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 957-63	5.2	13
261	Evidence-based guideline of the German Nutrition Society: carbohydrate intake and prevention of nutrition-related diseases. <i>Annals of Nutrition and Metabolism</i> , 2012 , 60 Suppl 1, 1-58	4.5	122
260	Problems with epidemiological approach and conclusions-the response. <i>Heart</i> , 2012 , 98, 1751.2-1752	5.1	
259	Polymorphisms in heterocyclic aromatic amines metabolism-related genes are associated with colorectal adenoma risk. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2012 , 3, 96-106	0.9	10
258	Estimated enterolignans, lignan-rich foods, and fibre in relation to survival after postmenopausal breast cancer. <i>British Journal of Cancer</i> , 2011 , 105, 1151-7	8.7	56
257	A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. <i>PLoS Genetics</i> , 2011 , 7, e1001333	6	136
256	Primary brain tumours and specific serum immunoglobulin E: a case-control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 1434-41	9.3	47
255	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011 , 43, 60-5	36.3	199
254	Diet and hip fractures among elderly Europeans in the EPIC cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 132-9	5.2	43
253	Anthropometry, physical activity and hip fractures in the elderly. <i>Injury</i> , 2011 , 42, 188-93	2.5	19
252	Intake of heterocyclic aromatic amines and the risk of prostate cancer in the EPIC-Heidelberg cohort. <i>Cancer Causes and Control</i> , 2011 , 22, 109-14	2.8	37
251	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 909-18	2.8	23

250	Dietary calcium and magnesium intake in relation to cancer incidence and mortality in a German prospective cohort (EPIC-Heidelberg). <i>Cancer Causes and Control</i> , 2011 , 22, 1375-82	2.8	43
249	The impact of social status inconsistency on cardiovascular risk factors, myocardial infarction and stroke in the EPIC-Heidelberg cohort. <i>BMC Public Health</i> , 2011 , 11, 104	4.1	19
248	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011 , 11, 169	4.1	56
247	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 623-34	7.5	30
246	Gene-PUFA interactions and obesity risk. <i>British Journal of Nutrition</i> , 2011 , 106, 1263-72	3.6	18
245	DNA methylation changes associated with cancer risk factors and blood levels of vitamin metabolites in a prospective study. <i>Epigenetics</i> , 2011 , 6, 195-201	5.7	51
244	Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2174-82	4	25
243	Association of hydroxyprostaglandin dehydrogenase 15-(NAD) (HPGD) variants and colorectal cancer risk. <i>Carcinogenesis</i> , 2011 , 32, 190-6	4.6	13
242	Evaluation of the obesity genes FTO and MC4R and the type 2 diabetes mellitus gene TCF7L2 for contribution to stroke risk: The Mannheim-Heidelberg Stroke Study. <i>Obesity Facts</i> , 2011 , 4, 290-6	5.1	8
241	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , 2011 , 32, 1235-43	9.5	195
240	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , 2011 , 68, 77-81	2.1	22
239	Serum enterolactone and prognosis of postmenopausal breast cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3730-8	2.2	53
238	Examining the joint effect of multiple risk factors using exposure risk profiles: lung cancer in nonsmokers. <i>Environmental Health Perspectives</i> , 2011 , 119, 84-91	8.4	40
237	Ecological-level associations between highly processed food intakes and plasma phospholipid elaidic acid concentrations: results from a cross-sectional study within the European prospective investigation into cancer and nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011 , 63, 1235-50	2.8	28
236	Effect of serum 25-hydroxyvitamin D on risk for type 2 diabetes may be partially mediated by subclinical inflammation: results from the MONICA/KORA Augsburg study. <i>Diabetes Care</i> , 2011 , 34, 2320-2	14.6	61
235	Weight change in later life and risk of death amongst the elderly: the European Prospective Investigation into Cancer and Nutrition-Elderly Network on Ageing and Health study. <i>Journal of Internal Medicine</i> , 2010 , 268, 133-44	10.8	45
234	Plasma folate, related genetic variants, and colorectal cancer risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1328-40	4	62
233	Plasma vitamins B2, B6, and B12, and related genetic variants as predictors of colorectal cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2549-61	4	52

232	Polymorphisms in fatty-acid-metabolism-related genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , 2010 , 31, 466-72	4.6	48
231	Reply to CK Chow. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1534-1535	7	
230	Effects of selenium status and polymorphisms in selenoprotein genes on prostate cancer risk in a prospective study of European men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2958-68	4	100
229	Plasma cytokines and future risk of non-Hodgkin lymphoma (NHL): a case-control study nested in the Italian European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1577-84	4	61
228	Dietary glucosinolate intake, polymorphisms in selected biotransformation enzymes, and risk of prostate cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 135-43	4	43
227	A new FFQ designed to measure the intake of fatty acids and antioxidants in children. <i>Public Health Nutrition</i> , 2010 , 13, 38-46	3.3	30
226	Effect of dietary fatty acid intake on prospective weight change in the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition [Erratum]. <i>Public Health Nutrition</i> , 2010 , 13, 596-596	3.3	
225	Effect of dietary fatty acid intake on prospective weight change in the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition. <i>Public Health Nutrition</i> , 2010 , 13, 1636-46	3.3	16
224	Region-specific nutrient intake patterns exhibit a geographical gradient within and between European countries. <i>Journal of Nutrition</i> , 2010 , 140, 1280-6	4.1	86
223	Stability and reproducibility of simultaneously detected plasma and serum cytokine levels in asymptomatic subjects. <i>Biomarkers</i> , 2010 , 15, 140-8	2.6	40
222	Dietary vitamin K intake in relation to cancer incidence and mortality: results from the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Heidelberg). <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1348-58	7	74
221	Vitamins B2 and B6 and genetic polymorphisms related to one-carbon metabolism as risk factors for gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 28-38	4	31
220	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations: a nested case-control study. <i>BMJ, The</i> , 2010 , 340, b5500	5.9	289
219	Meta-analyses of lignans and enterolignans in relation to breast cancer risk. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 141-53	7	130
218	Physical activity and lung cancer among non-smokers: a pilot molecular epidemiological study within EPIC. <i>Biomarkers</i> , 2010 , 15, 20-30	2.6	13
217	Fruit and vegetable intake and overall cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010 , 102, 529-37	9.7	301
216	Consistency of vitamin and/or mineral supplement use and demographic, lifestyle and health-status predictors: findings from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort. <i>British Journal of Nutrition</i> , 2010 , 104, 1058-64	3.6	34
215	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 71-7	4.9	5

214	Dietary beta-carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Breast Cancer Research and Treatment</i> , 2010 , 119, 753-65	4.4	52
213	Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2010 , 21, 357-71	2.8	63
212	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010 , 126, 1928-1935	7.5	25
211	Serum levels of IGF-I, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010 , 126, 1702-15	7.5	146
210	Achievements and future of nutritional cancer epidemiology. <i>International Journal of Cancer</i> , 2010 , 126, 1531-7	7.5	8
209	Leptin plasma levels in the general population: influence of age, gender, body weight and medical history. <i>Protein and Peptide Letters</i> , 2010 , 17, 1436-40	1.9	17
208	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1441-52	7	227
207	Vitamin D receptor and calcium sensing receptor polymorphisms and the risk of colorectal cancer in European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2485-91	4	65
206	Dietary intake of individual glucosinolates in participants of the EPIC-Heidelberg cohort study. <i>Annals of Nutrition and Metabolism</i> , 2009 , 54, 87-96	4.5	62
205	The role of smoking and diet in explaining educational inequalities in lung cancer incidence. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 321-30	9.7	69
204	Linoleic acid, a dietary n-6 polyunsaturated fatty acid, and the aetiology of ulcerative colitis: a nested case-control study within a European prospective cohort study. <i>Gut</i> , 2009 , 58, 1606-11	19.2	235
203	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 331-46	7	168
202	Heterocyclic aromatic amine intake increases colorectal adenoma risk: findings from a prospective European cohort study. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1418-24	7	90
201	Quantitative analysis of DNA methylation after whole bisulfite amplification of a minute amount of DNA from body fluids. <i>Epigenetics</i> , 2009 , 4, 221-30	5.7	48
200	Physical activity and ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 351-4	4	36
199	Fish consumption, allergic sensitisation and allergic diseases in adults. <i>Annals of Nutrition and Metabolism</i> , 2009 , 54, 67-74	4.5	10
198	Serum vitamin D and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2009 , 169, 1223-32	3.8	70
197	Serum undercarboxylated osteocalcin as biomarker of vitamin K intake and risk of prostate cancer: a nested case-control study in the Heidelberg cohort of the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 49-56	4	19

196	The association between dietary vitamin K intake and serum undercarboxylated osteocalcin is modulated by vitamin K epoxide reductase genotype. <i>British Journal of Nutrition</i> , 2009 , 101, 1812-20	3.6	14
195	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 602-12	7	85
194	Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. <i>DNA Repair</i> , 2009 , 8, 60-71	4.3	4
193	Smoking and risk for amyotrophic lateral sclerosis: analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009 , 65, 378-85	9.4	96
192	Plasma 25-hydroxyvitamin D and premenopausal breast cancer risk in a German case-control study. <i>International Journal of Cancer</i> , 2009 , 124, 250-5	7.5	101
191	Lifetime and baseline alcohol intake and risk of cancer of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009 , 125, 406-12	7.5	38
190	Dietary glucosinolate intake and risk of prostate cancer in the EPIC-Heidelberg cohort study. <i>International Journal of Cancer</i> , 2009 , 125, 2179-86	7.5	73
189	Socio-demographic characteristics of participation in the opportunistic German cervical cancer screening programme: results from the EPIC-Heidelberg cohort. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009 , 135, 533-41	4.9	32
188	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 785-94	2.8	40
187	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 811-21	2.8	29
186	Lifestyle factors, obesity and the risk of colorectal adenomas in EPIC-Heidelberg. <i>Cancer Causes and Control</i> , 2009 , 20, 1397-408	2.8	46
185	Energy intake and sources of energy intake in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S3-15	5.2	21
184	Intake of total, animal and plant proteins, and their food sources in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S16-36	5.2	67
183	Dietary fat intake in the European Prospective Investigation into Cancer and Nutrition: results from the 24-h dietary recalls. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S61-80	5.2	83
182	Alcohol consumption patterns, diet and body weight in 10 European countries. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S81-100	5.2	27
181	Variation in intakes of calcium, phosphorus, magnesium, iron and potassium in 10 countries in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S101-21	5.2	73
180	Dietary intake of the water-soluble vitamins B1, B2, B6, B12 and C in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S122-49	5.2	32
179	Dietary intakes of retinol, beta-carotene, vitamin D and vitamin E in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S150-78	5.2	46

178	A bivariate measurement error model for nitrogen and potassium intakes to evaluate the performance of regression calibration in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S179-87	5.2	21
177	Use of dietary supplements in the European Prospective Investigation into Cancer and Nutrition calibration study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S226-38	5.2	163
176	Plasma phyto-oestrogens and prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2009 , 100, 1817-23	8.7	66
175	Vitamin D receptor polymorphisms and breast cancer risk: results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 297-305	4	69
174	Association of plasma phytosterol concentrations with incident coronary heart disease Data from the CORA study, a case-control study of coronary artery disease in women. <i>Atherosclerosis</i> , 2009 , 203, 284-90	3.1	41
173	Evidence for an association between genetic variants of the fatty acid desaturase 1 fatty acid desaturase 2 (FADS1 FADS2) gene cluster and the fatty acid composition of erythrocyte membranes. <i>British Journal of Nutrition</i> , 2009 , 101, 20-6	3.6	170
172	Dietary intake of meat and meat-derived heterocyclic aromatic amines and their correlation with DNA adducts in female breast tissue. <i>Mutagenesis</i> , 2009 , 24, 127-32	2.8	14
171	Vitamin E intake in relation to allergic sensitization and IgE serum concentration. <i>Central European Journal of Public Health</i> , 2009 , 17, 79-85	1.2	9
170	A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. <i>Nature</i> , 2008 , 452, 633-7	50.4	1003
169	Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008 , 40, 1404-6	36.3	466
168	The impact of education on risk factors and the occurrence of multimorbidity in the EPIC-Heidelberg cohort. <i>BMC Public Health</i> , 2008 , 8, 384	4.1	87
167	General and abdominal adiposity and risk of death in Europe. <i>New England Journal of Medicine</i> , 2008 , 359, 2105-20	59.2	1451
166	Vitamin D receptor gene polymorphisms and haplotypes and postmenopausal breast cancer risk. <i>Breast Cancer Research</i> , 2008 , 10, R31	8.3	65
165	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008 , 44, 774-80	7.5	26
164	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008 , 37, 1316-25	7.8	62
163	Depression, comorbidities and the TNF-alpha system. <i>European Psychiatry</i> , 2008 , 23, 421-9	6	130
162	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2008 , 98, 1574-81	8.7	132
161	Alcohol consumption and the risk for prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1282-7	4	27

160	Circulating concentrations of folate and vitamin B12 in relation to prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 279-85	4	43
159	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3108-15	4	59
158	Diet in the aetiology of ulcerative colitis: a European prospective cohort study. <i>Digestion</i> , 2008 , 77, 57-64	6.6	113
157	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008 , 29, 1360-6	4.6	34
156	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008 , 15, 485-97	5.7	184
155	Contribution of obesity and abdominal fat mass to risk of stroke and transient ischemic attacks. <i>Stroke</i> , 2008 , 39, 3145-51	6.7	126
154	Cross-sectional study on acrylamide hemoglobin adducts in subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 6046-53	5.7	56
153	The Gc2 allele of the vitamin D binding protein is associated with a decreased postmenopausal breast cancer risk, independent of the vitamin D status. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1339-43	4	98
152	Smoking and lymphoma risk in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2008 , 167, 1081-9	3.8	32
151	A distinct ERCC1 haplotype is associated with mRNA expression levels in prostate cancer patients. <i>Carcinogenesis</i> , 2008 , 29, 1758-64	4.6	37
150	IGF-1, IGFBP-1, and IGFBP-3 polymorphisms predict circulating IGF levels but not breast cancer risk: findings from the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>PLoS ONE</i> , 2008 , 3, e2578	3.7	93
149	Cytokine gene polymorphisms and the risk of adenocarcinoma of the stomach in the European prospective investigation into cancer and nutrition (EPIC-EURGAST). <i>Annals of Oncology</i> , 2008 , 19, 1894-902	10.3	95
148	Blood pressure and risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2008 , 167, 438-46	3.8	134
147	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008 , 93, 1666-77	6.6	68
146	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1353-63	7	109
145	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1567-75	7	68
144	Bulky DNA adducts, 4-aminobiphenyl-haemoglobin adducts and diet in the European Prospective Investigation into Cancer and Nutrition (EPIC) prospective study. <i>British Journal of Nutrition</i> , 2008 , 100, 489-95	3.6	22
143	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008 , 93, 842-50	6.6	33

142	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1405-13	7	91
141	Intake of vegetables, legumes, and fruit, and risk for all-cause, cardiovascular, and cancer mortality in a European diabetic population. <i>Journal of Nutrition</i> , 2008 , 138, 775-81	4.1	169
140	Dietary intake of vitamin K and risk of prostate cancer in the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Heidelberg). <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 985-92	7	54
139	Meat intake and bladder cancer in a prospective study: a role for heterocyclic aromatic amines?. <i>Cancer Causes and Control</i> , 2008 , 19, 649-56	2.8	27
138	Association of fatty acids in serum phospholipids with lung function and bronchial hyperresponsiveness in adults. <i>European Journal of Epidemiology</i> , 2008 , 23, 175-90	12.1	40
137	Biomarkers of dietary intake of flavonoids and phenolic acids for studying diet-cancer relationship in humans. <i>European Journal of Nutrition</i> , 2008 , 47 Suppl 2, 60-8	5.2	43
136	Serum 25-hydroxyvitamin D and risk of post-menopausal breast cancer--results of a large case-control study. <i>Carcinogenesis</i> , 2008 , 29, 93-9	4.6	203
135	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1304-12	7	111
134	Dietary vitamin D and calcium intake and premenopausal breast cancer risk in a German case-control study. <i>Nutrition and Cancer</i> , 2007 , 59, 54-61	2.8	63
133	Plasma adiponectin levels and endometrial cancer risk in pre- and postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 255-63	5.6	169
132	An accurate risk score based on anthropometric, dietary, and lifestyle factors to predict the development of type 2 diabetes. <i>Diabetes Care</i> , 2007 , 30, 510-5	14.6	283
131	CYP17 genetic variation and risk of breast and prostate cancer from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2237-46	4	49
130	Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , 2007 , 166, 912-23	3.8	48
129	Lung cancers attributable to environmental tobacco smoke and air pollution in non-smokers in different European countries: a prospective study. <i>Environmental Health</i> , 2007 , 6, 7	6	90
128	Plasma carotenoids, retinol, and tocopherols and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 672-81	7	94
127	CagA+ Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 120, 859-67	7.5	101
126	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 120, 2656-64	7.5	85
125	Physical activity and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 347-55	7.5	80

124	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 368-76	7.5	144
123	Fruit and vegetable consumption and lung cancer risk: updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 1103-14	7.5	96
122	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 1331-8	7.5	71
121	Cereal fiber intake may reduce risk of gastric adenocarcinomas: the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 121, 1618-23	7.5	38
120	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 2065-72	7.5	194
119	Risk of endometrial cancer in relationship to cigarette smoking: results from the EPIC study. <i>International Journal of Cancer</i> , 2007 , 121, 2741-7	7.5	38
118	The human peripheral blood mononuclear cell proteome responds to a dietary flaxseed-intervention and proteins identified suggest a protective effect in atherosclerosis. <i>Proteomics</i> , 2007 , 7, 3278-88	4.8	45
117	Diet, serum insulin-like growth factor-I and IGF-binding protein-3 in European women. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 91-8	5.2	106
116	EPIC-Heart: the cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007 , 22, 129-41	12.1	69
115	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. <i>European Journal of Epidemiology</i> , 2007 , 22, 871-81	12.1	79
114	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007 , 18, 399-413	2.8	136
113	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007 , 18, 537-49	2.8	26
112	Lifestyle and diet in people using dietary supplements: a German cohort study. <i>European Journal of Nutrition</i> , 2007 , 46, 165-73	5.2	77
111	Multi-factor dimensionality reduction applied to a large prospective investigation on gene-gene and gene-environment interactions. <i>Carcinogenesis</i> , 2007 , 28, 414-22	4.6	62
110	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007 , 14, 755-67	5.7	90
109	Serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 concentrations and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1121-7	4	79
108	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007 , 14, 81-90	5.7	50
107	Supplementation of omega-3 fatty acids in parenteral nutrition beneficially alters phospholipid fatty acid pattern. <i>Journal of Parenteral and Enteral Nutrition</i> , 2007 , 31, 12-7	4.2	57

106	Dietary patterns and survival of older Europeans: the EPIC-Elderly Study (European Prospective Investigation into Cancer and Nutrition). <i>Public Health Nutrition</i> , 2007 , 10, 590-8	3.3	111
105	Endogenous androgens and risk of epithelial ovarian cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 23-9	4	43
104	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007 , 36, 66-76	7.8	59
103	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2007 , 10, 1515-25	3.3	110
102	Physical activity and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 36-42	4	117
101	Genetic susceptibility according to three metabolic pathways in cancers of the lung and bladder and in myeloid leukemias in nonsmokers. <i>Annals of Oncology</i> , 2007 , 18, 1230-42	10.3	51
100	Haplotype-based analysis of common variation in the acetyl-coA carboxylase alpha gene and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 409-15	4	12
99	The association of gastric cancer risk with plasma folate, cobalamin, and methylenetetrahydrofolate reductase polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2416-24	4	49
98	Determinants and correlates of serum undercarboxylated osteocalcin. <i>Annals of Nutrition and Metabolism</i> , 2007 , 51, 563-70	4.5	37
97	Variations in plasma phytoestrogen concentrations in European adults. <i>Journal of Nutrition</i> , 2007 , 137, 1294-300	4.1	68
96	Occupational exposures, environmental tobacco smoke, and lung cancer. <i>Epidemiology</i> , 2007 , 18, 769-75 ^{3,1}		42
95	Intake of heterocyclic aromatic amines from meat in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort. <i>British Journal of Nutrition</i> , 2007 , 98, 1112-5	3.6	24
94	Long-term reproducibility of a food-frequency questionnaire and dietary changes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort. <i>British Journal of Nutrition</i> , 2007 , 98, 194-200	3.6	56
93	Use of hormone replacement therapy (HRT) among women aged 45-64 years in the German EPIC-cohorts. <i>Maturitas</i> , 2007 , 56, 436-46	5	8
92	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 118, 728-38	7.5	141
91	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , 2006 , 118, 2559-66	7.5	258
90	Anthropometric measures, endogenous sex steroids and breast cancer risk in postmenopausal women: a study within the EPIC cohort. <i>International Journal of Cancer</i> , 2006 , 118, 2832-9	7.5	120
89	Fruits and vegetables and renal cell carcinoma: findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 118, 3133-9	7.5	61

88	Air pollution and risk of lung cancer in a prospective study in Europe. <i>International Journal of Cancer</i> , 2006 , 119, 169-74	7.5	136
87	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 119, 175-82	7.5	81
86	Serum C-peptide levels and breast cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 119, 659-67	7.5	91
85	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006 , 119, 2389-97	7.5	48
84	Haplotype analysis of the HSD17B1 gene and risk of breast cancer: a comprehensive approach to multicenter analyses of prospective cohort studies. <i>Cancer Research</i> , 2006 , 66, 2468-75	10.1	58
83	Body mass index, waist circumference and waist-hip ratio and serum levels of IGF-I and IGFBP-3 in European women. <i>International Journal of Obesity</i> , 2006 , 30, 1623-31	5.5	65
82	IGF-I, IGFBP-3 and breast cancer risk in women: The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2006 , 13, 593-605	5.7	119
81	Body size and risk of colon and rectal cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 920-31	9.7	415
80	Anthropometry, physical activity, and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 879-85 ⁴		95
79	Ethanol intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006 , 164, 1103-14	3.8	25
78	Meat intake and risk of stomach and esophageal adenocarcinoma within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 345-54	9.7	247
77	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006 , 27, 2250-7	4.6	106
76	Association of carotenoids, tocopherols and vitamin C in plasma with allergic rhinitis and allergic sensitisation in adults. <i>Public Health Nutrition</i> , 2006 , 9, 472-9	3.3	27
75	Physical activity and risk of colon and rectal cancers: the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2398-407	4	167
74	Analysis of epidemiological cohort data on smoking effects and lung cancer with a multi-stage cancer model. <i>Carcinogenesis</i> , 2006 , 27, 1432-44	4.6	32
73	No association between polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the risk of gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1043-5	4	25
72	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006 , 27, 1497-501	4.6	128
71	Bioavailability of apigenin from apiin-rich parsley in humans. <i>Annals of Nutrition and Metabolism</i> , 2006 , 50, 167-72	4.5	126

70	DNA repair polymorphisms and cancer risk in non-smokers in a cohort study. <i>Carcinogenesis</i> , 2006 , 27, 997-1007	4.6	205
69	Polymorphisms in metabolic genes related to tobacco smoke and the risk of gastric cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2427-34	4	53
68	Plasma levels of tumor necrosis factor alpha and soluble tumor necrosis factor receptors in patients with narcolepsy. <i>Archives of Internal Medicine</i> , 2006 , 166, 1739-43		50
67	CYP17 genotype modifies the association between lignan supply and premenopausal breast cancer risk in humans. <i>Journal of Nutrition</i> , 2006 , 136, 1596-603	4.1	36
66	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006 , 96 Suppl 2, S12-23	3.6	68
65	Plasma enterolactone and genistein and the risk of premenopausal breast cancer. <i>European Journal of Cancer Prevention</i> , 2006 , 15, 225-32	2	62
64	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk--results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006 , 9, 449-64	3.3	50
63	Polymorphisms of genes coding for insulin-like growth factor 1 and its major binding proteins, circulating levels of IGF-I and IGFBP-3 and breast cancer risk: results from the EPIC study. <i>British Journal of Cancer</i> , 2006 , 94, 299-307	8.7	102
62	Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. <i>British Journal of Cancer</i> , 2006 , 95, 406-15	8.7	93
61	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006 , 17, 957-69	2.8	96
60	Relationship of alcohol intake and sex steroid concentrations in blood in pre- and post-menopausal women: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2006 , 17, 1033-43	2.8	96
59	The effect of occasional smoking on smoking-related cancers: in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2006 , 17, 1305-9	2.8	23
58	TNF-alpha, soluble TNF receptor and interleukin-6 plasma levels in the general population. <i>European Cytokine Network</i> , 2006 , 17, 196-201	3.3	57
57	Genetic variation in the growth hormone synthesis pathway in relation to circulating insulin-like growth factor-I, insulin-like growth factor binding protein-3, and breast cancer risk: results from the European prospective investigation into cancer and nutrition study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2316-25	4	30
56	Fruit and vegetable consumption and risk of epithelial ovarian cancer: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2531-5	4	51
55	Reproductive and dietary determinants of the age at menopause in EPIC-Heidelberg. <i>Maturitas</i> , 2005 , 52, 337-47	5	83
54	Sodium intake and bronchial hyperresponsiveness in adults. <i>Respiratory Medicine</i> , 2005 , 99, 864-70	4.6	3
53	Estimated physical activity in Bavaria, Germany, and its implications for obesity risk: results from the BVS-II Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2005 , 2, 6	8.4	17

52	Association of fatty acids in serum phospholipids with hay fever, specific and total immunoglobulin E. <i>British Journal of Nutrition</i> , 2005 , 93, 529-35	3.6	30
51	Validated application of a new high-performance liquid chromatographic method for the determination of selected flavonoids and phenolic acids in human plasma using electrochemical detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 823, 143-51	3.2	38
50	Dietary intake of fatty acids, antioxidants and selected food groups and asthma in adults. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 8-15	5.2	85
49	Allergic sensitisation and allergic rhinitis are associated with n-3 polyunsaturated fatty acids in the diet and in red blood cell membranes. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1071-80	5.2	33
48	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1387-96	5.2	149
47	Plasma carotenoids as biomarkers of intake of fruits and vegetables: ecological-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1397-408	5.2	69
46	Interactive effects of polyphenols, tocopherol and ascorbic acid on the Cu ²⁺ -mediated oxidative modification of human low density lipoproteins. <i>European Journal of Nutrition</i> , 2005 , 44, 422-8	5.2	26
45	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005 , 16, 561-72	2.8	79
44	Variations in lycopene blood levels and tomato consumption across European countries based on the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Journal of Nutrition</i> , 2005 , 135, 2032S-6S	4.1	26
43	4-Aminobiphenyl-hemoglobin adducts and risk of smoking-related disease in never smokers and former smokers in the European Prospective Investigation into Cancer and Nutrition prospective study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2118-24	4	28
42	Meat, fish, and colorectal cancer risk: the European Prospective Investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 906-16	9.7	603
41	Preoperative oral supplementation with long-chain Omega-3 fatty acids beneficially alters phospholipid fatty acid patterns in liver, gut mucosa, and tumor tissue. <i>Journal of Parenteral and Enteral Nutrition</i> , 2005 , 29, 236-40	4.2	41
40	Consumption of vegetables and fruits and risk of breast cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 183-93	27.4	190
39	DNA adducts and lung cancer risk: a prospective study. <i>Cancer Research</i> , 2005 , 65, 8042-8	10.1	96
38	Dietary intake of fatty acids and antioxidants and hay fever risk in adults [results from a prospective study]. <i>Allergo Journal</i> , 2004 , 13, 520-521	0	
37	Association of polymorphisms in Th1, Th2 cytokine genes with hayfever and atopy in a subsample of EPIC-Heidelberg. <i>Clinical and Experimental Allergy</i> , 2004 , 34, 346-53	4.1	55
36	Fruits and vegetables and lung cancer: Findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2004 , 108, 269-76	7.5	100
35	Dietary phytoestrogen intake and premenopausal breast cancer risk in a German case-control study. <i>International Journal of Cancer</i> , 2004 , 110, 284-90	7.5	125

34	Plasma levels of six carotenoids in nine European countries: report from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2004 , 7, 713-22	3.3	90
33	Quantity and quality of dietary fat, carbohydrate, and fiber intake in the German EPIC cohorts. <i>Annals of Nutrition and Metabolism</i> , 2003 , 47, 37-46	4.5	39
32	The influence of the dietary intake of fatty acids and antioxidants on hay fever in adults. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2003 , 58, 1277-84	9.3	43
31	Fasting plasma concentrations of selected flavonoids as markers of their ordinary dietary intake. <i>European Journal of Nutrition</i> , 2002 , 41, 203-9	5.2	61
30	Polymorphisms in candidate obesity genes and their interaction with dietary intake of n-6 polyunsaturated fatty acids affect obesity risk in a sub-sample of the EPIC-Heidelberg cohort. <i>European Journal of Nutrition</i> , 2002 , 41, 210-21	5.2	88
29	Cooking of meat and fish in Europe--results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 1216-30	5.2	40
28	Nutrition and breast cancer risk by age 50: a population-based case-control study in Germany. <i>Nutrition and Cancer</i> , 2002 , 44, 23-34	2.8	35
27	Soy product consumption in 10 European countries: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2002 , 5, 1217-26	3.3	84
26	Dietary conjugated linoleic acid (CLA) intake assessment and possible biomarkers of CLA intake in young women. <i>Public Health Nutrition</i> , 2002 , 5, 73-80	3.3	20
25	Meat consumption in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts: results from 24-hour dietary recalls. <i>Public Health Nutrition</i> , 2002 , 5, 1243-58	3.3	110
24	Evaluation of under- and overreporting of energy intake in the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2002 , 5, 1329-45	3.3	194
23	Food sources of carbohydrates in a European cohort of adults. <i>Public Health Nutrition</i> , 2002 , 5, 1197-215	3.3	50
22	Variability of fish consumption within the 10 European countries participating in the European Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2002 , 5, 1273-85	3.3	203
21	Diversity of dietary patterns observed in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002 , 5, 1311-28	3.3	186
20	Consumption of added fats and oils in the European Prospective Investigation into Cancer and Nutrition (EPIC) centres across 10 European countries as assessed by 24-hour dietary recalls. <i>Public Health Nutrition</i> , 2002 , 5, 1227-42	3.3	49
19	Trends in self-reported past alcoholic beverage consumption and ethanol intake from 1950 to 1995 observed in eight European countries participating in the European Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2002 , 5, 1297-310	3.3	27
18	Physical activity of subjects aged 50-64 years involved in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2002 , 5, 1163-76	3.3	124
17	Consumption of dairy products in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: data from 35 955 24-hour dietary recalls in 10 European countries. <i>Public Health Nutrition</i> , 2002 , 5, 1259-71	3.3	67

16	Plasma 7beta-hydroxycholesterol as a possible predictor of lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2002 , 11, 1630-7	4	11
15	Macronutrient, vitamin, and mineral intakes in the EPIC-Germany cohorts. <i>Annals of Nutrition and Metabolism</i> , 2001 , 45, 181-9	4-5	23
14	Antioxidant status of surgical patients receiving TPN with an omega-3-fatty acid-containing lipid emulsion supplemented with alpha-tocopherol. <i>Clinical Nutrition</i> , 2000 , 19, 177-84	5-9	63
13	Dietary fiber reduces the antioxidative effect of a carotenoid and alpha-tocopherol mixture on LDL oxidation ex vivo in humans. <i>European Journal of Nutrition</i> , 1999 , 38, 278-85	5-2	34
12	Some dietary fibers reduce the absorption of carotenoids in women. <i>Journal of Nutrition</i> , 1999 , 129, 2170-6	4-6	175
11	Sucrose intake in Germany. <i>European Journal of Nutrition</i> , 1998 , 37, 303-14		22
10	Origin, metabolism, and adverse health effects of cholesterol oxidation products. <i>Lipid - Fett</i> , 1998 , 100, 211-218		22
9	Absorption of cholesterol oxidation products from ordinary foodstuff in humans. <i>Annals of Nutrition and Metabolism</i> , 1998 , 42, 221-30	4-5	49
8	Efficacy of different triglycerides in total parenteral nutrition for preventing atrophy of the gut in traumatized rats. <i>Journal of Parenteral and Enteral Nutrition</i> , 1997 , 21, 21-6	4-2	9
7	Influence of knowledge on iodine content in foodstuffs and prophylactic usage of iodized salt on urinary iodine excretion and thyroid volume of adults in southern Germany. <i>European Journal of Nutrition</i> , 1996 , 35, 6-12		5
6	Iodine concentration in canteen meals prepared with or without iodized salt. <i>European Journal of Nutrition</i> , 1995 , 34, 240-2		2
5	Odd-numbered medium-chain triglycerides (trinonanoin) in total parenteral nutrition: parameters of carbohydrate and protein metabolism. <i>Annals of Nutrition and Metabolism</i> , 1993 , 37, 320-7	4-5	2
4	Odd-numbered medium-chain triglycerides (trinonanoin) in total parenteral nutrition: effects on parameters of fat metabolism in rabbits. <i>Journal of Parenteral and Enteral Nutrition</i> , 1993 , 17, 522-8	4-2	7
3	Organ changes after intravenous trinonanoin administration in rabbits. <i>Annals of Nutrition and Metabolism</i> , 1993 , 37, 328-34	4-5	3
2	Dietary habits and serum lipids of a group of German amateur body-builders. <i>European Journal of Nutrition</i> , 1993 , 32, 289-300		7
1	Impact of body composition on COVID-19 susceptibility and severity: a two-sample multivariable Mendelian randomization study		2