

Roser Rosales Ribas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6886804/roser-rosales-ribas-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

13 papers	268 citations	8 h-index	14 g-index
14 ext. papers	317 ext. citations	3.2 avg, IF	2.47 L-index

#	Paper	IF	Citations
13	Triglyceride-Rich Lipoproteins and Glycoprotein A and B Assessed by 1H-NMR in Metabolic-Associated Fatty Liver Disease.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 775677	5.7	0
12	Palmitate decreases migration and proliferation and increases oxidative stress and inflammation in smooth muscle cells: role of the Nrf2 signaling pathway. <i>American Journal of Physiology - Cell Physiology</i> , 2019 , 316, C888-C897	5.4	7
11	Clinical and pathophysiological evidence supporting the safety of extremely low LDL levels-The zero-LDL hypothesis. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 292-299.e3	4.9	33
10	Letter to Editor: Increased Presence of Remnant Lipoprotein Cholesterol in The Hdl of Diabetic Subjects. <i>Annals of Clinical and Laboratory Science</i> , 2016 , 46, 229-32	0.9	
9	Simvastatin Increases Fibulin-2 Expression in Human Coronary Artery Smooth Muscle Cells via RhoA/Rho-Kinase Signaling Pathway Inhibition. <i>PLoS ONE</i> , 2015 , 10, e0133875	3.7	12
8	Tissue-specific DNA methylation profiles regulate liver-specific expression of the APOA1/C3/A4/A5 cluster and can be manipulated with demethylating agents on intestinal cells. <i>Atherosclerosis</i> , 2014 , 237, 528-35	3.1	14
7	FABP4 induces vascular smooth muscle cell proliferation and migration through a MAPK-dependent pathway. <i>PLoS ONE</i> , 2013 , 8, e81914	3.7	39
6	APOA5 gene expression in the human intestinal tissue and its response to in vitro exposure to fatty acid and fibrate. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012 , 22, 756-62	4.5	25
5	Polyunsaturated fatty acids down-regulate in vitro expression of the key intestinal cholesterol absorption protein NPC1L1: no effect of monounsaturated nor saturated fatty acids. <i>Journal of Nutritional Biochemistry</i> , 2010 , 21, 518-25	6.3	48
4	Prox-1 and FOXC2 gene expression in adipose tissue: A potential contributory role of the lymphatic system to familial combined hyperlipidaemia. <i>Atherosclerosis</i> , 2009 , 206, 343-5	3.1	16
3	El gen de la apolipoproteína A5 se expresa en el intestino humano. <i>Clínica E Investigación En Arteriosclerosis</i> , 2008 , 20, 129-134	1.4	
2	Los ácidos grasos poliinsaturados disminuyen la expresión in vitro de la proteína NPC1L1, clave en la absorción intestinal de colesterol. <i>Clínica E Investigación En Arteriosclerosis</i> , 2008 , 20, 200-206	1.4	
1	Gene expression analysis of a human enterocyte cell line reveals downregulation of cholesterol biosynthesis in response to short-chain fatty acids. <i>IUBMB Life</i> , 2008 , 60, 757-64	4.7	74