

Mohamed Kheireddine Aroua

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6887672/publications.pdf>

Version: 2024-02-01

252
papers

16,715
citations

21215

62
h-index

20023

121
g-index

254
all docs

254
docs citations

254
times ranked

18145
citing authors

#	ARTICLE	IF	CITATIONS
1	Biochar derived from fruit by-products using pyrolysis process for the elimination of Pb(II) ion: An updated review. <i>Chemosphere</i> , 2022, 287, 132250.	4.2	22
2	Prediction of B20 Storage Tank Precipitate Removal Based on Biodiesel Monoglyceride Content. <i>ChemEngineering</i> , 2022, 6, 7.	1.0	0
3	Activated carbon-based electrodes for two-steps catalytic/ electrocatalytic reduction of glycerol in Amberlyst-15 mediator. <i>Chemosphere</i> , 2022, , 133949.	4.2	3
4	Glycerol Electrocatalytic Reduction Using an Activated Carbon Composite Electrode: Understanding the Reaction Mechanisms and an Optimization Study. <i>Frontiers in Chemistry</i> , 2022, 10, 845614.	1.8	2
5	Physicochemical and oxidative stability of indigenous traditional tengkawang butter as potential cocoa butter equivalent (CBE). <i>International Journal of Food Properties</i> , 2022, 25, 780-791.	1.3	3
6	A Systematic Review of Amino Acid-Based Adsorbents for CO ₂ Capture. <i>Energies</i> , 2022, 15, 3753.	1.6	11
7	A review of recent progress on electrocatalysts toward efficient glycerol electrooxidation. <i>Reviews in Chemical Engineering</i> , 2021, 37, 779-811.	2.3	28
8	Structure–selectivity relationship of a zirconia-based heterogeneous acid catalyst in the production of green mono- and dioleate product. <i>Clean Technologies and Environmental Policy</i> , 2021, 23, 19-29.	2.1	4
9	The effects of 1-ethyl-3-methylimidazolium bis (trifluoromethylsulfonyl) imide [emim] [NTf ₂] IL: acetone compositions on the amount, homogeneity and chemical stability of immobilized IL in hollow fiber-supported ionic liquid membranes (SILMs). <i>Chemical Engineering Communications</i> , 2021, 208, 925-936.	1.5	1
10	Harvesting Electricity from CO ₂ Emission: Opportunities, Challenges and Future Prospects. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2021, 8, 1061-1081.	2.7	3
11	Oxidative hydrothermal surface modification of activated carbon for sevoflurane removal. <i>Chemosphere</i> , 2021, 264, 128535.	4.2	10
12	Process optimization and kinetics of microwave assisted transesterification of crude glycerol for the production of glycerol carbonate. <i>Sustainable Energy and Fuels</i> , 2021, 5, 274-282.	2.5	12
13	Mechanistic insights into carbon dioxide utilization by superoxide ion generated electrochemically in ionic liquid electrolyte. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 1114-1126.	1.3	7
14	High Yield Super-Hydrophobic Carbon Nanomaterials Using Cobalt/Iron Co-Catalyst Impregnated on Powder Activated Carbon. <i>Processes</i> , 2021, 9, 134.	1.3	2
15	Kinetic parameters for glycerol electrooxidation over nitrogen- and fluorine-doped composite carbon: Dynamic electrochemical impedance spectroscopy analysis based. <i>Journal of Electroanalytical Chemistry</i> , 2021, 883, 115043.	1.9	4
16	The application of polymer containing materials in CO ₂ capturing via absorption and adsorption methods. <i>Journal of CO₂ Utilization</i> , 2021, 48, 101526.	3.3	41
17	Thanaka (<i>H. crenulata</i> , <i>N. crenulata</i> , <i>L. acidissima</i> L.): A Systematic Review of Its Chemical, Biological Properties and Cosmeceutical Applications. <i>Cosmetics</i> , 2021, 8, 68.	1.5	6
18	Adsorption of CO ₂ on palm shell based activated carbon modified by deep eutectic solvent: Breakthrough adsorption study. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105333.	3.3	36

#	ARTICLE	IF	CITATIONS
19	Hybridized Fe/Ru-SiMWCNT-ionic liquid nanofluid for CO ₂ conversion into carbamate using superoxide ion. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105285.	3.3	8
20	Statistical Optimization and Kinetic Modeling of Lipase-Catalyzed Synthesis of Diacylglycerol in the Mixed Solvent System of Acetone/ <i>tert</i> -Butanol. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 14026-14037.	1.8	2
21	Current State and Perspectives on Transesterification of Triglycerides for Biodiesel Production. <i>Catalysts</i> , 2021, 11, 1121.	1.6	53
22	Mass transfer coefficients of carbon dioxide in aqueous blends of monoethanolamine and glycerol using wetted-wall column. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106618.	3.3	9
23	Transforming Plastic Waste into Porous Carbon for Capturing Carbon Dioxide: A Review. <i>Energies</i> , 2021, 14, 8421.	1.6	33
24	Enhancement of ionic mass transfer coefficient using a unique electrocoagulation reactor with rotating impeller anode. <i>Separation Science and Technology</i> , 2020, 55, 1167-1176.	1.3	5
25	Production of palm-based glycol ester over solid acid catalysed esterification of lauric acid via microwave heating. <i>Chemical Engineering Journal</i> , 2020, 382, 122975.	6.6	9
26	Supported ionic liquid membranes (SILMs) as a contactor for selective absorption of CO ₂ /O ₂ by aqueous monoethanolamine (MEA). <i>Separation and Purification Technology</i> , 2020, 230, 115849.	3.9	23
27	Breakthrough analysis of continuous fixed-bed adsorption of sevoflurane using activated carbons. <i>Chemosphere</i> , 2020, 239, 124839.	4.2	41
28	Recent trends in the development of adsorption technologies for carbon dioxide capture: A brief literature and patent reviews (2014–2018). <i>Journal of Cleaner Production</i> , 2020, 253, 119707.	4.6	97
29	Investigating the electrocatalytic oxidation of glycerol on simultaneous nitrogen- and fluorine-doped on activated carbon black composite. <i>Diamond and Related Materials</i> , 2020, 101, 107626.	1.8	9
30	A review of recent developments on kinetics parameters for glycerol electrochemical conversion – A by-product of biodiesel. <i>Science of the Total Environment</i> , 2020, 705, 135137.	3.9	57
31	Tailoring of activated carbon with ammonia for enhanced anaesthetic sevoflurane adsorption. <i>Separation and Purification Technology</i> , 2020, 251, 117404.	3.9	0
32	Preparation and characterization of electrode from annealed nano-diamond particles with boric acid for anodic oxidation process. <i>Electrochimica Acta</i> , 2020, 362, 137221.	2.6	9
33	Enrichment of surface oxygen functionalities on activated carbon for adsorptive removal of sevoflurane. <i>Chemosphere</i> , 2020, 260, 127496.	4.2	15
34	Authors'™ response to comments on Ang et al. – Breakthrough analysis of continuous fixed-bed adsorption of sevoflurane using activated carbons. <i>Chemosphere</i> , 2020, 247, 126389.	4.2	2
35	Experimental Densities of Binary mixture of 1-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide or sulfolane with monoethanolamine and their molecular interaction by COSMO-RS. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 778, 012022.	0.3	0
36	Bimetallic Mo–Fe Co-Catalyst-Based Nano-Carbon Impregnated on PAC for Optimum Super-Hydrophobicity. <i>Symmetry</i> , 2020, 12, 1242.	1.1	2

#	ARTICLE	IF	CITATIONS
37	Catalyst Characteristics and Performance of Silica-Supported Zinc for Hydrodeoxygenation of Phenol. <i>Energies</i> , 2020, 13, 2802.	1.6	3
38	Effect of Reaction Medium Mixture on the Lipase Catalyzed Synthesis of Diacylglycerol. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 9869-9881.	1.8	10
39	CO ₂ Absorption/Desorption in Aqueous Single and Novel Hybrid Solvents of Glycerol and Monoethanolamine in a Pilot-Scale Packed Bed Column. <i>Energy & Fuels</i> , 2020, 34, 8503-8515.	2.5	8
40	Editorial: From Glycerol to Value-Added Products. <i>Frontiers in Chemistry</i> , 2020, 8, 69.	1.8	16
41	Gas-phase hydrodeoxygenation of phenol over Zn/SiO ₂ catalysts: Effects of zinc load, temperature, weight hourly space velocity, and H ₂ volumetric flow rate. <i>Biomass and Bioenergy</i> , 2020, 138, 105556.	2.9	12
42	A review on activated carbon adsorption for volatile organic compounds (VOCs). <i>Reviews in Chemical Engineering</i> , 2019, 35, 649-668.	2.3	90
43	Recent development in the electrochemical conversion of carbon dioxide: Short review. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	8
44	Combined solar electrocoagulation and adsorption processes for Pb(II) removal from aqueous solution. <i>Chemical Engineering and Processing: Process Intensification</i> , 2019, 143, 107619.	1.8	22
45	In Situ Electrosynthesis of Peroxydicarbonate Anion in Ionic Liquid Media Using Carbon Dioxide/Superoxide System. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 25928-25939.	4.0	12
46	Enhancing the Anti-biofouling Properties of Polyethersulfone Membrane Using Chitosan-Powder Activated Carbon Composite. <i>Journal of Polymers and the Environment</i> , 2019, 27, 2156-2166.	2.4	6
47	Low-cost, biodegradable and highly effective adsorbents for batch and column fixed bed adsorption processes of methylene blue. <i>Journal of Environmental Chemical Engineering</i> , 2019, 7, 103409.	3.3	56
48	Starch as novel water soluble biopolymer in removal mixtures heavy metal ions via polymer enhanced ultrafiltration. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	5
49	Raw landfill leachate treatment using an electrocoagulation process with a novel rotating electrode reactor. <i>Water Science and Technology</i> , 2019, 80, 458-465.	1.2	21
50	Temperature-programmed reduction of silver(I) oxide using a titania-supported silver catalyst under a H ₂ atmosphere. <i>Journal of the Chinese Chemical Society</i> , 2019, 66, 1443-1455.	0.8	7
51	Selective Electrochemical Conversion of Glycerol to Glycolic Acid and Lactic Acid on a Mixed Carbon-Black Activated Carbon Electrode in a Single Compartment Electrochemical Cell. <i>Frontiers in Chemistry</i> , 2019, 7, 110.	1.8	15
52	Esterification of Glycerol With Oleic Acid Over Hydrophobic Zirconia-Silica Acid Catalyst and Commercial Acid Catalyst: Optimization and Influence of Catalyst Acidity. <i>Frontiers in Chemistry</i> , 2019, 7, 205.	1.8	30
53	Atmospheric hydrodeoxygenation of phenol as pyrolytic oil model compound for hydrocarbon production using Ag/TiO ₂ catalyst. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2019, 14, e2293.	0.8	12
54	Solubility of CO ₂ in aqueous 2-amino-1, 3-propanediol (Serinol) at elevated pressures. <i>Journal of Molecular Liquids</i> , 2019, 277, 207-216.	2.3	2

#	ARTICLE	IF	CITATIONS
55	Synergistic interaction of metal- acid sites for phenol hydrodeoxygenation over bifunctional Ag/TiO ₂ nanocatalyst. Chinese Journal of Chemical Engineering, 2019, 27, 349-361.	1.7	22
56	Mechanism of bacterial adhesion on ultrafiltration membrane modified by natural antimicrobial polymers (chitosan) and combination with activated carbon (PAC). Reviews in Chemical Engineering, 2019, 35, 421-443.	2.3	26
57	Selection of Tubular Membrane Separation based on the Resistance Performance. , 2019, , .		0
58	Advanced process control for ultrafiltration membrane water treatment system. Journal of Cleaner Production, 2018, 179, 63-80.	4.6	42
59	Electrochemical reduction of bicarbonate on carbon nanotube-supported silver oxide: An electrochemical impedance spectroscopy study. Journal of Environmental Chemical Engineering, 2018, 6, 1033-1043.	3.3	8
60	Atmospheric hydrodeoxygenation of bio-oil oxygenated model compounds: A review. Journal of Analytical and Applied Pyrolysis, 2018, 133, 117-127.	2.6	62
61	Optimization study on preparation of amine functionalized sea mango (cerbera odollam) activated carbon for Carbon Dioxide (CO ₂) adsorption. Combustion Science and Technology, 2018, 190, 1259-1282.	1.2	13
62	Improvement of product selectivity in bicarbonate reduction into formic acid on a tin-based catalyst by integrating nano-diamond particles. Chemical Engineering Research and Design, 2018, 116, 494-505.	2.7	5
63	Solar photovoltaic applications: opportunities and challenges. Reviews in Chemical Engineering, 2018, 34, 503-528.	2.3	16
64	Prediction of CO ₂ /O ₂ absorption selectivity using supported ionic liquid membranes (SILMs) for gas-liquid membrane contactor. Chemical Engineering Communications, 2018, 205, 295-310.	1.5	10
65	Modification of polyethylene glycol with choline chloride and evaluation of the CO ₂ absorption capacity of their aqueous solutions. , 2018, 8, 324-334.		8
66	A review on the adsorption of phenols from wastewater onto diverse groups of adsorbents. Reviews in Chemical Engineering, 2018, 34, 855-873.	2.3	58
67	Solubility of CO ₂ in aqueous solutions of glycerol and monoethanolamine. Journal of Molecular Liquids, 2018, 249, 40-52.	2.3	41
68	Treatment of Textile Wastewater Using a Novel Electrocoagulation Reactor Design. , 2018, , .		2
69	Electrochemical bicarbonate reduction in the presence of Diisopropylamine on silver oxide in alkaline sodium bicarbonate medium. Journal of Environmental Chemical Engineering, 2018, 6, 6335-6343.	3.3	2
70	Development of diamond composite electrode for anodic oxidation of organic pollutants. Journal of Environmental Chemical Engineering, 2018, 6, 3884-3888.	3.3	7
71	Acidity, oxophilicity and hydrogen sticking probability of supported metal catalysts for hydrodeoxygenation process. IOP Conference Series: Materials Science and Engineering, 2018, 334, 012074.	0.3	7
72	Development of a Novel Hydrophobic ZrO ₂ -SiO ₂ Based Acid Catalyst for Catalytic Esterification of Glycerol with Oleic Acid. Industrial & Engineering Chemistry Research, 2018, 57, 9386-9399.	1.8	31

#	ARTICLE	IF	CITATIONS
73	Pyrolysis of plastic waste for liquid fuel production as prospective energy resource. IOP Conference Series: Materials Science and Engineering, 2018, 334, 012001.	0.3	83
74	Delayed volatiles release phenomenon at higher temperature in TGA via sample encapsulation technique. Fuel, 2018, 234, 422-429.	3.4	10
75	Effect of carbon source on acclimatization of nitrifying bacteria to achieve high-rate partial nitrification of wastewater with high ammonium concentration. Applied Water Science, 2017, 7, 165-173.	2.8	13
76	The application of iron mesh double layer as anode for the electrochemical treatment of Reactive Black 5 dye. Journal of Environmental Sciences, 2017, 54, 184-195.	3.2	34
77	Removal of lead by solar-photovoltaic electrocoagulation using novel perforated zinc electrode. Journal of Cleaner Production, 2017, 147, 206-216.	4.6	63
78	Effect of Adsorption and Passivation Phenomena on the Electrochemical Oxidation of Phenol and 2-Chlorophenol at Carbon Black Diamond Composite Electrode. Industrial & Engineering Chemistry Research, 2017, 56, 1652-1660.	1.8	21
79	A review of ionic liquids as catalysts for transesterification reactions of biodiesel and glycerol carbonate production. Catalysis Reviews - Science and Engineering, 2017, 59, 44-93.	5.7	64
80	A review on reaction mechanisms of metal-catalyzed deoxygenation process in bio-oil model compounds. Applied Catalysis A: General, 2017, 541, 87-106.	2.2	115
81	Optimization of transesterification of palm-based methyl palmitate and triethanolamine towards maximum di-esteramine content. Biocatalysis and Agricultural Biotechnology, 2017, 10, 352-359.	1.5	4
82	Carbon dioxide adsorption on nitrogen-enriched gel beads from calcined eggshell/sodium alginate natural composite. Chemical Engineering Research and Design, 2017, 109, 387-399.	2.7	23
83	A review of electrocoagulation technology for the treatment of textile wastewater. Reviews in Chemical Engineering, 2017, 33, .	2.3	117
84	Microstructures, interactions and dynamics properties studies of aqueous guanidinium triflate ionic liquid from molecular dynamics simulations. Journal of Molecular Liquids, 2017, 227, 184-193.	2.3	5
85	Optimisation of Reactive Black 5 dye removal by electrocoagulation process using response surface methodology. Water Science and Technology, 2017, 75, 952-962.	1.2	27
86	Recent trends in removal and recovery of heavy metals from wastewater by electrochemical technologies. Reviews in Chemical Engineering, 2017, 33, .	2.3	59
87	Electrochemical Properties and Electrode Reversibility Studies of Palm Shell Activated Carbon for Heavy Metal Removal. Electrochimica Acta, 2017, 249, 96-103.	2.6	8
88	A review on reactivity and stability of heterogeneous metal catalysts for deoxygenation of bio-oil model compounds. Journal of Industrial and Engineering Chemistry, 2017, 56, 1-34.	2.9	132
89	Energy recovery from pyrolysis of plastic waste: Study on non-recycled plastics (NRP) data as the real measure of plastic waste. Energy Conversion and Management, 2017, 148, 925-934.	4.4	162
90	Effect of varying the amount of binder on the electrochemical characteristics of palm shell activated carbon. IOP Conference Series: Materials Science and Engineering, 2017, 210, 012011.	0.3	3

#	ARTICLE	IF	CITATIONS
91	Polymeric ionic liquids (PILs) for CO ₂ capture. <i>Reviews in Chemical Engineering</i> , 2017, 33, 183-200.	2.3	24
92	A practical hybrid modelling approach for the prediction of potential fouling parameters in ultrafiltration membrane water treatment plant. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 45, 145-155.	2.9	52
93	A low sludge generated anode by hybrid solar electrocoagulation for the removal of lead. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 210, 012013.	0.3	0
94	Selective Electroreduction of Glycerol to 1,2-Propanediol on a Mixed Carbon-Black Activated Carbon Electrode and a Mixed Carbon Black-Diamond Electrode. <i>BioResources</i> , 2017, 13, .	0.5	1
95	Synthesis, characterization, and performance evaluation of multilayered photoanodes by introducing mesoporous carbon and TiO ₂ for humic acid adsorption. <i>International Journal of Nanomedicine</i> , 2016, Volume 11, 3969-3978.	3.3	9
96	Correlation and measurement of density and viscosity of aqueous mixtures of glycerol and N-methyldiethanolamine, monoethanolamine, piperazine and ionic liquid. <i>Journal of Molecular Liquids</i> , 2016, 221, 1155-1161.	2.3	19
97	Production of glycerol carbonate from glycerol with aid of ionic liquid as catalyst. <i>Chemical Engineering Journal</i> , 2016, 297, 128-138.	6.6	72
98	Preparation of activated carbon using sea mango (<i>Cerbera odollam</i>) with microwave-assisted technique for the removal of methyl orange from textile wastewater. <i>Desalination and Water Treatment</i> , 2016, 57, 29143-29152.	1.0	12
99	A review of the enzymatic hydroesterification process for biodiesel production. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 61, 245-257.	8.2	108
100	Evaluation of 1-Butyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide-Alkanolamine Sulfolane-Based System as Solvent for Absorption of Carbon Dioxide. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 7992-8001.	1.8	26
101	Production and applications of electric-arc-furnace slag as solid waste in environmental technologies: a review. <i>Environmental Technology Reviews</i> , 2016, 5, 1-11.	2.1	29
102	Enhanced microwave catalytic-esterification of industrial grade glycerol over Brønsted-based methane sulfonic acid in production of biolubricant. <i>Chemical Engineering Research and Design</i> , 2016, 104, 323-333.	2.7	15
103	Simulation of Aqueous Blend of Monoethanolamine and Glycerol for Carbon Dioxide Capture from Flue Gas. <i>Energy & Fuels</i> , 2016, 30, 9540-9553.	2.5	12
104	An overview of biological processes and their potential for CO ₂ capture. <i>Journal of Environmental Management</i> , 2016, 183, 41-58.	3.8	85
105	Absorption of CO ₂ into aqueous mixtures of glycerol and monoethanolamine. <i>Journal of Natural Gas Science and Engineering</i> , 2016, 35, 605-613.	2.1	50
106	Experimental densities and viscosities of binary mixture of 1-butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide or glycerol with sulfolane and their molecular interaction by COSMO-RS. <i>Thermochimica Acta</i> , 2016, 639, 130-147.	1.2	17
107	Key issues of ultrafiltration membrane water treatment plant scale-up from laboratory and pilot plant results. <i>Water Science and Technology: Water Supply</i> , 2016, 16, 438-444.	1.0	4
108	Conversion of crude and pure glycerol into derivatives: A feasibility evaluation. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 63, 533-555.	8.2	144

#	ARTICLE	IF	CITATIONS
109	Catalytic role of solid acid catalysts in glycerol acetylation for the production of bio-additives: a review. RSC Advances, 2016, 6, 68885-68905.	1.7	84
110	Reactivity of carbon black diamond electrode during the electro-oxidation of Remazol Brilliant Blue R. RSC Advances, 2016, 6, 3690-3699.	1.7	6
111	Electrocoagulation by solar energy feed for textile wastewater treatment including mechanism and hydrogen production using a novel reactor design with a rotating anode. RSC Advances, 2016, 6, 10192-10204.	1.7	28
112	Sulfonated Beet Pulp as Solid Catalyst in One-Step Esterification of Industrial Palm Fatty Acid Distillate. JAOCS, Journal of the American Oil Chemists' Society, 2016, 93, 319-327.	0.8	12
113	A review on pyrolysis of plastic wastes. Energy Conversion and Management, 2016, 115, 308-326.	4.4	1,296
114	Production of Palm-Based Esteramine Through Heterogeneous Catalysis. Journal of Surfactants and Detergents, 2016, 19, 11-18.	1.0	7
115	Evaluation of ultrafiltration and conventional water treatment systems for sustainable development: an industrial scale case study. Journal of Cleaner Production, 2016, 112, 3152-3163.	4.6	54
116	Microwave-assisted transesterification of industrial grade crude glycerol for the production of glycerol carbonate. Chemical Engineering Journal, 2016, 284, 469-477.	6.6	56
117	Palm Shell-based Activated Carbon for Removing Reactive Black 5 Dye: Equilibrium and Kinetics Studies. BioResources, 2015, 11, .	0.5	8
118	Physicochemical characterization and thermal behavior of biodiesel and biodiesel-diesel blends derived from crude Moringa peregrina seed oil. Energy Conversion and Management, 2015, 92, 535-542.	4.4	56
119	A review of CO ₂ capture by absorption in ionic liquid-based solvents. Reviews in Chemical Engineering, 2015, 31, .	2.3	109
120	Density and viscosity of aqueous mixtures of N-methyldiethanolamines (MDEA), piperazine (PZ) and ionic liquids. Journal of Molecular Liquids, 2015, 209, 596-602.	2.3	42
121	p-Benzoquinone Anodic Degradation by Carbon Black Diamond Composite Electrodes. Electrochimica Acta, 2015, 169, 46-51.	2.6	11
122	A review of different solvents, mass transfer, and hydrodynamics for postcombustion CO ₂ capture. Reviews in Chemical Engineering, 2015, 31, .	2.3	43
123	Anodic Degradation of 2-Chlorophenol by Carbon Black Diamond and Activated Carbon Composite Electrodes. Electrochimica Acta, 2015, 180, 22-28.	2.6	20
124	Catalytic esterification of bioglycerol to value-added products. Reviews in Chemical Engineering, 2015, 31, .	2.3	29
125	On-line CO, CO ₂ emissions evaluation and (benzene, toluene, xylene) determination from experimental burn of tropical biomass. Journal of Environmental Sciences, 2015, 33, 239-244.	3.2	8
126	Fabrication modeling of industrial CO ₂ ionic liquids absorber by artificial neural networks. Journal of Industrial and Engineering Chemistry, 2015, 25, 168-175.	2.9	18

#	ARTICLE	IF	CITATIONS
127	Preparation and characterization of carbon black diamond composite electrodes for anodic degradation of phenol. <i>Electrochimica Acta</i> , 2015, 153, 379-384.	2.6	19
128	Selected physical properties of binary mixtures of crude glycerol and methanol at various temperatures. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 21, 1039-1043.	2.9	21
129	Practical performance analysis of an industrial-scale ultrafiltration membrane water treatment plant. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2015, 46, 132-139.	2.7	32
130	Removal of heavy metal ions from mixed solutions via polymer-enhanced ultrafiltration using starch as a water-soluble biopolymer. <i>Environmental Progress and Sustainable Energy</i> , 2015, 34, 359-367.	1.3	18
131	A review: Conversion of bioglycerol into 1,3-propanediol via biological and chemical method. <i>Renewable and Sustainable Energy Reviews</i> , 2015, 42, 963-972.	8.2	155
132	Progress, prospect and challenges in glycerol purification process: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2015, 42, 1164-1173.	8.2	201
133	Low pressure solubilities of CO ₂ in guanidinium trifluoromethanesulfonate-MDEA systems. <i>Fluid Phase Equilibria</i> , 2015, 385, 79-91.	1.4	23
134	Impact of in situ physical and chemical cleaning on PVDF membrane properties and performances. <i>Chemical Engineering Science</i> , 2015, 122, 426-435.	1.9	103
135	Removal of zinc and lead ions by polymer-enhanced ultrafiltration using unmodified starch as novel binding polymer. <i>International Journal of Environmental Science and Technology</i> , 2015, 12, 1825-1834.	1.8	20
136	A New Electrochemical Sensor Based on Task-Specific Ionic Liquids-Modified Palm Shell Activated Carbon for the Determination of Mercury in Water Samples. <i>Sensors</i> , 2014, 14, 13102-13113.	2.1	19
137	Unmodified starch as water-soluble binding polymer for chromium ions removal via polymer enhanced ultrafiltration system. <i>Journal of Environmental Health Science & Engineering</i> , 2014, 12, 61.	1.4	13
138	Cadmium (II)-selective electrode based on palm shell activated carbon modified with task-specific ionic liquid: kinetics and analytical applications. <i>International Journal of Environmental Science and Technology</i> , 2014, 11, 1115-1126.	1.8	11
139	Kinetic study of lipase catalyzed transesterification of jatropha oil in circulated batch packed bed reactor. <i>Chemical Engineering Journal</i> , 2014, 237, 123-130.	6.6	30
140	Effects of operational parameters on the treatment of nitrate-rich wastewater by autohydrogenotrophic denitrifying bacteria. <i>Water and Environment Journal</i> , 2014, 28, 556-565.	1.0	10
141	Prospective applications of renewable energy based electrochemical systems in wastewater treatment: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2014, 38, 36-46.	8.2	75
142	A review on the performance of glycerol carbonate production via catalytic transesterification: Effects of influencing parameters. <i>Energy Conversion and Management</i> , 2014, 88, 484-497.	4.4	151
143	Removal of residual palm oil-based biodiesel catalyst using membrane ultra-filtration technique: An optimization study. <i>AJ - Alexandria Engineering Journal</i> , 2014, 53, 705-715.	3.4	21
144	Density, Surface Tension, and Viscosity of Ionic Liquids (1-Ethyl-3-methylimidazolium diethylphosphate) <i>Chemical & Engineering Data</i> , 2014, 59, 1737-1746.	1.0	35

#	ARTICLE	IF	CITATIONS
145	An evaluation of Moringa peregrina seeds as a source for bio-fuel. <i>Industrial Crops and Products</i> , 2014, 61, 49-61.	2.5	59
146	Vapor pressure of aqueous methyldiethanolamine mixed with ionic liquids. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2014, 45, 380-386.	2.7	16
147	Physical properties of aqueous mixtures of N-methyldiethanolamine (MDEA) and ionic liquids. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 3349-3355.	2.9	34
148	Palm shell activated carbon impregnated with task-specific ionic-liquids as a novel adsorbent for the removal of mercury from contaminated water. <i>Chemical Engineering Journal</i> , 2013, 225, 306-314.	6.6	108
149	Glycerol production and its applications as a raw material: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2013, 27, 118-127.	8.2	511
150	Reactive extraction of solid coconut waste to produce biodiesel. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2013, 44, 233-238.	2.7	44
151	Effects of Alkaline Environments at Mild Conditions on the Stability of PVDF Membrane: An Experimental Study. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 15874-15882.	1.8	105
152	Improved yield of solvent free enzymatic methanolysis of palm and jatropha oils blended with castor oil. <i>Applied Energy</i> , 2013, 104, 905-909.	5.1	31
153	Blended aviation biofuel from esterified Jatropha curcas and waste vegetable oils. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2013, 44, 911-916.	2.7	42
154	Density and Viscosity of Aqueous Mixtures of N-Methyldiethanolamines (MDEA) and Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2013, 58, 240-247.	1.0	58
155	The effects of catalysts in biodiesel production: A review. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 14-26.	2.9	436
156	Impregnation of palm shell-based activated carbon with sterically hindered amines for CO ₂ adsorption. <i>Chemical Engineering Journal</i> , 2013, 219, 558-564.	6.6	86
157	The application of nano-crystalline PbO ₂ as an anode for the simultaneous bio-electrochemical denitrification and organic matter removal in an up-flow undivided reactor. <i>Electrochimica Acta</i> , 2013, 94, 327-335.	2.6	35
158	Castor oil as a more suitable feedstock for enzymatic production of methyl esters. <i>Fuel Processing Technology</i> , 2013, 112, 129-132.	3.7	32
159	Optimization and modeling of extraction of solid coconut waste oil. <i>Journal of Food Engineering</i> , 2013, 114, 228-234.	2.7	81
160	A review on the effect of bio-electrodes on denitrification and organic matter removal processes in bio-electrochemical systems. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 1-13.	2.9	90
161	Optimization of Headspace Sampling Using Solid-Phase Microextraction (SPME) for Volatile Components in Starfruit Juice. <i>International Journal of Food Engineering</i> , 2013, 9, 227-232.	0.7	6
162	Absorption of Carbon Dioxide into Piperazine Activated Diethanolamine Solutions. , 2012, , 42-49.		1

#	ARTICLE	IF	CITATIONS
163	Removal of Simultaneous Multivalent Metal Ions via Polymer Enhanced Ultrafiltration by Using Unmodified Starch as Water-Based Polymer. <i>Procedia Engineering</i> , 2012, 44, 2002-2005.	1.2	0
164	Development of nitrate elimination by autohydrogenotrophic bacteria in bio-electrochemical reactors " A review. <i>Biochemical Engineering Journal</i> , 2012, 67, 251-264.	1.8	110
165	Kinetics of Carbon Dioxide absorption into aqueous MDEA+ [bmim][BF4] solutions from 303 to 333K. <i>Chemical Engineering Journal</i> , 2012, 200-202, 317-328.	6.6	53
166	Sequential nitrification and denitrification in a novel palm shell granular activated carbon twin-chamber upflow bio-electrochemical reactor for treating ammonium-rich wastewater. <i>Bioresource Technology</i> , 2012, 125, 256-266.	4.8	29
167	High quality biodiesel obtained through membrane technology. <i>Journal of Membrane Science</i> , 2012, 421-422, 154-164.	4.1	53
168	Kinetics of CO2 Absorption Into Aqueous Blends of Diethanolamine and Methyldiethanolamine. , 2012, , 64-70.		3
169	Study on the improvement of the capacity of amine-impregnated commercial activated carbon beds for CO2 adsorbing. <i>Chemical Engineering Journal</i> , 2012, 183, 15-20.	6.6	78
170	Absorption of CO2 in aqueous mixtures of N-methyldiethanolamine and guanidinium tris(pentafluoroethyl)trifluorophosphate ionic liquid at high-pressure. <i>Fluid Phase Equilibria</i> , 2012, 322-323, 120-125.	1.4	41
171	Removal of total ammonia nitrogen (TAN), nitrate and total organic carbon (TOC) from aquaculture wastewater using electrochemical technology: A review. <i>Desalination</i> , 2012, 285, 1-13.	4.0	393
172	Production of biodiesel using high free fatty acid feedstocks. <i>Renewable and Sustainable Energy Reviews</i> , 2012, 16, 3275-3285.	8.2	232
173	The effects of water on biodiesel production and refining technologies: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2012, 16, 3456-3470.	8.2	229
174	TiO2/Al2O3 membrane reactor equipped with a methanol recovery unit to produce palm oil biodiesel. <i>International Journal of Energy Research</i> , 2012, 36, 120-129.	2.2	16
175	Neural network based controller for Cr6+ " Fe2+ batch reduction process. <i>Neurocomputing</i> , 2011, 74, 3773-3784.	3.5	0
176	Membrane biodiesel production and refining technology: A critical review. <i>Renewable and Sustainable Energy Reviews</i> , 2011, 15, 5051-5062.	8.2	109
177	Refining technologies for the purification of crude biodiesel. <i>Applied Energy</i> , 2011, 88, 4239-4251.	5.1	177
178	Absorption of carbon dioxide in the aqueous mixtures of methyldiethanolamine with three types of imidazolium-based ionic liquids. <i>Fluid Phase Equilibria</i> , 2011, 309, 76-82.	1.4	92
179	Combustion characteristics of biomass in SouthEast Asia. <i>Biomass and Bioenergy</i> , 2011, 35, 3884-3890.	2.9	30
180	Density, viscosity, physical solubility and diffusivity of CO2 in aqueous MDEA+ [bmim][BF4] solutions from 303 to 333K. <i>Chemical Engineering Journal</i> , 2011, 172, 763-770.	6.6	52

#	ARTICLE	IF	CITATIONS
181	Solubilities of CO ₂ in aqueous N-methyl-diethanolamine and guanidinium trifluoromethanesulfonate ionic liquid systems at elevated pressures. <i>Fluid Phase Equilibria</i> , 2011, 300, 89-94.	1.4	61
182	Textural characteristics, surface chemistry and activation of bleaching earth: A review. <i>Chemical Engineering Journal</i> , 2011, 170, 90-106.	6.6	137
183	A packed bed membrane reactor for production of biodiesel using activated carbon supported catalyst. <i>Bioresource Technology</i> , 2011, 102, 1095-1102.	4.8	165
184	Equilibrium solubility of carbon dioxide in 2(methylamino)ethanol. <i>Fluid Phase Equilibria</i> , 2011, 303, 162-167.	1.4	23
185	Biodiesel separation and purification: A review. <i>Renewable Energy</i> , 2011, 36, 437-443.	4.3	398
186	Kinetics Study of Esterification Reaction of 2-Methyl-4-Chlorophenoxyacetic Acid (MCPA Acid). <i>International Journal of Chemical Reactor Engineering</i> , 2011, 9, .	0.6	6
187	Enzymes in Biofuels Production. <i>Enzyme Research</i> , 2011, 2011, 1-2.	1.8	11
188	Control of pH during water denitrification in an upflow bio-electrochemical reactor (UBER) using a pump-around system. <i>Separation and Purification Technology</i> , 2010, 72, 401-405.	3.9	9
189	Methanol recovery during transesterification of palm oil in a TiO ₂ /Al ₂ O ₃ membrane reactor: Experimental study and neural network modeling. <i>Separation and Purification Technology</i> , 2010, 76, 58-63.	3.9	36
190	Hybrid neural network for prediction of CO ₂ solubility in monoethanolamine and diethanolamine solutions. <i>Korean Journal of Chemical Engineering</i> , 2010, 27, 1864-1867.	1.2	11
191	Control of a hydrolyzer in an oleochemical plant using neural network based controllers. <i>Neurocomputing</i> , 2010, 73, 3242-3255.	3.5	9
192	High quality biodiesel and its diesel engine application: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2010, 14, 1999-2008.	8.2	509
193	Biodiesel production using alumina-supported calcium oxide: An optimization study. <i>Fuel Processing Technology</i> , 2010, 91, 243-248.	3.7	205
194	Potassium hydroxide catalyst supported on palm shell activated carbon for transesterification of palm oil. <i>Fuel Processing Technology</i> , 2010, 91, 1378-1385.	3.7	160
195	Hexavalent chromium adsorption on impregnated palm shell activated carbon with polyethyleneimine. <i>Bioresource Technology</i> , 2010, 101, 5098-5103.	4.8	171
196	A kinetic study of autohydrogenotrophic denitrification at the optimum pH and sodium bicarbonate dose. <i>Bioresource Technology</i> , 2010, 101, 2236-2242.	4.8	56
197	Study on palm shell activated carbon adsorption capacity to remove copper ions from aqueous solutions. <i>Desalination</i> , 2010, 262, 94-98.	4.0	82
198	Experimental Investigation on the Solubility and Initial Rate of Absorption of CO ₂ in Aqueous Mixtures of Methyl-diethanolamine with the Ionic Liquid 1-Butyl-3-methylimidazolium Tetrafluoroborate. <i>Journal of Chemical & Engineering Data</i> , 2010, 55, 5733-5738.	1.0	70

#	ARTICLE	IF	CITATIONS
199	Viscosities and Densities of Binary and Ternary Blends of Palm Oil + Palm Biodiesel + Diesel Fuel at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2010, 55, 504-507.	1.0	47
200	Modelling of Chromium Hexavalent Reduction by Ferrous Ion in a Batch Stirred Tank. <i>Chemical Product and Process Modeling</i> , 2009, 4, .	0.5	1
201	Improvement of autohydrogenotrophic nitrite reduction rate through optimization of pH and sodium bicarbonate dose in batch experiments. <i>Journal of Bioscience and Bioengineering</i> , 2009, 107, 275-280.	1.1	42
202	Density of <i>Jatropha curcas</i> Seed Oil and its Methyl Esters: Measurement and Estimations. <i>International Journal of Thermophysics</i> , 2009, 30, 529-541.	1.0	40
203	Removal of Hexavalent Chromium-Contaminated Water and Wastewater: A Review. <i>Water, Air, and Soil Pollution</i> , 2009, 200, 59-77.	1.1	733
204	Nitrate remediation in a novel upflow bio-electrochemical reactor (UBER) using palm shell activated carbon as cathode material. <i>Electrochimica Acta</i> , 2009, 54, 4164-4171.	2.6	56
205	Activity of solid catalysts for biodiesel production: A review. <i>Fuel Processing Technology</i> , 2009, 90, 770-777.	3.7	679
206	Effect of carbon dioxide and bicarbonate as inorganic carbon sources on growth and adaptation of autohydrogenotrophic denitrifying bacteria. <i>Journal of Hazardous Materials</i> , 2009, 162, 1507-1513.	6.5	76
207	Effect of impregnation of activated carbon with chelating polymer on adsorption kinetics of Pb ²⁺ . <i>Journal of Hazardous Materials</i> , 2009, 166, 1526-1529.	6.5	26
208	Fixed-bed adsorption of metal ions from aqueous solution on polyethyleneimine-impregnated palm shell activated carbon. <i>Chemical Engineering Journal</i> , 2009, 148, 8-14.	6.6	48
209	Optimization of the activity of CaO/Al ₂ O ₃ catalyst for biodiesel production using response surface methodology. <i>Applied Catalysis A: General</i> , 2009, 366, 154-159.	2.2	166
210	Enhanced Adsorption of Metal Ions Onto Polyethyleneimine-Impregnated Palm Shell Activated Carbon: Equilibrium Studies. <i>Water, Air, and Soil Pollution</i> , 2008, 192, 337-348.	1.1	25
211	Kinetic of CO ₂ absorption and carbamate formation in aqueous solutions of diethanolamine. <i>Korean Journal of Chemical Engineering</i> , 2008, 25, 451-460.	1.2	18
212	Recovery and reutilisation of copper from metal hydroxide sludges. <i>Clean Technologies and Environmental Policy</i> , 2008, 10, 131-136.	2.1	14
213	Guest editorial: separation processes. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2008, 3, 355-356.	0.8	0
214	Treatment of Skim Latex Serum Using Gas Sparged Ultrafiltration. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2008, 13, 667-674.	0.0	3
215	Adsorption capacities of carbon dioxide, oxygen, nitrogen and methane on carbon molecular basket derived from polyethyleneimine impregnation on microporous palm shell activated carbon. <i>Separation and Purification Technology</i> , 2008, 62, 609-613.	3.9	91
216	Continuous adsorption of lead ions in a column packed with palm shell activated carbon. <i>Journal of Hazardous Materials</i> , 2008, 155, 109-113.	6.5	42

#	ARTICLE	IF	CITATIONS
217	Bio-electrochemical removal of nitrate from water and wastewater—A review. <i>Bioresource Technology</i> , 2008, 99, 3965-3974.	4.8	471
218	Real-time determination of kinetics of adsorption of lead(II) onto palm shell-based activated carbon using ion selective electrode. <i>Bioresource Technology</i> , 2008, 99, 5786-5792.	4.8	197
219	Adsorption kinetics of various gases in carbon molecular sieves (CMS) produced from palm shell. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008, 312, 131-135.	2.3	45
220	Polyethyleneimine impregnation on activated carbon: Effects of impregnation amount and molecular number on textural characteristics and metal adsorption capacities. <i>Materials Chemistry and Physics</i> , 2008, 112, 417-422.	2.0	21
221	Density of Palm Oil-Based Methyl Ester. <i>Journal of Chemical & Engineering Data</i> , 2008, 53, 877-880.	1.0	69
222	Densities of Ethyl Esters Produced from Different Vegetable Oils. <i>Journal of Chemical & Engineering Data</i> , 2008, 53, 2222-2225.	1.0	28
223	Prediction of Palm Oil-Based Methyl Ester Biodiesel Density Using Artificial Neural Networks. <i>Journal of Applied Sciences</i> , 2008, 8, 1938-1943.	0.1	14
224	Modification of granular activated carbon using low molecular weight polymer for enhanced removal of Cu ²⁺ from aqueous solution. <i>Water Science and Technology</i> , 2007, 56, 95-101.	1.2	8
225	Special issue on process systems engineering. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2007, 2, 499-500.	0.8	0
226	Chemical characterization of medium-chain length polyhydroxyalkanoates (PHAs) recovered by enzymatic treatment and ultrafiltration. <i>Journal of Chemical Technology and Biotechnology</i> , 2007, 82, 847-855.	1.6	45
227	Preparation and characterization of activated carbon from palm shell by chemical activation with K ₂ CO ₃ . <i>Bioresource Technology</i> , 2007, 98, 145-149.	4.8	378
228	Production of carbon molecular sieves from palm shell based activated carbon by pore sizes modification with benzene for methane selective separation. <i>Fuel Processing Technology</i> , 2007, 88, 599-605.	3.7	56
229	Impregnation of palm shell activated carbon with polyethyleneimine and its effects on Cd ²⁺ adsorption. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007, 307, 128-136.	2.3	43
230	Response surface optimization of conditions for clarification of carambola fruit juice using a commercial enzyme. <i>Journal of Food Engineering</i> , 2007, 81, 65-71.	2.7	125
231	Removal of chromium ions from aqueous solutions by polymer-enhanced ultrafiltration. <i>Journal of Hazardous Materials</i> , 2007, 147, 752-758.	6.5	267
232	Review of modifications of activated carbon for enhancing contaminant uptakes from aqueous solutions. <i>Separation and Purification Technology</i> , 2007, 52, 403-415.	3.9	560
233	Carbon Modified Silica based Adsorbent for Potential Application. <i>Journal of Nanoparticle Research</i> , 2007, 9, 555-559.	0.8	7
234	Synthesis of carbon molecular sieves from palm shell by carbon vapor deposition. <i>Journal of Porous Materials</i> , 2007, 14, 393-399.	1.3	16

#	ARTICLE	IF	CITATIONS
235	An experimental investigation on the rate of CO ₂ absorption into aqueous methyldiethanolamine solutions. Korean Journal of Chemical Engineering, 2007, 24, 16-23.	1.2	34
236	Carbon molecular sieves from palm shell: Effect of the benzene deposition times on gas separation properties. Separation and Purification Technology, 2007, 57, 289-293.	3.9	34
237	Electrodeposition of copper and lead on palm shell activated carbon in a flow-through electrolytic cell. Desalination, 2006, 194, 192-201.	4.0	50
238	Removal of lead from aqueous solutions on palm shell activated carbon. Bioresource Technology, 2006, 97, 2350-2355.	4.8	185
239	Recovery of medium-chain-length polyhydroxyalkanoates (PHAs) through enzymatic digestion treatments and ultrafiltration. Biochemical Engineering Journal, 2006, 30, 260-268.	1.8	69
240	Modeling of CO ₂ solubility and carbamate concentration in DEA, MDEA and their mixtures using the Deshmukh-Mather model. Fluid Phase Equilibria, 2005, 231, 150-162.	1.4	153
241	Effect of Piperazine on CO ₂ Loading in Aqueous Solutions of MDEA at Low Pressure. International Journal of Thermophysics, 2004, 25, 1863-1870.	1.0	78
242	Solubility of CO ₂ in Aqueous Piperazine and its Modeling using the Kent-Eisenberg Approach. Chemical Engineering and Technology, 2004, 27, 65-70.	0.9	67
243	Modelling of carbon dioxide absorption in aqueous solutions of AMP and MDEA and their blends using Aspenplus. Separation and Purification Technology, 2002, 29, 153-162.	3.9	31
244	Use of Glassy Carbon Electrode for the Electrodeposition of Heavy Metal Pollutants From Aqueous Solutions. Chemie-Ingenieur-Technik, 2001, 73, 760-760.	0.4	0
245	Equilibrium Constant for Carbamate Formation from Monoethanolamine and Its Relationship with Temperature. Journal of Chemical & Engineering Data, 1999, 44, 887-891.	1.0	32
246	Analysis of Equilibrium Data of CO ₂ in Aqueous Solutions of Diethanolamine (DEA), Methyldiethanolamine (MDEA) and Their Mixtures Using the Modified Kent Eisenberg Model. Chemical Engineering Research and Design, 1998, 76, 961-968.	2.7	122
247	Temperature Dependency of the Equilibrium Constant for the Formation of Carbamate From Diethanolamine. Journal of Chemical & Engineering Data, 1997, 42, 692-696.	1.0	26
248	Equilibrium concentration profiles of species in CO ₂ -alkanolamine-water systems. Separation and Purification Technology, 1996, 10, 13-18.	0.3	25
249	EQUILIBRIUM OF CO ₂ IN AQUEOUS DIETHANOLAMINE(DEA) AND AMINO METHYL PROPANOL (AMP) SOLUTIONS. Chemical Engineering Communications, 1995, 140, 157-171.	1.5	27
250	A twin chamber up-flow bio-electrochemical pump-around system for sequential nitrification and denitrification of reject water. Desalination and Water Treatment, 0, , 1-8.	1.0	1
251	Bio-electrochemical treatment of wastewater with high ammonium concentration. , 0, 211, 99-104.		1
252	Preparation of eco-friendly adsorbent for enhancing CO ₂ adsorption capacity. Separation Science and Technology, 0, , 1-15.	1.3	2