## Wenquan Q Che

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6887729/wenquan-q-che-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

367
papers

4,252
citations

47
g-index

493
ext. papers

2.5
ext. citations

2.5
avg, IF

L-index

#	Paper	IF	Citations
367	Odd-Element Half-Wave-Rectification Superposition Technique for High-Multiplication Factor Frequency Multipliers Design. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2022</b> , 1-12	3.9	O
366	A Ka-Band CMOS Phase-Invariant and Ultralow Gain Error Variable Gain Amplifier With Active Cross-Coupling Neutralization and Asymmetric Capacitor Techniques. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2022</b> , 70, 85-100	4.1	О
365	Frequency-Selective Rasorbers: A View of Frequency-Selective Rasorbers and Their Application in Reducing the Radar Cross Sections of Antennas. <i>IEEE Microwave Magazine</i> , <b>2022</b> , 23, 86-98	1.2	1
364	Broadband Dual-Polarized Differential-Fed Filtering Antenna Array for 5G Millimeter-Wave Applications. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2022</b> , 70, 1989-1998	4.9	5
363	Bandstop Frequency Selective Surfaces Based on Aramid Paper Honeycomb Structure. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2022</b> , 1-1	4.9	O
362	A Simplified Vector-Sum Phase Shifter Topology With Low Noise Figure and High Voltage Gain. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2022</b> , 1-9	2.6	
361	Low-Profile Wideband Dual-Circularly Polarized Metasurface Antenna Based on Traveling-wave Sequential Feeding Mechanism. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2022</b> , 1-1	3.8	1
360	Dual-band high-efficiency power amplifier using a D-CRLH harmonic tuning network. <i>Microwave and Optical Technology Letters</i> , <b>2022</b> , 64, 873-877	1.2	0
359	Low-Profile Shared-Structure Dual-Polarized Yagi <b>U</b> da Antennas. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2022</b> , 21, 843-847	3.8	O
358	Experiments of Microwave Ablation Based on Dual-Frequency Antenna Under Pulsed Mode. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2022</b> , 21, 848-852	3.8	O
357	Low-Profile and Shared Aperture Dual-Polarized Omnidirectional Antenna by Reusing Structure of Annular Quasi-Dipole Array. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2022</b> , 1-1	4.9	
356	Novel Wideband Bandpass Filters Using Double-sided Quasi-SSPPs Transmission Line. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2022</b> , 1-1	3.5	1
355	A Planar Bidirectional Circularly Polarized Antenna Using Orthogonal Magnetic Dipoles Without Extra Phase Shift Line. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2022</b> , 1-1	4.9	1
354	Millimeter-Wave Wideband Dual-Polarized LTCC Antenna Array Based on Metasurfaces for Beam-scanning Applications. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2022</b> , 1-1	4.9	2
353	A Millimeter-Wave Variable-Gain Power Amplifier With \$P_{{1,dB}}\$ Improvement Technique in 65-nm CMOS. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2022</b> , 1-4	2.6	
352	A New Multi-Band Multi-Array Antenna Configuration with Scattering Suppression for Radiation Pattern Distortion Mitigation of Base Station. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2022</b> , 1-1	4.9	
351	A 7.2☑7.3 GHz CMOS LNA With 3.51 ⊞0.21 dB Noise Figure Using Multistage Noise Matching Technique. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2021</b> , 1-1	4.1	7

#### (2021-2021)

350	An improved NRW Method for Thin Material Characterization Using Dielectric Filled Waveguide and Numerical Compensation. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2021</b> , 1-1	5.2	2	
349	Novel Decoupling Method Based on Coupling Energy Cancellation and Its Application in 5G Dual-polarized High-isolation Antenna Array. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	2	
348	A Ka-Band High-Power Switchable Filtering Power Combiner MMIC in 100-nm GaN-on-Si. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 1-1	8.9	1	
347	A Dual-Band Tunable Balanced Filter With Independently Tuning Bands. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2021</b> , 1-1	3.5	1	
346	High-Efficiency Power Amplifier with a Multiharmonic Tuning Network. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2021</b> , 31, 389-392	2.6	2	
345	A 9.8B0.1 GHz CMOS low-noise amplifier with a 3.2-dB noise figure using inductor- and transformer-based gm-boosting techniques. <i>Frontiers of Information Technology and Electronic Engineering</i> , <b>2021</b> , 22, 586-598	2.2	Ο	
344	A Differentially Fed Dual-Polarized Filtering Patch Antenna With Good Stopband Suppression. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2021</b> , 68, 1228-1232	3.5	7	
343	Millimeter-Wave Dual-Band Bandpass Filter With Large Bandwidth Ratio Using GaAs-Based Integrated Passive Device Technology. <i>IEEE Electron Device Letters</i> , <b>2021</b> , 42, 493-496	4.4	1	
342	A miniaturized wideband antenna using hybrid L/T-shaped metasurface structure. <i>Microwave and Optical Technology Letters</i> , <b>2021</b> , 63, 2186-2191	1.2	2	
341	On-Wafer Microrectangular Coaxial Delay Line by Using MEMS-Casting Process. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2021</b> , 31, 437-440	2.6	1	
340	High-efficiency Millimeter-wave Wide-Angle Scanning Phased Array Using Metasurface 2021,		1	
339	Wide Input Power Range X-Band Rectifier With Dynamic Capacitive Self-Compensation. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2021</b> , 31, 525-528	2.6	3	
338	A Miniaturized Ka-Band Bandpass Filter Using Folded Hybrid Resonators Based on Monolithic Microwave Integrated Circuit Technology. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2021</b> , 68, 1778-1782	3.5	O	
337	Low-Profile Compact Microstrip Magnetic Dipole Antenna With Large Beamwidth and Broad Bandwidth for Vehicular Applications. <i>IEEE Transactions on Vehicular Technology</i> , <b>2021</b> , 70, 5445-5456	6.8	5	
336	A New Class of Wideband MS-to-MS Vialess Vertical Transition With Function of Filtering Performance. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2021</b> , 68, 1877-1881	3.5	1	
335	A Linearly Polarized Low-Profile Complementary Antenna With Enhanced Bandwidth and Wide Broadside Beamwidth. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 20, 1332-1336	3.8	3	
334	Analytical Design of Millimeter-Wave 100-nm GaN-on-Si MMIC Switches Using FET-Based Resonators and Coupling Matrix Method. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2021</b> , 69, 3307-3318	4.1	4	
333	A Wideband CMOS LNA Using Transformer-Based Input Matching and Pole-Tuning Technique. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2021</b> , 69, 3335-3347	4.1	10	

332	Ultra-Low-Loss Millimeter-Wave LTCC Bandpass Filters Based on Flexible Design of Lumped and Distributed Circuits. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2021</b> , 68, 1123-1127	3.5	8
331	. IEEE Transactions on Circuits and Systems II: Express Briefs, <b>2021</b> , 68, 1897-1901	3.5	5
330	High-Isolation Topology for Filtering Power Dividers Based on Complex Isolation Impedance and Surface Wave Suppression. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2021</b> , 69, 43-53	4.1	5
329	Miniaturized Wideband Planar Antenna Using Interembedded Metasurface Structure. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 69, 3021-3026	4.9	15
328	Low-profile wideband dual-circularly polarized orbital angular momentum antenna array using metasurface. <i>Microwave and Optical Technology Letters</i> , <b>2021</b> , 63, 1207-1212	1.2	1
327	Wideband high-gain multiresonance antenna based on polarization-dependent metasurface. <i>Microwave and Optical Technology Letters</i> , <b>2021</b> , 63, 638-646	1.2	2
326	A wideband low-profile antenna using hybrid metasurface structure. <i>Microwave and Optical Technology Letters</i> , <b>2021</b> , 63, 965-969	1.2	1
325	Gain Enhancement of Low-Profile Omnidirectional Antenna Using Annular Magnetic Dipole Directors. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 20, 8-12	3.8	4
324	Transparent FSS on Glass Window for Signal Selection of 5G Millimeter Wave Communication. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 1-1	3.8	4
323	Low-Profile Broadband Vertically Polarized Microstrip Magnetic Dipole Antenna With Endfire Radiation. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 1-1	3.8	1
322	Bandpass Filter with Ultra-Wide Upper Stopband on GaAs IPD Technology. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2021</b> , 1-1	3.5	O
321	A Dual-Band Steerable Dual-Beam Metasurface Antenna Based on Common Feeding Network. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	4
320	Miniaturized Wideband Metasurface Antennas Using Cross-layer Capacitive Loading. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 1-1	3.8	3
319	A Broadband Low-Profile Transmitarray Antenna by Using Differentially-Driven Transmission Polarizer with True-Time Delay. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	2
318	A \( H45-deg Dual-Polarized Dual-Beam Series-Fed Metasurface Antenna Array with Stable Beam Angle. IEEE Transactions on Antennas and Propagation, <b>2021</b> , 1-1	4.9	2
317	Phase Shift Techniques for Improving Varactor-Less QVCO Based on Rotated-Phase-Tuning. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2021</b> , 1-1	3.5	1
316	Admittance-inverter-based two-section filtering power divider with OVER 40-dB output isolation. <i>Microwave and Optical Technology Letters</i> , <b>2021</b> , 63, 2975	1.2	
315	Millimeter-Wave Frequency-Reconfigurable Metasurface Antenna Based on Vanadium Dioxide Films. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 69, 4359-4369	4.9	4

314	Investigation and Improvements of UWB Microstrip Delay Lines. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology,</i> <b>2021</b> , 11, 1292-1300	1.7	2
313	Wideband self-packaged antenna based on substrate-integrated suspended line platform for 5G millimeter-wave application. <i>Microwave and Optical Technology Letters</i> , <b>2021</b> , 63, 3072-3078	1.2	О
312	Low-Profile Circularly Polarized Isoflux Beam Antenna Array Based on Annular Aperture Elements for CubeSat Earth Coverage Applications. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 69, 548	9 <sup>4</sup> 5 <sup>5</sup> 50;	23
311	Dual-Polarized Nonreciprocal Spatial Amplification Active Metasurface. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2021</b> , 20, 1789-1793	3.8	O
310	A 15B8 GHz Vector-Summing Phase-Shifter With 360°I Phase-Shifting Range Using Improved I/Q Generator. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2021</b> , 68, 3199-3203	3.5	2
309	Low Insertion-Loss MMIC Bandpass Filter Using Lumped-Distributed Parameters for 5G Millimeter-Wave Application. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2021</b> , 11, 98-108	1.7	7
308	Study of Single-and Dual-frequency Microwave Ablation Antennas Based on Shorted Helical Slot. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2021</b> , 1-1	4.9	2
307	Paper-based composites as a dual-functional material for ultralight broadband radar absorbing honeycombs. <i>Composites Part B: Engineering</i> , <b>2020</b> , 202, 108378	10	16
306	Design of High-Transmittance All-Dielectric Focusing Metasurface With Polarization-Controllable Focus. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2020</b> , 68, 6183-6192	4.9	5
305	Review and Modification of Permittivity Measurement on Open Resonator for Transparent Material Measurements at Terahertz. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2020</b> , 69, 9144-915	5ē <sup>.2</sup>	6
304	Novel Differential Bandpass Filter Using Spoof Surface Plasmon Polaritons. <i>IEEE Transactions on Plasma Science</i> , <b>2020</b> , 48, 2083-2088	1.3	9
303	Wireless Power Transfer System With High Misalignment Tolerance for Bio-Medical Implants. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2020</b> , 67, 3023-3027	3.5	12
302	Dual-Band Branch-Line Couplers With Short/Open-Ended Stubs. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2020</b> , 67, 2497-2501	3.5	4
301	Reduction of UWB Far-End Crosstalk in Microwave and Millimeter-Wave Band of Parallel Periodically Loaded Transmission Lines With Discontinuous Structured Guard Lines. <i>IEEE Transactions on Plasma Science</i> , <b>2020</b> , 48, 2372-2383	1.3	5
300	High-Selectivity Narrow- and Wide-band Input-Reflectionless Bandpass Filters with Intercoupled Dual-Behavior Resonators. <i>IEEE Transactions on Plasma Science</i> , <b>2020</b> , 48, 446-454	1.3	15
299	A Compact Microstrip Antenna With Extended Half-Power Beamwidth and Harmonic Suppression. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2020</b> , 68, 4312-4319	4.9	9
298	Compact Ku-band LTCC bandpass filter using folded dual-composite right- and left-handed resonators. <i>Electronics Letters</i> , <b>2020</b> , 56, 17-19	1.1	4
297	Coupling Analysis of Adjacent Substrate-Integrated Waveguides Based on the Equivalent Transmission Line Model. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2020</b> , 68, 1347-1354	4.1	О

296	A Millimeter-Wave Reconfigurable On-Chip Coupler With Tunable Power-Dividing Ratios in 0.13- \$mu\$ m BiCMOS Technology. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2020</b> , 67, 1516	-₹\$26	8
295	A Compact Broadband Transparent Waveguide Window Based on Low-Loss Cyclic Olefin Copolymer. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2020</b> , 30, 335-338	2.6	4
294	A Compact Ku-Band Broadband GaAs Power Amplifier Using an Improved Darlington Power Stage. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2020</b> , 68, 3068-3078	4.1	3
293	Compact three-way Gysel power divider with arbitrary power dividing ratio. <i>IET Microwaves,</i> Antennas and Propagation, <b>2020</b> , 14, 2102-2109	1.6	1
292	Compact Balanced Bandpass Filter With Wideband Common Mode Suppression 2020,		2
291	High-Performance Wideband Balanced Bandpass Filter Based on Transversal Signal-Interference Techniques. <i>IEEE Transactions on Plasma Science</i> , <b>2020</b> , 48, 4119-4126	1.3	3
290	Novel Wideband Polarization Rotating Metasurface Element and Its Application for Wideband Folded Reflectarray. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2020</b> , 68, 2118-2127	4.9	12
289	Low-Loss, Thermally Insulating, and Flexible Rectangular Dielectric Waveguide for Sub-THzBignal Coupling in Superconducting Receivers. <i>IEEE Transactions on Terahertz Science and Technology</i> , <b>2020</b> , 10, 190-199	3.4	3
288	A Highly Selective Rasorber Based on Second-Order Resonance. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2020</b> , 19, 223-227	3.8	13
287	Wideband Planar Phased Array Antenna Based on Artificial Magnetic Conductor Surface. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2020</b> , 67, 1909-1913	3.5	7
286	. IEEE Transactions on Electromagnetic Compatibility, <b>2020</b> , 62, 1951-1960	2	13
285	Half-Air-Filled Ball-Grid-Array-Based Substrate-Integrated Groove-Gap Waveguide and its Transition to Microstrip at W-Band. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2020</b> , 68, 5145-5153	4.1	5
284	Design of A Dual-Frequency Planar Microwave Ablation Antenna <b>2020</b> ,		1
283	Low-Profile Ultrawideband Circularly Polarized Metasurface Antenna Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2020</b> , 19, 1714-1718	3.8	8
282	. IEEE Microwave Magazine, <b>2020</b> , 21, 50-57	1.2	2
281	Simulation and Experimental Study of Flexible Cooling System Based on Microchannel in PDMS. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2020</b> , 10, 2027-2036	1.7	0
280	A Novel Leaky Wave Endfire Filtering Antenna Based on Spoof Surface Plasmon Polaritons. <i>IEEE Transactions on Plasma Science</i> , <b>2020</b> , 48, 3061-3066	1.3	11
279	Novel Low-RCS Circularly Polarized Antenna Arrays via Frequency-Selective Absorber. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2020</b> , 68, 287-296	4.9	22

### (2019-2020)

278	Realization of Multiple Transmission Zeroes for Bandpass Filters With Simple Inline Topology. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2020</b> , 67, 1029-1033	3.5	10	
277	A Wideband Absorber of Load Dipoles on a Dielectric Substrate with Inductive Ground Plane. <i>Radio Science</i> , <b>2019</b> , 54, 867-875	1.4		
276	Low-profile Wideband Linearly/Circularly-polarized Metasurface Antennas Fed By Coplanar Waveguide Lines <b>2019</b> ,		1	
275	Novel Compact High-Gain Differential-Fed Dual-Polarized Filtering Patch Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 7261-7271	4.9	37	
274	Lessons From Professionals-The WiM Session at IWS 2019 [Women in Microwaves]. <i>IEEE Microwave Magazine</i> , <b>2019</b> , 20, 75-76	1.2	Ο	
273	A Millimeter-Wave Reconfigurable On-Chip Coupler with Tunable Power-Dividing Ratios <b>2019</b> ,		1	
272	A Novel Single-Layer Transmitarray Element Using Cross Dipoles and Rings With Vias <b>2019</b> ,		3	
271	Wideband Stable-gain Multi-resonance Antenna Using Non-periodic Square-ring Metasurface <b>2019</b> ,		1	
270	A Bandpass Push <b>P</b> ull High Power Amplifier Based on SIW Filtering Balun Power Divider. <i>IEEE Transactions on Plasma Science</i> , <b>2019</b> , 47, 4281-4286	1.3	15	
269	An X-band 500W Internally Matched High Power GaN Amplifier <b>2019</b> ,		4	
268	Design of a miniaturized planar half elliptical ultra-wideband dipole using a concaved arm. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2019</b> , 29, e21884	1.5	2	
267	GAINS MAXIMIZATION VIA IMPEDANCE MATCHING NETWORKS FOR WIRELESS POWER TRANSFER. <i>Progress in Electromagnetics Research</i> , <b>2019</b> , 164, 135-153	3.8	8	
266	. IEEE Microwave Magazine, <b>2019</b> , 20, 15-23	1.2	5	
265	. IEEE Access, <b>2019</b> , 7, 77792-77803	3.5	6	
264	Compact dual-band single-ended-to-balanced power dividers with open/short-ended stubs. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2019</b> , 29, e21812	1.5	2	
263	Integration Design of Millimeter-Wave Filtering Patch Antenna Array With SIW Four-Way Anti-Phase Filtering Power Divider. <i>IEEE Access</i> , <b>2019</b> , 7, 49804-49812	3.5	31	
262	Wideband High-Efficiency Power Amplifier Using D/CRLH Bandpass Filtering Matching Topology. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 2393-2405	4.1	10	
261	Single- and Dual-Band RF Rectifiers with Extended Input Power Range Using Automatic Impedance Transforming. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 1974-1984	4.1	26	

260	Miniaturized Low-Profile Circularly Polarized Metasurface Antenna Using Capacitive Loading. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 3527-3532	4.9	41
259	Vertically-integrated differential filtering patch antenna excited by a balun bandpass filter. <i>IET Microwaves, Antennas and Propagation</i> , <b>2019</b> , 13, 300-304	1.6	7
258	Wideband filtering power dividers using single- and double-layer periodic spoof surface plasmon polaritons. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2019</b> , 29, e21706	1.5	8
257	A wideband reflectarray antenna using single-layer dipole element attached with T-shaped stubs. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2019</b> , 29, e21755	1.5	1
256	High Selectivity Balanced-to-Unbalanced Filtering Power Dividers Using Dual-Mode Ring Resonators. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2019</b> , 9, 927-93	3 <b>5</b> .7	9
255	Broadband Stable-Gain Multiresonance Antenna Using Nonperiodic Square-Ring Metasurface. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2019</b> , 18, 1537-1541	3.8	24
254	Compact Microwave and Millimeter-Wave Bandpass Filters Using LTCC-Based Hybrid Lumped and Distributed Resonators. <i>IEEE Access</i> , <b>2019</b> , 7, 104797-104809	3.5	13
253	Direct Sputtering on PDMS for Investigation of Stretchable and Transparent Microstrip Line. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2019</b> , 9, 1741-1747	1.7	2
252	High-performance filtering antenna using spoof surface plasmon polaritons. <i>IEEE Transactions on Plasma Science</i> , <b>2019</b> , 47, 2832-2837	1.3	23
251	A Simple, Compact Filtering Patch Antenna Based on Mode Analysis With Wide Out-of-Band Suppression. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 6244-6253	4.9	36
250	Compact Microwave Rectifier with Wide Input Power Dynamic Range Based on Integrated Impedance Compression Network. <i>IEEE Access</i> , <b>2019</b> , 7, 151878-151887	3.5	4
249	The IEEE MTT-S 2019 International Microwave Biomedical Conference [Conference Report]. <i>IEEE Microwave Magazine</i> , <b>2019</b> , 20, 88-90	1.2	
248	A Broadband Reflectarray Antenna Using Single-Layer Rectangular Patches Embedded With Inverted L-Shaped Slots. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 3132-3139	4.9	18
247	A Dual-Band Dual-Beam Metasurface Antenna <b>2019</b> ,		2
246	2019,		4
245	A Transformer-based Injection-Locked Frequency Divider in 65-nm CMOS Technology 2019,		2
244	Wideband Filtering Balun Power Divider Using Schiffman Phase Shifter <b>2019</b> ,		1
243	28-GHz High-Selectivity Bandpass Filters With Dual-Behavior Resonators Using GaAs Technology.  IEEE Transactions on Plasma Science, 2019, 47, 5277-5282	1.3	13

242	Balanced Rat-Race Couplers With Wideband Common-Mode Suppression. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 4724-4732	4.1	15
241	Compact filtering power divider with extended stopband using out-of-phase feeding scheme. <i>Electronics Letters</i> , <b>2019</b> , 55, 1347-1349	1.1	3
240	Novel Filtering Method Based on Metasurface Antenna and Its Application for Wideband High-Gain Filtering Antenna With Low Profile. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 1535-154	.4 <sup>4.9</sup>	66
239	\$N\$-Way Gysel Power Divider With Arbitrary Power-Dividing Ratio. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2019</b> , 67, 659-669	4.1	17
238	. IEEE Transactions on Antennas and Propagation, <b>2019</b> , 67, 784-793	4.9	19
237	24 GHz Horizontally Polarized Automotive Antenna Arrays With Wide Fan Beam and High Gain. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 892-904	4.9	29
236	Multi-Functional Balanced-to-Unbalanced Filtering Power Dividers With Extended Upper Stopband. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2019</b> , 66, 1154-1158	3.5	21
235	A compact dual-band crossover using coplanar-waveguide-fed dual-mode ring resonators. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2019</b> , 29, e21460	1.5	4
234	Novel \$W\$ -Band LTCC Transition From Microstrip Line to Ridge Gap Waveguide and its Application in 77/79 GHz Antenna Array. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2019</b> , 67, 915-924	4.9	21
233	A Novel Miniaturized Planar Ultra-Wideband Antenna. <i>IEEE Access</i> , <b>2019</b> , 7, 2769-2773	3.5	7
232	Miniaturized W-Band Gap Waveguide Bandpass Filter Using the MEMS Technique for Both Waveguide and Surface Mounted Packaging. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2019</b> , 66, 938-942	3.5	20
231	Reconfigurable Impedance Matching Networks With Controllable Phase Shift. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2018</b> , 65, 1514-1518	3.5	1
230	WIDEBAND DIFFERENTIAL CIRCUITS USING T-SHAPED STRUCTURES AND RING RESONATORS <b>2018</b> , 17	7-247	
229	A Wideband Reconfigurable Impedance Matching Network for Complex Loads. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2018</b> , 8, 1073-1081	1.7	4
228	Novel non-periodic spoof surface plasmon polaritons with H-shaped cells and its application to high selectivity wideband bandpass filter. <i>Scientific Reports</i> , <b>2018</b> , 8, 2456	4.9	18
227	Six-port balanced network with high unequal power division ratio using shorted coupled lines. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2018</b> , 28, e21263	1.5	
226	HMSIW-based switchable units using super compact loaded shunt stubs and its applications on SIW/HMSIW switches. <i>International Journal of Electronics</i> , <b>2018</b> , 1-15	1.2	
225	Dual-/Tri-Band Branch Line Couplers With High Power Division Isolation Using Coupled Lines. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2018</b> , 65, 461-465	3.5	18

224	Low-Profile Dual-Polarization Frequency-Selective Rasorbers Based on Simple-Structure Lossy Cross-Frame Elements. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2018</b> , 17, 1002-1005	3.8	55
223	Multi-Band Balanced Couplers With Broadband Common-Mode Suppression. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2018</b> , 65, 1964-1968	3.5	20
222	Characteristics of Dual Composite Right/Left-Handed Unit Cell and Its Applications to Bandpass Filter Design. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2018</b> , 65, 719-723	3.5	7
221	A Novel Hybrid Method for Estimating Channel Temperature and Extracting the AlGaN/GaN HEMTs Model Parameters. <i>IEEE Transactions on Electron Devices</i> , <b>2018</b> , 65, 1340-1347	2.9	7
220	Wideband reconfigurable bandpass filter using coupled lines loaded with varactor loaded stubs. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2018</b> , 28, e21195	1.5	6
219	Compact High-Gain Metasurface Antenna Arrays Based on Higher-Mode SIW Cavities. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2018</b> , 66, 4918-4923	4.9	36
218	Multi-band crossovers with high passband isolation based on loaded coupled lines. <i>IET Microwaves, Antennas and Propagation</i> , <b>2018</b> , 12, 1339-1344	1.6	3
217	Low-Profile Wideband Dual-Circularly Polarized Metasurface Antenna Array With Large Beamwidth. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2018</b> , 17, 1613-1616	3.8	43
216	. IEEE Transactions on Antennas and Propagation, <b>2018</b> , 66, 5160-5169	4.9	11
215	Wideband balanced filters with sharp rejection based on coupled lines and stubs. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2018</b> , 28, e21461	1.5	4
214	Wideband power divider using double-layer periodic spoof surface plasmon polaritons 2018,		4
213	Low-profile highly-selective absorptive frequency selective transmission structure 2018,		4
212	Design of a broadband microwave absorber from wideband receiving antenna array. <i>Microwave and Optical Technology Letters</i> , <b>2018</b> , 60, 2139-2144	1.2	1
211	A Concurrent Dual-Band High-Efficiency Power Amplifier With a Novel Harmonic Control Network. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2018</b> , 28, 918-920	2.6	9
210	Balanced power dividers with improved bandwidth using folded lines. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2018</b> , 28, e21221	1.5	2
209	Millimeter-Wave TE20-Mode SIW Dual-Slot-Fed Patch Antenna Array With a Compact Differential Feeding Network. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2018</b> , 66, 456-461	4.9	36
208	A Simplified Transistor-Based Analog Predistorter for a GaN Power Amplifier. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2018</b> , 65, 326-330	3.5	18
207	Narrowband Filtering Balun Power Divider Based on SIW and CSRRs 2018,		3

#### (2017-2018)

Development of Compact HMSIW Gysel Power Dividers With Microstrip Isolation Networks. <i>IEEE Access</i> , <b>2018</b> , 6, 60429-60437	3.5	8	
A Dual-Steerable-Beam Multi-Slot Coupled Metasurface Antenna <b>2018</b> ,		1	
Narrow-band balanced filtering network using coupled lines loaded with stubs. <i>Electronics Letters</i> , <b>2018</b> , 54, 366-368	1.1	5	
Interview with Dr. Dominique Schreurs: The Road to Becoming the First Female MTT-S President [Women in Microwaves]. <i>IEEE Microwave Magazine</i> , <b>2018</b> , 19, 148-150	1.2		
. IEEE Antennas and Wireless Propagation Letters, <b>2018</b> , 17, 2374-2378	3.8	11	
Ultra-Wideband Reconfigurable Filter with Electronically-Switchable Bandpass/Bandstop States <b>2018</b> ,		2	
. IEEE Transactions on Microwave Theory and Techniques, <b>2018</b> , 66, 5260-5271	4.1	17	
Single-Ended-to-Balanced Filtering Power Dividers With Wideband Common-Mode Suppression. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2018</b> , 66, 5531-5542	4.1	23	
A Multidimensional, Multiscale, Multifunctional Life: IWS2018 WIM Session [Women in Microwaves]. <i>IEEE Microwave Magazine</i> , <b>2018</b> , 19, 112-113	1.2	7	
Wide-Band Single-Ended-to-Balanced Power Divider with Broad-Band Common-Mode Suppression <b>2018</b> ,		1	
Single-ended-to-balanced balun-based dual-band power divider with open-ended stubs 2018,		1	
Novel Gysel power dividers based on Half-Mode Substrate Integrated Waveguide (HMSIW) <b>2018</b> ,		5	
High Selectivity Wideband Balanced Filters With Multiple Transmission Zeros. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2017</b> , 64, 1182-1186	3.5	57	
Low-Profile Broadband Absorbers Based on Capacitive Surfaces. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2017</b> , 16, 74-78	3.8	33	
A Compact Reconfigurable Coupler with Tunable Coupling Coefficients and Frequencies. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 129-131	2.6	21	
. IEEE Microwave and Wireless Components Letters, <b>2017</b> , 27, 275-277	2.6	14	
A Novel PRAMC-Based Ultralow-Profile Transmitarray Antenna by Using Ray Tracing Principle. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2017</b> , 65, 1779-1787	4.9	15	
	A Dual-Steerable-Beam Multi-Slot Coupled Metasurface Antenna 2018,  Narrow-band balanced filtering network using coupled lines loaded with stubs. Electronics Letters, 2018, 54, 366-368  Interview with Dr. Dominique Schreurs: The Road to Becoming the First Female MTT-S President [Women in Microwaves]. IEEE Microwave Magazine, 2018, 19, 148-150  . IEEE Antennas and Wireless Propagation Letters, 2018, 17, 2374-2378  Ultra-Wideband Reconfigurable Filter with Electronically-Switchable Bandpass/Bandstop States 2018,  . IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 5260-5271  Single-Ended-to-Balanced Filtering Power Dividers With Wideband Common-Mode Suppression. IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 5531-5542  A Multidimensional, Multiscale, Multifunctional Life: IWS2018 WIM Session [Women in Microwaves]. IEEE Microwave Magazine, 2018, 19, 112-113  Wide-Band Single-Ended-to-Balanced Power Divider with Broad-Band Common-Mode Suppression 2018,  Single-ended-to-balanced balun-based dual-band power divider with open-ended stubs 2018,  Novel Gysel power dividers based on Half-Mode Substrate Integrated Waveguide (HMSIW) 2018,  High Selectivity Wideband Balanced Filters With Multiple Transmission Zeros. IEEE Transactions on Circuits and Systems II: Express Briefs, 2017, 64, 1182-1186  Low-Profile Broadband Absorbers Based on Capacitive Surfaces. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 74-78  A Compact Reconfigurable Coupler with Tunable Coupling Coefficients and Frequencies. IEEE Microwave and Wireless Components Letters, 2017, 27, 129-131  . IEEE Microwave and Wireless Components Letters, 2017, 27, 275-277  A Novel PRAMC-Based Ultralow-Profile Transmitarray Antenna by Using Ray Tracing Principle. IEEE	Access, 2018, 6, 60429-60437  A Dual-Steerable-Beam Multi-Slot Coupled Metasurface Antenna 2018,  Narrow-band balanced filtering network using coupled lines loaded with stubs. Electronics Letters, 2018, 54, 366-368  Interview with Dr. Dominique Schreurs: The Road to Becoming the First Female MTT-S President [Women in Microwaves]. IEEE Microwave Magazine, 2018, 19, 148-150  .IEEE Antennas and Wireless Propagation Letters, 2018, 17, 2374-2378  3.8  Ultra-Wideband Reconfigurable Filter with Electronically-Switchable Bandpass/Bandstop States 2018,  .IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 5260-5271  4.1  Single-Ended-to-Balanced Filtering Power Dividers With Wideband Common-Mode Suppression.  IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 5531-5542  A Multidimensional, Multiscale, Multifunctional Life: IWS2018 WIM Session [Women in Microwaves].  IEEE Microwave Magazine, 2018, 19, 112-113  Wide-Band Single-Ended-to-Balanced Power Divider with Broad-Band Common-Mode Suppression 2018.  Single-ended-to-balanced balun-based dual-band power divider with open-ended stubs 2018,  Novel Gysel power dividers based on Half-Mode Substrate Integrated Waveguide (HMSIW) 2018,  High Selectivity Wideband Balanced Filters With Multiple Transmission Zeros. IEEE Transactions on Circuits and Systems II: Express Briefs, 2017, 64, 1182-1186  Low-Profile Broadband Absorbers Based on Capacitive Surfaces. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 74-78  A Compact Reconfigurable Coupler with Tunable Coupling Coefficients and Frequencies. IEEE Microwave and Wireless Components Letters, 2017, 27, 129-131  .IEEE Microwave and Wireless Components Letters, 2017, 27, 275-277  2.6  A Novel PRAMC-Based Ultralow-Profile Transmitarray Antenna by Using Ray Tracing Principle. IEEE	Access, 2018, 6, 60429-60437  A Dual-Steerable-Beam Multi-Slot Coupled Metasurface Antenna 2018,  Items and balanced filtering network using coupled lines loaded with stubs. Electronics Letters, 2018, 54, 366-368  Interview with Dr. Dominique Schreurs: The Road to Becoming the First Female MTT-S President [Women in Microwaves]. IEEE Microwave Magazine, 2018, 19, 148-150  .IEEE Antennas and Wireless Propagation Letters, 2018, 17, 2374-2378  3.8 11  Ultra-Wideband Reconfigurable Filter with Electronically-Switchable Bandpass/Bandstop States 2018,  .IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 5260-5271  4.1 17  Single-Ended-to-Balanced Filtering Power Dividers With Wideband Common-Mode Suppression. IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 5531-5542  A Multidimensional, Multiscale, Multifunctional Life: IWS2018 WIM Session [Women in Microwaves]. 1.2 7  Wide-Band Single-Ended-to-Balanced Power Divider with Broad-Band Common-Mode Suppression 2018,  Single-ended-to-balanced balun-based dual-band power divider with open-ended stubs 2018,  Novel Gysel power dividers based on Half-Mode Substrate Integrated Waveguide (HMSIW) 2018,  Single-ended-to-balanced Balanced Filters With Multiple Transmission Zeros. IEEE Transactions on Circuits and Systems II: Express Briefs, 2017, 64, 1182-1186  3.5 57  Low-Profile Broadband Absorbers Based on Capacitive Surfaces. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 74-78  A Compact Reconfigurable Coupler with Tunable Coupling Coefficients and Frequencies. IEEE Microwave and Wireless Components Letters, 2017, 27, 129-131  .IEEE Microwave and Wireless Components Letters, 2017, 27, 275-277  2.6 14  A Novel PRAMC-Based Ultralow-Profile Transmitarray Antenna by Using Ray Tracing Principle. IEEE

188	LTCC Wideband Bandpass Filters With High Performance Using Coupled Lines With Open/Shorted Stubs. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2017</b> , 7, 602-609	1.7	15
187	Compact Ultra-Wideband Bandpass Filter With Improved Upper Stopband Using Open/Shorted Stubs. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 123-125	2.6	30
186	Dual-Band Microstrip Bandstop Filter With Multiple Transmission Poles Using Coupled Lines. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 236-238	2.6	30
185	High-Efficiency High-Isolation Dual-Orthogonally Polarized Patch Antennas Using Nonperiodic RAMC Structure. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2017</b> , 65, 887-892	4.9	14
184	Novel Tri-Band Bandpass Filter With Independently Controllable Frequencies, Bandwidths, and Return Losses. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 560-562	2.6	6
183	94-GHz Compact 2-D Multibeam LTCC Antenna Based on Multifolded SIW Beam-Forming Network. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2017</b> , 65, 4328-4333	4.9	43
182	A Novel Wideband Balanced-to-Unbalanced Power Divider Using Symmetrical Transmission Lines. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 338-340	2.6	17
181	Tunable Dual-Band Filter and Diplexer Based on Folded Open Loop Ring Resonators. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2017</b> , 64, 1047-1051	3.5	59
180	Analytical Design of Compact Dual-Band Filters Using Dual Composite Right-/Left-Handed Resonators. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2017</b> , 65, 804-814	4.1	28
179	Miniaturized Multiway Unequal Power Divider With Controllable Characteristic Impedances. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 1062-1064	2.6	7
178	Self-Interference Cancellation Antenna Using Auxiliary Port Reflection for Full-Duplex Application. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2017</b> , 16, 2873-2876	3.8	19
177	Planar Single/Dual-Band Crossovers With Large- Frequency Ratios Using Coupled Lines. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 870-872	2.6	9
176	A Longitudinally Compact Yagillda Antenna With a Parasitic Interdigital Strip. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2017</b> , 16, 2618-2621	3.8	5
175	A Compact 38 GHz Multibeam Antenna Array With Multifolded Butler Matrix for 5G Applications. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2017</b> , 16, 2996-2999	3.8	51
174	Double-polarization frequency selective rasorber based on cross-frame and circle ring slot arrays <b>2017</b> ,		5
173	Multi-functional antennas using polarization-rotation artificial magnetic conductor structures <b>2017</b> ,		1
172	High selectivity wideband balanced filter based on modified coupled lines structures 2017,		3
171	Antenna pair with self-interference cancellation for full duplex communication 2017,		1

#### (2016-2017)

170	Wideband Balanced-to-Unbalanced Filtering Power Dividers Based on Coupled Lines. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2017</b> , 65, 86-95	4.1	66
169	60-GHz LTCC Differential-Fed Patch Antenna Array With High Gain by Using Soft-Surface Structures. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2017</b> , 65, 206-216	4.9	42
168	Wireless Power Transfer With Three-Ports Networks: Optimal Analytical Solutions. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2017</b> , 64, 494-503	3.9	13
167	Revisiting and improvement of thru-reflect-line calibration for accurate measurement of substrate integrated waveguide components. <i>IET Microwaves, Antennas and Propagation</i> , <b>2017</b> , 11, 29-35	1.6	3
166	Compact Pattern-Reconfigurable Monopole Antenna Using Parasitic Strips. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2017</b> , 16, 557-560	3.8	30
165	Double-polarization frequency selective rasorber based on spiral slot array 2017,		3
164	. IEEE Microwave and Wireless Components Letters, <b>2017</b> , 27, 1065-1067	2.6	19
163	High performance balanced-to-unbalanced filtering power divider <b>2017</b> ,		3
162	Wideband power dividers with improved upper stopband using coupled lines. <i>IET Microwaves, Antennas and Propagation</i> , <b>2017</b> , 11, 2091-2096	1.6	3
161	A Simple Method of Designing High-Efficiency Second-Harmonic-Tuned Power Amplifier. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 1149-1151	2.6	6
160	High performance LTCC wideband bandpass filter based on coupled lines 2017,		1
159	Switchable Low-Profile Broadband Frequency-Selective Rasorber/Absorber Based on Slot Arrays. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2017</b> , 65, 6998-7008	4.9	96
158	Multifunctional Reconfigurable Filter Using Transversal Signal-Interaction Concepts. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2017</b> , 27, 980-982	2.6	22
157	Matched resonant inductive WPT using the coupling-independent regime: Theory and experiments <b>2017</b> ,		1
156	Dual-band bandpass filters with high isolation using coupled lines. <i>International Journal of Electronics</i> , <b>2016</b> , 103, 372-383	1.2	3
155	Wireless power transmission from two transmitters to one receiver: Optimal design for power maximization <b>2016</b> ,		1
154	Dual-band balanced-to-unbalanced filtering power divider by coupled ring resonators. <i>Electronics Letters</i> , <b>2016</b> , 52, 1862-1864	1.1	31
153	An S-band 350W internally matched solid-state power amplifier using GaN power HEMTs <b>2016</b> ,		6

152	A novel 24-GHz series-fed patch antenna array for radar system <b>2016</b> ,		3
151	Narrow-band bandpass filters with improved upper stopband using open/shorted coupled lines <b>2016</b> ,		1
150	Wideband filtering crossover using dual-mode ring resonator. <i>Electronics Letters</i> , <b>2016</b> , 52, 541-542	1.1	15
149	Internal Network Boundary Condition Incorporated in TLM for Efficiently Modeling Thin Layer of Periodic Structures. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2016</b> , 64, 2697-2707	4.1	
148	High-selectivity balanced-filter circuits based on coupled lines with open/shorted loaded stubs. <i>HKIE Transactions</i> , <b>2016</b> , 23, 2-11	2.9	1
147	Bandpass filters with improved upper stopband performance using dual-behaviour resonators. <i>International Journal of Electronics Letters</i> , <b>2016</b> , 4, 259-267	0.6	O
146	Dual-band GaN power amplifiers with novel DC biasing networks incorporating offset double-sided parallel strip line. <i>IET Microwaves, Antennas and Propagation</i> , <b>2016</b> , 10, 271-275	1.6	7
145	SIBC incorporated in conformal FDTD to efficiently simulate the thin conductive layer of periodic structure. <i>IET Microwaves, Antennas and Propagation</i> , <b>2016</b> , 10, 353-361	1.6	2
144	A monolithic low phase noise power oscillator using 0.35 um GaN/Al0.27Ga0.73N MMIC process. <i>International Journal of Electronics Letters</i> , <b>2016</b> , 4, 313-322	0.6	1
143	Low-loss tunable tri-pole band-pass filter using crossed resonator. <i>Journal of Electromagnetic Waves and Applications</i> , <b>2016</b> , 30, 251-258	1.3	1
142	SIW SPDT switch based on switchable HMSIW units <b>2016</b> ,		4
141	High selectivity balanced filter with multiple transmission zeros using ring resonators 2016,		1
140	A Fast and Efficient Design Method for Circuit Analog Absorbers Consisting of Resistive Square-Loop Arrays. <i>IEEE Transactions on Electromagnetic Compatibility</i> , <b>2016</b> , 58, 747-757	2	29
139	Wireless power transfer between one transmitter and two receivers: optimal analytical solution. <i>Wireless Power Transfer</i> , <b>2016</b> , 3, 63-73	0.9	11
138	Compact 60 GHz low-temperature cofired ceramic filter with quasi-elliptic bandpass response. <i>IET Microwaves, Antennas and Propagation</i> , <b>2016</b> , 10, 664-669	1.6	8
137	Compact Single-/Dual-Band Planar Crossovers Based on Strong Coupled Lines. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2016</b> , 6, 854-863	1.7	16
136	. IEEE Microwave and Wireless Components Letters, <b>2016</b> , 26, 237-239	2.6	19
135	A Compact Tunable Power Divider With Wide Tuning Frequency Range and Good Reconfigurable Responses. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , <b>2016</b> , 63, 1054-1058	3.5	20

134	High selectivity wideband filtering crossovers using stub-loaded ring resonators. <i>Journal of Electromagnetic Waves and Applications</i> , <b>2016</b> , 30, 860-870	1.3	2
133	A Varactor Based Frequency-Tunable Power Divider With Unequal Power Dividing Ratio. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2016</b> , 26, 589-591	2.6	8
132	Enhanced Radiation From a Horizontal Dipole Closely Placed Above a PEC Ground Plane Using a Parasitic Strip. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2016</b> , 64, 4868-4871	4.9	17
131	Differential Dual-Band Bandpass Filter With Tunable Lower Band Using Embedded DGS Unit for Common-Mode Suppression. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2016</b> , 64, 4183-419	9⋪.1	35
130	Wideband balanced networks with wideband common mode suppression and arbitrary power-dividing ratio. <i>Journal of Electromagnetic Waves and Applications</i> , <b>2016</b> , 30, 1773-1784	1.3	
129	Investigation of Thin and Broadband Capacitive Surface-Based Absorber by the Impedance Analysis Method. <i>IEEE Transactions on Electromagnetic Compatibility</i> , <b>2015</b> , 57, 22-26	2	32
128	Unequal Wilkinson power divider with wide range of arbitrary power division based on recombinant technology. <i>IET Microwaves, Antennas and Propagation</i> , <b>2015</b> , 9, 166-175	1.6	8
127	Bandpass Filter Loaded With Open Stubs Using Dual-mode Ring Resonator. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2015</b> , 25, 295-297	2.6	40
126	The Proper Balance: Overview of Microstrip Wideband Balance Circuits with Wideband Common Mode Suppression. <i>IEEE Microwave Magazine</i> , <b>2015</b> , 16, 55-68	1.2	72
125	A Broadband Patch Antenna Array With Planar Differential L-Shaped Feeding Structures. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2015</b> , 14, 127-130	3.8	22
124	Dispersion analysis of a fishnet metamaterial based on the rotated transmission-line matrix method. <i>IET Microwaves, Antennas and Propagation</i> , <b>2015</b> , 9, 1345-1353	1.6	3
123	A Polarization-Reconfigurable Dipole Antenna Using Polarization Rotation AMC Structure. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2015</b> , 63, 5305-5315	4.9	38
122	Novel Frequency-Agile Bandpass Filter With Wide Tuning Range and Spurious Suppression. <i>IEEE Transactions on Industrial Electronics</i> , <b>2015</b> , 62, 6428-6435	8.9	46
121	LTCC Multilayered Helical Filters With a Mixed Electric and Magnetic Coupling Structure. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2015</b> , 5, 1050-1059	1.7	12
120	Wireless power transfer between one transmitter and two receivers: Optimal analytical solution <b>2015</b> ,		4
119	HIGH SELECTIVITY BALANCED BANDPASS FILTER WITH TUNABLE BANDWIDTH USING STUB-LOADED RESONATOR. <i>Progress in Electromagnetics Research Letters</i> , <b>2015</b> , 55, 89-95	0.5	2
118	BANDPASS FILTERS WITH IMPROVED SELECTIVITY BASED ON DUAL-MODE RING RESONATORS. Progress in Electromagnetics Research Letters, <b>2015</b> , 56, 1-7	0.5	2
117	Balanced filters with wideband common mode suppression using dual-mode ring resonators. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2015</b> , 62, 1499-1507	3.9	63

116	Bandpass filters with multiple transmission zeros using open/shorted stubs. <i>IET Microwaves, Antennas and Propagation</i> , <b>2015</b> , 9, 769-774	1.6	9
115	High-gain 60-GHz patch antenna array using GaN MMIC technology <b>2015</b> ,		1
114	Balanced filter circuit based on open/shorted loaded stubs 2015,		2
113	High-efficiency microstrip patch antennas using non-periodic artificial magnetic conductor structure <b>2015</b> ,		2
112	Ultra-wideband bandpass filter with reconfigurable notch bands using TCSRs. <i>Electronics Letters</i> , <b>2015</b> , 51, 1893-1894	1.1	13
111	Wideband Balanced Network with High Isolation Using Double-Sided Parallel-Strip Line. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2015</b> , 63, 4013-4018	4.1	33
110	Millimeter-wave multi-beam antenna based on 2-D SIW beam-scanning network 2015,		2
109	A Compact Four-way Dual-band Power Divider Using Lumped Elements. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2015</b> , 25, 94-96	2.6	24
108	Wideband LTCC 60-GHz Antenna Array With a Dual-Resonant Slot and Patch Structure. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2014</b> , 62, 174-182	4.9	53
107	Compact Substrate Integrated Waveguide (SIW) Monopulse Network for \$Ku\$-Band Tracking System Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2014</b> , 62, 472-480	4.1	17
106	Transversal Signal Interaction: Overview of High-Performance Wideband Bandpass Filters. <i>IEEE Microwave Magazine</i> , <b>2014</b> , 15, 84-96	1.2	40
105	Combined-element frequency selective surfaces with multiple transmission poles and zeros. <i>IET Microwaves, Antennas and Propagation</i> , <b>2014</b> , 8, 186-193	1.6	32
104	Tunable differential-mode bandpass filters with wide tuning range and high common-mode suppression. <i>IET Microwaves, Antennas and Propagation</i> , <b>2014</b> , 8, 437-444	1.6	27
103	High selectivity wideband differential bandpass filter with wideband common mode suppression using Marchand balun <b>2014</b> ,		6
102	Wideband In-Phase and Out-of-Phase Balanced Power Dividing and Combining Networks. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2014</b> , 62, 1192-1202	4.1	31
101	Analysis and design of high-order wideband bandstop filters with sharp rejection. <i>IET Microwaves, Antennas and Propagation</i> , <b>2014</b> , 8, 1030-1040	1.6	8
100	Tri-band microstrip bandpass filter using input/output cross coupling. <i>International Journal of Electronics</i> , <b>2014</b> , 101, 405-409	1.2	2
99	Substrate-integrated waveguide matching terminations with microwave absorbing material. <i>Electronics Letters</i> , <b>2014</b> , 50, 1216-1218	1.1	9

98	Compact wideband balanced bandpass filter with high common-mode suppression based on cascade parallel coupled lines. <i>IET Microwaves, Antennas and Propagation</i> , <b>2014</b> , 8, 564-570	1.6	16
97	A high power active circulator using GaN MMIC power amplifiers. <i>Journal of Semiconductors</i> , <b>2014</b> , 35, 115003	2.3	2
96	Dual-wideband bandpass filter with controllable bandwidths based on multimode resonator. <i>International Journal of Electronics</i> , <b>2014</b> , 101, 976-982	1.2	1
95	Polarisation rotation reflective surface based on artificial magnetic conductor and its application. <i>Electronics Letters</i> , <b>2014</b> , 50, 1500-1502	1.1	14
94	Broadband Dual-Polarization Microwave Absorber Based on Broadside-Folded Dipole Array With Triangle-Lattice Cells. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2014</b> , 13, 1084-1087	3.8	6
93	Differential-Fed Patch Antenna Arrays With Low Cross Polarization and Wide Bandwidths. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2014</b> , 13, 1069-1072	3.8	58
92	A low-profile circularly polarized dipole antenna using a novel polarization rotation artificial magnetic conductor <b>2014</b> ,		2
91	Low-temperature cofired ceramic planar helical filter with single-sided transmission zeros. <i>Electronics Letters</i> , <b>2014</b> , 50, 1363-1365	1.1	1
90	Wideband balanced out-of-phase network based on double-sided parallel-strip line. <i>IET Microwaves, Antennas and Propagation</i> , <b>2014</b> , 8, 1322-1326	1.6	4
89	Bandpass filter using open/shorted dual-behaviour resonators. <i>Electronics Letters</i> , <b>2014</b> , 50, 610-611	1.1	12
88	Microstrip diplexer for GSM and WLAN bands using common shorted stubs. <i>Electronics Letters</i> , <b>2014</b> , 50, 1486-1488	1.1	20
87	60IGHz duplexer design using dual-mode SIW filters with single-sided transmission zeros. <i>Electronics Letters</i> , <b>2014</b> , 50, 1529-1531	1.1	4
86	Novel Polarization Rotation Technique Based on an Artificial Magnetic Conductor and Its Application in a Low-Profile Circular Polarization Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , <b>2014</b> , 62, 6206-6216	4.9	63
85	Organic millimeterwave fishnet metamaterial structures <b>2014</b> ,		2
84	High selectivity tri-band microstrip bandpass filter with controllable passband frequencies. <i>International Journal of Electronics Letters</i> , <b>2014</b> , 2, 218-223	0.6	
83	Compact unequal Wilkinson power divider with large power dividing ratio 2014,		1
82	Novel microstrip bandpass filter with multiple transmission zeros using open/shorted stubs 2014,		О
81	LTCC Multilayered Substrate-Integrated Waveguide Filter With Enhanced Frequency Selectivity for System-in-Package Applications. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , <b>2014</b> , 4, 664-672	1.7	43

80	Wide-stopband single-band balanced bandpass filter with T-shaped resonators. <i>International Journal of Electronics Letters</i> , <b>2013</b> , 1, 33-43	0.6	1
79	Broadband bandpass filter with wide upper stopband using stub-loaded multiple-mode resonators. <i>Electronics Letters</i> , <b>2013</b> , 49, 818-820	1.1	3
78	A Wideband and High-Gain Edge-Fed Patch Antenna and Array Using Artificial Magnetic Conductor Structures. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2013</b> , 12, 769-772	3.8	62
77	A Low-Profile Frequency Selective Surface With Controllable Triband Characteristics. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2013</b> , 12, 468-471	3.8	40
76	Compact ultra-wideband bandpass filters with narrow notched bands based on a ring resonator. <i>IET Microwaves, Antennas and Propagation</i> , <b>2013</b> , 7, 961-969	1.6	19
75	V-band cross-coupled SIW band-pass filter with an antisymmetric U-slot negative coupling structure. <i>Journal of Electromagnetic Waves and Applications</i> , <b>2013</b> , 27, 953-961	1.3	1
74	Compact Wideband Differential Bandpass Filters Using Half-Wavelength Ring Resonator. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2013</b> , 23, 81-83	2.6	59
73	High-Gain Design of a Patch Antenna Using Stub-Loaded Artificial Magnetic Conductor. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2013</b> , 12, 1172-1175	3.8	37
72	A novel low-profile tri-band frequency selective surface 2013,		2
71	Transversal wideband bandpass filter using open/shorted coupled lines. <i>Electronics Letters</i> , <b>2013</b> , 49, 1235-1237	1.1	3
70	High-selectivity wideband balanced bandpass filters using symmetrical multi-mode resonators. <i>IET Microwaves, Antennas and Propagation</i> , <b>2013</b> , 7, 1005-1015	1.6	14
69	Driven eigenproblem computation in periodic structures accelerated with Brent's method. <i>IET Microwaves, Antennas and Propagation</i> , <b>2013</b> , 7, 325-331	1.6	1
68	Dual-wideband bandstop filter using transversal signal-interaction concept. <i>Electronics Letters</i> , <b>2013</b> , 49, 604-605	1.1	7
67	Compact dual-wideband bandstop filters based on open-coupled lines and transversal signal-interaction concepts. <i>IET Microwaves, Antennas and Propagation</i> , <b>2013</b> , 7, 92-97	1.6	19
66	Investigations on an improved interstitial antenna used for microwave hyperthermia and the specific absorption rate distribution within biological tissues. <i>Microwave and Optical Technology Letters</i> , <b>2012</b> , 54, 405-409	1.2	4
65	Ultra-Wideband Differential Bandpass Filter With Narrow Notched Band and Improved Common-Mode Suppression by DGS. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2012</b> , 22, 185-18	87 <sup>2.6</sup>	45
64	Novel tunable bandstop filter using end-loaded quarter-wavelength resonators 2012,		2
63	Tri-band bandpass filter using dual-mode resonators <b>2012</b> ,		1

62	Novel compact dual-band bandpass filter using square ring resonators 2012,		2
61	The driven eigenproblem computation with the Brent method acceleration 2012,		1
60	Novel Wideband Differential Bandpass Filters Based on T-Shaped Structure. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2012</b> , 60, 1560-1568	4.1	118
59	High Selectivity Wideband Bandpass Filter Based on Transversal Signal-Interaction Concepts and T-Shaped Structure. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2012</b> , 22, 562-564	2.6	25
58	Substrate integrated waveguide quasi-elliptic bandpass filter with meander-slot coupling structures <b>2012</b> ,		3
57	Miniaturized dual-band loaded frequency selective surface with narrow band spacing 2012,		10
56	Novel compact dual-band bandpass filter with multiple transmission zeros and good selectivity <b>2012</b> ,		4
55	Investigations on bonding wire array for interconnect of RFICs <b>2012</b> ,		1
54	Studies on average power handling capacity of SIW with heat transfer theory 2012,		2
53	Reply to Comments on "Novel ultra-wideband bandpass filter using shorted coupled lines and transversal transmission line". <i>IEEE Microwave and Wireless Components Letters</i> , <b>2011</b> , 21, 304-304	2.6	
52	Design investigation of a compact broadband reflection-type PIN phase shifter 2011,		3
51	Bandwidth enhancement of substrate integrated waveguide (SIW) slot antenna with center-fed techniques <b>2011</b> ,		6
50	A compact planar bandpass filter with wide out-of-band rejection implemented by substrate-integrated waveguide and complementary split-ring resonator. <i>Microwave and Optical Technology Letters</i> , <b>2011</b> , 53, 1483-1487	1.2	20
49	Dual-band bandpass filter using quarter-wavelength resonator with controllable bandwidths and good selectivity <b>2011</b> ,		3
48	Microstrip dual-band bandstop filter of defected ground structure and stepped impedance resonators. <i>International Journal of Electronics</i> , <b>2010</b> , 97, 1351-1359	1.2	15
47	Novel Ultra-Wideband Bandpass Filter Using Shorted Coupled Lines and Transversal Transmission Line. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2010</b> , 20, 548-550	2.6	47
46	Compact Planar Magic-T Using E-Plane Substrate Integrated Waveguide (SIW) Power Divider and Slotline Transition. <i>IEEE Microwave and Wireless Components Letters</i> , <b>2010</b> , 20, 331-333	2.6	28
45	Compact Planar Magic-T Based on the Double-Sided Parallel-Strip Line and the Slotline Coupling. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2010</b> , 58, 2915-2923	4.1	33

44	Compact ultra-wideband bandpass filter implemented with stepped impedance resonators and T-shaped line <b>2010</b> ,		2
43	Formula Derivation and Verification of Characteristic Impedance for Offset Double-Sided Parallel Strip Line (DSPSL). <i>IEEE Microwave and Wireless Components Letters</i> , <b>2010</b> , 20, 304-306	2.6	23
42	Formulas of dielectric and total attenuations of a microstrip line. Radio Science, 2010, 45, n/a-n/a	1.4	2
41	Novel microstrip bandpass filter based on defected ground structure and slotline coupling techniques. <i>Microwave and Optical Technology Letters</i> , <b>2010</b> , 52, 4-6	1.2	10
40	A compact U-shaped defected ground structure microstrip low-pass filter with wideband rejection. <i>Microwave and Optical Technology Letters</i> , <b>2010</b> , 52, 497-499	1.2	2
39	Compact dual-band bandpass filter based on stepped impedance resonators and T-shaped line. <i>Microwave and Optical Technology Letters</i> , <b>2010</b> , 52, 2721-2724	1.2	8
38	High-isolation multiway power dividing/combining network implemented by broadside-coupling SIW directional couplers. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2009</b> , 19, 577-582	1.5	6
37	Wideband-integrated planar inverted-F antenna with meander line structures. <i>Microwave and Optical Technology Letters</i> , <b>2009</b> , 51, 384-387	1.2	5
36	A wideband circularly polarized microstrip antenna array with single feeding. <i>Microwave and Optical Technology Letters</i> , <b>2009</b> , 51, 1624-1627	1.2	5
35	Analysis and Experiments of Compact Folded Substrate-Integrated Waveguide. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>2008</b> , 56, 88-93	4.1	53
34	In-vitro and in-vivo techniques to measure the dielectric constant of biological tissues at microwave frequencies <b>2008</b> ,		2
33	Miniaturized planar ferrite junction circulator in the form of substrate-integrated waveguide. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2008</b> , 18, 8-13	1.5	10
32	Bandwidth enhancement technique with vertically slotted sidewalls in capacitive coupled antenna. <i>Microwave and Optical Technology Letters</i> , <b>2008</b> , 50, 341-345	1.2	
31	Wideband bandpass filter of folded substrate-integrated waveguide integrating with stripline compact resonant cell. <i>Microwave and Optical Technology Letters</i> , <b>2008</b> , 50, 390-393	1.2	9
30	Effect of cylinder spacing on reflection and propagation of substrate-integrated waveguide. <i>Microwave and Optical Technology Letters</i> , <b>2008</b> , 50, 604-608	1.2	
29	A novel bandpass filter based on complementary split rings resonators and substrate integrated waveguide. <i>Microwave and Optical Technology Letters</i> , <b>2008</b> , 50, 699-701	1.2	29
28	Theoretical analysis and numerical verification of waveguide-type directional coupler constructed into thin double-layer dielectric substrate. <i>Microwave and Optical Technology Letters</i> , <b>2008</b> , 50, 1397-14	40 <sup>1</sup> 2 <sup>2</sup>	1
27	Multiway microwave planar power divider/combiner based on substrate-integrated rectangular waveguide directional couplers. <i>Microwave and Optical Technology Letters</i> , <b>2008</b> , 50, 1600-1605	1.2	3

26	Permittivity measurement of biological materials with improved microwave cavity perturbation technique. <i>Microwave and Optical Technology Letters</i> , <b>2008</b> , 50, 1800-1804	1.2	2
25	Leakage and ohmic losses investigation in substrate-integrated waveguide. <i>Radio Science</i> , <b>2007</b> , 42, n/	/a-n:/æ	9
24	A compact substrate integrated waveguide H-plane horn antenna with dielectric arc lens. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , <b>2007</b> , 17, 473-479	1.5	33
23	Improved spiral compact microstrip resonance cell low-pass filter with wide stopband characteristics. <i>Microwave and Optical Technology Letters</i> , <b>2007</b> , 49, 121-124	1.2	2
22	Substrate integrated waveguide horn antenna with dielectric lens. <i>Microwave and Optical Technology Letters</i> , <b>2007</b> , 49, 168-170	1.2	19
21	A compact wide-band bandpass filter integrating SCMRC and SIRW structures. <i>Microwave and Optical Technology Letters</i> , <b>2007</b> , 49, 195-198	1.2	2
20	Novel rectangular waveguide resonant cavity constructed in dielectric substrate with arc corners. <i>Microwave and Optical Technology Letters</i> , <b>2007</b> , 49, 804-808	1.2	
19	Double-layer substrate integrated waveguide structure with variable fractional bandwidth. <i>Microwave and Optical Technology Letters</i> , <b>2007</b> , 49, 1459-1463	1.2	1
18	Investigation on quality factor of substrate-integrated waveguide resonance cavity. <i>Microwave and Optical Technology Letters</i> , <b>2007</b> , 49, 2007-2010	1.2	3
17	Propagation characteristics of H-plane folded substrate integrated waveguide bends. <i>Microwave and Optical Technology Letters</i> , <b>2007</b> , 49, 2977-2981	1.2	3
16	H-plane 3-dB hybrid ring of high isolation in substrate-integrated rectangular waveguide (SIRW). <i>Microwave and Optical Technology Letters</i> , <b>2006</b> , 48, 502-505	1.2	23
15	Equivalence between substrate-integrated rectangular waveguide (SIRW) bend and rectangular waveguide (RW) bend. <i>Microwave and Optical Technology Letters</i> , <b>2006</b> , 48, 1487-1491	1.2	2
14	Equivalence between substrate-integrated (SIRW) rectangular waveguide short-circuit load and its equivalent rectangular waveguide short-circuit load. <i>Microwave and Optical Technology Letters</i> , <b>2006</b> , 48, 1694-1698	1.2	12
13	Characteristics comparison of substrate-integrated rectangular waveguide (SIRW) and its equivalent rectangular waveguide. <i>Microwave and Optical Technology Letters</i> , <b>2005</b> , 46, 588-592	1.2	3
12	On single-mode transmission of variable ferrite polarizers in circular waveguide. <i>Microwave and Optical Technology Letters</i> , <b>2004</b> , 43, 348-353	1.2	2
11	Miniature orthogonal mode transducer with high isolation. <i>Microwave and Optical Technology Letters</i> , <b>2002</b> , 32, 1-3	1.2	1
10	Practical double-channel variable polarization system with short switching time. <i>Microwave and Optical Technology Letters</i> , <b>2002</b> , 33, 292-294	1.2	
9	Microwave ferrite variable polarizer in a square waveguide with dielectric loading. <i>Microwave and Optical Technology Letters</i> , <b>2002</b> , 34, 70-73	1.2	

8	Nonrepetition of differential phase shift of latching ferrite phase shifter. <i>Microwave and Optical Technology Letters</i> , <b>2002</b> , 35, 81-85	1.2	
7	Calculation of resonant frequencies of LS higher order modes in a dielectrically loaded grooved waveguide. <i>Microwave and Optical Technology Letters</i> , <b>2001</b> , 31, 442-446	1.2	
6	Temperature characteristic analysis of a ferrite phase shifter in a grooved waveguide. <i>Microwave and Optical Technology Letters</i> , <b>2001</b> , 30, 156-159	1.2	
5	Improved technique of H-plane nonreciprocal ferrite phase shifter. <i>Microwave and Optical Technology Letters</i> , <b>2001</b> , 30, 236-237	1.2	
4	Impedance-matching technique for a latching ferrite variable polarizer in a circular waveguide. <i>Microwave and Optical Technology Letters</i> , <b>2000</b> , 27, 366-368	1.2	1
3	Phase-adjustment technique of the digital-latching ferrite phase shifter. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>1999</b> , 47, 1125-1127	4.1	7
2	Operation of new type field displacement isolator in ridged waveguide. <i>IEEE Transactions on Microwave Theory and Techniques</i> , <b>1997</b> , 45, 698-700	4.1	3
1	Cyclic olefin copolymer-based copper clad laminate and the application for low loss broadband baluns. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> ,e22956	1.5	2