Sebastian E Baumeister

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6889193/publications.pdf

Version: 2024-02-01

187 papers

11,268 citations

50170 46 h-index 95 g-index

198 all docs

198 docs citations

198 times ranked 20138 citing authors

#	Article	IF	CITATIONS
1	Genome-wide association study identifies 74 loci associated with educational attainment. Nature, 2016, 533, 539-542.	13.7	1,204
2	Cohort Profile: The Study of Health in Pomerania. International Journal of Epidemiology, 2011, 40, 294-307.	0.9	876
3	GWAS of 126,559 Individuals Identifies Genetic Variants Associated with Educational Attainment. Science, 2013, 340, 1467-1471.	6.0	750
4	Genome-wide association analyses of risk tolerance and risky behaviors in over 1 million individuals identify hundreds of loci and shared genetic influences. Nature Genetics, 2019, 51, 245-257.	9.4	536
5	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. Nature Genetics, 2011, 43, 1131-1138.	9.4	501
6	New gene functions in megakaryopoiesis and platelet formation. Nature, 2011, 480, 201-208.	13.7	401
7	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. Lancet Diabetes and Endocrinology,the, 2017, 5, 97-105.	5 . 5	298
8	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. Molecular Psychiatry, 2015, 20, 647-656.	4.1	235
9	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. Nature Genetics, 2022, 54, 437-449.	9.4	215
10	Ultrasonographic hepatic steatosis increases prediction of mortality risk from elevated serum gamma-glutamyl transpeptidase levels. Hepatology, 2009, 50, 1403-1411.	3.6	208
11	$\langle i \rangle$ KLB $\langle i \rangle$ is associated with alcohol drinking, and its gene product \hat{l}^2 -Klotho is necessary for FGF21 regulation of alcohol preference. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 14372-14377.	3 . 3	208
12	Independent Risk Factors for Gallstone Formation in a Region with High Cholelithiasis Prevalence. Digestion, 2005, 71, 97-105.	1.2	188
13	Impact of Fatty Liver Disease on Health Care Utilization and Costs in a General Population: A 5-Year Observation. Gastroenterology, 2008, 134, 85-94.	0.6	185
14	Directional dominance on stature and cognition inÂdiverse human populations. Nature, 2015, 523, 459-462.	13.7	173
15	Association between domains of physical activity and all-cause, cardiovascular and cancer mortality. European Journal of Epidemiology, 2011, 26, 91-99.	2.5	164
16	A genome-wide association study of aging. Neurobiology of Aging, 2011, 32, 2109.e15-2109.e28.	1.5	127
17	Menopausal status and hepatic steatosis in a general female population. Gut, 2007, 56, 594-595.	6.1	116
18	Diagnosed thyroid disorders are associated with depression and anxiety. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1417-1425.	1.6	113

#	Article	IF	Citations
19	Genome-wide association analysis of coffee drinking suggests association with CYP1A1/CYP1A2 and NRCAM. Molecular Psychiatry, 2012, 17, 1116-1129.	4.1	112
20	Genetic variants linked to education predict longevity. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 13366-13371.	3.3	110
21	Tobacco smoking in relation to pain in a national general population survey. Preventive Medicine, 2006, 43, 477-481.	1.6	109
22	Cystatin C and Cardiovascular Disease. Journal of the American College of Cardiology, 2016, 68, 934-945.	1.2	109
23	Visceral adiposity index (VAI), lipid accumulation product (LAP), and product of triglycerides and glucose (TyG) to discriminate prediabetes and diabetes. Scientific Reports, 2019, 9, 9693.	1.6	101
24	Development, External Validation, and Comparative Assessment of a New Diagnostic Score for Hepatic Steatosis. American Journal of Gastroenterology, 2014, 109, 1404-1414.	0.2	95
25	Replacing Sedentary Time with Physical Activity in Relation to Mortality. Medicine and Science in Sports and Exercise, 2016, 48, 1312-1319.	0.2	89
26	Guidelines and recommendations for ensuring Good Epidemiological Practice (GEP): a guideline developed by the German Society for Epidemiology. European Journal of Epidemiology, 2019, 34, 301-317.	2.5	89
27	Prevalence of undiagnosed diabetes and impaired glucose regulation in 35–59â€yearâ€old individuals in Southern Germany: the KORA F4 Study. Diabetic Medicine, 2010, 27, 360-362.	1.2	86
28	Inverse Association Between Serum Free Thyroxine Levels and Hepatic Steatosis: Results from the Study of Health in Pomerania. Thyroid, 2012, 22, 568-574.	2.4	85
29	An online intervention using information on the mental health-mental illness continuum to reduce stigma. European Psychiatry, 2016, 32, 21-27.	0.1	78
30	New alcohol-related genes suggest shared genetic mechanisms with neuropsychiatric disorders. Nature Human Behaviour, 2019, 3, 950-961.	6.2	75
31	Proactive interventions for smoking cessation in general medical practice: a quasiâ€randomized controlled trial to examine the efficacy of computerâ€tailored letters and physicianâ€delivered brief advice*. Addiction, 2008, 103, 294-304.	1.7	74
32	Causal relationship between obesity and serum testosterone status in men: A bi-directional mendelian randomization analysis. PLoS ONE, 2017, 12, e0176277.	1.1	72
33	Association of Average Daily Alcohol Consumption, Binge Drinking and Alcohol-Related Social Problems: Results from the German Epidemiological Surveys of Substance Abuse. Alcohol and Alcoholism, 2009, 44, 314-320.	0.9	71
34	Inverse association between total testosterone concentrations, incident hypertension and blood pressure. Aging Male, 2011, 14, 176-182.	0.9	71
35	Increased Genetic Vulnerability to Smoking at CHRNA5 in Early-Onset Smokers. Archives of General Psychiatry, 2012, 69, 854.	13.8	71
36	Effect of Chronic Kidney Disease and Comorbid Conditions on Health Care Costs: A 10-Year Observational Study in a General Population. American Journal of Nephrology, 2010, 31, 222-229.	1.4	66

#	Article	IF	CITATIONS
37	Personality-related factors as predictors of help-seeking for depression: a population-based study applying the Behavioral Model of Health Services Use. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1809-1817.	1.6	66
38	The association between fatty liver disease and blood pressure in a population-based prospective longitudinal study. Journal of Hypertension, 2010, 28, 1829-1835.	0.3	64
39	Prospective association of low total testosterone concentrations with an adverse lipid profile and increased incident dyslipidemia. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 86-96.	3.1	63
40	Association of mental distress with health care utilization and costs: a 5-year observation in a general population. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 835-844.	1.6	59
41	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. Journal of Hepatology, 2019, 70, 885-892.	1.8	58
42	Association between Markers of Fatty Liver Disease and Impaired Glucose Regulation in Men and Women from the General Population: The KORA-F4-Study. PLoS ONE, 2011, 6, e22932.	1.1	57
43	Brief alcohol intervention for general hospital inpatients: A randomized controlled trial. Drug and Alcohol Dependence, 2008, 93, 233-243.	1.6	54
44	Hepatic Steatosis Is Associated With Aortic Valve Sclerosis in the General Population. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 1690-1695.	1.1	54
45	Cardiorespiratory Fitness and Gray Matter Volume in the Temporal, Frontal, and Cerebellar Regions in the General Population. Mayo Clinic Proceedings, 2020, 95, 44-56.	1.4	53
46	Project QUIT (Quit Using Drugs Intervention Trial): a randomized controlled trial of a primary careâ€based multiâ€component brief intervention to reduce risky drug use. Addiction, 2015, 110, 1777-1790.	1.7	51
47	Physical activity surveillance in the European Union: reliability and validity of the European Health Interview Survey-Physical Activity Questionnaire (EHIS-PAQ). International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 61.	2.0	51
48	Association between lifestyle factors and headache. Journal of Headache and Pain, 2011, 12, 147-155.	2.5	49
49	The combined effects of alcohol consumption and body mass index on hepatic steatosis in a general population sample of European men and women. Alimentary Pharmacology and Therapeutics, 2015, 41, 467-476.	1.9	49
50	Relation of body fat mass and fat-free mass to total mortality: results from 7 prospective cohort studies. American Journal of Clinical Nutrition, 2021, 113, 639-646.	2.2	49
51	Prevalence Trends in Lifestyle-Related Risk Factors. Deutsches Ärzteblatt International, 2015, 112, 185-92.	0.6	49
52	Changes in alcohol consumption and beverage preference among adolescents after the introduction of the alcopops tax in Germany. Addiction, 2010, 105, 1205-1213.	1.7	48
53	Prospective Inverse Associations of Sex Hormone Concentrations in Men With Biomarkers of Inflammation and Oxidative Stress. Journal of Andrology, 2012, 33, 944-950.	2.0	47
54	Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population. Pain, 2007, 133, 174-182.	2.0	46

#	Article	IF	Citations
55	Circulating angiopoietin-2, its soluble receptor Tie-2, and mortality in the general population. European Journal of Heart Failure, 2013, 15, 1327-1334.	2.9	45
56	Association between Early Onset of Cigarette, Alcohol and Cannabis Use and Later Drug Use Patterns: An Analysis of a Survey in European Metropolises. European Addiction Research, 2005, 11, 92-98.	1.3	44
57	Psoriasis is associated with increased intima–media thickness—The Study of Health in Pomerania (SHIP). Atherosclerosis, 2012, 225, 486-490.	0.4	43
58	Do attitudes towards persons with mental illness worsen during the course of life? An ageâ€periodâ€cohort analysis. Acta Psychiatrica Scandinavica, 2015, 132, 357-364.	2.2	43
59	Associations of Leisure-Time and Occupational Physical Activity and Cardiorespiratory Fitness With Incident and Recurrent Major Depressive Disorder, Depressive Symptoms, and Incident Anxiety in a General Population. Journal of Clinical Psychiatry, 2017, 78, e41-e47.	1.1	43
60	Association between hepatic steatosis and serum liver enzyme levels with atrial fibrillation in the general population. Atherosclerosis, 2016, 245, 123-131.	0.4	42
61	Trends in non-help-seeking for mental disorders in Germany between 1997–1999 and 2009–2012: a repeated cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1005-1013.	1.6	42
62	Prediabetes is associated with microalbuminuria, reduced kidney function and chronic kidney disease in the general population. Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 234-242.	1.1	42
63	The Molecular Genetic Architecture of Self-Employment. PLoS ONE, 2013, 8, e60542.	1.1	41
64	Physical Activity and the Risk of Liver Cancer: A Systematic Review and Meta-Analysis of Prospective Studies and a Bias Analysis. Journal of the National Cancer Institute, 2019, 111, 1142-1151.	3.0	40
65	Osteocalcin is associated with testosterone in the general population and selected patients with bone disorders. Andrology, 2013, 1, 469-474.	1.9	37
66	Geriatric nutritional risk index correlates with length of hospital stay and inflammatory markers in older inpatients. Clinical Nutrition, 2017, 36, 1048-1053.	2.3	35
67	Association of Socioeconomic Status with Iodine Supply and Thyroid Disorders in Northeast Germany. Thyroid, 2013, 23, 346-353.	2.4	34
68	Alcohol-Expectancy Dimensions and Alcohol Consumption at Different Ages in the General Population*. Journal of Studies on Alcohol and Drugs, 2010, 71, 46-53.	0.6	33
69	Personalized cardiovascular medicine: concepts and methodological considerations. Nature Reviews Cardiology, 2013, 10, 308-316.	6.1	32
70	A new, accurate predictive model for incident hypertension. Journal of Hypertension, 2013, 31, 2142-2150.	0.3	32
71	Distinct Loci in the <i>CHRNA5</i> / <i>CHRNA3</i> / <i>CHRNB4</i> / <i>Onset of Regular Smoking. Genetic Epidemiology, 2013, 37, 846-859.</i>	0.6	32
72	High social support buffers the effects of 5-HTTLPR genotypes within social anxiety disorder. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 433-439.	1.8	32

#	Article	IF	Citations
73	What Enhances Underrepresented Minority Recruitment to Dental Schools?. Journal of Dental Education, 2007, 71, 994-1008.	0.7	29
74	Association of domain-specific physical activity and cardiorespiratory fitness with all-cause and cause-specific mortality in two population-based cohort studies. Scientific Reports, 2018, 8, 16066.	1.6	29
75	Physical activity, sedentary behavior and risk of coronary artery disease, myocardial infarction and ischemic stroke: a two-sample Mendelian randomization study. Clinical Research in Cardiology, 2021, 110, 1564-1573.	1.5	28
76	Do social relations explain health inequalities? Evidence from a longitudinal survey in a changing eastern German region. International Journal of Public Health, 2012, 57, 619-627.	1.0	27
77	Testosterone and cardiometabolic risk in the general population – the impact of measurement method on risk associations: a comparative study between immunoassay and mass spectrometry. European Journal of Endocrinology, 2013, 169, 463-470.	1.9	27
78	Impact of whole-body MRI in a general population study. European Journal of Epidemiology, 2016, 31, 31-39.	2.5	27
79	Testing the association between tobacco smoking, alcohol consumption, and risk of periodontitis: A Mendelian randomization study. Journal of Clinical Periodontology, 2021, 48, 1414-1420.	2.3	27
80	What influences dental students to serve special care patients?. Special Care in Dentistry, 2007, 27, 15-22.	0.4	26
81	Exhaled nitric oxide and influencing factors in a random population sample. Respiratory Medicine, 2011, 105, 713-718.	1.3	26
82	The Geriatric Nutritional Risk Index predicts increased healthcare costs and hospitalization in a cohort of community-dwelling older adults: Results from the MONICA/KORA Augsburg cohort study, 1994–2005. Nutrition, 2011, 27, 534-542.	1.1	26
83	Serum testosterone levels in males are not associated with entrepreneurial behavior in two independent observational studies. Physiology and Behavior, 2013, 119, 110-114.	1.0	26
84	Visceral adipose tissue but not subcutaneous adipose tissue is associated with urine and serum metabolites. PLoS ONE, 2017, 12, e0175133.	1.1	26
85	Susceptibility to diphtheria in adults: prevalence and relationship to gender and social variables. Clinical Microbiology and Infection, 2006, 12, 961-967.	2.8	25
86	Age differences in diagnostic criteria of DSMâ€IV alcohol dependence among adults with similar drinking behaviour. Addiction, 2012, 107, 331-338.	1.7	25
87	Glycated hemoglobin as a marker of subclinical atherosclerosis and cardiac remodeling among non-diabetic adults from the general population. Diabetes Research and Clinical Practice, 2014, 105, 416-423.	1.1	25
88	Relative impact of COPD and comorbidities on generic health-related quality of life: a pooled analysis of the COSYCONET patient cohort and control subjects from the KORA and SHIP studies. Respiratory Research, 2016, 17, 81.	1.4	25
89	Intention to utilize formal help in a sample with alcohol problems: A prospective study. Drug and Alcohol Dependence, 2007, 87, 210-216.	1.6	24
90	Linear, nonlinear or categorical: how to treat complex associations in regression analyses? Polynomial transformations and fractional polynomials. International Journal of Public Health, 2013, 58, 157-160.	1.0	24

#	Article	IF	Citations
91	Function-impairing polymorphisms of the hepatic uptake transporter SLCO1B1 modify the therapeutic efficacy of statins in a population-based cohort. Pharmacogenetics and Genomics, 2015, 25, 8-18.	0.7	24
92	Changes in Body Weight and Composition Are Associated With Changes in Left Ventricular Geometry and Function in the General Population. Circulation: Cardiovascular Imaging, 2017, 10, e005544.	1.3	24
93	Influence of Contextual Environment and Communityâ€Based Dental Education on Practice Plans of Graduating Seniors. Journal of Dental Education, 2007, 71, 403-418.	0.7	23
94	Effect of School Environment on Dental Students' Perceptions of Cultural Competency Curricula and Preparedness to Care for Diverse Populations. Journal of Dental Education, 2007, 71, 810-818.	0.7	23
95	Are serum TSH levels associated with oxidized lowâ€density lipoprotein? Results from the Study of Health in Pomerania. Clinical Endocrinology, 2012, 76, 526-532.	1.2	22
96	A Telephone- and Text Message-Based Telemedicine Concept for Patients with Mental Health Disorders: Results of a Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2015, 84, 82-89.	4.0	22
97	Improved risk stratification in prevention by use of a panel of selected circulating microRNAs. Scientific Reports, 2017, 7, 4511.	1.6	22
98	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. BMC Cardiovascular Disorders, 2019, 19, 240.	0.7	22
99	Effect of the delegation of GP-home visits on the development of the number of patients in an ambulatory healthcare centre in Germany. BMC Health Services Research, 2012, 12, 355.	0.9	21
100	Domains of physical activity and brain volumes: A population-based study. Neurolmage, 2017, 156, 101-108.	2.1	20
101	Alcohol consumption and out-patient services utilization by abstainers and drinkers. Addiction, 2006, 101, 1285-1291.	1.7	19
102	Trends of barriers to eye care among adults with diagnosed diabetes in Germany, 1997–2012. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 906-915.	1.1	19
103	Light to Moderate Alcohol Consumption Is Associated With Lower Risk of Aortic Valve Sclerosis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 1265-1270.	1.1	19
104	Angiopoietin-2, its soluble receptor Tie-2 and subclinical cardiovascular disease in a population-based sample. Heart, 2015, 101, 178-184.	1.2	18
105	Alcohol Consumption and Health-Services Utilizationin Germany. Journal of Studies on Alcohol and Drugs, 2006, 67, 429-435.	2.4	17
106	Does the smoking status of general practitioners affect the efficacy of smoking cessation counselling?. Patient Education and Counseling, 2009, 74, 23-28.	1.0	17
107	Effects of smoking on arterial distensibility, central aortic pressures and left ventricular mass. International Journal of Cardiology, 2013, 168, 2593-2601.	0.8	17
108	Physical activity and risk of Alzheimer disease. Neurology, 2020, 95, e1897-e1905.	1.5	17

#	Article	IF	Citations
109	Sedative, hypnotic, anxiolytic and opioid medicament use and its co-occurrence with tobacco smoking and alcohol risk drinking in a community sample. BMC Public Health, 2007, 7, 337.	1.2	16
110	Computer-tailored smoking cessation intervention in a general population setting in Germany: Outcome of a randomized controlled trial. Nicotine and Tobacco Research, 2008, 10, 371-379.	1.4	16
111	Prevalence and determinants of controlled hypertension in a German population cohort. BMC Public Health, 2013, 13, 594.	1.2	16
112	Effect of a primary care based brief intervention trial among risky drug users on health-related quality of life. Drug and Alcohol Dependence, 2014, 142, 254-261.	1.6	16
113	Prospective association of low serum total testosterone levels with health care utilization and costs in a populationâ€based cohort of men. Journal of Developmental and Physical Disabilities, 2010, 33, 800-809.	3.6	15
114	Public attitudes towards psychiatric medication: a comparison between United States and Germany. World Psychiatry, 2014, 13, 320-321.	4.8	15
115	Prediabetes is associated with lower brain gray matter volume in the general population. The Study of Health in Pomerania (SHIP). Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 1114-1122.	1.1	15
116	Alcohol consumption and cardiorespiratory fitness in five population-based studies. European Journal of Preventive Cardiology, 2018, 25, 164-172.	0.8	15
117	Association of proton pump inhibitor use with endothelial function and metabolites of the nitric oxide pathway: A crossâ€sectional study. Pharmacotherapy, 2021, 41, 198-204.	1.2	15
118	Physical Activity Does Not Lower the Risk of Lung Cancer. Cancer Research, 2020, 80, 3765-3769.	0.4	13
119	Body Fat Distribution and Risk of Breast, Endometrial, and Ovarian Cancer: A Two-Sample Mendelian Randomization Study. Cancers, 2021, 13, 5053.	1.7	13
120	Novel associations between inflammation-related proteins and adiposity: A targeted proteomics approach across four population-based studies. Translational Research, 2022, 242, 93-104.	2.2	13
121	Effects of smoking cessation on health care use: Is elevated risk of hospitalization among former smokers attributable to smoking-related morbidity?. Drug and Alcohol Dependence, 2007, 88, 197-203.	1.6	12
122	Regional Variation of Chronic Kidney Disease in Germany: Results From Two Population-Based Surveys. Kidney and Blood Pressure Research, 2015, 40, 231-243.	0.9	12
123	Health Care Access Among Asian American Subgroups: The Role of Residential Segregation. Journal of Immigrant and Minority Health, 2015, 17, 1451-1457.	0.8	12
124	Approval of psychotherapy and medication for the treatment of mental disorders over the lifespan. An age period cohort analysis. Epidemiology and Psychiatric Sciences, 2017, 26, 61-69.	1.8	12
125	12-year changes in cardiovascular risk factors in people with major depressive or bipolar disorder: a prospective cohort analysis in Germany. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 565-576.	1.8	12
126	The association of intensive care with utilization and costs of outpatient healthcare services and quality of life. PLoS ONE, 2019, 14, e0222671.	1.1	12

#	Article	IF	CITATIONS
127	Emulating a target trial of proton pump inhibitors and dementia risk using claims data. European Journal of Neurology, 2022, 29, 1335-1343.	1.7	12
128	Relationship between periodontitis and psoriasis: A twoâ€sample Mendelian randomization study. Journal of Clinical Periodontology, 2022, 49, 573-579.	2.3	12
129	Genome-Wide Association Study for Endothelial Growth Factors. Circulation: Cardiovascular Genetics, 2015, 8, 389-397.	5.1	11
130	Long-term changes in body weight are associated with changes in blood pressure levels. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 305-311.	1.1	11
131	The public debate on psychotropic medication and changes in attitudes 1990–2011. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 165-172.	1.8	11
132	Vitamin D and health care costs: Results from two independent population-based cohort studies. Clinical Nutrition, 2018, 37, 2149-2155.	2.3	11
133	Cannabis Use, Pulmonary Function, and Lung Cancer Susceptibility: A Mendelian Randomization Study. Journal of Thoracic Oncology, 2021, 16, 1127-1135.	0.5	11
134	Inverse association of estimated cystatin C- and creatinine-based glomerular filtration rate with left ventricular mass: Results from the Study of Health in Pomerania. International Journal of Cardiology, 2013, 167, 2786-2791.	0.8	10
135	Change in depressive symptoms and mental health-related quality of life in northeast Germany between 1997–2001 and 2008–2012. International Journal of Public Health, 2015, 60, 33-39.	1.0	10
136	A pilot replication of QUIT, a randomized controlled trial of a brief intervention for reducing risky drug use, among Latino primary care patients. Drug and Alcohol Dependence, 2017, 179, 433-440.	1.6	10
137	Decomposing social inequalities in alcohol consumption in Germany 1995–2015: an age–period–cohort analysis. Addiction, 2019, 114, 1359-1368.	1.7	10
138	Association between cardiorespiratory fitness and colorectal cancer in the UK Biobank. European Journal of Epidemiology, 2020, 35, 961-973.	2.5	10
139	Understanding the consequences of educational inequalities on periodontitis: A Mendelian randomization study. Journal of Clinical Periodontology, 2022, 49, 200-209.	2.3	10
140	Who gets prescriptions for proton pump inhibitors and why? A drug-utilization study with claims data in Bavaria, Germany, 2010–2018. European Journal of Clinical Pharmacology, 2022, 78, 657-667.	0.8	10
141	Does precontemplation represent a homogeneous stage category? A latent class analysis on German smokers Journal of Consulting and Clinical Psychology, 2008, 76, 840-851.	1.6	9
142	Association of IGF-I and IGFBP-3 with health care costs and hospitalization: Results from a prospective observational study. Growth Hormone and IGF Research, 2011, 21, 89-95.	0.5	9
143	Random glucose is useful for individual prediction of type 2 diabetes: Results of the Study of Health in Pomerania (SHIP). Primary Care Diabetes, 2013, 7, 25-31.	0.9	9
144	Suicidality and risk of suicidality in psoriasis: a critical appraisal of two systematic reviews and metaâ€analyses. British Journal of Dermatology, 2019, 181, 717-721.	1.4	9

#	Article	IF	Citations
145	Cannabis use does not impact on type 2 diabetes: A twoâ€sample Mendelian randomization study. Addiction Biology, 2021, 26, e13020.	1.4	9
146	Design and Evaluation of a Computer-Based 24-Hour Physical Activity Recall (cpar24) Instrument. Journal of Medical Internet Research, 2017, 19, e186.	2.1	9
147	Linear, nonlinear or categorical: how to treat complex associations? Splines and nonparametric approaches. International Journal of Public Health, 2013, 58, 161-165.	1.0	8
148	Correlates of Adverse Outcomes in Abdominally Obese Individuals: Findings from the Five-Year Followup of the Population-Based Study of Health in Pomerania. Journal of Obesity, 2013, 2013, 1-7.	1.1	8
149	Is the adiposityâ€associated <scp><i>FTO</i></scp> gene variant related to allâ€cause mortality independent of adiposity? Metaâ€analysis of data from 169,551 <scp>C</scp> aucasian adults. Obesity Reviews, 2015, 16, 327-340.	3.1	8
150	Long-Term Outcomes in Patients with Stroke after in-Hospital Treatment—Study Protocol of the Prospective Stroke Cohort Augsburg (SCHANA Study). Medicina (Lithuania), 2020, 56, 280.	0.8	8
151	Impact of COVID-19 pandemic lockdown on myocardial infarction care. European Journal of Epidemiology, 2021, 36, 619-627.	2.5	8
152	The longâ€ŧerm risk for myocardial infarction or stroke after proton pump inhibitor therapy (2008â€2018). Alimentary Pharmacology and Therapeutics, 2021, 54, 1033-1040.	1.9	7
153	Physical activity and Parkinson's disease: a two-sample Mendelian randomisation study. Journal of Neurology, Neurosurgery and Psychiatry, 2021, 92, 334-335.	0.9	6
154	A Mendelian randomization study on the effect of 25â€hydroxyvitamin D levels on periodontitis. Journal of Periodontology, 2022, 93, 1243-1249.	1.7	6
155	Effect of school environment on dental students' perceptions of cultural competency curricula and preparedness to care for diverse populations. Journal of Dental Education, 2007, 71, 810-8.	0.7	6
156	Menopausal hormone therapy and gallbladder disease: the Study of Health in Pomerania (SHIP). Clinical Endocrinology, 2007, 67, 51-59.	1.2	5
157	Predicting utilization of formal and informal help among general hospital inpatients with alcohol use disorders. International Journal of Methods in Psychiatric Research, 2008, 17, S70-S73.	1.1	5
158	Prevalence of Risk Determinants for Metformin-associated Lactic Acidosis and Metformin Utilization in the Study of Health in Pomerania. Hormone and Metabolic Research, 2008, 40, 491-497.	0.7	5
159	The association between fatty liver disease and blood pressure in a population-based cohort study. Journal of Hypertension, 2012, 30, 1260-1261.	0.3	5
160	Future outpatient health-care utilisation in an ageing population: projections up to the year 2020 based on the Study of Health in Pomerania (SHIP). Zeitschrift Fur Gesundheitswissenschaften, 2013, 21, 289-296.	0.8	5
161	Lack of association between proton pump inhibitor use and brain aging: a cross-sectional study. European Journal of Clinical Pharmacology, 2021, 77, 1039-1048.	0.8	5
162	Predictive modeling of health care costs: do cardiovascular risk markers improve prediction?. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 355-362.	3.1	4

#	Article	IF	Citations
163	Efficacy of AMC/DCBA lozenges for sore throat: A systematic review and meta-analysis. International Journal of Clinical Practice, 2017, 71, e13002.	0.8	4
164	Association between cardiorespiratory fitness and handgrip strength with age-related macular degeneration: a population-based study. British Journal of Ophthalmology, 2021, 105, 1127-1132.	2.1	4
165	Association between physical activity, grip strength and sedentary behaviour with incidence of malignant melanoma: results from the UK Biobank. British Journal of Cancer, 2021, 125, 593-600.	2.9	4
166	Periodontitis and pulmonary function: a Mendelian randomization study. Clinical Oral Investigations, 2021, 25, 5109-5112.	1.4	4
167	Cannabis use and obesity-traits: A Mendelian randomization study. Drug and Alcohol Dependence, 2021, 226, 108863.	1.6	4
168	Effects of whole-body MRI on outpatient health service costs: a general-population prospective cohort study in Mecklenburg-Vorpommern, Germany. BMJ Open, 2022, 12, e056572.	0.8	4
169	What enhances underrepresented minority recruitment to dental schools?. Journal of Dental Education, 2007, 71, 994-1008.	0.7	4
170	Estimation of psycholeptic and psychoanaleptic medicine use in an adult general population sample using the Anatomical Therapeutic Chemical classification. International Journal of Methods in Psychiatric Research, 2008, 17, 220-231.	1.1	3
171	Mental Health and Readiness to Change Smoking Behavior in Daily Smoking Primary Care Patients. International Journal of Behavioral Medicine, 2009, 16, 347-354.	0.8	3
172	Angiopoietinâ€2, its soluble receptor <scp>T</scp> ieâ€2, and metabolic syndrome components in a populationâ€based sample. Obesity, 2016, 24, 2038-2041.	1.5	3
173	Influence of contextual environment and community-based dental education on practice plans of graduating seniors. Journal of Dental Education, 2007, 71, 403-18.	0.7	3
174	Links between ectopic and abdominal fat and systemic inflammation: New insights from the SHIP-Trend study. Digestive and Liver Disease, 2022, 54, 1030-1037.	0.4	3
175	Association between bone turnover markers and periodontitis: A populationâ€based crossâ€sectional study. Journal of Clinical Periodontology, 2022, , .	2.3	3
176	Anthropometric risk factors for ovarian cancer in the NIH-AARP Diet and Health Study. Cancer Causes and Control, 2021, 32, 231-239.	0.8	2
177	Cannabis use and the risk of periodontitis: A twoâ€sample Mendelian randomization study. Journal of Clinical Periodontology, 2022, , .	2.3	2
178	Inverse Association between Total Testosterone Concentrations, Incident Hypertension, and Blood Pressure. Journal of Men's Health, 2010, 7, 350-350.	0.1	1
179	Is hepatic steatosis associated with left ventricular mass index increase in the general population?. World Journal of Hepatology, 2017, 9, 857.	0.8	1
180	Prevalence, atopic and psychological comorbidity of physicianâ€diagnosed atopic dermatitis in an adult general population sample: A crossâ€sectional study. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 1915-1917.	2.7	1

#	Article	IF	CITATIONS
181	[Commentary] SUPPORTING GPS IN THE PROVISION OF SMOKING CESSATION INTERVENTIONâ€"FROM RESEARCH TO DAILY ROUTINE. Addiction, 2008, 103, 309-309.	1.7	O
182	Reply:. Hepatology, 2010, 51, 720-721.	3.6	0
183	Circulating angiopoietin-2, its soluble receptor tie-2 and mortality in the general population. Atherosclerosis, 2014, 235, e120.	0.4	O
184	Associations of androgens with health care utilization and costs in womenâ€"Perspectives of a population-based cohort study. Maturitas, 2016, 89, 5-8.	1.0	0
185	Response to Yang, Shi, Wang, et al. Journal of the National Cancer Institute, 2020, 112, 653-653.	3.0	O
186	Inverse Association Between Serum Free Thyroxine Levels and Hepatic Steatosis: Results From the Study of Health in Pomerania. Thyroid, 0, , 120308105738004.	2.4	0
187	Letter: proton pump inhibitors and risk of myocardial infarction—authors' reply. Alimentary Pharmacology and Therapeutics, 2022, 55, 141-142.	1.9	0