

# Sebastian E Baumeister

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6889193/publications.pdf>

Version: 2024-02-01

187  
papers

11,268  
citations

50170

46  
h-index

38300

95  
g-index

198  
all docs

198  
docs citations

198  
times ranked

20138  
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel associations between inflammation-related proteins and adiposity: A targeted proteomics approach across four population-based studies. <i>Translational Research</i> , 2022, 242, 93-104.	2.2	13
2	Effects of whole-body MRI on outpatient health service costs: a general-population prospective cohort study in Mecklenburg-Vorpommern, Germany. <i>BMJ Open</i> , 2022, 12, e056572.	0.8	4
3	Understanding the consequences of educational inequalities on periodontitis: A Mendelian randomization study. <i>Journal of Clinical Periodontology</i> , 2022, 49, 200-209.	2.3	10
4	A Mendelian randomization study on the effect of 25-hydroxyvitamin D levels on periodontitis. <i>Journal of Periodontology</i> , 2022, 93, 1243-1249.	1.7	6
5	Links between ectopic and abdominal fat and systemic inflammation: New insights from the SHIP-Trend study. <i>Digestive and Liver Disease</i> , 2022, 54, 1030-1037.	0.4	3
6	Emulating a target trial of proton pump inhibitors and dementia risk using claims data. <i>European Journal of Neurology</i> , 2022, 29, 1335-1343.	1.7	12
7	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. <i>Nature Genetics</i> , 2022, 54, 437-449.	9.4	215
8	Prevalence, atopic and psychological comorbidity of physician-diagnosed atopic dermatitis in an adult general population sample: A cross-sectional study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1915-1917.	2.7	1
9	Relationship between periodontitis and psoriasis: A two-sample Mendelian randomization study. <i>Journal of Clinical Periodontology</i> , 2022, 49, 573-579.	2.3	12
10	Letter: proton pump inhibitors and risk of myocardial infarction—authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 141-142.	1.9	0
11	Who gets prescriptions for proton pump inhibitors and why? A drug-utilization study with claims data in Bavaria, Germany, 2010–2018. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 657-667.	0.8	10
12	Cannabis use and the risk of periodontitis: A two-sample Mendelian randomization study. <i>Journal of Clinical Periodontology</i> , 2022, , .	2.3	2
13	Association between bone turnover markers and periodontitis: A population-based cross-sectional study. <i>Journal of Clinical Periodontology</i> , 2022, , .	2.3	3
14	Association between cardiorespiratory fitness and handgrip strength with age-related macular degeneration: a population-based study. <i>British Journal of Ophthalmology</i> , 2021, 105, 1127-1132.	2.1	4
15	Physical activity and Parkinson's disease: a two-sample Mendelian randomisation study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 334-335.	0.9	6
16	Lack of association between proton pump inhibitor use and brain aging: a cross-sectional study. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 1039-1048.	0.8	5
17	Relation of body fat mass and fat-free mass to total mortality: results from 7 prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 639-646.	2.2	49
18	Anthropometric risk factors for ovarian cancer in the NIH-AARP Diet and Health Study. <i>Cancer Causes and Control</i> , 2021, 32, 231-239.	0.8	2

#	ARTICLE	IF	CITATIONS
19	Cannabis use does not impact on type 2 diabetes: A two-sample Mendelian randomization study. <i>Addiction Biology</i> , 2021, 26, e13020.	1.4	9
20	Association of proton pump inhibitor use with endothelial function and metabolites of the nitric oxide pathway: A cross-sectional study. <i>Pharmacotherapy</i> , 2021, 41, 198-204.	1.2	15
21	Physical activity, sedentary behavior and risk of coronary artery disease, myocardial infarction and ischemic stroke: a two-sample Mendelian randomization study. <i>Clinical Research in Cardiology</i> , 2021, 110, 1564-1573.	1.5	28
22	Association between physical activity, grip strength and sedentary behaviour with incidence of malignant melanoma: results from the UK Biobank. <i>British Journal of Cancer</i> , 2021, 125, 593-600.	2.9	4
23	Periodontitis and pulmonary function: a Mendelian randomization study. <i>Clinical Oral Investigations</i> , 2021, 25, 5109-5112.	1.4	4
24	Impact of COVID-19 pandemic lockdown on myocardial infarction care. <i>European Journal of Epidemiology</i> , 2021, 36, 619-627.	2.5	8
25	Cannabis Use, Pulmonary Function, and Lung Cancer Susceptibility: A Mendelian Randomization Study. <i>Journal of Thoracic Oncology</i> , 2021, 16, 1127-1135.	0.5	11
26	Testing the association between tobacco smoking, alcohol consumption, and risk of periodontitis: A Mendelian randomization study. <i>Journal of Clinical Periodontology</i> , 2021, 48, 1414-1420.	2.3	27
27	The long-term risk for myocardial infarction or stroke after proton pump inhibitor therapy (2008-2018). <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 1033-1040.	1.9	7
28	Cannabis use and obesity-traits: A Mendelian randomization study. <i>Drug and Alcohol Dependence</i> , 2021, 226, 108863.	1.6	4
29	Body Fat Distribution and Risk of Breast, Endometrial, and Ovarian Cancer: A Two-Sample Mendelian Randomization Study. <i>Cancers</i> , 2021, 13, 5053.	1.7	13
30	Response to Yang, Shi, Wang, et al. <i>Journal of the National Cancer Institute</i> , 2020, 112, 653-653.	3.0	0
31	Association between cardiorespiratory fitness and colorectal cancer in the UK Biobank. <i>European Journal of Epidemiology</i> , 2020, 35, 961-973.	2.5	10
32	Cardiorespiratory Fitness and Gray Matter Volume in the Temporal, Frontal, and Cerebellar Regions in the General Population. <i>Mayo Clinic Proceedings</i> , 2020, 95, 44-56.	1.4	53
33	Physical activity and risk of Alzheimer disease. <i>Neurology</i> , 2020, 95, e1897-e1905.	1.5	17
34	Long-Term Outcomes in Patients with Stroke after in-Hospital Treatment—Study Protocol of the Prospective Stroke Cohort Augsburg (SCHANA Study). <i>Medicina (Lithuania)</i> , 2020, 56, 280.	0.8	8
35	Physical Activity Does Not Lower the Risk of Lung Cancer. <i>Cancer Research</i> , 2020, 80, 3765-3769.	0.4	13
36	12-year changes in cardiovascular risk factors in people with major depressive or bipolar disorder: a prospective cohort analysis in Germany. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 565-576.	1.8	12

#	ARTICLE	IF	CITATIONS
37	New alcohol-related genes suggest shared genetic mechanisms with neuropsychiatric disorders. <i>Nature Human Behaviour</i> , 2019, 3, 950-961.	6.2	75
38	Visceral adiposity index (VAI), lipid accumulation product (LAP), and product of triglycerides and glucose (TyG) to discriminate prediabetes and diabetes. <i>Scientific Reports</i> , 2019, 9, 9693.	1.6	101
39	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 240.	0.7	22
40	The association of intensive care with utilization and costs of outpatient healthcare services and quality of life. <i>PLoS ONE</i> , 2019, 14, e0222671.	1.1	12
41	Physical Activity and the Risk of Liver Cancer: A Systematic Review and Meta-Analysis of Prospective Studies and a Bias Analysis. <i>Journal of the National Cancer Institute</i> , 2019, 111, 1142-1151.	3.0	40
42	Suicidality and risk of suicidality in psoriasis: a critical appraisal of two systematic reviews and meta-analyses. <i>British Journal of Dermatology</i> , 2019, 181, 717-721.	1.4	9
43	Guidelines and recommendations for ensuring Good Epidemiological Practice (GEP): a guideline developed by the German Society for Epidemiology. <i>European Journal of Epidemiology</i> , 2019, 34, 301-317.	2.5	89
44	Decomposing social inequalities in alcohol consumption in Germany 1995–2015: an age–period–cohort analysis. <i>Addiction</i> , 2019, 114, 1359-1368.	1.7	10
45	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019, 70, 885-892.	1.8	58
46	Genome-wide association analyses of risk tolerance and risky behaviors in over 1 million individuals identify hundreds of loci and shared genetic influences. <i>Nature Genetics</i> , 2019, 51, 245-257.	9.4	536
47	Prediabetes is associated with microalbuminuria, reduced kidney function and chronic kidney disease in the general population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 234-242.	1.1	42
48	Alcohol consumption and cardiorespiratory fitness in five population-based studies. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 164-172.	0.8	15
49	Vitamin D and health care costs: Results from two independent population-based cohort studies. <i>Clinical Nutrition</i> , 2018, 37, 2149-2155.	2.3	11
50	Association of domain-specific physical activity and cardiorespiratory fitness with all-cause and cause-specific mortality in two population-based cohort studies. <i>Scientific Reports</i> , 2018, 8, 16066.	1.6	29
51	Approval of psychotherapy and medication for the treatment of mental disorders over the lifespan. An age period cohort analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 61-69.	1.8	12
52	Domains of physical activity and brain volumes: A population-based study. <i>NeuroImage</i> , 2017, 156, 101-108.	2.1	20
53	Trends in non-help-seeking for mental disorders in Germany between 1997–1999 and 2009–2012: a repeated cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1005-1013.	1.6	42
54	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 97-105.	5.5	298

#	ARTICLE	IF	CITATIONS
55	Changes in Body Weight and Composition Are Associated With Changes in Left Ventricular Geometry and Function in the General Population. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, e005544.	1.3	24
56	Prediabetes is associated with lower brain gray matter volume in the general population. The Study of Health in Pomerania (SHIP). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 1114-1122.	1.1	15
57	Efficacy of AMC/DCBA lozenges for sore throat: A systematic review and meta-analysis. <i>International Journal of Clinical Practice</i> , 2017, 71, e13002.	0.8	4
58	A pilot replication of QUIT, a randomized controlled trial of a brief intervention for reducing risky drug use, among Latino primary care patients. <i>Drug and Alcohol Dependence</i> , 2017, 179, 433-440.	1.6	10
59	Improved risk stratification in prevention by use of a panel of selected circulating microRNAs. <i>Scientific Reports</i> , 2017, 7, 4511.	1.6	22
60	Geriatric nutritional risk index correlates with length of hospital stay and inflammatory markers in older inpatients. <i>Clinical Nutrition</i> , 2017, 36, 1048-1053.	2.3	35
61	Visceral adipose tissue but not subcutaneous adipose tissue is associated with urine and serum metabolites. <i>PLoS ONE</i> , 2017, 12, e0175133.	1.1	26
62	Causal relationship between obesity and serum testosterone status in men: A bi-directional mendelian randomization analysis. <i>PLoS ONE</i> , 2017, 12, e0176277.	1.1	72
63	Design and Evaluation of a Computer-Based 24-Hour Physical Activity Recall (cpar24) Instrument. <i>Journal of Medical Internet Research</i> , 2017, 19, e186.	2.1	9
64	Associations of Leisure-Time and Occupational Physical Activity and Cardiorespiratory Fitness With Incident and Recurrent Major Depressive Disorder, Depressive Symptoms, and Incident Anxiety in a General Population. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e41-e47.	1.1	43
65	Is hepatic steatosis associated with left ventricular mass index increase in the general population?. <i>World Journal of Hepatology</i> , 2017, 9, 857.	0.8	1
66	Relative impact of COPD and comorbidities on generic health-related quality of life: a pooled analysis of the COSYCONET patient cohort and control subjects from the KORA and SHIP studies. <i>Respiratory Research</i> , 2016, 17, 81.	1.4	25
67	Physical activity surveillance in the European Union: reliability and validity of the European Health Interview Survey-Physical Activity Questionnaire (EHIS-PAQ). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 61.	2.0	51
68	Replacing Sedentary Time with Physical Activity in Relation to Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1312-1319.	0.2	89
69	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016, 533, 539-542.	13.7	1,204
70	Cystatin C and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2016, 68, 934-945.	1.2	109
71	Angiopietinâ€², its soluble receptor <sc>T</sc>ieâ€², and metabolic syndrome components in a populationâ€²based sample. <i>Obesity</i> , 2016, 24, 2038-2041.	1.5	3
72	<i>KLB</i> is associated with alcohol drinking, and its gene product Î²-Klotho is necessary for FGF21 regulation of alcohol preference. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 14372-14377.	3.3	208

#	ARTICLE	IF	CITATIONS
73	Genetic variants linked to education predict longevity. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 13366-13371.	3.3	110
74	The public debate on psychotropic medication and changes in attitudes 1990–2011. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 165-172.	1.8	11
75	Associations of androgens with health care utilization and costs in women—Perspectives of a population-based cohort study. Maturitas, 2016, 89, 5-8.	1.0	0
76	Impact of whole-body MRI in a general population study. European Journal of Epidemiology, 2016, 31, 31-39.	2.5	27
77	An online intervention using information on the mental health-mental illness continuum to reduce stigma. European Psychiatry, 2016, 32, 21-27.	0.1	78
78	Association between hepatic steatosis and serum liver enzyme levels with atrial fibrillation in the general population. Atherosclerosis, 2016, 245, 123-131.	0.4	42
79	Project QUIT (Quit Using Drugs Intervention Trial): a randomized controlled trial of a primary care-based multi-component brief intervention to reduce risky drug use. Addiction, 2015, 110, 1777-1790.	1.7	51
80	Do attitudes towards persons with mental illness worsen during the course of life? An age-period-cohort analysis. Acta Psychiatrica Scandinavica, 2015, 132, 357-364.	2.2	43
81	The combined effects of alcohol consumption and body mass index on hepatic steatosis in a general population sample of European men and women. Alimentary Pharmacology and Therapeutics, 2015, 41, 467-476.	1.9	49
82	A Telephone- and Text Message-Based Telemedicine Concept for Patients with Mental Health Disorders: Results of a Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2015, 84, 82-89.	4.0	22
83	Regional Variation of Chronic Kidney Disease in Germany: Results From Two Population-Based Surveys. Kidney and Blood Pressure Research, 2015, 40, 231-243.	0.9	12
84	Genome-Wide Association Study for Endothelial Growth Factors. Circulation: Cardiovascular Genetics, 2015, 8, 389-397.	5.1	11
85	Change in depressive symptoms and mental health-related quality of life in northeast Germany between 1997–2001 and 2008–2012. International Journal of Public Health, 2015, 60, 33-39.	1.0	10
86	Long-term changes in body weight are associated with changes in blood pressure levels. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 305-311.	1.1	11
87	Directional dominance on stature and cognition in diverse human populations. Nature, 2015, 523, 459-462.	13.7	173
88	Is the adiposity-associated <i>FTO</i> gene variant related to all-cause mortality independent of adiposity? Meta-analysis of data from 169,551 Caucasian adults. Obesity Reviews, 2015, 16, 327-340.	3.1	8
89	Diagnosed thyroid disorders are associated with depression and anxiety. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1417-1425.	1.6	113
90	Health Care Access Among Asian American Subgroups: The Role of Residential Segregation. Journal of Immigrant and Minority Health, 2015, 17, 1451-1457.	0.8	12

#	ARTICLE	IF	CITATIONS
91	Function-impairing polymorphisms of the hepatic uptake transporter SLCO1B1 modify the therapeutic efficacy of statins in a population-based cohort. <i>Pharmacogenetics and Genomics</i> , 2015, 25, 8-18.	0.7	24
92	Trends of barriers to eye care among adults with diagnosed diabetes in Germany, 1997â€“2012. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 906-915.	1.1	19
93	Light to Moderate Alcohol Consumption Is Associated With Lower Risk of Aortic Valve Sclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 1265-1270.	1.1	19
94	Angiotensin-2, its soluble receptor Tie-2 and subclinical cardiovascular disease in a population-based sample. <i>Heart</i> , 2015, 101, 178-184.	1.2	18
95	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015, 20, 647-656.	4.1	235
96	Prevalence Trends in Lifestyle-Related Risk Factors. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2015, 112, 185-92.	0.6	49
97	Public attitudes towards psychiatric medication: a comparison between United States and Germany. <i>World Psychiatry</i> , 2014, 13, 320-321.	4.8	15
98	High social support buffers the effects of 5-HTTLPR genotypes within social anxiety disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 433-439.	1.8	32
99	Effect of a primary care based brief intervention trial among risky drug users on health-related quality of life. <i>Drug and Alcohol Dependence</i> , 2014, 142, 254-261.	1.6	16
100	Development, External Validation, and Comparative Assessment of a New Diagnostic Score for Hepatic Steatosis. <i>American Journal of Gastroenterology</i> , 2014, 109, 1404-1414.	0.2	95
101	Glycated hemoglobin as a marker of subclinical atherosclerosis and cardiac remodeling among non-diabetic adults from the general population. <i>Diabetes Research and Clinical Practice</i> , 2014, 105, 416-423.	1.1	25
102	Circulating angiotensin-2, its soluble receptor tie-2 and mortality in the general population. <i>Atherosclerosis</i> , 2014, 235, e120.	0.4	0
103	Personality-related factors as predictors of help-seeking for depression: a population-based study applying the Behavioral Model of Health Services Use. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1809-1817.	1.6	66
104	Prevalence and determinants of controlled hypertension in a German population cohort. <i>BMC Public Health</i> , 2013, 13, 594.	1.2	16
105	Effects of smoking on arterial distensibility, central aortic pressures and left ventricular mass. <i>International Journal of Cardiology</i> , 2013, 168, 2593-2601.	0.8	17
106	Future outpatient health-care utilisation in an ageing population: projections up to the year 2020 based on the Study of Health in Pomerania (SHIP). <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2013, 21, 289-296.	0.8	5
107	Linear, nonlinear or categorical: how to treat complex associations in regression analyses? Polynomial transformations and fractional polynomials. <i>International Journal of Public Health</i> , 2013, 58, 157-160.	1.0	24
108	Linear, nonlinear or categorical: how to treat complex associations? Splines and nonparametric approaches. <i>International Journal of Public Health</i> , 2013, 58, 161-165.	1.0	8

#	ARTICLE	IF	CITATIONS
109	Inverse association of estimated cystatin C- and creatinine-based glomerular filtration rate with left ventricular mass: Results from the Study of Health in Pomerania. <i>International Journal of Cardiology</i> , 2013, 167, 2786-2791.	0.8	10
110	Random glucose is useful for individual prediction of type 2 diabetes: Results of the Study of Health in Pomerania (SHIP). <i>Primary Care Diabetes</i> , 2013, 7, 25-31.	0.9	9
111	Personalized cardiovascular medicine: concepts and methodological considerations. <i>Nature Reviews Cardiology</i> , 2013, 10, 308-316.	6.1	32
112	GWAS of 126,559 Individuals Identifies Genetic Variants Associated with Educational Attainment. <i>Science</i> , 2013, 340, 1467-1471.	6.0	750
113	Serum testosterone levels in males are not associated with entrepreneurial behavior in two independent observational studies. <i>Physiology and Behavior</i> , 2013, 119, 110-114.	1.0	26
114	A new, accurate predictive model for incident hypertension. <i>Journal of Hypertension</i> , 2013, 31, 2142-2150.	0.3	32
115	Testosterone and cardiometabolic risk in the general population – the impact of measurement method on risk associations: a comparative study between immunoassay and mass spectrometry. <i>European Journal of Endocrinology</i> , 2013, 169, 463-470.	1.9	27
116	Hepatic Steatosis Is Associated With Aortic Valve Sclerosis in the General Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 1690-1695.	1.1	54
117	Distinct Loci in the <i>CHRNA5</i> / <i>CHRNA3</i> / <i>CHRNA4</i> Gene Cluster Are Associated With Onset of Regular Smoking. <i>Genetic Epidemiology</i> , 2013, 37, 846-859.	0.6	32
118	Circulating angiotensin-2, its soluble receptor Tie-2, and mortality in the general population. <i>European Journal of Heart Failure</i> , 2013, 15, 1327-1334.	2.9	45
119	Osteocalcin is associated with testosterone in the general population and selected patients with bone disorders. <i>Andrology</i> , 2013, 1, 469-474.	1.9	37
120	Association of Socioeconomic Status with Iodine Supply and Thyroid Disorders in Northeast Germany. <i>Thyroid</i> , 2013, 23, 346-353.	2.4	34
121	The Molecular Genetic Architecture of Self-Employment. <i>PLoS ONE</i> , 2013, 8, e60542.	1.1	41
122	Correlates of Adverse Outcomes in Abdominally Obese Individuals: Findings from the Five-Year Followup of the Population-Based Study of Health in Pomerania. <i>Journal of Obesity</i> , 2013, 2013, 1-7.	1.1	8
123	Increased Genetic Vulnerability to Smoking at <i>CHRNA5</i> in Early-Onset Smokers. <i>Archives of General Psychiatry</i> , 2012, 69, 854.	13.8	71
124	Inverse Association Between Serum Free Thyroxine Levels and Hepatic Steatosis: Results from the Study of Health in Pomerania. <i>Thyroid</i> , 2012, 22, 568-574.	2.4	85
125	Genome-wide association analysis of coffee drinking suggests association with <i>CYP1A1</i> / <i>CYP1A2</i> and <i>NRCAM</i> . <i>Molecular Psychiatry</i> , 2012, 17, 1116-1129.	4.1	112
126	The association between fatty liver disease and blood pressure in a population-based cohort study. <i>Journal of Hypertension</i> , 2012, 30, 1260-1261.	0.3	5



#	ARTICLE	IF	CITATIONS
127	Psoriasis is associated with increased intimaâ€‘media thicknessâ€‘The Study of Health in Pomerania (SHIP). <i>Atherosclerosis</i> , 2012, 225, 486-490.	0.4	43
128	Effect of the delegation of GP-home visits on the development of the number of patients in an ambulatory healthcare centre in Germany. <i>BMC Health Services Research</i> , 2012, 12, 355.	0.9	21
129	Prospective Inverse Associations of Sex Hormone Concentrations in Men With Biomarkers of Inflammation and Oxidative Stress. <i>Journal of Andrology</i> , 2012, 33, 944-950.	2.0	47
130	Do social relations explain health inequalities? Evidence from a longitudinal survey in a changing eastern German region. <i>International Journal of Public Health</i> , 2012, 57, 619-627.	1.0	27
131	Age differences in diagnostic criteria of DSMâ€‘IV alcohol dependence among adults with similar drinking behaviour. <i>Addiction</i> , 2012, 107, 331-338.	1.7	25
132	Are serum TSH levels associated with oxidized lowâ€‘density lipoprotein? Results from the Study of Health in Pomerania. <i>Clinical Endocrinology</i> , 2012, 76, 526-532.	1.2	22
133	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. <i>Nature Genetics</i> , 2011, 43, 1131-1138.	9.4	501
134	New gene functions in megakaryopoiesis and platelet formation. <i>Nature</i> , 2011, 480, 201-208.	13.7	401
135	Association of IGF-I and IGFBP-3 with health care costs and hospitalization: Results from a prospective observational study. <i>Growth Hormone and IGF Research</i> , 2011, 21, 89-95.	0.5	9
136	A genome-wide association study of aging. <i>Neurobiology of Aging</i> , 2011, 32, 2109.e15-2109.e28.	1.5	127
137	Exhaled nitric oxide and influencing factors in a random population sample. <i>Respiratory Medicine</i> , 2011, 105, 713-718.	1.3	26
138	Association between Markers of Fatty Liver Disease and Impaired Glucose Regulation in Men and Women from the General Population: The KORA-F4-Study. <i>PLoS ONE</i> , 2011, 6, e22932.	1.1	57
139	The Geriatric Nutritional Risk Index predicts increased healthcare costs and hospitalization in a cohort of community-dwelling older adults: Results from the MONICA/KORA Augsburg cohort study, 1994â€‘2005. <i>Nutrition</i> , 2011, 27, 534-542.	1.1	26
140	Association between domains of physical activity and all-cause, cardiovascular and cancer mortality. <i>European Journal of Epidemiology</i> , 2011, 26, 91-99.	2.5	164
141	Association between lifestyle factors and headache. <i>Journal of Headache and Pain</i> , 2011, 12, 147-155.	2.5	49
142	Prospective association of low total testosterone concentrations with an adverse lipid profile and increased incident dyslipidemia. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 86-96.	3.1	63
143	Inverse association between total testosterone concentrations, incident hypertension and blood pressure. <i>Aging Male</i> , 2011, 14, 176-182.	0.9	71
144	Cohort Profile: The Study of Health in Pomerania. <i>International Journal of Epidemiology</i> , 2011, 40, 294-307.	0.9	876

#	ARTICLE	IF	CITATIONS
145	The association between fatty liver disease and blood pressure in a population-based prospective longitudinal study. <i>Journal of Hypertension</i> , 2010, 28, 1829-1835.	0.3	64
146	Alcohol-Expectancy Dimensions and Alcohol Consumption at Different Ages in the General Population*. <i>Journal of Studies on Alcohol and Drugs</i> , 2010, 71, 46-53.	0.6	33
147	Inverse Association between Total Testosterone Concentrations, Incident Hypertension, and Blood Pressure. <i>Journal of Men's Health</i> , 2010, 7, 350-350.	0.1	1
148	Reply:. <i>Hepatology</i> , 2010, 51, 720-721.	3.6	0
149	Changes in alcohol consumption and beverage preference among adolescents after the introduction of the alcopops tax in Germany. <i>Addiction</i> , 2010, 105, 1205-1213.	1.7	48
150	Prospective association of low serum total testosterone levels with health care utilization and costs in a population-based cohort of men. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 800-809.	3.6	15
151	Prevalence of undiagnosed diabetes and impaired glucose regulation in 35-59-year-old individuals in Southern Germany: the KORA F4 Study. <i>Diabetic Medicine</i> , 2010, 27, 360-362.	1.2	86
152	Effect of Chronic Kidney Disease and Comorbid Conditions on Health Care Costs: A 10-Year Observational Study in a General Population. <i>American Journal of Nephrology</i> , 2010, 31, 222-229.	1.4	66
153	Predictive modeling of health care costs: do cardiovascular risk markers improve prediction?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 355-362.	3.1	4
154	Association of Average Daily Alcohol Consumption, Binge Drinking and Alcohol-Related Social Problems: Results from the German Epidemiological Surveys of Substance Abuse. <i>Alcohol and Alcoholism</i> , 2009, 44, 314-320.	0.9	71
155	Ultrasonographic hepatic steatosis increases prediction of mortality risk from elevated serum gamma-glutamyl transpeptidase levels. <i>Hepatology</i> , 2009, 50, 1403-1411.	3.6	208
156	Mental Health and Readiness to Change Smoking Behavior in Daily Smoking Primary Care Patients. <i>International Journal of Behavioral Medicine</i> , 2009, 16, 347-354.	0.8	3
157	Association of mental distress with health care utilization and costs: a 5-year observation in a general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 835-844.	1.6	59
158	Does the smoking status of general practitioners affect the efficacy of smoking cessation counselling?. <i>Patient Education and Counseling</i> , 2009, 74, 23-28.	1.0	17
159	Predicting utilization of formal and informal help among general hospital inpatients with alcohol use disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, S70-S73.	1.1	5
160	Estimation of psycholeptic and psychoanaleptic medicine use in an adult general population sample using the Anatomical Therapeutic Chemical classification. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 220-231.	1.1	3
161	Proactive interventions for smoking cessation in general medical practice: a quasi-randomized controlled trial to examine the efficacy of computer-tailored letters and physician-delivered brief advice*. <i>Addiction</i> , 2008, 103, 294-304.	1.7	74
162	[Commentary] SUPPORTING GPS IN THE PROVISION OF SMOKING CESSATION INTERVENTION FROM RESEARCH TO DAILY ROUTINE. <i>Addiction</i> , 2008, 103, 309-309.	1.7	0

#	ARTICLE	IF	CITATIONS
163	Impact of Fatty Liver Disease on Health Care Utilization and Costs in a General Population: A 5-Year Observation. <i>Gastroenterology</i> , 2008, 134, 85-94.	0.6	185
164	Brief alcohol intervention for general hospital inpatients: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2008, 93, 233-243.	1.6	54
165	Computer-tailored smoking cessation intervention in a general population setting in Germany: Outcome of a randomized controlled trial. <i>Nicotine and Tobacco Research</i> , 2008, 10, 371-379.	1.4	16
166	Prevalence of Risk Determinants for Metformin-associated Lactic Acidosis and Metformin Utilization in the Study of Health in Pomerania. <i>Hormone and Metabolic Research</i> , 2008, 40, 491-497.	0.7	5
167	Does precontemplation represent a homogeneous stage category? A latent class analysis on German smokers.. <i>Journal of Consulting and Clinical Psychology</i> , 2008, 76, 840-851.	1.6	9
168	Simple patterns behind complex spatial pain reporting? Assessing a classification of multisite pain reporting in the general population. <i>Pain</i> , 2007, 133, 174-182.	2.0	46
169	Intention to utilize formal help in a sample with alcohol problems: A prospective study. <i>Drug and Alcohol Dependence</i> , 2007, 87, 210-216.	1.6	24
170	Effects of smoking cessation on health care use: Is elevated risk of hospitalization among former smokers attributable to smoking-related morbidity?. <i>Drug and Alcohol Dependence</i> , 2007, 88, 197-203.	1.6	12
171	Menopausal status and hepatic steatosis in a general female population. <i>Gut</i> , 2007, 56, 594-595.	6.1	116
172	Influence of Contextual Environment and Community-Based Dental Education on Practice Plans of Graduating Seniors. <i>Journal of Dental Education</i> , 2007, 71, 403-418.	0.7	23
173	Effect of School Environment on Dental Students' Perceptions of Cultural Competency Curricula and Preparedness to Care for Diverse Populations. <i>Journal of Dental Education</i> , 2007, 71, 810-818.	0.7	23
174	What Enhances Underrepresented Minority Recruitment to Dental Schools?. <i>Journal of Dental Education</i> , 2007, 71, 994-1008.	0.7	29
175	What influences dental students to serve special care patients?. <i>Special Care in Dentistry</i> , 2007, 27, 15-22.	0.4	26
176	Menopausal hormone therapy and gallbladder disease: the Study of Health in Pomerania (SHIP). <i>Clinical Endocrinology</i> , 2007, 67, 51-59.	1.2	5
177	Sedative, hypnotic, anxiolytic and opioid medicament use and its co-occurrence with tobacco smoking and alcohol risk drinking in a community sample. <i>BMC Public Health</i> , 2007, 7, 337.	1.2	16
178	Influence of contextual environment and community-based dental education on practice plans of graduating seniors. <i>Journal of Dental Education</i> , 2007, 71, 403-18.	0.7	3
179	Effect of school environment on dental students' perceptions of cultural competency curricula and preparedness to care for diverse populations. <i>Journal of Dental Education</i> , 2007, 71, 810-8.	0.7	6
180	What enhances underrepresented minority recruitment to dental schools?. <i>Journal of Dental Education</i> , 2007, 71, 994-1008.	0.7	4

#	ARTICLE	IF	CITATIONS
181	Alcohol consumption and out-patient services utilization by abstainers and drinkers. <i>Addiction</i> , 2006, 101, 1285-1291.	1.7	19
182	Tobacco smoking in relation to pain in a national general population survey. <i>Preventive Medicine</i> , 2006, 43, 477-481.	1.6	109
183	Alcohol Consumption and Health-Services Utilization in Germany. <i>Journal of Studies on Alcohol and Drugs</i> , 2006, 67, 429-435.	2.4	17
184	Susceptibility to diphtheria in adults: prevalence and relationship to gender and social variables. <i>Clinical Microbiology and Infection</i> , 2006, 12, 961-967.	2.8	25
185	Association between Early Onset of Cigarette, Alcohol and Cannabis Use and Later Drug Use Patterns: An Analysis of a Survey in European Metropolises. <i>European Addiction Research</i> , 2005, 11, 92-98.	1.3	44
186	Independent Risk Factors for Gallstone Formation in a Region with High Cholelithiasis Prevalence. <i>Digestion</i> , 2005, 71, 97-105.	1.2	188
187	Inverse Association Between Serum Free Thyroxine Levels and Hepatic Steatosis: Results From the Study of Health in Pomerania. <i>Thyroid</i> , 0, , 120308105738004.	2.4	0