Markus Antonius Wirtz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6889381/publications.pdf

Version: 2024-02-01

		159525	102432
79	4,872	30	66
papers	citations	h-index	g-index
121	121	121	5359
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Empathy Decline and Its Reasons: A Systematic Review of Studies With Medical Students and Residents. Academic Medicine, 2011, 86, 996-1009.	0.8	1,088
2	Self-efficacy and empowerment as outcomes of self-stigmatizing and coping in schizophrenia. Psychiatry Research, 2007, 150, 71-80.	1.7	246
3	Does social cognition influence the relation between neurocognitive deficits and vocational functioning in schizophrenia?. Psychiatry Research, 2004, 128, 155-165.	1.7	220
4	Determinants and patient-reported long-term outcomes of physician empathy in oncology: A structural equation modelling approach. Patient Education and Counseling, 2007, 69, 63-75.	1.0	217
5	Burnout in nurses – the relationship between social capital in hospitals and emotional exhaustion. Journal of Clinical Nursing, 2010, 19, 1654-1663.	1.4	162
6	Positive and Negative Religious Coping in German Breast Cancer Patients. Journal of Behavioral Medicine, 2006, 29, 533-547.	1.1	146
7	Development and first validation of the shared decision-making questionnaire (SDM-Q). Patient Education and Counseling, 2006, 63, 319-327.	1.0	141
8	General practitioner empathy, patient enablement, and patient-reported outcomes in primary care in an area of high socio-economic deprivation in Scotland—A pilot prospective study using structural equation modeling. Patient Education and Counseling, 2008, 73, 240-245.	1.0	140
9	Relationship of organizational culture, teamwork and job satisfaction in interprofessional teams. BMC Health Services Research, 2015, 15, 243.	0.9	125
10	International Psychometric Validation of an EORTC Quality of Life Module Measuring Cancer Related Fatigue (EORTC QLQ-FA12). Journal of the National Cancer Institute, 2017, 109, .	3.0	115
11	Analyzing the effects of shared decision-making, empathy and team interaction on patient satisfaction and treatment acceptance in medical rehabilitation using a structural equation modeling approach. Patient Education and Counseling, 2013, 91, 167-175.	1.0	93
12	Determinants and implications of cancer patients' psychosocial needs. Supportive Care in Cancer, 2009, 17, 1417-1423.	1.0	90
13	Screening for depression: Rasch analysis of the dimensional structure of the PHQ-9 and the HADS-D. Journal of Affective Disorders, 2010, 122, 241-246.	2.0	74
14	Identifying and predicting subgroups of information needs among cancer patients: an initial study using latent class analysis. Supportive Care in Cancer, 2011, 19, 1197-1209.	1.0	74
15	Depression, partnership, social support, and parenting: interaction of maternal factors with behavioral problems of the child. Journal of Affective Disorders, 2004, 80, 199-208.	2.0	67
16	The health literate health care organization 10 item questionnaire (HLHO-10): development and validation. BMC Health Services Research, 2015, 15, 47.	0.9	67
17	Development and validation of the Rasch-based depression screening (DESC) using Rasch analysis and structural equation modelling. Journal of Behavior Therapy and Experimental Psychiatry, 2009, 40, 468-478.	0.6	62

18 Development of an EORTC quality of life phase III module measuring cancerâ \in related fatigue (EORTC) Tj ETQq0 0 0 rgBT /Overlock 10 Tf

#	Article	IF	CITATIONS
19	Prediction of functional and employment outcome 1 year after traumatic brain injury: a structural equation modelling approach. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 936-941.	0.9	58
20	Development of an item bank for the assessment of depression in persons with mental illnesses and physical diseases using Rasch analysis Rehabilitation Psychology, 2009, 54, 186-197.	0.7	57
21	Psychometric properties of the Hospital Survey on Patient Safety Culture for hospital management (HSOPS_M). BMC Health Services Research, 2011, 11, 165.	0.9	47
22	Predictive Relationship Between Depression and Physical Functioning After Coronary Surgery. Archives of Internal Medicine, 2010, 170, 1717-21.	4.3	42
23	Barriers to using psycho-oncology services: a qualitative research into the perspectives of users, their relatives, non-users, physicians, and nurses. Supportive Care in Cancer, 2010, 18, 1147-1156.	1.0	41
24	Validation of the Rasch-based Depression Screening in a large scale German general population sample. Health and Quality of Life Outcomes, 2010, 8, 105.	1.0	41
25	After initial treatment for primary breast cancer: information needs, health literacy, and the role of health care workers. Supportive Care in Cancer, 2016, 24, 563-571.	1.0	38
26	Patient participation in multidisciplinary tumor conferences. Breast, 2014, 23, 865-869.	0.9	34
27	Evaluation of the "Consultation and Relational Empathy―(CARE) measure by means of Rasch-analysis at the example of cancer patients. Patient Education and Counseling, 2011, 82, 298-306.	1.0	31
28	Development and psychometric properties of a scale for measuring internal participation from a patient and health care professional perspective. BMC Health Services Research, 2013, 13, 374.	0.9	28
29	The influence of occupational stress factors on the nicotine dependence: a cross sectional study. Tobacco Induced Diseases, 2010, 8, 6.	0.3	26
30	The initial clinical interview—can it reduce cancer patients' fear?. Supportive Care in Cancer, 2015, 23, 977-984.	1.0	26
31	How do socio-demographic and clinical factors interact with adherence attitude profiles in schizophrenia? A cluster-analytical approach. Psychiatry Research, 2011, 187, 55-61.	1.7	25
32	A multicentre cluster-randomized controlled study to evaluate a train-the-trainer programme for implementing internal and external participation in medical rehabilitation. Clinical Rehabilitation, 2014, 28, 20-35.	1.0	25
33	Patients' Trust in Physician, Patient Enablement, and Health-Related Quality of Life During Colon Cancer Treatment. Journal of Cancer Education, 2017, 32, 571-579.	0.6	25
34	Validation of a theory-based instrument measuring patient-reported psychosocial care by physicians using a multiple indicators and multiple causes model. Patient Education and Counseling, 2010, 80, 100-106.	1.0	24
35	The impact of financial incentives on physician empathy: A study from the perspective of patients with private and statutory health insurance. Patient Education and Counseling, 2011, 84, 208-216.	1.0	24
36	Psychometric evaluation of an instrument to assess patient-reported â€~psychosocial care by physicians': a structural equation modeling approach. International Journal for Quality in Health Care, 2009, 21, 190-197.	0.9	23

#	Article	IF	CITATIONS
37	Adaptive screening for depression — Recalibration of an item bank for the assessment of depression in persons with mental and somatic diseases and evaluation in a simulated computer-adaptive test environment. Journal of Psychosomatic Research, 2013, 75, 437-443.	1.2	23
38	A multicenter, prospective, quasi-experimental evaluation study of a patient education program to foster multiple sclerosis self-management competencies. Patient Education and Counseling, 2014, 97, 361-369.	1.0	22
39	The impact of the hospital work environment on social support from physicians in breast cancer care. Patient Education and Counseling, 2014, 96, 352-360.	1.0	22
40	STUDENTS' COMPETENCIES IN WORKING WITH FUNCTIONS IN SECONDARY MATHEMATICS EDUCATION—EMPIRICAL EXAMINATION OF A COMPETENCE STRUCTURE MODEL. International Journal of Science and Mathematics Education, 2015, 13, 657-682.	1.5	22
41	The relationship between spiritual experiences, transpersonal trust, social support, and sense of coherence and mental distress—a comparison of spiritually practising and non-practising samples. Mental Health, Religion and Culture, 2009, 12, 1-23.	0.6	20
42	The Worksite Health Promotion Capacity Instrument (WHPCI): development, validation and approaches for determining companies' levels of health promotion capacity. BMC Public Health, 2010, 10, 550.	1.2	20
43	Recovery assessment scale: Examining the factor structure of the German version (RAS-G) in people with schizophrenia spectrum disorders. European Psychiatry, 2017, 41, 60-67.	0.1	20
44	Development and Evaluation of a Computer Adaptive Test to Assess Anxiety in Cardiovascular Rehabilitation Patients. Archives of Physical Medicine and Rehabilitation, 2013, 94, 2433-2439.	0.5	19
45	Sensitivity to change of the EORTC quality of life module measuring cancerâ€related fatigue (EORTC) Tj ETQq1 1	0,784314 1.0	rgBT /Overl
46	Measuring social capital of healthcare organizations reported by employees for creating positive workplaces - validation of the SOCAPO-E instrument. BMC Health Services Research, 2020, 20, 272.	0.9	19
47	On the correlation of a naturally and an artificially dichotomized variable. British Journal of Mathematical and Statistical Psychology, 2004, 57, 235-251.	1.0	18
48	Sensitivity and specificity of the Beck Depression Inventory in cardiologic inpatients: How useful is the conventional cut-off score?. Journal of Psychosomatic Research, 2009, 67, 347-352.	1.2	18
49	The Influence of Health Literacy on Information Needs Among Women Newly Diagnosed With Breast Cancer, With Special Reference to Employment Status. Journal of Health Communication, 2015, 20, 1177-1184.	1.2	18
50	Agreement of physician and patient ratings of communication in medical encounters: A systematic review and meta-analysis of interrater agreement. Patient Education and Counseling, 2020, 103, 1873-1882.	1.0	18
51	Poor Sleep Quality is Associated with Depressive Symptoms in Patients with Heart Disease. International Journal of Behavioral Medicine, 2012, 19, 526-534.	0.8	17
52	Do Patients With Schizophrenia Distinguish Between Attitudes Toward Antipsychotic Medication and Pharmacotherapy in General?. Journal of Nervous and Mental Disease, 2012, 200, 33-43.	0.5	15
53	Assessing the Development of Educational Research Literacy: The Effect of Courses on Research Methods in Studies of Educational Science. Peabody Journal of Education, 2015, 90, 560-573.	0.8	15
54	The calibrated, unidimensional anxiety item bank for cardiovascular patients provided the basis for anxiety assessment in cardiovascular rehabilitation patients. Journal of Clinical Epidemiology, 2013, 66, 919-927.	2.4	14

#	Article	IF	CITATIONS
55	Psychoeducational group intervention for breast cancer survivors: a non-randomized multi-center pilot study. Supportive Care in Cancer, 2020, 28, 3033-3040.	1.0	13
56	Prediction of dangerousness in mentally disordered offenders in Germany. International Journal of Law and Psychiatry, 2002, 25, 51-66.	0.5	12
57	Ermittlung psychischer Belastungen bei LehrkrÇten — Entwicklung eines Instruments für die Vollerhebung in Baden-Württemberg. Zentralblatt Fur Arbeitsmedizin, Arbeitsschutz Und Ergonomie, 2008, 58, 312-313.	0.1	12
58	Psychometric Evaluation of the Rasch-Based Depression Screening in Patients With Neurologic Disorders. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1188-1193.	0.5	10
59	Development and calibration of an item bank for the assessment of activities of daily living in cardiovascular patients using Rasch analysis. Health and Quality of Life Outcomes, 2013, 11, 133.	1.0	10
60	Development and validation of parallel short forms PaSA-cardio for the assessment of general anxiety in cardiovascular rehabilitation patients using Rasch analysis. Clinical Rehabilitation, 2017, 31, 104-114.	1.0	10
61	Psychosocial Burden and Strains of Pedagogues—Using the Job Demands-Resources Theory to Predict Burnout, Job Satisfaction, General State of Health, and Life Satisfaction. International Journal of Environmental Research and Public Health, 2021, 18, 7921.	1.2	10
62	Recovery opportunities, work–home conflict, and emotional exhaustion among hematologists and oncologists in private practice. Psychology, Health and Medicine, 2017, 22, 462-473.	1.3	9
63	Cross-sectional validation of the Rasch-based Depression Screening (DESC) in a mixed sample of patients with mental and somatic diseases. Comprehensive Psychiatry, 2013, 54, 1082-1089.	1.5	8
64	Calibration of an item bank for work capacity in cardiological rehabilitation patients. European Journal of Preventive Cardiology, 2013, 20, 807-816.	0.8	8
65	Can a stressed oncologist be good in a consultation? A qualitative study on the oncologists' perception. European Journal of Cancer Care, 2014, 23, 594-606.	0.7	8
66	The International Classification of Functioning, Disability and Health-orientated Occupational Therapy Assessment: a Rasch analysis of its domains. International Journal of Rehabilitation Research, 2008, 31, 23-32.	0.7	7
67	Validation of the "SmoCess-GP" instrument - a short patient questionnaire for assessing the smoking cessation activities of general practitioners: a cross-sectional study. BMC Family Practice, 2010, 11, 9.	2.9	7
68	Prevalence and psychopathological characteristics of depression in consecutive otorhinolaryngologic inpatients. BMC Ear, Nose and Throat Disorders, 2011, 11, 7.	2.6	7
69	Psychometric evaluation of the Client-Centered Rehabilitation Questionnaire (CCRQ) in a large sample of German rehabilitation patients. Clinical Rehabilitation, 2017, 31, 926-935.	1.0	7
70	Handling Missing Data in the Short Form–12 Health Survey (SF-12): Concordance of Real Patient Data and Data Estimated by Missing Data Imputation Procedures. Assessment, 2021, 28, 1785-1798.	1.9	7
71	Risk assessment of sexual offenders in German forensic institutions. International Journal of Law and Psychiatry, 2005, 28, 650-660.	0.5	5
72	Importance weighting, expectation fulfilment and satisfaction: an integrative and innovative approach to measuring patient satisfaction with hospital stays. International Journal of Public Health, 2013, 58, 955-958.	1.0	5

#	Article	IF	CITATIONS
73	Development of short form questionnaires for the assessment of work capacity in cardiovascular rehabilitation patients. International Journal of Occupational Medicine and Environmental Health, 2013, 26, 742-50.	0.6	4
74	Confirmatory and bi-factor analysis of the Short Form Health Survey 8 (SF-8) scale structure in a German general population sample. Health and Quality of Life Outcomes, 2021, 19, 73.	1.0	4
75	Measuring effect sizes using manifest versus latent variables: consequences and implications for research. International Journal of Rehabilitation Research, 2008, 31, 207-216.	0.7	3
76	Development of Rasch-Based Item Banks for the Assessment of Work Performance in Patients with Musculoskeletal Diseases. Journal of Occupational Rehabilitation, 2013, 23, 527-535.	1.2	2
77	ls patient participation in multidisciplinary tumour conferences associated with their information needs? A multicentre prospective observational study. BMJ Open, 2021, 11, e049199.	0.8	1
78	Does Clinical Experience or Professional Training Have an Impact On What Symptoms Are Thought To Be Important Features of Depression?. International Journal of Social Psychiatry, 2011, 57, 312-321.	1.6	0
79	Modellierung und Messung elterlicher Gesundheitkompetenz im Bereich der frühkindlichen Allergiepräention. Public Health Forum, 2022, 30, 121-124.	0.1	0