

Antje M Richter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6889429/publications.pdf>

Version: 2024-02-01

20
papers

654
citations

567281

15
h-index

752698

20
g-index

20
all docs

20
docs citations

20
times ranked

981
citing authors

#	ARTICLE	IF	CITATIONS
1	The RASSF proteins in cancer; from epigenetic silencing to functional characterization. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2009, 1796, 114-128.	7.4	197
2	Frequent epigenetic inactivation of RASSF2 in thyroid cancer and functional consequences. <i>Molecular Cancer</i> , 2010, 9, 264.	19.2	50
3	Frequent epigenetic inactivation of RASSF10 in thyroid cancer. <i>Epigenetics</i> , 2009, 4, 571-576.	2.7	48
4	RASSF10 Promoter Hypermethylation Is Frequent in Malignant Melanoma of the Skin but Uncommon in Nevus Cell Nevi. <i>Journal of Investigative Dermatology</i> , 2012, 132, 687-694.	0.7	42
5	Impact of Natural Compounds on DNA Methylation Levels of the Tumor Suppressor Gene RASSF1A in Cancer. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2160.	4.1	36
6	The tumor suppressor RASSF1A induces the YAP1 target gene <i>ANKRD1</i> that is epigenetically inactivated in human cancers and inhibits tumor growth. <i>Oncotarget</i> , 2017, 8, 88437-88452.	1.8	32
7	Epigenetic Silencing of Erythropoietin in Human Cancers. <i>Genes and Cancer</i> , 2011, 2, 65-73.	1.9	31
8	Aberrant Promoter Methylation of the Tumour Suppressor RASSF10 and Its Growth Inhibitory Function in Breast Cancer. <i>Cancers</i> , 2016, 8, 26.	3.7	25
9	The apoptosis associated tyrosine kinase gene is frequently hypermethylated in human cancer and is regulated by epigenetic mechanisms. <i>Genes and Cancer</i> , 2014, 5, 365-374.	1.9	25
10	ABCB4 is frequently epigenetically silenced in human cancers and inhibits tumor growth. <i>Scientific Reports</i> , 2014, 4, 6899.	3.3	24
11	Claudin11 Promoter Hypermethylation Is Frequent in Malignant Melanoma of the Skin, but Uncommon in Nevus Cell Nevi. <i>Cancers</i> , 2015, 7, 1233-1243.	3.7	20
12	Aberrant Promoter Hypermethylation of RASSF Family Members in Merkel Cell Carcinoma. <i>Cancers</i> , 2013, 5, 1566-1576.	3.7	19
13	The dual specificity phosphatase 2 gene is hypermethylated in human cancer and regulated by epigenetic mechanisms. <i>BMC Cancer</i> , 2016, 16, 49.	2.6	19
14	Promoter Methylation Status of Ras-Association Domain Family Member in Pheochromocytoma. <i>Frontiers in Endocrinology</i> , 2015, 6, 21.	3.5	17
15	ZAR1 is a novel epigenetically inactivated tumour suppressor in lung cancer. <i>Clinical Epigenetics</i> , 2017, 9, 60.	4.1	15
16	Epigenetic therapy of novel tumour suppressor ZAR1 and its cancer biomarker function. <i>Clinical Epigenetics</i> , 2019, 11, 182.	4.1	15
17	Epigenetic Inactivation of the Tumor Suppressor IRX1 Occurs Frequently in Lung Adenocarcinoma and Its Silencing Is Associated with Impaired Prognosis. <i>Cancers</i> , 2020, 12, 3528.	3.7	13
18	RASSF10 is frequently epigenetically inactivated in kidney cancer and its knockout promotes neoplasia in cancer prone mice. <i>Oncogene</i> , 2020, 39, 3114-3127.	5.9	12

#	ARTICLE	IF	CITATIONS
19	RASSF10 Is a TGF β 2-Target That Regulates ASPP2 and E-Cadherin Expression and Acts as Tumor Suppressor That Is Epigenetically Downregulated in Advanced Cancer. <i>Cancers</i> , 2019, 11, 1976.	3.7	8
20	The ZAR1 protein in cancer; from epigenetic silencing to functional characterisation and epigenetic therapy of tumour suppressors. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2020, 1874, 188417.	7.4	6