## JesÃ<sup>o</sup>s Molinari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6890083/publications.pdf

Version: 2024-02-01

840776 752698 21 517 11 20 citations h-index g-index papers 21 21 21 885 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Taxonomy based on science is necessary for global conservation. PLoS Biology, 2018, 16, e2005075.	5 <b>.</b> 6	149
2	Driving Factors for the Evolution of Species-Specific Echolocation Call Design in New World Free-Tailed Bats (Molossidae). PLoS ONE, 2014, 9, e85279.	2.5	89
3	A Calibrated Index for the Measurement of Evenness. Oikos, 1989, 56, 319.	2.7	66
4	Taxonomy of Venezuelan white-tailed deer ( <i>Odocoileus</i> , Cervidae, Mammalia), based on cranial and mandibular traits. Canadian Journal of Zoology, 1999, 77, 632-645.	1.0	29
5	The Taxonomic Status of Mazama bricenii and the Significance of the Táchira Depression for Mammalian Endemism in the Cordillera de Mérida, Venezuela. PLoS ONE, 2015, 10, e0129113.	2.5	29
6	Predicting carnivore distribution and extirpation rate based on human impacts and productivity factors; assessment of the state of jaguar (Panthera onca) in Venezuela. Biological Conservation, 2017, 206, 132-142.	4.1	21
7	Morphometrics and Taxonomy of Bats of the Genus Pteronotus (Subgenus Phyllodia) in Venezuela. Journal of Mammalogy, 2008, 89, 292-305.	1.3	20
8	A new polytypic species of yellow-shouldered bats, genus Sturnira (Mammalia: Chiroptera:) Tj ETQq0 0 0 rgBT /C 2017, 4243, 75-96.	o.5	O Tf 50 467 Td 19
9	A new species ofAnoura(Mammalia Chiroptera Phyllostomidae) from the Andes of northern South America. Tropical Zoology, 1994, 7, 73-86.	0.6	15
10	Description of a new shrew of the genus Cryptotis (Mammalia: Soricomorpha: Soricidae) from the Sierra de Aroa, an isolated mountain range in northwestern Venezuela, with remarks on biogeography and conservation. Zootaxa, 2012, 3441, 1.	0.5	15
11	Trypanosoma brucei Plimmer & Dradford, 1899 is a synonym of T. evansi (Steel, 1885) according to current knowledge and by application of nomenclature rules. Systematic Parasitology, 2018, 95, 249-256.	1.1	12
12	Importance of the horse and financial impact of equine trypanosomiasis on cattle raising in Venezuela. Tropical Animal Health and Production, 2013, 45, 1669-1676.	1.4	10
13	Breeding and age-structure seasonality in Carollia brevicauda and other frugivorous bats (Phyllostomidae) in cloud forests in the Venezuelan Andes. Therya, 2014, 5, 81-109.	0.4	10
14	Sturnira bidens. Mammalian Species, 1987, , 1.	0.7	8
15	Systematics of the broad-nosed bats, <i>Platyrrhinus umbratus</i> (Lyon, 1902) and <ip. i="" nigellus<=""> (Gardner and Carter, 1972) (Chiroptera: Phyllostomidae), based on genetic, morphometric, and ecological niche analyses. Neotropical Biodiversity, 2018, 4, 119-133.</ip.>	0.5	6
16	Taxonomy of Venezuelan white-tailed deer ( <i>Odocoileus</i> , Cervidae, Mammalia), based on cranial and mandibular traits. Canadian Journal of Zoology, 1999, 77, 632-645.	1.0	6
17	Sturnira aratathomasi. Mammalian Species, 1987, , 1.	0.7	5
18	A Critique of Bulla's Paper on Diversity Indices. Oikos, 1996, 76, 577.	2.7	3

#	Article	IF	CITATIONS
19	From population ecology to metabolism: growth of Trypanosoma evansi, and implications of glucose depletion, inÂa live host. Biochemical Systematics and Ecology, 2015, 63, 119-126.	1.3	3
20	Small nutrient molecules in fruit fuel efficient digestion and mutualism with plants in frugivorous bats. Scientific Reports, 2019, 9, 19376.	3.3	2
21	The correct subgeneric name of Trypanosoma rangeli Tejera, 1920 (Euglenozoa: Trypanosomatidae), a human-infective endoparasite of neotropical mammals. Zootaxa, 2018, 4418, 98.	0.5	0