

Luigi Maria Terracciano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6890283/publications.pdf>

Version: 2024-02-01

465
papers

28,095
citations

5126

86
h-index

11608

140
g-index

488
all docs

488
docs citations

488
times ranked

42893
citing authors

#	ARTICLE	IF	CITATIONS
1	Computed tomography (CT) and magnetic resonance imaging (MRI) of diffuse liver disease: a multiparametric predictive modelling algorithm can aid categorization of liver parenchyma. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 1186-1197.	1.1	4
2	miR-579-3p Controls Hepatocellular Carcinoma Formation by Regulating the Phosphoinositide 3-Kinase-Protein Kinase B Pathway in Chronically Inflamed Liver. <i>Hepatology Communications</i> , 2022, 6, 1467-1481.	2.0	8
3	Genomic analysis of focal nodular hyperplasia with associated hepatocellular carcinoma unveils its malignant potential: a case report. <i>Communications Medicine</i> , 2022, 2, .	1.9	5
4	Cell adhesion molecule KIRREL1 is a feedback regulator of Hippo signaling recruiting SAV1 to cell-cell contact sites. <i>Nature Communications</i> , 2022, 13, 930.	5.8	12
5	Circulating Cell-Free DNA Captures the Intratumor Heterogeneity in Multinodular Hepatocellular Carcinoma. <i>JCO Precision Oncology</i> , 2022, 6, e2100335.	1.5	9
6	Epigenetic priming in chronic liver disease impacts the transcriptional and genetic landscapes of hepatocellular carcinoma. <i>Molecular Oncology</i> , 2022, 16, 665-682.	2.1	3
7	GATA3 and MDM2 are synthetic lethal in estrogen receptor-positive breast cancers. <i>Communications Biology</i> , 2022, 5, 373.	2.0	7
8	Integrative proteogenomic characterization of hepatocellular carcinoma across etiologies and stages. <i>Nature Communications</i> , 2022, 13, 2436.	5.8	45
9	Abstract 453: Establishing quantitative image analysis methods for tumor microenvironment evaluation. <i>Cancer Research</i> , 2022, 82, 453-453.	0.4	0
10	Patient-derived tumor organoids for personalized medicine in a patient with rare hepatocellular carcinoma with neuroendocrine differentiation: a case report. <i>Communications Medicine</i> , 2022, 2, .	1.9	5
11	Fifty years of impact on liver pathology: a history of the Gnomes. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 191-200.	1.4	0
12	Prognostic significance of CD8+ T-cells density in stage III colorectal cancer depends on SDF-1 expression. <i>Scientific Reports</i> , 2021, 11, 775.	1.6	21
13	Adenylosuccinate lyase is oncogenic in colorectal cancer by causing mitochondrial dysfunction and independent activation of NRF2 and mTOR-MYC-axis. <i>Theranostics</i> , 2021, 11, 4011-4029.	4.6	19
14	Transcriptional Enhancer Factor Domain Family member 4 Exerts an Oncogenic Role in Hepatocellular Carcinoma by Hippo-Independent Regulation of Heat Shock Protein 70 Family Members. <i>Hepatology Communications</i> , 2021, 5, 661-674.	2.0	13
15	Digital Pathology During the COVID-19 Outbreak in Italy: Survey Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e24266.	2.1	4
16	Up-regulation of miR-34b/c by JNK and FOXO3 protects from liver fibrosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	16
17	Nestin and CD34 expression in colorectal cancer predicts improved overall survival. <i>Acta Oncologica</i> , 2021, 60, 727-734.	0.8	5
18	Severe SARS-CoV-2 placenta infection can impact neonatal outcome in the absence of vertical transmission. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	66

#	ARTICLE	IF	CITATIONS
19	Small crystals with severe consequences. <i>Journal of Surgical Case Reports</i> , 2021, 2021, rjab135.	0.2	1
20	Hepatocellular carcinoma: a clinical and pathological overview. <i>Pathologica</i> , 2021, 113, 203-217.	1.3	30
21	Non-viral gene delivery of the oncotoxic protein NS1 for treatment of hepatocellular carcinoma. <i>Journal of Controlled Release</i> , 2021, 334, 138-152.	4.8	3
22	ZNRF3 and RNF43 cooperate to safeguard metabolic liver zonation and hepatocyte proliferation. <i>Cell Stem Cell</i> , 2021, 28, 1822-1837.e10.	5.2	42
23	Hepatic stellate cells suppress NK cell-sustained breast cancer dormancy. <i>Nature</i> , 2021, 594, 566-571.	13.7	139
24	Systematic identification of novel cancer genes through analysis of deep shRNA perturbation screens. <i>Nucleic Acids Research</i> , 2021, 49, 8488-8504.	6.5	4
25	Development of a Deep-Learning Pipeline to Recognize and Characterize Macrophages in Colo-Rectal Liver Metastasis. <i>Cancers</i> , 2021, 13, 3313.	1.7	8
26	MIR21-induced loss of junctional adhesion molecule A promotes activation of oncogenic pathways, progression and metastasis in colorectal cancer. <i>Cell Death and Differentiation</i> , 2021, 28, 2970-2982.	5.0	13
27	Multi-omics data integration reveals novel drug targets in hepatocellular carcinoma. <i>BMC Genomics</i> , 2021, 22, 592.	1.2	12
28	High mitochondrial content is associated with breast cancer aggressiveness. <i>Molecular and Clinical Oncology</i> , 2021, 15, 203.	0.4	3
29	Identification of miR-199a-5p, miR-214-3p and miR-99b-5p as Fibrosis-Specific Extracellular Biomarkers and Promoters of HSC Activation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9799.	1.8	8
30	Development and prognostic relevance of a histologic grading and staging system for alcohol-related liver disease. <i>Journal of Hepatology</i> , 2021, 75, 810-819.	1.8	34
31	Ubiquitous expression of HBsAg from integrated HBV DNA in patients with low viral load. <i>Journal of Hepatology</i> , 2021, 75, 840-847.	1.8	59
32	6q deletion is frequent but unrelated to patient prognosis in breast cancer. <i>Breast Cancer</i> , 2021, , 1.	1.3	1
33	Interferon lambda 4 can directly activate human CD19 ⁺ B cells and CD8 ⁺ T cells. <i>Life Science Alliance</i> , 2021, 4, e201900612.	1.3	5
34	Hepatotoxicity in Patients with Hepatocellular Carcinoma on Treatment with Immune Checkpoint Inhibitors. <i>Cancers</i> , 2021, 13, 5665.	1.7	5
35	High Density of CD16 ⁺ Tumor-Infiltrating Immune Cells in Recurrent Ovarian Cancer Is Associated with Enhanced Responsiveness to Chemotherapy and Prolonged Overall Survival. <i>Cancers</i> , 2021, 13, 5783.	1.7	3
36	Supervised learning based on tumor imaging and biopsy transcriptomics predicts response of hepatocellular carcinoma to transarterial chemoembolization. <i>Cell Reports Medicine</i> , 2021, 2, 100444.	3.3	4

#	ARTICLE	IF	CITATIONS
37	Unique T-Cell Populations Define Immune-Inflamed Hepatocellular Carcinoma. Cellular and Molecular Gastroenterology and Hepatology, 2020, 9, 195-218.	2.3	35
38	Long-Term Obeticholic Acid Therapy Improves Histological Endpoints in Patients With Primary Biliary Cholangitis. Clinical Gastroenterology and Hepatology, 2020, 18, 1170-1178.e6.	2.4	61
39	High density of CD66b in primary high-grade ovarian cancer independently predicts response to chemotherapy. Journal of Cancer Research and Clinical Oncology, 2020, 146, 127-136.	1.2	20
40	Cell-free DNA in hepatocellular carcinoma. , 2020, , 199-209.		1
41	High-grade intratumoral tumor budding is a predictor for lymphovascular invasion and adverse outcome in stage II colorectal cancer. International Journal of Colorectal Disease, 2020, 35, 259-268.	1.0	17
42	AXIN2+ Pericentral Hepatocytes Have Limited Contributions to Liver Homeostasis and Regeneration. Cell Stem Cell, 2020, 26, 97-107.e6.	5.2	119
43	Hepatic Myxoid Leiomyoma: A Very Rare Tumor. GE Portuguese Journal of Gastroenterology, 2020, 27, 352-355.	0.3	1
44	Sequential immunohistochemistry and virtual image reconstruction using a single slide for quantitative Ki67 measurement in breast cancer. Breast, 2020, 53, 102-110.	0.9	8
45	Infiltration by IL22-Producing T Cells Promotes Neutrophil Recruitment and Predicts Favorable Clinical Outcome in Human Colorectal Cancer. Cancer Immunology Research, 2020, 8, 1452-1462.	1.6	15
46	Low Expression of Programmed Death 1 (PD-1), PD-1 Ligand 1 (PD-L1), and Low CD8+ T Lymphocyte Infiltration Identify a Subgroup of Patients With Gastric and Esophageal Adenocarcinoma With Severe Prognosis. Frontiers in Medicine, 2020, 7, 144.	1.2	15
47	Exercise Attenuates the Transition from Fatty Liver to Steatohepatitis and Reduces Tumor Formation in Mice. Cancers, 2020, 12, 1407.	1.7	27
48	Primary biliary adenocarcinoma of the liver—a special and new entity. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 477, 461-466.	1.4	2
49	Tumor Infiltration by OX40+ Cells Enhances the Prognostic Significance of CD16+ Cell Infiltration in Colorectal Cancer. Cancer Control, 2020, 27, 107327482090338.	0.7	4
50	High Expression of FAP in Colorectal Cancer Is Associated With Angiogenesis and Immunoregulation Processes. Frontiers in Oncology, 2020, 10, 979.	1.3	50
51	Reliability of liquid biopsy analysis: an inter-laboratory comparison of circulating tumor DNA extraction and sequencing with different platforms. Laboratory Investigation, 2020, 100, 1475-1484.	1.7	15
52	Molecular Profile of Gastrointestinal Stromal Tumors in Sixty-Eight Patients from a Single Swiss Institution. Pathobiology, 2020, 87, 171-178.	1.9	6
53	Tenascin-W Is a Novel Stromal Marker in Biliary Tract Cancers. Frontiers in Immunology, 2020, 11, 630139.	2.2	4
54	Prevention of dsRNA-induced interferon signaling by AGO1x is linked to breast cancer cell proliferation. EMBO Journal, 2020, 39, e103922.	3.5	22

#	ARTICLE	IF	CITATIONS
55	Hepatocellular Carcinoma Xenografts Established From Needle Biopsies Preserve the Characteristics of the Originating Tumors. <i>Hepatology Communications</i> , 2019, 3, 971-986.	2.0	24
56	PipeIT. <i>Journal of Molecular Diagnostics</i> , 2019, 21, 884-894.	1.2	11
57	Danger of Herbal Tea: A Case of Acute Cholestatic Hepatitis Due to <i>Artemisia annua</i> Tea. <i>Frontiers in Medicine</i> , 2019, 6, 221.	1.2	15
58	FRI-033-Long-term obeticholic acid treatment is associated with improvements in collagen morphometry in patients with primary biliary cholangitis. <i>Journal of Hepatology</i> , 2019, 70, e398.	1.8	0
59	Syphilis Reactivates Latent Epstein-Barr Virus Reservoir via Toll-Like Receptor 2 and B-Cell Receptor Activation. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz317.	0.4	10
60	A challenging diagnosis of mesenchymal neoplasm of the colon: colonic dedifferentiated liposarcoma with lymph node metastases—a case report and review of the literature. <i>International Journal of Colorectal Disease</i> , 2019, 34, 1809-1814.	1.0	9
61	Acute Liver Failure in a Patient Treated With Metamizole. <i>Frontiers in Pharmacology</i> , 2019, 10, 996.	1.6	13
62	Observational Study of PD-L1, TGF- β 2, and Immune Cell Infiltrates in Hepatocellular Carcinoma. <i>Frontiers in Medicine</i> , 2019, 6, 15.	1.2	21
63	FRI-302-Impact of exercise on advanced fibrotic stage of NASH and liver carcinogenesis. <i>Journal of Hepatology</i> , 2019, 70, e528.	1.8	0
64	The Metallophosphoesterase-Domain-Containing Protein 2 (MPPED2) Gene Acts as Tumor Suppressor in Breast Cancer. <i>Cancers</i> , 2019, 11, 797.	1.7	11
65	YAP, but Not RSPO-LGR4/5, Signaling in Biliary Epithelial Cells Promotes a Ductular Reaction in Response to Liver Injury. <i>Cell Stem Cell</i> , 2019, 25, 39-53.e10.	5.2	150
66	Novel biomarkers for primary biliary cholangitis to improve diagnosis and understand underlying regulatory mechanisms. <i>Liver International</i> , 2019, 39, 2124-2135.	1.9	10
67	Convergent Evolution of Copy Number Alterations in Multi-Centric Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2019, 9, 4611.	1.6	2
68	Maintenance of Primary Human Colorectal Cancer Microenvironment Using a Perfusion Bioreactor-Based 3D Culture System. <i>Advanced Biology</i> , 2019, 3, e1800300.	3.0	21
69	A replication-incompetent CD154/40L recombinant vaccinia virus induces direct and macrophage-mediated antitumor effects <i>in vitro</i> and <i>in vivo</i> . <i>Oncolmmunology</i> , 2019, 8, e1568162.	2.1	5
70	LATS1 but not LATS2 represses autophagy by a kinase-independent scaffold function. <i>Nature Communications</i> , 2019, 10, 5755.	5.8	36
71	Up-regulation of lysophosphatidylcholine acyltransferase 1 (LPCAT1) is linked to poor prognosis in breast cancer. <i>Aging</i> , 2019, 11, 7796-7804.	1.4	33
72	Abstract 4612: HOXA13 drives hepatocytes proliferation and liver tumorigenesis in mice. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
73	Abstract 2821: Gut commensal bacteria modulate functions of tumor-associated neutrophils in human colorectal cancer. , 2019, , .		0
74	Genetic profiling using plasma-derived cell-free DNA in therapy-naïve hepatocellular carcinoma patients: a pilot study. <i>Annals of Oncology</i> , 2018, 29, 1286-1291.	0.6	74
75	Unmet needs and new models for future trials in autoimmune hepatitis. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 363-370.	3.7	17
76	Integrated Genomic and Immunophenotypic Classification of Pancreatic Cancer Reveals Three Distinct Subtypes with Prognostic/Predictive Significance. <i>Clinical Cancer Research</i> , 2018, 24, 4444-4454.	3.2	132
77	CRIPTO promotes an aggressive tumour phenotype and resistance to treatment in hepatocellular carcinoma. <i>Journal of Pathology</i> , 2018, 245, 297-310.	2.1	25
78	Tumours and Tumour-like Lesions of the Liver. , 2018, , 780-879.		18
79	Gut microbiota modulate T cell trafficking into human colorectal cancer. <i>Gut</i> , 2018, 67, 1984-1994.	6.1	189
80	Expression Patterns of TNF α , MAdCAM1, and STAT3 in Intestinal and Skin Manifestations of Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 347-354.	0.6	44
81	The protein histidine phosphatase LHPP is a tumour suppressor. <i>Nature</i> , 2018, 555, 678-682.	13.7	151
82	High expression of HOXA13 correlates with poorly differentiated hepatocellular carcinomas and modulates sorafenib response in in vitro models. <i>Laboratory Investigation</i> , 2018, 98, 95-105.	1.7	41
83	Molecular testing for the clinical diagnosis of fibrolamellar carcinoma. <i>Modern Pathology</i> , 2018, 31, 141-149.	2.9	47
84	Absence of specific alternatively spliced exon of CD44 in macrophages prevents colitis. <i>Mucosal Immunology</i> , 2018, 11, 846-860.	2.7	9
85	Fibrolamellar carcinoma in the Carney complex: PRKAR1A loss instead of the classic DNAJB1 \rightarrow PRKACA fusion. <i>Hepatology</i> , 2018, 68, 1441-1447.	3.6	48
86	In vivo analysis at the cellular level reveals similar steatosis induction in both hepatitis C virus genotype 1 and 3 infections. <i>Journal of Viral Hepatitis</i> , 2018, 25, 262-271.	1.0	3
87	Organoid Models of Human Liver Cancers Derived from Tumor Needle Biopsies. <i>Cell Reports</i> , 2018, 24, 1363-1376.	2.9	288
88	Genomic Analysis Revealed New Oncogenic Signatures in TP53-Mutant Hepatocellular Carcinoma. <i>Frontiers in Genetics</i> , 2018, 9, 2.	1.1	32
89	Circulating Cell-Free DNA in Hepatocellular Carcinoma: Current Insights and Outlook. <i>Frontiers in Medicine</i> , 2018, 5, 78.	1.2	38
90	The Role of Long Non-Coding RNAs in Hepatocarcinogenesis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 682.	1.8	73

#	ARTICLE	IF	CITATIONS
91	Sunitinib induces hepatocyte mitochondrial damage and apoptosis in mice. <i>Toxicology</i> , 2018, 409, 13-23.	2.0	21
92	High OX40 expression in recurrent ovarian carcinoma is indicative for response to repeated chemotherapy. <i>BMC Cancer</i> , 2018, 18, 425.	1.1	24
93	Vitamin D in pediatric age: consensus of the Italian Pediatric Society and the Italian Society of Preventive and Social Pediatrics, jointly with the Italian Federation of Pediatricians. <i>Italian Journal of Pediatrics</i> , 2018, 44, 51.	1.0	156
94	Diagnostic Targeted Sequencing Panel for Hepatocellular Carcinoma Genomic Screening. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 836-848.	1.2	15
95	Hepatocellular Carcinoma: Pathology and Genetics. , 2018, , 198-198.		3
96	TET2 controls chemoresistant slow-cycling cancer cell survival and tumor recurrence. <i>Journal of Clinical Investigation</i> , 2018, 128, 3887-3905.	3.9	79
97	Abstract 4097: Maintenance of primary human colorectal cancer microenvironment using a perfusion bioreactor-based 3D culture system. , 2018, , .		0
98	Abstract 3349: TEAD4 expression in human hepatocellular carcinoma correlates with poor prognosis and promotes tumor growth and migration. , 2018, , .		0
99	Abstract 433: Diagnostic targeted sequencing panel for hepatocellular carcinoma genomic screening. , 2018, , .		0
100	Dual role of tumour-infiltrating T helper 17 cells in human colorectal cancer. <i>Gut</i> , 2017, 66, 692-704.	6.1	162
101	Human Papillomavirus (HPV) Detection in Cytologic Specimens: Similarities and Differences of Available Methodology. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2017, 25, 184-189.	0.6	17
102	Liver damage and senescence increases in patients developing hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1480-1486.	1.4	15
103	The Interplay Between Neutrophils and CD8+ T Cells Improves Survival in Human Colorectal Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 3847-3858.	3.2	151
104	Wnt signalling modulates transcribed-ultraconserved regions in hepatobiliary cancers. <i>Gut</i> , 2017, 66, 1268-1277.	6.1	75
105	Presence of bone marrow microâ€metastases in stage Iâ€III colon cancer patients is associated with worse diseaseâ€free and overall survival. <i>Cancer Medicine</i> , 2017, 6, 918-927.	1.3	24
106	Visualization of hepatitis E virus RNA and proteins in the human liver. <i>Journal of Hepatology</i> , 2017, 67, 471-479.	1.8	49
107	High mobility group A1 enhances tumorigenicity of human cholangiocarcinoma and confers resistance to therapy. <i>Molecular Carcinogenesis</i> , 2017, 56, 2146-2157.	1.3	17
108	Molecular classification of hepatocellular carcinoma: The view from metabolic zonation. <i>Hepatology</i> , 2017, 66, 1377-1380.	3.6	11

#	ARTICLE	IF	CITATIONS
109	Kupffer Cell-Derived Tnf Triggers Cholangiocellular Tumorigenesis through JNK due to Chronic Mitochondrial Dysfunction and ROS. <i>Cancer Cell</i> , 2017, 31, 771-789.e6.	7.7	140
110	Downregulation of hepatocyte nuclear factor-4 α and defective zonation in livers expressing mutant Z α 1-antitrypsin. <i>Hepatology</i> , 2017, 66, 124-135.	3.6	25
111	Phosphorylated CXCR4 expression has a positive prognostic impact in colorectal cancer. <i>Cellular Oncology (Dordrecht)</i> , 2017, 40, 609-619.	2.1	9
112	The Stimulation of Macrophages with TLR Ligands Supports Increased IL-19 Expression in Inflammatory Bowel Disease Patients and in Colitis Models. <i>Journal of Immunology</i> , 2017, 199, 2570-2584.	0.4	28
113	Prospective multicenter registration study of colorectal cancer: significant variations in radicality and oncosurgical quality—Swiss Group for Clinical Cancer Research Protocol SAKK 40/00. <i>International Journal of Colorectal Disease</i> , 2017, 32, 57-74.	1.0	5
114	Histological parameters and alcohol abstinence determine long-term prognosis in patients with alcoholic liver disease. <i>Journal of Hepatology</i> , 2017, 66, 610-618.	1.8	195
115	Vascular endothelial growth factor A amplification in colorectal cancer is associated with reduced M1 and M2 macrophages and diminished PD-1-expressing lymphocytes. <i>PLoS ONE</i> , 2017, 12, e0175563.	1.1	15
116	The hyaluronan-mediated motility receptor RHAMM promotes growth, invasiveness and dissemination of colorectal cancer. <i>Oncotarget</i> , 2017, 8, 70617-70629.	0.8	48
117	Hepatic Effects of Pharmacological Doses of Hydroxy-Cobalamin[c-lactam] in Mice. <i>PLoS ONE</i> , 2017, 12, e0171026.	1.1	3
118	TCTN2: a novel tumor marker with oncogenic properties. <i>Oncotarget</i> , 2017, 8, 95256-95269.	0.8	9
119	Metabolic reprogramming identifies the most aggressive lesions at early phases of hepatic carcinogenesis. <i>Oncotarget</i> , 2016, 7, 32375-32393.	0.8	83
120	ERMP1, a novel potential oncogene involved in UPR and oxidative stress defense, is highly expressed in human cancer. <i>Oncotarget</i> , 2016, 7, 63596-63610.	0.8	20
121	Canonical NF- κ B signaling in hepatocytes acts as a tumor suppressor in hepatitis B virus surface antigen-driven hepatocellular carcinoma by controlling the unfolded protein response. <i>Hepatology</i> , 2016, 63, 1592-1607.	3.6	51
122	Loss of RNA-binding motif protein 3 expression is associated with right-sided localization and poor prognosis in colorectal cancer. <i>Histopathology</i> , 2016, 68, 191-198.	1.6	21
123	Predominant expression of truncated EpCAM is associated with a more aggressive phenotype and predicts poor overall survival in colorectal cancer. <i>International Journal of Cancer</i> , 2016, 139, 657-663.	2.3	17
124	Syrosingopine sensitizes cancer cells to killing by metformin. <i>Science Advances</i> , 2016, 2, e1601756.	4.7	48
125	Hepatic Deletion of Janus Kinase 2 Counteracts Oxidative Stress in Mice. <i>Scientific Reports</i> , 2016, 6, 34719.	1.6	24
126	MPO density in primary cancer biopsies of ovarian carcinoma enhances the indicative value of IL-17 for chemosensitivity. <i>BMC Cancer</i> , 2016, 16, 639.	1.1	13

#	ARTICLE	IF	CITATIONS
127	The RSPO4/LGR4/5-ZNRF3/RNF43 module controls liver zonation and size. <i>Nature Cell Biology</i> , 2016, 18, 467-479.	4.6	253
128	CD55 is a HIF-2 α marker with anti-adhesive and pro-invading properties in neuroblastoma. <i>Oncogenesis</i> , 2016, 5, e212-e212.	2.1	8
129	Affinity for self antigen selects Treg cells with distinct functional properties. <i>Nature Immunology</i> , 2016, 17, 1093-1101.	7.0	91
130	Gene expression analysis of biopsy samples reveals critical limitations of transcriptome-based molecular classifications of hepatocellular carcinoma. <i>Journal of Pathology: Clinical Research</i> , 2016, 2, 80-92.	1.3	65
131	HMGA1P7-pseudogene regulates H19 and Igf2 expression by a competitive endogenous RNA mechanism. <i>Scientific Reports</i> , 2016, 6, 37622.	1.6	35
132	Loss of membranous VEGFR1 expression is associated with an adverse phenotype and shortened survival in breast cancer. <i>Molecular Medicine Reports</i> , 2016, 14, 1443-1450.	1.1	8
133	RNASeq analysis reveals biological processes governing the clinical behaviour of endometrioid and serous endometrial cancers. <i>European Journal of Cancer</i> , 2016, 64, 149-158.	1.3	8
134	β kinase β 2 control biliary homeostasis and hepatocarcinogenesis in mice by phosphorylating the cell death mediator receptor-interacting protein kinase 1. <i>Hepatology</i> , 2016, 64, 1217-1231.	3.6	54
135	HMGA1 Expression in Human Hepatocellular Carcinoma Correlates with Poor Prognosis and Promotes Tumor Growth and Migration in in vitro Models. <i>Neoplasia</i> , 2016, 18, 724-731.	2.3	41
136	Clinicopathological Features and Metastatic Pattern of Hepatocellular Carcinoma: An Autopsy Study of 398 Patients. <i>Pathobiology</i> , 2016, 83, 301-307.	1.9	20
137	FAT1: a potential target for monoclonal antibody therapy in colon cancer. <i>British Journal of Cancer</i> , 2016, 115, 40-51.	2.9	25
138	Variable asialoglycoprotein receptor 1 expression in liver disease: Implications for therapeutic intervention. <i>Hepatology Research</i> , 2016, 46, 686-696.	1.8	57
139	Quantitative proteomics and phosphoproteomics on serial tumor biopsies from a sorafenib-treated HCC patient. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 1381-1386.	3.3	64
140	The metabolic gene HAO2 is downregulated in hepatocellular carcinoma and predicts metastasis and poor survival. <i>Journal of Hepatology</i> , 2016, 64, 891-898.	1.8	34
141	Hepatic adenomas with synchronous or metachronous fibrolamellar carcinomas: both are characterized by LFABP loss. <i>Modern Pathology</i> , 2016, 29, 607-615.	2.9	20
142	Preventing Implant-Associated Infections by Silver Coating. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 2467-2475.	1.4	88
143	Loss of H2Bub1 Expression is Linked to Poor Prognosis in Nodal Negative Colorectal Cancers. <i>Pathology and Oncology Research</i> , 2016, 22, 95-102.	0.9	19
144	HMGA1 overexpression is associated with a particular subset of human breast carcinomas. <i>Journal of Clinical Pathology</i> , 2016, 69, 117-121.	1.0	16

#	ARTICLE	IF	CITATIONS
145	High Ki67 expression is an independent good prognostic marker in colorectal cancer. <i>Journal of Clinical Pathology</i> , 2016, 69, 209-214.	1.0	114
146	p16 overexpression and 9p21 deletion are linked to unfavorable tumor phenotype in breast cancer. <i>Oncotarget</i> , 2016, 7, 81322-81331.	0.8	31
147	Partial PTEN deletion is linked to poor prognosis in breast cancer. <i>BMC Cancer</i> , 2015, 15, 963.	1.1	30
148	Cdc7 overexpression is an independent prognostic marker and a potential therapeutic target in colorectal cancer. <i>Diagnostic Pathology</i> , 2015, 10, 125.	0.9	25
149	Nrf2, but not β -catenin, mutation represents an early event in rat hepatocarcinogenesis. <i>Hepatology</i> , 2015, 62, 851-862.	3.6	81
150	Somatic alterations in juvenile polyps from <i>BMPRI1</i> and <i>SMAD4</i> mutation carriers. <i>Genes Chromosomes and Cancer</i> , 2015, 54, 575-582.	1.5	23
151	YAP promotes proliferation, chemoresistance, and angiogenesis in human cholangiocarcinoma through TEAD transcription factors. <i>Hepatology</i> , 2015, 62, 1497-1510.	3.6	187
152	A role for the dehydrogenase DHR57 (SDR34C1) in prostate cancer. <i>Cancer Medicine</i> , 2015, 4, 1717-1729.	1.3	15
153	NDR Functions as a Physiological YAP1 Kinase in the Intestinal Epithelium. <i>Current Biology</i> , 2015, 25, 296-305.	1.8	104
154	Molecular characterization of allergens in raw and processed kiwifruit. <i>Pediatric Allergy and Immunology</i> , 2015, 26, 139-144.	1.1	11
155	Homozygous familial hypobetalipoproteinemia: Two novel mutations in the splicing sites of apolipoprotein B gene and review of the literature. <i>Atherosclerosis</i> , 2015, 239, 209-217.	0.4	17
156	Regular exercise decreases liver tumors development in hepatocyte-specific PTEN-deficient mice independently of steatosis. <i>Journal of Hepatology</i> , 2015, 62, 1296-1303.	1.8	92
157	Resveratrol and SRT1720 Elicit Differential Effects in Metabolic Organs and Modulate Systemic Parameters Independently of Skeletal Muscle Peroxisome Proliferator-activated Receptor δ 3 Co-activator 1 α (PGC-1 α). <i>Journal of Biological Chemistry</i> , 2015, 290, 16059-16076.	1.6	22
158	Bioreactor-engineered cancer tissue-like structures mimic phenotypes, gene expression profiles and drug resistance patterns observed <i>in vivo</i> . <i>Biomaterials</i> , 2015, 62, 138-146.	5.7	59
159	Well-differentiated hepatocellular neoplasm of uncertain malignant potential—reply. <i>Human Pathology</i> , 2015, 46, 635-636.	1.1	6
160	Status of estrogen receptor 1 (ESR1) gene in mastopathy predicts subsequent development of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015, 151, 709-715.	1.1	14
161	Recurrent chromosomal gains and heterogeneous driver mutations characterise papillary renal cancer evolution. <i>Nature Communications</i> , 2015, 6, 6336.	5.8	100
162	Absence of myeloperoxidase and CD8 positive cells in colorectal cancer infiltrates identifies patients with severe prognosis. <i>Oncoimmunology</i> , 2015, 4, e1050574.	2.1	20

#	ARTICLE	IF	CITATIONS
163	8p deletion is strongly linked to poor prognosis in breast cancer. <i>Cancer Biology and Therapy</i> , 2015, 16, 1080-1087.	1.5	26
164	Generation of a murine hepatic angiosarcoma cell line and reproducible mouse tumor model. <i>Laboratory Investigation</i> , 2015, 95, 351-362.	1.7	11
165	PD-1 and PD-L1 expression in molecularly selected non-small-cell lung cancer patients. <i>British Journal of Cancer</i> , 2015, 112, 95-102.	2.9	515
166	Sleep Disruption and Daytime Sleepiness Correlating with Disease Severity and Insulin Resistance in Non-Alcoholic Fatty Liver Disease: A Comparison with Healthy Controls. <i>PLoS ONE</i> , 2015, 10, e0143293.	1.1	66
167	PI3K/AKT/mTOR pathway plays a major pathogenetic role in glycogen accumulation and tumor development in renal distal tubules of rats and men. <i>Oncotarget</i> , 2015, 6, 13036-13048.	0.8	42
168	OX40 expression enhances the prognostic significance of CD8 positive lymphocyte infiltration in colorectal cancer. <i>Oncotarget</i> , 2015, 6, 37588-37599.	0.8	37
169	High Frequency of CD8 Positive Lymphocyte Infiltration Correlates with Lack of Lymph Node Involvement in Early Rectal Cancer. <i>Disease Markers</i> , 2014, 2014, 1-7.	0.6	16
170	Liver Diseases and Long Non-Coding RNAs: New Insight and Perspective. <i>Frontiers in Medicine</i> , 2014, 1, 35.	1.2	12
171	Histopathology of hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2014, 20, 15955.	1.4	197
172	NK cells and T cells cooperate during the clinical course of colorectal cancer. <i>Oncolmmunology</i> , 2014, 3, e952197.	2.1	110
173	Expression of EpCAM ^{MF} and EpCAM ^{MT} variants in human carcinomas. <i>Journal of Clinical Pathology</i> , 2014, 67, 408-414.	1.0	43
174	Acquisition of an immunosuppressive protumorigenic macrophage phenotype depending on c-Jun phosphorylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 17582-17587.	3.3	45
175	Radiofrequency ablation suppresses distant tumour growth in a novel rat model of multifocal hepatocellular carcinoma. <i>Clinical Science</i> , 2014, 126, 243-252.	1.8	23
176	Telecytological Diagnosis of Space-Occupying Lesions of the Liver. <i>Acta Cytologica</i> , 2014, 58, 174-181.	0.7	4
177	Downregulation of the Endothelial Genes Notch1 and EphrinB2 in Patients with Nodular Regenerative Hyperplasia. <i>Liver International</i> , 2014, 34, 594-603.	1.9	13
178	MALDI imaging-based identification of prognostically relevant signals in bladder cancer using large-scale tissue microarrays. These authors contributed equally to this work. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 1225-1233.	0.8	27
179	Mesenchymal stromal cells induce epithelial-mesenchymal transition in human colorectal cancer cells through the expression of surface-bound TGF β 2. <i>International Journal of Cancer</i> , 2014, 134, 2583-2594.	2.3	58
180	Symptomatic Hepatocellular Liver Injury With Hyperbilirubinemia in Two Patients Treated With Rivaroxaban. <i>JAMA Internal Medicine</i> , 2014, 174, 1683.	2.6	42

#	ARTICLE	IF	CITATIONS
181	3' UTR Poly(T/U) Tract Deletions and Altered Expression of <i>EWSR1</i> Are a Hallmark of Mismatch Repair-Deficient Cancers. <i>Cancer Research</i> , 2014, 74, 224-234.	0.4	16
182	Identification of New Players in Hepatocarcinogenesis: Limits and Opportunities of Using Tissue Microarray (TMA). <i>Microarrays (Basel, Switzerland)</i> , 2014, 3, 91-102.	1.4	10
183	Long noncoding RNA HOTTIP/HOXA13 expression is associated with disease progression and predicts outcome in hepatocellular carcinoma patients. <i>Hepatology</i> , 2014, 59, 911-923.	3.6	382
184	SH2D4A is frequently downregulated in hepatocellular carcinoma and cirrhotic nodules. <i>European Journal of Cancer</i> , 2014, 50, 731-738.	1.3	9
185	Activation of β -Catenin and Yap1 in Human Hepatoblastoma and Induction of Hepatocarcinogenesis in Mice. <i>Gastroenterology</i> , 2014, 147, 690-701.	0.6	249
186	HLA Class II Antigen Expression in Colorectal Carcinoma Tumors as a Favorable Prognostic Marker. <i>Neoplasia</i> , 2014, 16, 31-W15.	2.3	99
187	VEGFA gene locus analysis across 80 human tumour types reveals gene amplification in several neoplastic entities. <i>Angiogenesis</i> , 2014, 17, 519-527.	3.7	20
188	Protein phosphatase 2A promotes hepatocellular carcinogenesis in the diethylnitrosamine mouse model through inhibition of p53. <i>Carcinogenesis</i> , 2014, 35, 114-122.	1.3	28
189	Human and Mouse <i>VEGFA</i> -Amplified Hepatocellular Carcinomas Are Highly Sensitive to Sorafenib Treatment. <i>Cancer Discovery</i> , 2014, 4, 730-743.	7.7	165
190	Pathology of the liver sinusoids. <i>Histopathology</i> , 2014, 64, 907-920.	1.6	63
191	Parallel T-cell cloning and deep sequencing of human MAIT cells reveal stable oligoclonal TCR β repertoire. <i>Nature Communications</i> , 2014, 5, 3866.	5.8	267
192	GM-CSF Production by Tumor Cells Is Associated with Improved Survival in Colorectal Cancer. <i>Clinical Cancer Research</i> , 2014, 20, 3094-3106.	3.2	57
193	<i>in vitro</i> 3D models of tumor-immune system interaction. <i>Advanced Drug Delivery Reviews</i> , 2014, 79-80, 145-154.	6.6	78
194	Hepatic mTORC1 controls locomotor activity, body temperature, and lipid metabolism through FGF21. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11592-11599.	3.3	134
195	Reduced membranous MET expression is linked to bladder cancer progression. <i>Cancer Genetics</i> , 2014, 207, 147-152.	0.2	5
196	Loss of Anterior Gradient-2 expression is an independent prognostic factor in colorectal carcinomas. <i>European Journal of Cancer</i> , 2014, 50, 1722-1730.	1.3	18
197	Well-differentiated hepatocellular neoplasm of uncertain malignant potential: proposal for a new diagnostic category. <i>Human Pathology</i> , 2014, 45, 658-660.	1.1	58
198	miR-23b and miR-130b expression is downregulated in pituitary adenomas. <i>Molecular and Cellular Endocrinology</i> , 2014, 390, 1-7.	1.6	78

#	ARTICLE	IF	CITATIONS
199	T Cells Infiltrate the Liver and Kill Hepatocytes in HLA-B*57:01-Associated Floxacillin-Induced Liver Injury. <i>American Journal of Pathology</i> , 2014, 184, 1677-1682.	1.9	62
200	Hepatic toxicity of dronedarone in mice: Role of mitochondrial β -oxidation. <i>Toxicology</i> , 2014, 323, 1-9.	2.0	28
201	Loss of ALCAM expression is linked to adverse phenotype and poor prognosis in breast cancer: A TMA-based immunohistochemical study on 2,197 breast cancer patients. <i>Oncology Reports</i> , 2014, 32, 2628-2634.	1.2	22
202	Pegylated IFN- α regulates hepatic gene expression through transient Jak/STAT activation. <i>Journal of Clinical Investigation</i> , 2014, 124, 1568-1581.	3.9	43
203	Loss of CADM1 expression is associated with poor prognosis and brain metastasis in breast cancer patients. <i>Oncotarget</i> , 2014, 5, 3076-3087.	0.8	35
204	H-Prune through GSK-3 β interaction sustains canonical WNT/ β -catenin signaling enhancing cancer progression in NSCLC. <i>Oncotarget</i> , 2014, 5, 5736-5749.	0.8	42
205	Clinical and histopathological correlations of fecal calprotectin release in colorectal carcinoma. <i>World Journal of Gastroenterology</i> , 2014, 20, 4994.	1.4	24
206	Abstract 1386: Enhanced expression of HMGA1 and THY1 in human hepatocellular carcinoma correlates with poor prognosis. , 2014, , .		0
207	Abstract 34: The receptor for hyaluronan acid mediator motility (RHAMM, CD168) expression in EMT-like cancer cells is a predictor of tumor progression in colorectal cancer. , 2014, , .		0
208	Coronin 1 is dispensable for leukocyte recruitment and liver injury in concanavalin A-induced hepatitis. <i>Immunology Letters</i> , 2013, 153, 62-70.	1.1	9
209	Prognostic value of alpha-methyl CoA racemase (AMACR) expression in renal cell carcinoma. <i>World Journal of Urology</i> , 2013, 31, 847-853.	1.2	13
210	Epithelial cell adhesion molecule is an independent prognostic marker in clear cell renal carcinoma. <i>International Journal of Cancer</i> , 2013, 132, 2948-2955.	2.3	25
211	Constitutive Notch2 signaling induces hepatic tumors in mice. <i>Hepatology</i> , 2013, 57, 1607-1619.	3.6	102
212	Tumor budding score based on 10 high-power fields is a promising basis for a standardized prognostic scoring system in stage II colorectal cancer. <i>Human Pathology</i> , 2013, 44, 697-705.	1.1	109
213	The clinical impact of p16 status in fine-needle aspirates of cervical lymph node metastasis of head and neck squamous cell carcinomas. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 661-667.	0.8	29
214	Prognostic relevance of AIB1 (NCoA3) amplification and overexpression in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 745-753.	1.1	41
215	RAD51 overexpression is a negative prognostic marker for colorectal adenocarcinoma. <i>International Journal of Cancer</i> , 2013, 132, 2118-2126.	2.3	95
216	High IL-17-positive tumor immune cell infiltration is indicative for chemosensitivity of ovarian carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 1295-1302.	1.2	23

#	ARTICLE	IF	CITATIONS
217	Molecular characterization of hepatocellular adenomas developed in patients with glycogen storage disease type I. <i>Journal of Hepatology</i> , 2013, 58, 350-357.	1.8	146
218	CD44 variant isoforms control experimental autoimmune encephalomyelitis by affecting the lifespan of the pathogenic T cells. <i>FASEB Journal</i> , 2013, 27, 3683-3701.	0.2	14
219	<i>PTEN</i> deletions are related to disease progression and unfavourable prognosis in early bladder cancer. <i>Histopathology</i> , 2013, 63, 670-677.	1.6	30
220	Clinical impact of programmed cell death ligand 1 expression in colorectal cancer. <i>European Journal of Cancer</i> , 2013, 49, 2233-2242.	1.3	384
221	Colorectal carcinoma infiltration by myeloperoxidase-expressing neutrophil granulocytes is associated with favorable prognosis. <i>Oncolmunology</i> , 2013, 2, e25990.	2.1	15
222	Estrogen receptor β expression and androgen receptor phosphorylation correlate with a poor clinical outcome in hormone-naïve prostate cancer and are elevated in castration-resistant disease. <i>Endocrine-Related Cancer</i> , 2013, 20, 403-413.	1.6	43
223	Dual Roles of the Transcription Factor Grainyhead-like 2 (GRHL2) in Breast Cancer. <i>Journal of Biological Chemistry</i> , 2013, 288, 22993-23008.	1.6	103
224	High Myeloperoxidase Positive Cell Infiltration in Colorectal Cancer Is an Independent Favorable Prognostic Factor. <i>PLoS ONE</i> , 2013, 8, e64814.	1.1	92
225	Abstract 4685: SH2D4A is frequently downregulated in hepatocellular carcinoma.. , 2013, , .		0
226	KRAS Mutation Testing in Colorectal Cancer. <i>Diagnostic Molecular Pathology</i> , 2012, 21, 14-23.	2.1	14
227	Tumours and tumour-like lesions of the liver. , 2012, , 761-851.		22
228	Effect of EpCAM, CD44, CD133 and CD166 expression on patient survival in tumours of the ampulla of Vater. <i>Journal of Clinical Pathology</i> , 2012, 65, 140-145.	1.0	30
229	Melanoma Cells Inhibit NK Cell Functions Letter. <i>Cancer Research</i> , 2012, 72, 5428-5429.	0.4	61
230	Reduced CD151 expression is related to advanced tumour stage in urothelial bladder cancer. <i>Pathology</i> , 2012, 44, 448-452.	0.3	11
231	p95HER2 Truncated Form in Resected Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2012, 7, 520-527.	0.5	19
232	Venlafaxine-induced Cholestatic Hepatitis. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1724-1728.	2.1	21
233	Interferon- γ -Stimulated Genes, but Not USP18, Are Expressed in Livers of Patients With Acute Hepatitis C. <i>Gastroenterology</i> , 2012, 143, 777-786.e6.	0.6	57
234	Identifying and Targeting <i>ROS1</i> Gene Fusions in Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2012, 18, 4570-4579.	3.2	405

#	ARTICLE	IF	CITATIONS
235	Hepatic mTORC2 Activates Glycolysis and Lipogenesis through Akt, Glucokinase, and SREBP1c. <i>Cell Metabolism</i> , 2012, 15, 725-738.	7.2	452
236	RKIP and cytotrophoblast motility. <i>Journal of Cellular Physiology</i> , 2012, 227, 3895-3895.	2.0	2
237	Tenascin-W is a better cancer biomarker than tenascin-C for most human solid tumors. <i>BMC Clinical Pathology</i> , 2012, 12, 14.	1.8	33
238	Disruption of Notch1 Induces Vascular Remodeling, Intussusceptive Angiogenesis, and Angiosarcomas in Livers of Mice. <i>Gastroenterology</i> , 2012, 142, 967-977.e2.	0.6	108
239	Tissue Banking in a Regional Hospital: A Promising Future Concept? First Report on Fresh Frozen Tissue Banking in a Hospital Without an Integrated Institute of Pathology. <i>World Journal of Surgery</i> , 2012, 36, 2300-2304.	0.8	2
240	Enhanced Expression of ANO1 in Head and Neck Squamous Cell Carcinoma Causes Cell Migration and Correlates with Poor Prognosis. <i>PLoS ONE</i> , 2012, 7, e43265.	1.1	135
241	Stratification and Prognostic Relevance of Jassâ€™s Molecular Classification of Colorectal Cancer. <i>Frontiers in Oncology</i> , 2012, 2, 7.	1.3	17
242	High NRBP1 expression in prostate cancer is linked with poor clinical outcomes and increased cancer cell growth. <i>Prostate</i> , 2012, 72, 1678-1687.	1.2	20
243	HMGA1 and HMGA2 protein expression correlates with advanced tumour grade and lymph node metastasis in pancreatic adenocarcinoma. <i>Histopathology</i> , 2012, 60, 397-404.	1.6	82
244	Immunophenotyping analysis in invasive micropapillary carcinoma of the breast: Role of CD24 and CD44 isoforms expression. <i>Breast</i> , 2012, 21, 165-170.	0.9	18
245	Sentinel Lymph Node Procedure Leads to Upstaging of Patients with Resectable Colon Cancer: Results of the Swiss Prospective, Multicenter Study Sentinel Lymph Node Procedure in Colon Cancer. <i>Annals of Surgical Oncology</i> , 2012, 19, 1959-1965.	0.7	32
246	Epidermal growth factor receptor protein expression and genomic alterations in renal cell carcinoma. <i>Cancer</i> , 2012, 118, 1268-1275.	2.0	48
247	Growth-hormoneâ€™-induced signal transducer and activator of transcription 5 signaling causes gigantism, inflammation, and premature death but protects mice from aggressive liver cancer. <i>Hepatology</i> , 2012, 55, 941-952.	3.6	42
248	Possible role of RKIP in cytotrophoblast migration: immunohistochemical and in vitro studies. <i>Journal of Cellular Physiology</i> , 2012, 227, 1821-1828.	2.0	17
249	Abstract 5295:Detection of VEGFA gene amplification in different neoplastic entities using four different technologies. , 2012, , .		0
250	Abstract 3546: IL-17 production by tumor-infiltrating Th17 cells favors inflammation and promotes survival in human colorectal cancer. , 2012, , .		3
251	Abstract 4496: UBCH10 overexpression in human colorectal cancers. , 2012, , .		0
252	Abstract 1491: Tumor-associated stromal cells increase malignancy of human colorectal cancers through epithelial-to-mesenchymal transition. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
253	Interferon-Induced Gene Expression Is a Stronger Predictor of Treatment Response Than IL28B Genotype in Patients With Hepatitis C. <i>Gastroenterology</i> , 2011, 140, 1021-1031.e10.	0.6	233
254	Prevalence of the Alternative Lengthening of Telomeres Telomere Maintenance Mechanism in Human Cancer Subtypes. <i>American Journal of Pathology</i> , 2011, 179, 1608-1615.	1.9	423
255	Systematic analysis of proteins from different signaling pathways in the tumor center and the invasive front of colorectal cancer. <i>Human Pathology</i> , 2011, 42, 1888-1896.	1.1	42
256	Intratumoral budding as a potential parameter of tumor progression in mismatch repair-proficient and mismatch repair-deficient colorectal cancer patients. <i>Human Pathology</i> , 2011, 42, 1833-1840.	1.1	89
257	Liver precancerous lesions and hepatocellular carcinoma: The histology report. <i>Digestive and Liver Disease</i> , 2011, 43, S361-S372.	0.4	52
258	Parallel determination of NeuroD1, Chromogranin-A, Ki67 and androgen receptor expression in surgically treated prostate cancers. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2011, 37, 57-66.	0.7	14
259	MDM2 amplification is an independent prognostic feature of node-negative, estrogen receptor-positive early-stage breast cancer. <i>Cancer Biomarkers</i> , 2011, 8, 53-60.	0.8	23
260	Discordant Gene Expression Signatures and Related Phenotypic Differences in Lamin A- and A/C-Related Hutchinson-Gilford Progeria Syndrome (HGPS). <i>PLoS ONE</i> , 2011, 6, e21433.	1.1	14
261	Destruction of Lymphoid Organ Architecture and Hepatitis Caused by CD4+ T Cells. <i>PLoS ONE</i> , 2011, 6, e24772.	1.1	15
262	Expression of lumbosacral HOX genes, crucial in kidney organogenesis, is systematically deregulated in clear cell kidney cancers. <i>Anti-Cancer Drugs</i> , 2011, 22, 392-401.	0.7	12
263	Hepatocyte Nuclear Factor (HNF) 4 \pm Expression Distinguishes Ampullary Cancer Subtypes and Prognosis After Resection. <i>Annals of Surgery</i> , 2011, 254, 302-310.	2.1	23
264	Grading quality of evidence and strength of recommendations in clinical practice guidelines Part 3 of 3. The GRADE approach to developing recommendations. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 588-595.	2.7	213
265	Validation of an extension of the international noninvasive criteria for the diagnosis of hepatocellular carcinoma to the characterization of macroscopic portal vein thrombosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 669-677.	1.4	22
266	Prognostic significance of CD8+ T lymphocytes in breast cancer depends upon both oestrogen receptor status and histological grade. <i>Histopathology</i> , 2011, 58, no-no.	1.6	104
267	Characterization of the immunological microenvironment of tumour buds and its impact on prognosis in mismatch repair-proficient and -deficient colorectal cancers. <i>Histopathology</i> , 2011, 59, 482-495.	1.6	37
268	Coexpression of p21 and Ki67 in head and neck squamous cell carcinoma relative to a significantly poor prognosis. <i>Head and Neck</i> , 2011, 33, 267-273.	0.9	32
269	Impairment of hepatic growth hormone and glucocorticoid receptor signaling causes steatosis and hepatocellular carcinoma in mice. <i>Hepatology</i> , 2011, 54, 1398-1409.	3.6	100
270	Tumor infiltration by Fc γ RIII (CD16)+ myeloid cells is associated with improved survival in patients with colorectal carcinoma. <i>International Journal of Cancer</i> , 2011, 128, 2663-2672.	2.3	88

#	ARTICLE	IF	CITATIONS
271	MAGEA10 is a nuclear protein frequently expressed in high percentages of tumor cells in lung, skin and urothelial malignancies. <i>International Journal of Cancer</i> , 2011, 129, 1137-1148.	2.3	46
272	The <i>HOX</i> gene network in hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2011, 129, 2577-2587.	2.3	60
273	Deregulated HOX genes in ameloblastomas are located in physical contiguity to keratin genes. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 3206-3215.	1.2	13
274	Expression and functional role of a transcribed noncoding RNA with an ultraconserved element in hepatocellular carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 786-791.	3.3	207
275	VEGFA gene locus (6p12) amplification identifies a small but highly aggressive subgroup of colorectal patients. <i>Modern Pathology</i> , 2011, 24, 1404-1412.	2.9	20
276	Everolimus Augments the Effects of Sorafenib in a Syngeneic Orthotopic Model of Hepatocellular Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2011, 10, 1007-1017.	1.9	72
277	Abstract 3195: HMGA1 and HMGA2 over-expression in human lung carcinoma. , 2011, , .		0
278	Abstract 1082: The amplification and overexpression of the calcium activated chloride channel TMEM16A (aka DOG1) has a prognostic role in patients with head and neck squamous cell carcinoma. , 2011, , .		0
279	Abstract 3802: EWSR1: Identification and functional characterization of a novel target gene locus in Lynch syndrome. , 2011, , .		0
280	Is the improved prognosis of p16 positive oropharyngeal squamous cell carcinoma dependent of the treatment modality?. <i>International Journal of Cancer</i> , 2010, 126, 1256-1262.	2.3	156
281	Oxidative stress and steatosis are cofactors of liver injury in primary biliary cirrhosis. <i>Journal of Gastroenterology</i> , 2010, 45, 1053-1062.	2.3	47
282	Role of the VEGF ligand to receptor ratio in the progression of mismatch repair-proficient colorectal cancer. <i>BMC Cancer</i> , 2010, 10, 93.	1.1	16
283	<i>PPFIA1</i> and <i>CCND1</i> are frequently coamplified in breast cancer. <i>Genes Chromosomes and Cancer</i> , 2010, 49, 1-8.	1.5	20
284	Cleavage of mitochondrial antiviral signaling protein in the liver of patients with chronic hepatitis C correlates with a reduced activation of the endogenous interferon system. <i>Hepatology</i> , 2010, 51, 1127-1136.	3.6	115
285	High frequency of tumor-infiltrating FOXP3 ⁺ regulatory T cells predicts improved survival in mismatch repair-proficient colorectal cancer patients. <i>International Journal of Cancer</i> , 2010, 126, 2635-2643.	2.3	287
286	Clinicopathological and protein characterization of <i>BRAF</i> and <i>KRAS</i> mutated colorectal cancer and implications for prognosis. <i>International Journal of Cancer</i> , 2010, 127, 367-380.	2.3	136
287	Combined analysis of specific <i>KRAS</i> mutation, <i>BRAF</i> and microsatellite instability identifies prognostic subgroups of sporadic and hereditary colorectal cancer. <i>International Journal of Cancer</i> , 2010, 127, 2569-2575.	2.3	99
288	Systematic assessment of protein phenotypes characterizing high-grade tumour budding in mismatch repair-proficient colorectal cancer. <i>Histopathology</i> , 2010, 57, 233-243.	1.6	27

#	ARTICLE	IF	CITATIONS
289	Prognostic and predictive value of TOPK stratified by KRAS and BRAF gene alterations in sporadic, hereditary and metastatic colorectal cancer patients. <i>British Journal of Cancer</i> , 2010, 102, 151-161.	2.9	49
290	Prognostic impact of the expression of putative cancer stem cell markers CD133, CD166, CD44s, EpCAM, and ALDH1 in colorectal cancer. <i>British Journal of Cancer</i> , 2010, 103, 382-390.	2.9	279
291	TIA-1 Cytotoxic Granule-Associated RNA Binding Protein Improves the Prognostic Performance of CD8 in Mismatch Repair-Proficient Colorectal Cancer. <i>PLoS ONE</i> , 2010, 5, e14282.	1.1	52
292	S-Adenosyl-Methionine and Betaine Improve Early Virological Response in Chronic Hepatitis C Patients with Previous Nonresponse. <i>PLoS ONE</i> , 2010, 5, e15492.	1.1	21
293	Galectin-1 and Its Involvement in Hepatocellular Carcinoma Aggressiveness. <i>Molecular Medicine</i> , 2010, 16, 102-115.	1.9	69
294	Insulin-like growth factor receptor 1 (IGF1R) expression and survival in surgically resected non-small-cell lung cancer (NSCLC) patients. <i>Annals of Oncology</i> , 2010, 21, 562-567.	0.6	70
295	p16 expression in oropharyngeal cancer: its impact on staging and prognosis compared with the conventional clinical staging parameters. <i>Annals of Oncology</i> , 2010, 21, 1961-1966.	0.6	110
296	Predicting Fibrosis Worsening in Obese Patients With NASH Through Parenchymal Fibronectin, HOMA-IR, and Hypertension. <i>American Journal of Gastroenterology</i> , 2010, 105, 336-344.	0.2	66
297	PTPD1 Supports Receptor Stability and Mitogenic Signaling in Bladder Cancer Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 39260-39270.	1.6	43
298	Y chromosome loss is a frequent early event in urothelial bladder cancer. <i>Pathology</i> , 2010, 42, 356-359.	0.3	38
299	Differential cell cycle and proliferation marker expression in ductal pancreatic adenocarcinoma and pancreatic intraepithelial neoplasia (PanIN). <i>Pathology</i> , 2010, 42, 229-234.	0.3	21
300	Characterization of rectal, proximal and distal colon cancers based on clinicopathological, molecular and protein profiles. <i>International Journal of Oncology</i> , 2010, 37, 707-18.	1.4	157
301	Amplification of 8q21 in breast cancer is independent of MYC and associated with poor patient outcome. <i>Modern Pathology</i> , 2010, 23, 603-610.	2.9	30
302	Urokinase-type plasminogen activator is a marker of aggressive phenotype and an independent prognostic factor in mismatch repair-proficient colorectal cancer. <i>Human Pathology</i> , 2010, 41, 70-78.	1.1	24
303	Overexpression of cell division cycle 7 homolog is associated with gene amplification frequency in breast cancer. <i>Human Pathology</i> , 2010, 41, 358-365.	1.1	38
304	Heterogenous high-level HER-2 amplification in a small subset of colorectal cancers. <i>Human Pathology</i> , 2010, 41, 1577-1585.	1.1	79
305	Loss of the CBX7 protein expression correlates with a more aggressive phenotype in pancreatic cancer. <i>European Journal of Cancer</i> , 2010, 46, 1438-1444.	1.3	83
306	The loss of the CBX7 gene expression represents an adverse prognostic marker for survival of colon carcinoma patients. <i>European Journal of Cancer</i> , 2010, 46, 2304-2313.	1.3	76

#	ARTICLE	IF	CITATIONS
307	ABC5-positivity in tumor buds is an indicator of poor prognosis in node-negative colorectal cancer patients. <i>World Journal of Gastroenterology</i> , 2010, 16, 732.	1.4	46
308	Abstract 334: Comparison of an in situ hybridization technique based on fluorescence (FISH) with dual color silver-enhanced ISH (SISH) for the validation of equivocal (borderline) status of HER2 (erbb2) in invasive breast carcinoma. , 2010, , .		0
309	Ribosome-component immune modulation of respiratory tract infections in children. <i>Allergy and Asthma Proceedings</i> , 2009, 30, 21-31.	1.0	3
310	V600E BRAF mutations are alternative early molecular events in a subset of KIT/PDGFRA wild-type gastrointestinal stromal tumours. <i>Journal of Clinical Pathology</i> , 2009, 62, 613-616.	1.0	183
311	Elevated Expression of the Tyrosine Phosphatase SHP-1 Defines a Subset of High-Grade Breast Tumors. <i>Oncology</i> , 2009, 77, 378-384.	0.9	35
312	MET increased gene copy number and primary resistance to gefitinib therapy in non-small-cell lung cancer patients. <i>Annals of Oncology</i> , 2009, 20, 298-304.	0.6	286
313	HOX D13 expression across 79 tumor tissue types. <i>International Journal of Cancer</i> , 2009, 125, 1532-1541.	2.3	53
314	Tumor border configuration added to TNM staging better stratifies stage II colorectal cancer patients into prognostic subgroups. <i>Cancer</i> , 2009, 115, 4021-4029.	2.0	46
315	Multiple sporadic gastrointestinal stromal tumours arising at different gastrointestinal sites: pattern of involvement of the muscularis propria as a clue to independent primary GISTs. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 455, 101-108.	1.4	31
316	Development of rapid light-chain deposition disease in hepatic arteries with severe ischemic cholangitis in a multiple myeloma patient treated with melphalan, prednisone and lenalidomide. <i>International Journal of Hematology</i> , 2009, 89, 91-94.	0.7	22
317	Systematic assessment of the prognostic impact of membranous CD44v6 protein expression in colorectal cancer. <i>Histopathology</i> , 2009, 55, 564-575.	1.6	46
318	Estrogen receptor gene amplification occurs rarely in ovarian cancer. <i>Modern Pathology</i> , 2009, 22, 191-196.	2.9	20
319	Expression of CD24, P-cadherin and S100A4 in tumors of the ampulla of Vater. <i>Modern Pathology</i> , 2009, 22, 306-313.	2.9	9
320	CD8+ lymphocytes/â€tumour-budding index: an independent prognostic factor representing a â€pro-/anti-tumourâ€ approach to tumour host interaction in colorectal cancer. <i>British Journal of Cancer</i> , 2009, 101, 1382-1392.	2.9	112
321	Increased <i>MET</i> Gene Copy Number Negatively Affects Survival of Surgically Resected Nonâ€Small-Cell Lung Cancer Patients. <i>Journal of Clinical Oncology</i> , 2009, 27, 1667-1674.	0.8	530
322	Combined Î±-methylacyl coenzyme A racemase/p53 analysis to identify dysplasia in inflammatory bowel disease. <i>Human Pathology</i> , 2009, 40, 166-173.	1.1	32
323	The application of markers (HSP70 GPC3 and GS) in liver biopsies is useful for detection of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2009, 50, 746-754.	1.8	280
324	Defective Infiltration of Natural Killer Cells in MICA/B-Positive Renal Cell Carcinoma Involves Î²2-Integrin-Mediated Interaction. <i>Neoplasia</i> , 2009, 11, 662-671.	2.3	54

#	ARTICLE	IF	CITATIONS
325	Histopathologic Features and Microsatellite Instability of Cancers of the Papilla of Vater and Their Precursor Lesions. <i>American Journal of Surgical Pathology</i> , 2009, 33, 691-704.	2.1	114
326	Combined Histomorphologic and Immunohistochemical Phenotype to Predict the Presence of Vascular Invasion in Colon Cancer. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 1114-1121.	0.7	12
327	Rationale for the clinical use of a ribosome-component immune modulator. <i>Allergy and Asthma Proceedings</i> , 2009, 30, 5-12.	1.0	7
328	Hepatitis with Fibrin-Ring Granulomas. <i>Infection</i> , 2008, 36, 381-383.	2.3	12
329	AMACR expression in colorectal cancer is associated with left-sided tumor localization. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 453, 243-248.	1.4	32
330	Immunophenotyping and oncogene amplifications in tumors of the papilla of Vater. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 453, 579-588.	1.4	14
331	Oestrogen receptor gene (<i>ESR1</i>) amplification is frequent in endometrial carcinoma and its precursor lesions. <i>Journal of Pathology</i> , 2008, 216, 151-157.	2.1	35
332	Multimarker phenotype predicts adverse survival in patients with lymph node-negative colorectal cancer. <i>Cancer</i> , 2008, 112, 495-502.	2.0	58
333	Tenascin-W, a new marker of cancer stroma, is elevated in sera of colon and breast cancer patients. <i>International Journal of Cancer</i> , 2008, 122, 2454-2461.	2.3	50
334	Differential diagnostic and functional role of the multi-marker phenotype CDX2/CK20/CK7 in colorectal cancer stratified by mismatch repair status. <i>Modern Pathology</i> , 2008, 21, 1403-1412.	2.9	120
335	Two-marker protein profile predicts poor prognosis in patients with early rectal cancer. <i>British Journal of Cancer</i> , 2008, 99, 1712-1717.	2.9	37
336	Reply to "ESR1 gene amplification in breast cancer: a common phenomenon?". <i>Nature Genetics</i> , 2008, 40, 810-812.	9.4	47
337	Patterns of liver infiltration in lymphoproliferative disease. <i>Histopathology</i> , 2008, 53, 81-90.	1.6	48
338	Skp2 expression is associated with high risk and elevated Ki67 expression in gastrointestinal stromal tumours. <i>BMC Cancer</i> , 2008, 8, 134.	1.1	21
339	PED is overexpressed and mediates TRAIL resistance in human non-small cell lung cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 2416-2426.	1.6	36
340	Breast Cancer Resistance Protein and P-Glycoprotein Expression in Patients with Newly Diagnosed and Therapy-Refractory Ulcerative Colitis Compared with Healthy Controls. <i>Digestion</i> , 2008, 78, 154-162.	1.2	43
341	Chromosomal instability in gastric mucosa-associated lymphoid tissue lymphomas: a fluorescent in situ hybridization study using a tissue microarray approach. <i>Human Pathology</i> , 2008, 39, 536-542.	1.1	9
342	Is immunohistochemical epidermal growth factor receptor expression overestimated as a prognostic factor in head-neck squamous cell carcinoma?. <i>Human Pathology</i> , 2008, 39, 1527-1534.	1.1	24

#	ARTICLE	IF	CITATIONS
343	Virus-induced over-expression of protein phosphatase 2A inhibits insulin signalling in chronic hepatitis C. <i>Journal of Hepatology</i> , 2008, 49, 429-440.	1.8	91
344	Homeobox genes in normal and abnormal vasculogenesis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008, 18, 651-658.	1.1	42
345	Changes of the Hepatic Proteome in Hepatitis B-Infected Mouse Model at Early Stages of Fibrosis. <i>Journal of Proteome Research</i> , 2008, 7, 2642-2653.	1.8	13
346	Incremental prognostic factors associated with cow's milk allergy outcomes in infant and child referrals: the Milan Cow's Milk Allergy Cohort study. <i>Annals of Allergy, Asthma and Immunology</i> , 2008, 101, 166-173.	0.5	68
347	MRI of Hepatic Adenomatosis: Initial Observations with Gadoteric Acid Contrast Agent in Three Patients. <i>American Journal of Roentgenology</i> , 2008, 190, W290-W293.	1.0	38
348	Interferon signaling and treatment outcome in chronic hepatitis C. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 7034-7039.	3.3	606
349	Node-Negative Colorectal Cancer at High Risk of Distant Metastasis Identified by Combined Analysis of Lymph Node Status, Vascular Invasion, and Raf-1 Kinase Inhibitor Protein Expression. <i>Clinical Cancer Research</i> , 2008, 14, 143-148.	3.2	69
350	Comprehensive epidermal growth factor receptor gene analysis from cytological specimens of non-small-cell lung cancers. <i>British Journal of Cancer</i> , 2008, 98, 154-160.	2.9	100
351	Role of RHAMM within the hierarchy of well-established prognostic factors in colorectal cancer. <i>Gut</i> , 2008, 57, 1413-1419.	6.1	63
352	RHAMM, p21 Combined Phenotype Identifies Microsatellite Instability-High Colorectal Cancers with a Highly Adverse Prognosis. <i>Clinical Cancer Research</i> , 2008, 14, 3798-3806.	3.2	46
353	Glypican 3 Expression in Human Nonneoplastic, Preneoplastic, and Neoplastic Tissues. <i>American Journal of Clinical Pathology</i> , 2008, 129, 899-906.	0.4	229
354	Clinical Significance of Cell Cycle and Apoptosis-Related Markers in Biliary Tract Cancer. <i>American Journal of Clinical Pathology</i> , 2008, 130, 780-786.	0.4	45
355	Toxicity of Valproic Acid in Mice with Decreased Plasma and Tissue Carnitine Stores. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 324, 568-575.	1.3	46
356	Local Recurrence in Mismatch Repair Proficient Colon Cancer Predicted by an Infiltrative Tumor Border and Lack of CD8+ Tumor-Infiltrating Lymphocytes. <i>Clinical Cancer Research</i> , 2008, 14, 3792-3797.	3.2	44
357	Multiple Sporadic Gastrointestinal Stromal Tumors (GISTs) of the Proximal Stomach are Caused by Different Somatic KIT Mutations Suggesting a Field Effect. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1553-1559.	2.1	51
358	Microscopic Gastrointestinal Stromal Tumors in Esophageal and Intestinal Surgical Resection Specimens. <i>American Journal of Surgical Pathology</i> , 2008, 32, 867-873.	2.1	74
359	Tenascin-W Is a Novel Marker for Activated Tumor Stroma in Low-grade Human Breast Cancer and Influences Cell Behavior. <i>Cancer Research</i> , 2007, 67, 9169-9179.	0.4	79
360	Normal erythropoiesis but severe polyposis and bleeding anemia in Smad4-deficient mice. <i>Blood</i> , 2007, 110, 3049-3055.	0.6	20

#	ARTICLE	IF	CITATIONS
361	The HOX Gene Network as a Potential Target for Cancer Therapy. <i>Current Cancer Therapy Reviews</i> , 2007, 3, 17-24.	0.2	3
362	Human Aldehyde Oxidase 1 Interacts with ATP-binding Cassette Transporter-1 and Modulates its Activity in Hepatocytes. <i>Hormone and Metabolic Research</i> , 2007, 39, 781-789.	0.7	30
363	Napoleon Bonaparte's gastric cancer: a clinicopathologic approach to staging, pathogenesis, and etiology. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2007, 4, 52-57.	1.7	31
364	Loss of Raf-1 Kinase Inhibitor Protein Expression Is Associated With Tumor Progression and Metastasis in Colorectal Cancer. <i>American Journal of Clinical Pathology</i> , 2007, 127, 820-827.	0.4	119
365	Prognostic Value of Cell Cycle and Apoptosis Regulatory Proteins in Mismatch Repair-Proficient Colorectal Cancer. <i>American Journal of Clinical Pathology</i> , 2007, 127, 114-123.	0.4	25
366	Pax-5 immunoexpression in various types of benign and malignant tumours: a high-throughput tissue microarray analysis. <i>Journal of Clinical Pathology</i> , 2007, 60, 709-714.	1.0	68
367	Friend leukaemia integration-1 expression in malignant and benign tumours: a multiple tumour tissue microarray analysis using polyclonal antibody. <i>Journal of Clinical Pathology</i> , 2007, 60, 694-700.	1.0	68
368	Selecting immunohistochemical cut-off scores for novel biomarkers of progression and survival in colorectal cancer. <i>Journal of Clinical Pathology</i> , 2007, 60, 1112-1116.	1.0	197
369	Glypican-3 Expression in Primary and Recurrent Ovarian Carcinomas. <i>International Journal of Gynecological Pathology</i> , 2007, 26, 341-344.	0.9	61
370	Differential significance of tumour infiltrating lymphocytes in sporadic mismatch repair deficient versus proficient colorectal cancers: A potential role for dysregulation of the transforming growth factor- β pathway. <i>European Journal of Cancer</i> , 2007, 43, 624-631.	1.3	57
371	Loss of APAF-1 expression is associated with tumour progression and adverse prognosis in colorectal cancer. <i>European Journal of Cancer</i> , 2007, 43, 1101-1107.	1.3	60
372	Estrogen receptor alpha (ESR1) gene amplification is frequent in breast cancer. <i>Nature Genetics</i> , 2007, 39, 655-660.	9.4	351
373	HER2 gene status in primary breast cancers and matched distant metastases. <i>Breast Cancer Research</i> , 2007, 9, R31.	2.2	107
374	Essential hypertension and chronic viral hepatitis. <i>Digestive and Liver Disease</i> , 2007, 39, 466-472.	0.4	5
375	Diagnostic value of HSP70, glypican 3, and glutamine synthetase in hepatocellular nodules in cirrhosis. <i>Hepatology</i> , 2007, 45, 725-734.	3.6	379
376	Role of APAF-1, E-cadherin and peritumoural lymphocytic infiltration in tumour budding in colorectal cancer. <i>Journal of Pathology</i> , 2007, 212, 260-268.	2.1	120
377	A simple and reproducible scoring system for EGFR in colorectal cancer: application to prognosis and prediction of response to preoperative brachytherapy. <i>British Journal of Cancer</i> , 2007, 96, 793-800.	2.9	66
378	Multiple mechanisms underlie defective recognition of melanoma cells cultured in three-dimensional architectures by antigen-specific cytotoxic T lymphocytes. <i>British Journal of Cancer</i> , 2007, 96, 1072-1082.	2.9	75

#	ARTICLE	IF	CITATIONS
379	Close association between HER-2 amplification and overexpression in human tumors of non-breast origin. <i>Modern Pathology</i> , 2007, 20, 192-198.	2.9	60
380	Prognostic significance of mammalian sterile20-like kinase 1 in colorectal cancer. <i>Modern Pathology</i> , 2007, 20, 331-338.	2.9	69
381	Prognostic significance of the wnt signalling pathway molecules APC, β -catenin and E-cadherin in colorectal cancer? a tissue microarray-based analysis. <i>Histopathology</i> , 2007, 50, 453-464.	1.6	118
382	Prostate-specific membrane antigen (PSMA) protein expression in normal and neoplastic tissues and its sensitivity and specificity in prostate adenocarcinoma: an immunohistochemical study using multiple tumour tissue microarray technique. <i>Histopathology</i> , 2007, 50, 472-483.	1.6	250
383	Visceral leishmaniasis: a threat to immunocompromised patients in non-endemic areas?. <i>Clinical Microbiology and Infection</i> , 2007, 13, 751-753.	2.8	17
384	Impaired vascular function in normoglycemic mice prone to autoimmune diabetes: Role of nitric oxide. <i>European Journal of Pharmacology</i> , 2007, 557, 161-167.	1.7	2
385	Value of staining intensity in the interpretation of immunohistochemistry for tumor markers in colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007, 451, 763-769.	1.4	70
386	Frequent high-level expression of the immunotherapeutic target Ep-CAM in colon, stomach, prostate and lung cancers. <i>British Journal of Cancer</i> , 2006, 94, 128-135.	2.9	327
387	Fatal Liver Failure in an Adult Patient with Acute Lymphoblastic Leukemia following Treatment with <i>L</i> -Asparaginase. <i>Digestion</i> , 2006, 74, 28-32.	1.2	63
388	Role of the mitogen-activated protein kinase and phosphoinositide 3-kinase/AKT pathways downstream molecules, phosphorylated extracellular signal-regulated kinase, and phosphorylated AKT in colorectal cancer? A tissue microarray-based approach. <i>Human Pathology</i> , 2006, 37, 1022-1031.	1.1	40
389	Mechanisms of Venooclusive Disease Resulting From the Combination of Cyclophosphamide and Roxithromycin. <i>Therapeutic Drug Monitoring</i> , 2006, 28, 766-774.	1.0	9
390	Are the Mallory bodies and intracellular hyaline bodies in neoplastic and non-neoplastic hepatocytes related?. <i>Journal of Pathology</i> , 2006, 208, 653-661.	2.1	59
391	Hepatitis C virus carriers with persistently normal ALT levels: biological peculiarities and update of the natural history of liver disease at 10 years. <i>Journal of Viral Hepatitis</i> , 2006, 13, 290-296.	1.0	43
392	Overexpression of the receptor for hyaluronic acid mediated motility is an independent adverse prognostic factor in colorectal cancer. <i>Modern Pathology</i> , 2006, 19, 1302-1309.	2.9	51
393	The HOX genes are expressed, in vivo, in human tooth germs: In vitro cAMP exposure of dental pulp cells results in parallel HOX network activation and neuronal differentiation. <i>Journal of Cellular Biochemistry</i> , 2006, 97, 836-848.	1.2	13
394	High incidence of EMMPRIN expression in human tumors. <i>International Journal of Cancer</i> , 2006, 119, 1800-1810.	2.3	199
395	Hepatic Venous Occlusive Disease Associated with Immunosuppressive Cyclophosphamide Dosing and Roxithromycin. <i>Annals of Pharmacotherapy</i> , 2006, 40, 767-770.	0.9	13
396	Adaptive regulation of the ileal apical sodium dependent bile acid transporter (ASBT) in patients with obstructive cholestasis. <i>Gut</i> , 2006, 55, 395-402.	6.1	67

#	ARTICLE	IF	CITATIONS
397	Prognostic significance of mucins in colorectal cancer with different DNA mismatch-repair status. <i>Journal of Clinical Pathology</i> , 2006, 60, 534-539.	1.0	47
398	An update on molecular genetics of gastrointestinal stromal tumours. <i>Journal of Clinical Pathology</i> , 2006, 59, 557-563.	1.0	83
399	HER2, TOP2A, CCND1, EGFR and C-MYC oncogene amplification in colorectal cancer. <i>Journal of Clinical Pathology</i> , 2006, 60, 768-772.	1.0	103
400	Decreased Expression of Breast Cancer Resistance Protein in the Duodenum in Patients with Obstructive Cholestasis. <i>Digestion</i> , 2006, 74, 101-108.	1.2	14
401	High Specificity of Combined TRAP and DBA.44 Expression for Hairy Cell Leukemia. <i>American Journal of Surgical Pathology</i> , 2005, 29, 474-478.	2.1	55
402	Patterns of gene amplification in gastrointestinal stromal tumors (GIST). <i>Laboratory Investigation</i> , 2005, 85, 921-931.	1.7	60
403	Inducible inactivation of Notch1 causes nodular regenerative hyperplasia in mice. <i>Hepatology</i> , 2005, 41, 487-496.	3.6	98
404	NY-ESO-1/LAGE-1 coexpression with MAGE-A cancer/testis antigens: A tissue microarray study. <i>International Journal of Cancer</i> , 2005, 115, 960-966.	2.3	54
405	A case of fulminant "Talc pneumoconiosis": Where is the smoking gun?. <i>Pathology and Oncology Research</i> , 2005, 11, 184-184.	0.9	0
406	EphB2 Expression across 138 Human Tumor Types in a Tissue Microarray: High Levels of Expression in Gastrointestinal Cancers. <i>Clinical Cancer Research</i> , 2005, 11, 6450-6458.	3.2	81
407	Chronic Hepatitis C in Childhood: An 18-Year Experience. <i>Clinical Infectious Diseases</i> , 2005, 41, 1431-1437.	2.9	72
408	Cystic lymphangioma associated with enteric duplication as a cause of recurrent vomiting. <i>Digestive and Liver Disease</i> , 2005, 37, 533-536.	0.4	1
409	Hepatocyte Paraffin 1 Expression in Human Normal and Neoplastic Tissues. <i>American Journal of Clinical Pathology</i> , 2004, 122, 721-727.	0.4	105
410	Rare expression of KIT (CD117) in lymphomas: a tissue microarray study of 1166 cases. <i>Histopathology</i> , 2004, 45, 398-404.	1.6	18
411	The homeobox intestinal differentiation factor CDX2 is selectively expressed in gastrointestinal adenocarcinomas. <i>Modern Pathology</i> , 2004, 17, 1392-1399.	2.9	194
412	Ciprofloxacin-induced acute liver injury: case report and review of literature. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004, 444, 87-89.	1.4	49
413	Fibrolamellar Hepatocellular Carcinoma Occurring 5 Years After Hepatocellular Adenoma in a 14-Year-Old Girl: A Case Report With Comparative Genomic Hybridization Analysis. <i>Archives of Pathology and Laboratory Medicine</i> , 2004, 128, 222-226.	1.2	35
414	Interleukin 6 is important for survival after partial hepatectomy in mice. <i>Hepatology</i> , 2003, 38, 674-682.	3.6	168

#	ARTICLE	IF	CITATIONS
415	Identification of Sentinel Lymph Nodes in Colon Cancer Depends on the Amount of Dye Injected Relative to Tumor Size. <i>World Journal of Surgery</i> , 2003, 27, 1285-1290.	0.8	54
416	Clinicopathologic and immunohistochemical study of surgically treated primary gastric MALT lymphoma. <i>Journal of Surgical Oncology</i> , 2003, 83, 106-111.	0.8	3
417	Histopathology of portal hypertension: a practical guideline. <i>Histopathology</i> , 2003, 42, 2-13.	1.6	60
418	Expression of hepatitis c virus proteins inhibits interferon α signaling in the liver of transgenic mice. <i>Gastroenterology</i> , 2003, 124, 1465-1475.	0.6	169
419	Anaphylaxis to rice by inhalation. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 193-195.	1.5	29
420	Comparative genomic hybridization analysis of hepatoblastoma reveals high frequency of X-chromosome gains and similarities between epithelial and stromal components. <i>Human Pathology</i> , 2003, 34, 864-871.	1.1	41
421	Primary dietary prevention of food allergy. <i>Annals of Allergy, Asthma and Immunology</i> , 2003, 91, 3-13.	0.5	30
422	Expression of Cancer/Testis Tumor Associated Antigens in Cervical Squamous Cell Carcinoma. <i>Oncology</i> , 2003, 64, 443-449.	0.9	33
423	Fulminant Liver Failure Associated with Clarithromycin. <i>Annals of Pharmacotherapy</i> , 2003, 37, 57-60.	0.9	25
424	Expression of CEACAM6 in Resectable Colorectal Cancer: A Factor of Independent Prognostic Significance. <i>Journal of Clinical Oncology</i> , 2003, 21, 3638-3646.	0.8	139
425	Hepatoid Adenocarcinoma With Liver Metastasis Mimicking Hepatocellular Carcinoma. <i>American Journal of Surgical Pathology</i> , 2003, 27, 1302-1312.	2.1	160
426	Renal Metastasis from Thyroid Carcinoma 35 years after Detection of the Primary Tumor. <i>Tumori</i> , 2003, 89, 99-101.	0.6	14
427	Essential systemic hypertension and viral chronic liver disease. <i>Journal of Hepatology</i> , 2002, 36, 60.	1.8	0
428	Primary monotypic epithelioid angiomyolipoma of bone. <i>Histopathology</i> , 2002, 40, 286-290.	1.6	57
429	Genetic progression in sporadic endometrial and gastrointestinal cancers with high microsatellite instability. <i>Journal of Pathology</i> , 2002, 197, 603-609.	2.1	44
430	Chromosomal Alterations in Hepatocellular Nodules by Comparative Genomic Hybridization: High-Grade Dysplastic Nodules Represent Early Stages of Hepatocellular Carcinoma. <i>Laboratory Investigation</i> , 2002, 82, 547-554.	1.7	58
431	Recrudescence and reinfection with <i>Helicobacter pylori</i> after eradication therapy in Bangladeshi adults. <i>Gastroenterology</i> , 2001, 121, 792-798.	0.6	103
432	Non-alcoholic fatty liver disease in an area of southern Italy: main clinical, histological, and pathophysiological aspects. <i>Journal of Hepatology</i> , 2001, 35, 568-574.	1.8	156

#	ARTICLE	IF	CITATIONS
433	Modulation of dendritic cell phenotype and mobility by tumor cells in vitro. <i>Human Immunology</i> , 2001, 62, 39-49.	1.2	39
434	Primary Kaposi sarcoma of the bowel in a HIV-negative patient. <i>Journal of Surgical Oncology</i> , 2001, 76, 197-200.	0.8	3
435	Expression of MAGE tumour-associated antigens is inversely correlated with tumour differentiation in invasive ductal breast cancers: an immunohistochemical study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2001, 439, 127-131.	1.4	39
436	Glassy Cell Carcinoma of the Endometrium. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 816-819.	1.2	11
437	An Adolescent With Multinodular Liver at Ultrasound Scanning. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2000, 31, 566-569.	0.9	1
438	FLT3 ligand gene expression and protein production in human colorectal cancer cell lines and clinical tumor specimens. , 2000, 86, 238-243.		12
439	Marked genetic similarities between hepatitis B virus-positive and hepatitis C virus-positive hepatocellular carcinomas. <i>Journal of Pathology</i> , 2000, 192, 307-312.	2.1	58
440	Locally inducible CD66a (CEACAM1) as an amplifier of the human intestinal T cell response. <i>European Journal of Immunology</i> , 2000, 30, 2593-2603.	1.6	47
441	Sequential occurrence of primary sclerosing cholangitis and autoimmune hepatitis type III in a patient with ulcerative colitis: a follow up study over 14 years. <i>Liver International</i> , 2000, 20, 340-345.	1.9	15
442	Calretinin as a Marker for Cardiac Myxoma. <i>American Journal of Clinical Pathology</i> , 2000, 114, 754-759.	0.4	79
443	A Spectrum of Histopathologic Findings in Autoimmune Liver Disease. <i>American Journal of Clinical Pathology</i> , 2000, 114, 705-711.	0.4	39
444	Proliferation, But Not Growth, Blocked by Conditional Deletion of 40S Ribosomal Protein S6. <i>Science</i> , 2000, 288, 2045-2047.	6.0	350
445	Expression of MAGE-1 and -3 genes and gene products in human hepatocellular carcinoma. <i>British Journal of Cancer</i> , 1999, 81, 1080-1087.	2.9	35
446	Epithelioid haemangi endothelioma of the breast. <i>Breast</i> , 1999, 8, 295-297.	0.9	12
447	Langerhans cell histiocytosis of the stomach with atypical morphological features. <i>Pathology International</i> , 1999, 49, 553-556.	0.6	14
448	Chromosomal imbalances in small cell carcinomas of the urinary bladder. , 1999, 189, 230-235.		50
449	Progressive development of diffuse liver hemangiomas. <i>Journal of Hepatology</i> , 1999, 30, 951-954.	1.8	48
450	GM-CSF gene expression and protein production in human colorectal cancer cell lines and clinical tumor specimens. , 1998, 77, 378-385.		28

#	ARTICLE	IF	CITATIONS
451	Detection of herpesvirus-like DNA by nested PCR on archival skin biopsy specimens of various forms of Kaposi sarcoma.. Journal of Clinical Pathology, 1996, 49, 631-633.	1.0	43
452	Prolonged and high dose recombinant interferon alpha-2b alone or after prednisone priming accelerates termination of active viral replication in children with chronic hepatitis B infection. Pediatric Infectious Disease Journal, 1996, 15, 223-231.	1.1	48
453	Lysinuric protein intolerance characterized by bone marrow abnormalities and severe clinical course. Journal of Pediatrics, 1995, 126, 246-251.	0.9	65
454	A 28-year-old woman with a combined hepatic/cholestatic syndrome. Hepatology, 1995, 22, 1598-1605.	3.6	2
455	False diagnosis of chronic non-A, non-B hepatitis hiding a case of glycogen storage disease. Journal of Hepatology, 1994, 20, 846.	1.8	3
456	Enterotoxic effect of stool supernatant of Cryptosporidium-infected calves on human jejunum. Gastroenterology, 1994, 106, 28-34.	0.6	73
457	Serum hyaluronic acid and laminin in children with chronic hepatitis B. European Journal of Gastroenterology and Hepatology, 1994, 6, 1023-1026.	0.8	3
458	Elevated serum aminotransferase activity as an early manifestation of gluten-sensitive enteropathy. Journal of Pediatrics, 1993, 122, 416-419.	0.9	77
459	A Calcitonin-Producing Neuroendocrine Tumor of the Larynx: A Case Report. Tumori, 1993, 79, 227-230.	0.6	15
460	Papillary Cystic Tumor of the Pancreas: A Clinicopathologic Study of 20 Cases with Cytologic, Immunohistochemical, Ultrastructural, and Flow Cytometric Observations, and a Review of the Literature. American Journal of Clinical Pathology, 1992, 98, 478-488.	0.4	192
461	Giant Adenomatoid Tumors of the Uterus. International Journal of Gynecological Pathology, 1992, 11, 156-160.	0.9	24
462	Intracystic Papillary Carcinoma of the Male Breast. A Case Report: (Histochemical, Immunohistochemical, and Flow Cytometric Studies). Journal of Cutaneous Pathology, 1992, 19, 94-99.	0.6	7
463	Tricholemmal carcinoma: a study of seven cases. Journal of Cutaneous Pathology, 1992, 19, 94-99.	0.7	91
464	Yolk sac tumour of the vagina with hepatoid differentiation. European Journal of Cancer & Clinical Oncology, 1991, 27, 516-518.	0.9	7
465	Primary Laryngeal Malignant Fibrous Histiocytoma: A Case Report. Tumori, 1990, 76, 403-406.	0.6	2