

Claudinei dos Santos

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6892207/claudinei-dos-santos-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

800
citations

16
h-index

22
g-index

156
ext. papers

946
ext. citations

2.5
avg, IF

3.89
L-index

#	Paper	IF	Citations
140	Properties of ZrO ₂ /Al ₂ O ₃ composite as a function of isothermal holding time. <i>International Journal of Refractory Metals and Hard Materials</i> , 2007 , 25, 374-379	4.1	42
139	Effect of porosity on hardness of Al ₂ O ₃ /3Al ₅ O ₁₂ ceramic composite. <i>International Journal of Refractory Metals and Hard Materials</i> , 2015 , 48, 365-368	4.1	35
138	Properties of Y-TZP/Al ₂ O ₃ ceramic nanocomposites obtained by high-energy ball milling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 502, 6-12	5.3	33
137	Mechanical properties and cytotoxicity of 3Y-TZP bioceramics reinforced with Al ₂ O ₃ particles. <i>Ceramics International</i> , 2009 , 35, 709-718	5.1	30
136	SiALON ceramics with elongated grain morphology using an alternative sintering additive. <i>Materials Letters</i> , 2004 , 58, 1792-1796	3.3	28
135	Stabilization of SiALONs using a rare-earth mixed oxide (RE ₂ O ₃) as sintering additive. <i>Materials Research Bulletin</i> , 2005 , 40, 1094-1103	5.1	28
134	Effect of partial crystallization on the mechanical properties and cytotoxicity of bioactive glass from the 3CaO.P(2)O(5)-SiO(2)-MgO system. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2012 , 14, 78-88	4.1	24
133	Mechanical properties of hot-pressed ZrO ₂ /NbC ceramic composites. <i>International Journal of Refractory Metals and Hard Materials</i> , 2008 , 26, 14-18	4.1	23
132	Mechanical properties of Y-TPZ ceramics obtained by liquid phase sintering using bioglass as additive. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 478, 257-263	5.3	22
131	Development of SiALON-SiC ceramic composites by liquid phase sintering. <i>International Journal of Refractory Metals and Hard Materials</i> , 2007 , 25, 77-81	4.1	21
130	Development and cytotoxicity evaluation of SiALONs ceramics. <i>Materials Science and Engineering C</i> , 2007 , 27, 148-153	8.3	20
129	Substitution of pure Y ₂ O ₃ by a mixed concentrate of rare earth oxides (CRE ₂ O ₃) as sintering additive of Si ₃ N ₄ : a comparative study of the mechanical properties. <i>Journal of Materials Processing Technology</i> , 2003 , 142, 697-701	5.3	19
128	SiALON/SiC composites obtained by gas-pressure sintering and hot-pressing. <i>Journal of Materials Processing Technology</i> , 2007 , 189, 138-142	5.3	18
127	Mechanical properties improvement related to the isothermal holding time in Si ₃ N ₄ ceramics sintered with an alternative additive. <i>International Journal of Refractory Metals and Hard Materials</i> , 2003 , 21, 245-250	4.1	18
126	Influence of additive content on the anisotropy in hot-pressed Si ₃ N ₄ ceramics using grain orientation measurements. <i>Ceramics International</i> , 2004 , 30, 653-659	5.1	17
125	Ceramics composites Si ₃ N ₄ /SiC(w) containing rare earth concentrate (CRE) as sintering aids. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 367, 312-316	5.3	16
124	Mechanical properties evaluation of hot-pressed Si ₃ N ₄ /SiC(w) composites. <i>International Journal of Refractory Metals and Hard Materials</i> , 2003 , 21, 233-239	4.1	16

123	Roughness and its effects on flexural strength of dental yttria-stabilized zirconia ceramics. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 739, 149-157	5.3	16
122	Development and characterization by HRTEM of hot-pressed Si ₃ N ₄ -SiC(w) composites. <i>Journal of Materials Processing Technology</i> , 2005 , 169, 445-451	5.3	15
121	Bioactivity and cytotoxicity of glass and glass-ceramics based on the 3CaO-P ₂ O ₅ -SiO ₂ -MgO system. <i>Journal of Materials Science: Materials in Medicine</i> , 2013 , 24, 2171-80	4.5	14
120	Toughened ZrO ₂ ceramics sintered with a La ₂ O ₃ -rich glass as additive. <i>Journal of Materials Processing Technology</i> , 2008 , 200, 126-132	5.3	14
119	Evaluation of the micro-hardness and fracture toughness of amorphous and partially crystallized 3CaO-P ₂ O ₅ -SiO ₂ -MgO bioglasses. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 533, 26-32	5.3	13
118	Effects of extreme cooling methods on mechanical properties and shear bond strength of bilayered porcelain/3Y-TZP specimens. <i>Journal of Dentistry</i> , 2013 , 41, 356-62	4.8	13
117	Fatigue and subcritical crack growth in ZrO ₂ -bioglass ceramics. <i>Ceramics International</i> , 2013 , 39, 2405-2414	5.1	13
116	Fatigue behavior of 3%Y ₂ O ₃ -doped ZrO ₂ ceramics. <i>Journal of Materials Research and Technology</i> , 2014 , 3, 48-54	5.5	12
115	Performance of 3Y-TZP bioceramics under cyclic fatigue loading. <i>Materials Research</i> , 2008 , 11, 89-92	1.5	12
114	Evaluation of the reliability of Si ₃ N ₄ -Al ₂ O ₃ -Cr ₂ O ₃ ceramics through Weibull analysis. <i>Materials Research</i> , 2003 , 6, 463-467	1.5	12
113	Strength improvement of LPS-SiC ceramics by oxidation treatment. <i>International Journal of Refractory Metals and Hard Materials</i> , 2010 , 28, 484-488	4.1	11
112	Influence of heat-treatment protocols on mechanical behavior of lithium silicate dental ceramics. <i>International Journal of Applied Ceramic Technology</i> , 2019 , 16, 1920-1931	2	9
111	Mechanical properties of lithium metasilicate after short-term thermal treatments. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019 , 98, 179-186	4.1	9
110	Effect of air-abrasion regimens and fine diamond bur grinding on flexural strength, Weibull modulus and phase transformation of zirconium dioxide. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2015 , 13, e266-73	1.8	9
109	Highly dense Si ₃ N ₄ crucibles used for Al casting: An investigation of the aluminum-ceramic interface at high temperatures. <i>Journal of Materials Processing Technology</i> , 2007 , 184, 108-114	5.3	8
108	Al ₂ O ₃ /Y-TZP ceramic composite with unidirectional functional gradient. <i>International Journal of Refractory Metals and Hard Materials</i> , 2018 , 75, 147-152	4.1	7
107	Densification and grain growth of nano- and micro-sized Y-TZP powders. <i>Ceramics International</i> , 2016 , 42, 2662-2669	5.1	7
106	Obtaining and stability verification of superconducting phases of the Nb-Al and Nb-Bi systems by mechanical alloying and low-temperature heat treatments. <i>Journal of Alloys and Compounds</i> , 2010 , 491, 187-191	5.7	7

105	A contribution of X ray diffraction analysis in the determination of creep of Si ₃ N ₄ ceramics. <i>Materials Research</i> , 2006 , 9, 1-8	1.5	7
104	Properties of hot-pressed, partially stabilized CRE- β SiALONs as a function of the additive content. <i>International Journal of Refractory Metals and Hard Materials</i> , 2004 , 22, 79-85	4.1	7
103	Effect of hydrothermal aging on the properties of zirconia with different levels of translucency. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020 , 109, 103847	4.1	7
102	Modeling of the Influence of Chemical Composition, Sintering Temperature, Density, and Thickness in the Light Transmittance of Four Zirconia Dental Prostheses. <i>Materials</i> , 2019 , 12,	3.5	6
101	Oxidation behavior of LPS-SiC ceramics sintered with AlN/Y ₂ O ₃ as additive. <i>International Journal of Refractory Metals and Hard Materials</i> , 2014 , 42, 246-254	4.1	6
100	Crystallographic characterization of silicon nitride ceramics sintered with Y ₂ O ₃ -Al ₂ O ₃ or E ₂ O ₃ -Al ₂ O ₃ additions. <i>Ceramics International</i> , 2009 , 35, 289-293	5.1	6
99	Microstructure and corrosion behavior in SBF medium of spark plasma sintered Ti-xZr-20Si-10B (x = 5, 7, 10, 15, 20 at.-%) alloys. <i>Journal of Alloys and Compounds</i> , 2019 , 797, 1157-1162	5.7	5
98	Synthesis of a mixed-rare-earth aluminum garnet solid solution. <i>Materials Letters</i> , 2013 , 91, 283-286	3.3	5
97	Degradation of Y ₂ O ₃ -Stabilized ZrO ₂ Ceramics in Artificial Saliva: ICP Analysis of Dissolved Y ³⁺ and Zr ⁴⁺ Ions. <i>Materials Science Forum</i> , 2012 , 727-728, 1136-1141	0.4	5
96	Compressive creep behavior of hot-pressed Si ₃ N ₄ - β -SiAlON ceramics. <i>Materials Research Bulletin</i> , 2004 , 39, 1279-1289	5.1	5
95	Mechanical properties of ceramic composites based on ZrO co-stabilized by YO-CeO reinforced with AlO platelets for dental implants. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 116, 104372	4.1	5
94	Mechanical properties and translucency of a multi-layered zirconia with color gradient for dental applications. <i>Ceramics International</i> , 2021 , 47, 301-309	5.1	5
93	Mechanical properties of biocompatible Y-TZP/Al ₂ O ₃ composites obtained from mechanically alloyed powders. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2020 , 42, 1	2	4
92	Creep of heat treated silicon nitride with neodymium and yttrium oxides additions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6893-6898	5.3	4
91	Characterization of ceramic powders used in the inCeram systems to fixed dental Prosthesis. <i>Materials Research</i> , 2007 , 10, 47-51	1.5	4
90	Recovery of Tetragonal Phase from Previously Transformed Y-TZP. <i>Materials Research</i> , 2016 , 19, 829-833	1.5	4
89	Sintering behaviour of Co-28%Cr-6%Mo compacted blocks for dental prosthesis. <i>Journal of Materials Research and Technology</i> , 2019 , 8, 2052-2062	5.5	3
88	Microstructural evidence of beryllium in commercial dental Ni-Cr alloys. <i>Materials Research</i> , 2014 , 17, 627-631	1.5	3

87	Characterization of rare earth oxide-rich glass applied to the glass-infiltration of a ceramic system. <i>Ceramics International</i> , 2014 , 40, 1619-1625	5.1	3
86	Development and characterization of 3CaO-P2O5-SiO2-MgO glass-ceramics with different crystallization degree. <i>Journal of Advanced Ceramics</i> , 2013 , 2, 378-388	10.7	3
85	Efficiency Evaluation of ZrB2 Incorporation in the MgB2 Matrix Phase Using High-Energy Milling. <i>Materials Science Forum</i> , 2010 , 660-661, 82-87	0.4	3
84	Influence of the Sintering Conditions on the Mechanical Properties of Nanosized TZP Ceramics. <i>Materials Science Forum</i> , 2010 , 660-661, 826-831	0.4	3
83	Effect of pH and Fluoride on Behavior of Dental ZrO2 Ceramics in Artificial Saliva. <i>Materials Science Forum</i> , 2010 , 660-661, 879-884	0.4	3
82	Effect of Al2O3 Addition on the Mechanical Properties of Biocompatible ZrO2-Al2O3 Composites. <i>Materials Science Forum</i> , 2006 , 530-531, 575-580	0.4	3
81	Compressive creep behavior of hot-pressed Si3N4 ceramics using alumina and a rare earth solid solution as additives. <i>International Journal of Refractory Metals and Hard Materials</i> , 2005 , 23, 183-192	4.1	3
80	Experimental analysis and finite element modeling of the piston-on-three balls testing of Y-TZP ceramic. <i>Ceramica</i> , 2020 , 66, 30-42	1	3
79	State of the art in the use of bioceramics to elaborate 3D structures using robocasting 2019 , 2, 55		3
78	Effect of surface finishing and thickness on the translucency of zirconia dental ceramics. <i>Ceramics International</i> , 2020 , 46, 7748-7755	5.1	3
77	Development of dense Al2O3-TiO2 ceramic composites by the glass-infiltration of porous substrates prepared from mechanical alloyed powders. <i>Ceramics International</i> , 2020 , 46, 2344-2354	5.1	3
76	Influence of the microstructure on the life prediction of hydrothermal degraded 3Y-TZP bioceramics. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 10830-10840	5.5	3
75	Influence of CAD-CAM milling on the flexural strength of Y-TZP dental ceramics. <i>Ceramics International</i> , 2019 , 45, 10250-10259	5.1	2
74	Preparation of TiC/TiâSiCâ Composite by Sintering Mechanical Alloyed Ti-Si-C Powder Mixtures. <i>Journal of Nanoscience and Nanotechnology</i> , 2020 , 20, 4580-4586	1.3	2
73	HPHT sintering of binderless Si3N4: structure, microstructure, mechanical properties and machining behavior. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2018 , 40, 1	2	2
72	Characterization of Al2O3-Al2TiO2 Ceramic Composites: Effects of Sintering Parameters on the Properties. <i>Materials Science Forum</i> , 2018 , 912, 118-123	0.4	2
71	Effect of the Cooling Rate on the Properties of Veneer Porcelain for Zirconia Dental Prosthesis. <i>Materials Research</i> , 2017 , 20, 1418-1424	1.5	2
70	Mechanical Properties Evaluation of Al2O3-YAG Ceramic Composites. <i>Materials Science Forum</i> , 2015 , 820, 239-243	0.4	2

69	Sintering of alumina ceramics reinforced with a bioactive glass of 3CaO.P2O5-SiO2-MgO system. <i>Ceramica</i> , 2015 , 61, 160-167	1	2
68	Effect of Particle Size of ZrO2(Y2O3) Powders on the Shrinkage of the Sintered Substrate with Coloring Gradient. <i>Advances in Science and Technology</i> , 2014 , 87, 162-168	0.1	2
67	Sintering of Al2O3-TiO2 Mixtures Obtained by High-Energy Ball Milling. <i>Advances in Science and Technology</i> , 2014 , 87, 157-161	0.1	2
66	Degradation and Mechanical Properties of Zirconia 3-Unit Fixed Dental Prostheses Machined on a CAD/CAM System. <i>International Journal of Applied Ceramic Technology</i> , 2014 , 11, 513-523	2	2
65	Compaction of ZrO2(Y2O3) Powders with Different Particle Sizes and Effects on the Sintering. <i>Materials Science Forum</i> , 2014 , 798-799, 719-724	0.4	2
64	Mechanical Behaviour of ZrO2-Bioglass Dental Ceramics under Cyclic Fatigue Loading. <i>Materials Science Forum</i> , 2010 , 636-637, 47-53	0.4	2
63	Improvement of the Mechanical Properties of Glasses Based on the 3CaO.P2O5-SiO2-MgO System after Heat-Treatment. <i>Materials Science Forum</i> , 2010 , 636-637, 41-46	0.4	2
62	Lithium Disilicate Glass-Ceramic Obtained from Rice Husk-Based Silica. <i>Advances in Science and Technology</i> , 2010 , 63, 414-419	0.1	2
61	Fatigue of Zirconia - Bioglass Dental Ceramics. <i>Materials Science Forum</i> , 2008 , 591-593, 628-633	0.4	2
60	Microstructural Variations in SiC Ceramics Sintered with AlN-Y2O3. <i>Materials Science Forum</i> , 2006 , 530-531, 532-537	0.4	2
59	Oxidation Behavior of Hot-Pressed Si3 N4 Ceramics Using CRE2 O3 -AlN and CRE2 O3 -Al2 O3 as Sintering Additives. <i>Materials Science Forum</i> , 2005 , 498-499, 569-574	0.4	2
58	CoCrMo-base Alloys for Dental Applications Obtained by Selective laser melting (SLM) and CAD/CAM Milling. <i>Materials Research</i> , 2020 , 23,	1.5	2
57	Sinterização e propriedades mecânicas do composto Y-TZP/Al2O3. <i>Ceramica</i> , 2007 , 53, 227-233	1	2
56	Effects of Zn content on surface deformability and corrosion resistance of MgZnMnCa alloys. <i>International Journal of Materials Research</i> , 2020 , 111, 511-518	0.5	2
55	Mechanical Properties of Natural Fibers Reinforced Polymer Composites: Palm/Low Density Polyethylene. <i>Materials Science Forum</i> , 2016 , 869, 326-330	0.4	2
54	Biocide glass based on Nb2O5-SiO-CaO-Na2O system. <i>Materials Letters</i> , 2016 , 183, 277-280	3.3	2
53	Effect of the temperature on the mechanical properties and translucency of lithium silicate dental glass-ceramic. <i>Ceramics International</i> , 2021 , 47, 9933-9940	5.1	2
52	Microstructure and Vickers hardness of mechanically alloyed and spark plasma sintered Ti-2Zn-22Si-11B and Ti-6Zn-22Si-11B alloys. <i>Journal of Alloys and Compounds</i> , 2019 , 794, 615-624	5.7	1

51	Ceramics and Glass-Ceramics Dental Materials: Chemical Solubility, Cytotoxicity and Mechanical Properties. <i>Materials Science Forum</i> , 2018 , 912, 170-174	0.4	1
50	Microstructural Characterization of 66%Co-28%Cr-6%Mo Dental Alloy Powder Obtained by High-Energy Ball Milling. <i>Materials Science Forum</i> , 2014 , 802, 51-55	0.4	1
49	Evaluation of the Influence of the Silane Drying Temperature on the Feldspar and Zirconia-Based Ceramics Surfaces. <i>Materials Science Forum</i> , 2012 , 727-728, 826-830	0.4	1
48	High and Room Temperature Mechanical Evaluation of SiC Ceramics with Alumina and Rare Earth Oxides Additions. <i>Materials Science Forum</i> , 2008 , 591-593, 593-597	0.4	1
47	Properties of Nanostructured 3Y-TZP Blocks Used for CAD/CAM Dental Restoration. <i>Key Engineering Materials</i> , 2008 , 396-398, 603-606	0.4	1
46	Silicon nitride compressive creep behavior in argon atmosphere. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 485, 422-427	5.3	1
45	Effect of Isothermal Sintering Time on the Properties of the Ceramic Composite ZrO ₂ -Al ₂ O ₃ . <i>Materials Science Forum</i> , 2006 , 530-531, 526-531	0.4	1
44	Anisotropia no comportamento frouxica de cermicas base de Si ₃ N ₄ prensadas quente. <i>Ceramica</i> , 2005 , 51, 96-101	1	1
43	Estudo do nitreto de alumnio para aplicaes termo-mecnicas. <i>Ceramica</i> , 2005 , 51, 349-353	1	1
42	Flexural strength of 3Y-TZP bioceramics obtained by direct write assembly as function of residual connected-porosity.. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 126, 105035	4.1	1
41	Caracterizaõ estrutural por difraõ de raios X de alta resoluõ de SiALONs sinterizados com diferentes aditivos. <i>Ceramica</i> , 2005 , 51, 313-317	1	1
40	Bending strength and reliability of porcelains used in all-ceramic dental restorations. <i>Ceramica</i> , 2018 , 64, 491-497	1	1
39	Mechanical Alloying and Hot Pressing of Ti-Zr-Si-B Powder Mixtures. <i>Metals</i> , 2018 , 8, 82	2.3	1
38	Optimizing the microstructure of a new machinable bioactive glass-ceramic. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 122, 104695	4.1	1
37	Reuse of ZrO ₂ (Y ₂ O ₃) Arising from Making Dental Implant - Characterization of Materials. <i>Materials Science Forum</i> , 2014 , 798-799, 632-637	0.4	0
36	Effect of Ball-Powder Ratio in the High-Energy Milling of 66%Co-28%Cr-6%Mo Dental Alloy. <i>Materials Science Forum</i> , 2014 , 802, 56-60	0.4	0
35	Evaluation of Silicon Nitride Ceramic Cutting Tools with Diamond Coatings. <i>Materials Science Forum</i> , 2008 , 591-593, 537-542	0.4	0
34	High Temperature Properties of Silicon Nitride with Neodymium Oxide Additions. <i>Materials Science Forum</i> , 2008 , 591-593, 560-564	0.4	0

33	Effect of preheating and isothermal holding time on the crystallization, densification and properties of a sintered lithium silicate glass-ceramic. <i>Ceramics International</i> , 2021 , 48, 5590-5590	5.1	o
32	Development and characterization of alumina-toughened zirconia (ATZ) ceramic composites doped with a beneficiated rare-earth oxide extracted from natural ore. <i>Journal of Materials Research and Technology</i> , 2021 , 16, 451-451	5.5	o
31	Reactive Sintering of Al ₂ O ₃ /Al ₅ O ₁₂ Ceramic Composites Obtained by Direct Ink Writing. <i>Ceramics</i> , 2022 , 5, 1-12	1.7	o
30	Physical Properties and Color Stainability by Coffee and Red Wine of Opaque and High Translucency Zirconia Dental Ceramics after Hydrothermal Degradation. <i>International Journal of Biomaterials</i> , 2022 , 2022, 1-11	3.2	o
29	Shear-thinning sacrificial ink for fabrication of Biosilicate-based osteoconductive scaffolds by material extrusion 3D printing. <i>Materials Chemistry and Physics</i> , 2022 , 287, 126286	4.4	o
28	Development and Characterization of Al ₂ O ₃ -ZrO ₂ Composites Using ZrO ₂ (Y ₂ O ₃)-Recycled as Raw Material. <i>Materials Science Forum</i> , 2018 , 912, 124-129	0.4	
27	Properties of Pre-Sintered ZrO ₂ (Y ₂ O ₃) Blocks Consolidated by Cold Isostatic Pressing. <i>Materials Science Forum</i> , 2018 , 912, 159-164	0.4	
26	Use of Composite SiO ₂ (62-68)-MgO + CaO (29-39) in Ceramic Protection Mass Injection Machines in the Iron Notch and Liquid Slag Hole in Blast Furnaces. <i>Materials Science Forum</i> , 2016 , 881, 295-299	0.4	
25	Preparation and Characterization of Composites Obtained of Polymeric Waste Coming from Boards Electronic Equipment. <i>Materials Science Forum</i> , 2016 , 869, 338-341	0.4	
24	Propriedades de ZrO ₂ (Y ₂ O ₃) reciclado proveniente da confecção de próteses dentárias. <i>Revista Materia</i> , 2015 , 20, 975-981	0.8	
23	Residual Thermal Stress of Spinell Based-Ceramic Infiltrated with Glass Rich in Lanthanum. <i>Advances in Science and Technology</i> , 2014 , 96, 67-72	0.1	
22	Characterization of Commercial Co-Cr-Alloy Powder Used in Selective Laser Sintering. <i>Materials Science Forum</i> , 2014 , 802, 329-333	0.4	
21	Selective Laser Sintering of Different Powders of Co-Cr-Mo. <i>Materials Science Forum</i> , 2014 , 802, 338-342	0.4	
20	Evaluation of Mechanical Properties of Dental Feldspathic Porcelains for Metal and Zirconia Core. <i>Materials Science Forum</i> , 2012 , 727-728, 1104-1107	0.4	
19	Influence of CAD/CAM Grinding in the Performance of Sintered Dental Zirconia Framework. <i>Materials Science Forum</i> , 2012 , 727-728, 1081-1084	0.4	
18	102213 Use of High Energy Ball Milling on the Sintering Optimization of Alumina Ceramics. <i>Materials Science Forum</i> , 2010 , 660-661, 701-706	0.4	
17	Effect of Glassy Phase Additions to Zirconia on its Sintering Behavior and Microstructure. <i>Materials Science Forum</i> , 2012 , 727-728, 935-939	0.4	
16	Lithium Disilicate Bioceramic Obtained from Alternative Silica Source, the Rice Husk. <i>Materials Science Forum</i> , 2012 , 727-728, 1158-1163	0.4	

- 15 Effect of Surface Treatment of Yttria Stabilized Zirconia for Dental Prostheses. *Materials Science Forum*, **2012**, 727-728, 831-836 0.4
- 14 Characterization of ZrO₂ and Al₂O₃ Bioceramics Obtained by Gelcasting. *Materials Science Forum*, **2008**, 591-593, 482-486 0.4
- 13 Oxidation of Silicon Carbide Ceramics Obtained by Liquid Phase Sintering. *Materials Science Forum*, **2008**, 591-593, 616-619 0.4
- 12 Silicon Carbide Whiskers Interference on Silicon Nitride Based Composite. *Materials Science Forum*, **2008**, 591-593, 543-547 0.4
- 11 Microstructural Evaluation of the Zirconia Plasma Sprayed Coating on Ti-6Al-4V Alloy after Creep Test. *Materials Science Forum*, **2008**, 591-593, 839-844 0.4
- 10 Estudo da oxidação de cerâmicas à base de carbeto de silício sinterizado via fase líquida utilizando nitreto de alumínio e óxido de ério como aditivos. *Cerâmica*, **2008**, 54, 198-202 1
- 9 Compressive Creep of Hot-Pressed Si₃N₄ Ceramics Using CRE2O₃-Al₂O₃ or CRE2O₃-AlN Additive Mixtures. *Materials Science Forum*, **2005**, 498-499, 104-110 0.4
- 8 Creep Behavior of Multi-Cation SiAlON Partially Stabilized Produced with an Yttrium-Rare Earth Oxide Mixture(CRE2O₃). *Materials Science Forum*, **2005**, 498-499, 575-580 0.4
- 7 Microstructural Evolution and Electrochemical Behavior of Solution Treated, Hot Rolled and Aged MgDyZnZr Alloy. *Metals*, **2021**, 11, 1855 2.3
- 6 Development of Al₂O₃ Ceramics for Bottom of Sintering Impeller Furnace. *Materials Science Forum*, **2016**, 881, 91-96 0.4
- 5 MgAl₂O₄-ZrO₂(Y₂O₃) Ceramic Composite: Sintering and Characterization. *Materials Science Forum*, **2016**, 881, 323-328 0.4
- 4 Properties of ZrO₂(Y₂O₃) Used as Metal-Free Dental Restorations. *Materials Science Forum*, **2016**, 881, 181-186 0.4
- 3 Infiltrated Spinel-Based Ceramic (MgAl₂O₄) for Dental Application. *Materials Science Forum*, **2016**, 881, 176-180 0.4
- 2 ZrO₂ Pre-Sintered Blocks (3%mol-Y₂O₃) with Color Gradient for Dental Prostheses. *Materials Science Forum*, **2018**, 930, 57-62 0.4
- 1 Experimental analysis and numerical simulations of the mechanical properties of a (Ce,Y)-TZP/AlO/H6A ceramic composite containing coupled toughening mechanisms.. *Journal of the Mechanical Behavior of Biomedical Materials*, **2022**, 129, 105171 4.1