

Dario Iafusco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6892368/publications.pdf>

Version: 2024-02-01

140
papers

3,626
citations

230014

27
h-index

182931

54
g-index

140
all docs

140
docs citations

140
times ranked

4635
citing authors

#	ARTICLE	IF	CITATIONS
1	Body Image Problems in Individuals with Type 1 Diabetes: A Review of the Literature. <i>Adolescent Research Review</i> , 2022, 7, 459-498.	2.3	2
2	Doctor-Patient Relationship in Synchronous/Real-time Video-Consultations and In-Person Visits: An Investigation of the Perceptions of Young People with Type 1 Diabetes and Their Parents During the COVID-19 Pandemic. <i>International Journal of Behavioral Medicine</i> , 2022, 29, 638-647.	0.8	10
3	Recommendations on Complementary Feeding as a Tool for Prevention of Non-Communicable Diseases (NCDs)â€”Paper Co-Drafted by the SIPPS, FIMP, SIDOHaD, and SINUPE Joint Working Group. <i>Nutrients</i> , 2022, 14, 257.	1.7	11
4	Heart rate cut-offs to identify non-febrile children with dehydration and acute kidney injury. <i>European Journal of Pediatrics</i> , 2022, 181, 1967-1977.	1.3	2
5	Metabolic Treatment of Wolfram Syndrome. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2755.	1.2	7
6	Evaluation of <sc>HbA1c</sc> and glucose management indicator discordance in a population of children and adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2022, 23, 84-89.	1.2	8
7	Comment on â€œReal-World Use of a New Hybrid Closed Loop Improves Glycemic Control in Youth with Type 1 Diabetesâ€”by Messer et al.. <i>Diabetes Technology and Therapeutics</i> , 2022, 24, 455-457.	2.4	2
8	Increasing trend of type 1 diabetes incidence in the pediatric population of the Calabria region in 2019â€”2021. <i>Italian Journal of Pediatrics</i> , 2022, 48, 66.	1.0	16
9	Prevalence of disordered eating behaviors in adolescents with type 1 diabetes: Results of multicenter Italian nationwide study. <i>International Journal of Eating Disorders</i> , 2022, 55, 1108-1119.	2.1	10
10	Uric acid and cardiometabolic risk by gender in youth with type 1 diabetes. <i>Scientific Reports</i> , 2022, 12, .	1.6	0
11	Very low birth weight newborn with diabetes mellitus due to pancreas agenesis managed with insulin pump reservoir filled with undiluted insulin: 16-month follow-up. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2022, 16, 102561.	1.8	0
12	PediaVirus chatline: all together against COVID-19. <i>Archives of Disease in Childhood</i> , 2021, 106, e12-e12.	1.0	3
13	Children and youth with diabetes are not at increased risk for hospitalization due to <sc>COVID</sc> â€”19. <i>Pediatric Diabetes</i> , 2021, 22, 202-206.	1.2	52
14	Prenatal diagnosis of HNF1b mutation allows recognition of neonatal dysglycemia. <i>Acta Diabetologica</i> , 2021, 58, 393-395.	1.2	5
15	Differences between transient neonatal diabetes mellitus subtypes can guide diagnosis and therapy. <i>European Journal of Endocrinology</i> , 2021, 184, 575-585.	1.9	13
16	Acute Kidney Injury and Renal Tubular Damage in Children With Type 1 Diabetes Mellitus Onset. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2720-e2737.	1.8	22
17	Psychological Outcomes in Children and Early Adolescents With Type 1 Diabetes Following Pediatric Diabetes Summer Camp: A 3-Month Follow-Up Study. <i>Frontiers in Pediatrics</i> , 2021, 9, 650201.	0.9	3
18	Case report: coeliac disease as a cause of secondary failure of glibenclamide therapy in a patient with permanent neonatal diabetes due to KCNJ11/R201C mutation. <i>Diabetologia</i> , 2021, 64, 1703-1706.	2.9	1

#	ARTICLE	IF	CITATIONS
19	Albuminuric and non-albuminuric reduced eGFR phenotypes in youth with type 1 diabetes: Factors associated with cardiometabolic risk. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2033-2041.	1.1	7
20	A case report of a boy suffering from type 1 diabetes mellitus and familial Mediterranean fever. <i>Italian Journal of Pediatrics</i> , 2021, 47, 127.	1.0	2
21	Renal Involvement in Children with Type 2 Diabetes Mellitus Onset: A Pilot Study. <i>Children</i> , 2021, 8, 627.	0.6	0
22	Relationships between HbA1c and continuous glucose monitoring metrics of glycaemic control and glucose variability in a large cohort of children and adolescents with type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2021, 177, 108933.	1.1	12
23	Type 2 diabetes in pediatrics. <i>Minerva Pediatrics</i> , 2021, , .	0.2	2
24	Effectiveness of a closed-loop control system and a virtual educational camp for children and adolescents with type 1 diabetes: A prospective, multicentre, real-life study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2484-2491.	2.2	18
25	Sensor Augmented Pump Therapy is Safe and Effective in Very Low Birth Weight Newborns Affected by Neonatal Diabetes Mellitus, with Poor Subcutaneous Tissue: Replacement of the Insulin Pump Infusion Set on the Arm, a Video Case Report. <i>Journal of Diabetes Science and Technology</i> , 2021, , 193229682110431.	1.3	2
26	Black oesophagus in an adolescent with type 2 diabetes. <i>Lancet Diabetes and Endocrinology</i> , the, 2021, 9, 638.	5.5	1
27	“CoVidentary” An online exercise training program to reduce sedentary behaviours in children with type 1 diabetes during the COVID-19 pandemic. <i>Journal of Clinical and Translational Endocrinology</i> , 2021, 25, 100261.	1.0	11
28	Gastrointestinal Henoch-Schönlein purpura successfully treated with Mycophenolate Mofetil. <i>Medicine (United States)</i> , 2021, 100, e24093.	0.4	2
29	Comparison of emotional approaches of medical doctors against COVID-19 pandemic: Eastern and Western Mediterranean countries. <i>International Journal of Clinical Practice</i> , 2021, 75, e14973.	0.8	4
30	Rethinking Carbohydrate Intake and Time in Range in Children and Adolescents with Type 1 Diabetes. <i>Nutrients</i> , 2021, 13, 3869.	1.7	7
31	High Glycemic Variability Is Associated with Worse Continuous Glucose Monitoring Metrics in Children and Adolescents with Type 1 Diabetes. <i>Hormone Research in Paediatrics</i> , 2021, 94, 369-373.	0.8	5
32	Disordered Eating Behaviors Among Italian Adolescents with Type 1 Diabetes: Exploring Relationships with Parents’ Eating Disorder Symptoms, Externalizing and Internalizing Behaviors, and Body Image Problems. <i>Journal of Clinical Psychology in Medical Settings</i> , 2020, 27, 727-745.	0.8	17
33	Not only diabetes mellitus: When the low level of HbA1c may be pathognomonic of an erythrocyte defect. <i>Journal of Diabetes</i> , 2020, 12, 179-180.	0.8	0
34	Body Image Problems and Disordered Eating Behaviors in Italian Adolescents With and Without Type 1 Diabetes: An Examination With a Gender-Specific Body Image Measure. <i>Frontiers in Psychology</i> , 2020, 11, 556520.	1.1	18
35	Maternal or Paternal Diabetes and Its Crucial Role in Offspring Birth Weight and MODY Diagnosis. <i>Metabolites</i> , 2020, 10, 387.	1.3	0
36	Socioeconomic Inequalities Increase the Probability of Ketoacidosis at Diagnosis of Type 1 Diabetes: A 2014-2016 Nationwide Study of 2,679 Italian Children. <i>Frontiers in Pediatrics</i> , 2020, 8, 575020.	0.9	19

#	ARTICLE	IF	CITATIONS
37	Has COVID-19 Delayed the Diagnosis and Worsened the Presentation of Type 1 Diabetes in Children?. <i>Diabetes Care</i> , 2020, 43, 2870-2872.	4.3	182
38	Long-term glycemic control and glucose variability assessed with continuous glucose monitoring in a pediatric population with type 1 diabetes: Determination of optimal sampling duration. <i>Pediatric Diabetes</i> , 2020, 21, 1485-1492.	1.2	17
39	Disordered eating behaviors in youths with type 1 diabetes during COVID-19 lockdown: an exploratory study. <i>Journal of Eating Disorders</i> , 2020, 8, 76.	1.3	14
40	Unintended Consequences of Coronavirus Disease-2019: Remember General Pediatrics. <i>Journal of Pediatrics</i> , 2020, 223, 197-198.	0.9	70
41	Apixaban in a Morbid Obese Patient with Atrial Fibrillation: A Clinical Experience Using the Plasmatic Drug Evaluation. <i>Journal of Blood Medicine</i> , 2020, Volume 11, 77-81.	0.7	7
42	Continuous glucose monitoring profile during therapeutic hypothermia in encephalopathic infants with unfavorable outcome. <i>Pediatric Research</i> , 2020, 88, 218-224.	1.1	25
43	GCK-MODY and obesity: symptom overlap makes diagnosis difficult. <i>Acta Diabetologica</i> , 2020, 57, 627-629.	1.2	2
44	The Association of Autoimmune Diseases with Type 1 Diabetes Mellitus in Children Depends Also by the Length of Partial Clinical Remission Phase (Honeymoon). <i>International Journal of Endocrinology</i> , 2020, 2020, 1-5.	0.6	9
45	Is it fair to hope that patients with Type 1 Diabetes (autoimmune) may be spared by the infection of Covid-19?. <i>Medical Hypotheses</i> , 2020, 142, 109795.	0.8	18
46	Congenital diabetes mellitus. <i>Minerva Pediatrica</i> , 2020, 72, 240-249.	2.6	4
47	Demystifying the Pizza Bolus: The Effect of Dough Fermentation on Glycemic Response—A Sensor-Augmented Pump Intervention Trial in Children with Type 1 Diabetes Mellitus. <i>Diabetes Technology and Therapeutics</i> , 2019, 21, 721-726.	2.4	5
48	Molecular diagnosis of MODY3 permitted to reveal a de novo 12q24.31 deletion and to explain a complex phenotype in a young diabetic patient. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, e306-e310.	1.4	4
49	Psychological support for adolescents with type 1 diabetes provided by adolescents with type 1 diabetes: The chat line experience. <i>Pediatric Diabetes</i> , 2019, 20, 800-810.	1.2	7
50	Parental assessment of disordered eating behaviors in their children with type 1 diabetes: A controlled study. <i>Journal of Psychosomatic Research</i> , 2019, 119, 20-25.	1.2	6
51	Nonverbal intelligence and scholastic performance in children with type 1 diabetes. <i>Journal of Health Psychology</i> , 2019, 24, 229-239.	1.3	0
52	Metabolic control and complications in Italian people with diabetes treated with continuous subcutaneous insulin infusion. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 335-342.	1.1	8
53	Changes in body image and onset of disordered eating behaviors in youth with type 1 diabetes over a five-year longitudinal follow-up. <i>Journal of Psychosomatic Research</i> , 2018, 109, 44-50.	1.2	23
54	Diagnosis, treatment and prevention of pediatric obesity: consensus position statement of the Italian Society for Pediatric Endocrinology and Diabetology and the Italian Society of Pediatrics. <i>Italian Journal of Pediatrics</i> , 2018, 44, 88.	1.0	136

#	ARTICLE	IF	CITATIONS
55	Can HbA1c combined with fasting plasma glucose help to assess priority for GCK-MODY vs HNF1A-MODY genetic testing?. <i>Acta Diabetologica</i> , 2018, 55, 981-983.	1.2	14
56	Effectiveness and safety of long-term treatment with sulfonylureas in patients with neonatal diabetes due to KCNJ11 mutations: an international cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 637-646.	5.5	120
57	Insulin pump breakdown and infusion set failure in Italian children with type 1 diabetes: A 1-year prospective observational study with suggestions to minimize clinical impact. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2551-2556.	2.2	11
58	Il disegno della figura umana in bambini con diabete tipo 1 ed in controlli sani: quali differenze?. <i>Psicologia Della Salute</i> , 2018, , 27-44.	0.3	0
59	The role of socio-economic and clinical factors on HbA1c in children and adolescents with type 1 diabetes: an Italian multicentre survey. <i>Pediatric Diabetes</i> , 2017, 18, 241-248.	1.2	28
60	Insulin therapy in neonatal diabetes mellitus: a review of the literature. <i>Diabetes Research and Clinical Practice</i> , 2017, 129, 126-135.	1.1	25
61	Psychological outcomes of injection port therapy in children and adolescents with type 1 diabetes and their primary caregivers. <i>Acta Diabetologica</i> , 2017, 54, 975-978.	1.2	4
62	Accuracy of a CGM Sensor in Pediatric Subjects With Type 1 Diabetes. Comparison of Three Insertion Sites: Arm, Abdomen, and Gluteus. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 1147-1154.	1.3	27
63	Whole lipid profile and not only HDL cholesterol is impaired in children with coexisting type 1 diabetes and untreated celiac disease. <i>Acta Diabetologica</i> , 2017, 54, 889-894.	1.2	14
64	Monogenic Diabetes Accounts for 6.3% of Cases Referred to 15 Italian Pediatric Diabetes Centers During 2007 to 2012. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1826-1834.	1.8	88
65	Not Autoimmune Diabetes Mellitus in Paediatrics. , 2017, , 137-146.		0
66	The evaluation of body image in children with type 1 diabetes: A case-control study. <i>Journal of Health Psychology</i> , 2016, 21, 493-504.	1.3	15
67	A Multicenter Retrospective Survey regarding Diabetic Ketoacidosis Management in Italian Children with Type 1 Diabetes. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-6.	1.0	28
68	High frequency of diabetic ketoacidosis at diagnosis of type 1 diabetes in Italian children: a nationwide longitudinal study, 2004-2013. <i>Scientific Reports</i> , 2016, 6, 38844.	1.6	26
69	Randomized Summer Camp Crossover Trial in 5- to 9-Year-Old Children: Outpatient Wearable Artificial Pancreas Is Feasible and Safe. <i>Diabetes Care</i> , 2016, 39, 1180-1185.	4.3	79
70	Evaluating the Experience of Children With Type 1 Diabetes and Their Parents Taking Part in an Artificial Pancreas Clinical Trial Over Multiple Days in a Diabetes Camp Setting. <i>Diabetes Care</i> , 2016, 39, 2158-2164.	4.3	30
71	Celiac Disease Negatively Influences Lipid Profiles in Young Children With Type 1 Diabetes: Effect of the Gluten-Free Diet. <i>Diabetes Care</i> , 2016, 39, e119-e120.	4.3	9
72	Successful treatment of young infants presenting neonatal diabetes mellitus with continuous subcutaneous insulin infusion before genetic diagnosis. <i>Acta Diabetologica</i> , 2016, 53, 559-565.	1.2	28

#	ARTICLE	IF	CITATIONS
73	Ketoacidosis at diagnosis in childhood-onset diabetes and the risk of retinopathy 20years later. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 55-60.	1.2	11
74	Lower limbs edema by insulin glargine treatment: two other cases in pediatrics. <i>Acta Diabetologica</i> , 2016, 53, 503-505.	1.2	3
75	What Relatives and Caregivers of Children with Type 1 Diabetes Talk About: Preliminary Results from a Computerized Text Analysis of Messages Posted on the Italian Facebook Diabetes Group. <i>Smart Innovation, Systems and Technologies</i> , 2016, , 235-242.	0.5	1
76	Using computerized text analysis to assess communication within an Italian type 1 diabetes Facebook group. <i>Health Psychology Open</i> , 2015, 2, 205510291561533.	0.7	15
77	Continuous Subcutaneous Insulin Infusion in Italy: Third National Survey. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 96-104.	2.4	18
78	Continuous Subcutaneous Insulin Infusion in Preschool Children: Butt or Tummy, Which Is the Best Infusion Set Site?. <i>Diabetes Technology and Therapeutics</i> , 2014, 16, 563-566.	2.4	12
79	Low Prevalence of <i>HNFI1A</i> Mutations After Molecular Screening of Multiple MODY Genes in 58 Italian Families Recruited in the Pediatric or Adult Diabetes Clinic From a Single Italian Hospital. <i>Diabetes Care</i> , 2014, 37, e258-e260.	4.3	23
80	No Sign of Proliferative Retinopathy in 15 Patients With Permanent Neonatal Diabetes With a Median Diabetes Duration of 24 Years. <i>Diabetes Care</i> , 2014, 37, e181-e182.	4.3	8
81	Combined Therapy with Insulin and Growth Hormone in 17 Patients with Type-1 Diabetes and Growth Disorders. <i>Hormone Research in Paediatrics</i> , 2014, 82, 53-58.	0.8	4
82	The diet in children with diabetes mellitus (DM). <i>Italian Journal of Pediatrics</i> , 2014, 40, .	1.0	0
83	Geographic variation in the frequency of abdominal adiposity and metabolic syndrome in Italian adolescents with type 1 diabetes. <i>Acta Diabetologica</i> , 2014, 51, 163-165.	1.2	8
84	Recommendations for self-monitoring in pediatric diabetes: a consensus statement by the ISPED. <i>Acta Diabetologica</i> , 2014, 51, 173-184.	1.2	25
85	The levels of circulating TRAIL at the onset of type 1 diabetes are markedly decreased in patients with ketoacidosis and with the highest insulin requirement. <i>Acta Diabetologica</i> , 2014, 51, 239-246.	1.2	25
86	An easy, fast, effective tool to monitor the incidence of type 1 diabetes among children aged 0-4 years in Italy: the Italian Hospital Discharge Registry (IHDR). <i>Acta Diabetologica</i> , 2014, 51, 287-294.	1.2	7
87	Six cases with severe insulin resistance (SIR) associated with mutations of insulin receptor: Is a Bartter-like syndrome a feature of congenital SIR?. <i>Acta Diabetologica</i> , 2013, 50, 951-957.	1.2	37
88	Identification of one novel causative mutation in exon 4 of WFS1 gene in two Italian siblings with classical DIDMOAD syndrome phenotype. <i>Gene</i> , 2013, 526, 487-489.	1.0	8
89	Serological Proteome Analysis (SERPA) as a tool for the identification of new candidate autoantigens in type 1 diabetes. <i>Journal of Proteomics</i> , 2013, 82, 263-273.	1.2	32
90	Refractory rheumatoid factor positive polyarthritis in a female adolescent already suffering from type 1 diabetes mellitus and Hashimoto's thyroiditis successfully treated with etanercept. <i>Italian Journal of Pediatrics</i> , 2013, 39, 64.	1.0	9

#	ARTICLE	IF	CITATIONS
91	Comment on: Chakera et al. Antenatal Diagnosis of Fetal Genotype Determines if Maternal Hyperglycemia due to a Glucokinase Mutation Requires Treatment. <i>Diabetes Care</i> 2012;35:1832-1834. <i>Diabetes Care</i> , 2013, 36, e14-e14.	4.3	4
92	Identification of Candidate Children for Maturity-Onset Diabetes of the Young Type 2 (MODY2) Gene Testing: A Seven-Item Clinical Flowchart (7-iF). <i>PLoS ONE</i> , 2013, 8, e79933.	1.1	33
93	<i>Chlamydia pneumoniae</i> infection in adolescents with type 1 diabetes mellitus. <i>Journal of Medical Microbiology</i> , 2012, 61, 1584-1590.	0.7	8
94	Emerging Effects of Early Environmental Factors over Genetic Background for Type 1 Diabetes Susceptibility: Evidence from a Nationwide Italian Twin Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1483-E1491.	1.8	39
95	Infant and Toddler Type 1 Diabetes. <i>Diabetes Care</i> , 2012, 35, 829-833.	4.3	31
96	Abdominal adiposity and cardiovascular risk factors in adolescents with type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 99-104.	1.1	51
97	Failure of glycated hemoglobin drop after continuous subcutaneous insulin infusion initiation may indicate patients who discontinue: a 4-year follow-up study in children and adolescents with type 1 diabetes. <i>Acta Diabetologica</i> , 2012, 49, 99-105.	1.2	14
98	Mitochondrial Diabetes in Children: Seek and You Will Find It. <i>PLoS ONE</i> , 2012, 7, e34956.	1.1	28
99	Glucokinase (GCK) Mutations and Their Characterization in MODY2 Children of Southern Italy. <i>PLoS ONE</i> , 2012, 7, e38906.	1.1	37
100	Chat Line for Adolescents with Type 1 Diabetes: A Useful Tool to Improve Coping with Diabetes: A 2-Year Follow-Up Study. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 551-555.	2.4	17
101	Potential celiac disease in type 1 diabetes: A multicenter study. <i>Diabetes Research and Clinical Practice</i> , 2011, 92, 53-56.	1.1	26
102	Mother and daughter carrying the same KCNJ11 mutation but with a different response to switching from insulin to sulfonylurea. <i>Diabetes Research and Clinical Practice</i> , 2011, 94, e50-e52.	1.1	6
103	Use of Integrated Real-Time Continuous Glucose Monitoring/Insulin Pump System in Children and Adolescents with Type 1 Diabetes: A 3-Year Follow-Up Study. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 99-103.	2.4	26
104	Do HPV vaccine genotypes agree with circulating HPV types?. <i>Lancet Infectious Diseases</i> , The, 2011, 11, 585-586.	4.6	3
105	Acute juvenile cataract in newly diagnosed type 1 diabetic patients: a description of six cases. <i>Pediatric Diabetes</i> , 2011, 12, 642-648.	1.2	14
106	Pandemic influenza vaccination coverage in children with type 1 diabetes: Analysis from seven Italian centers. <i>Hum Vaccin</i> , 2011, 7, 1291-1292.	2.4	7
107	Comment on: Luijf et al. Pre-meal Injection of Rapid-Acting Insulin Reduces Postprandial Glycemic Excursions in Type 1 Diabetes. <i>Diabetes Care</i> 2010;33:2152-2155. <i>Diabetes Care</i> , 2011, 34, e22-e22.	4.3	1
108	Lowering Postprandial Glycemia in Children with Type 1 Diabetes After Italian Pizza "Margherita" (TyBoDi2 Study). <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 483-487.	2.4	24

#	ARTICLE	IF	CITATIONS
109	Physical activity and sedentary lifestyle in children with type 1 diabetes: a multicentre Italian study. <i>Acta Biomedica</i> , 2011, 82, 124-31.	0.2	8
110	Recommendations for the implementation of international standardization of glycated hemoglobin in Italy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 623-626.	1.4	20
111	Timing of Bolus in Children with Type 1 Diabetes Using Continuous Subcutaneous Insulin Infusion (TiBoDi Study). <i>Diabetes Technology and Therapeutics</i> , 2010, 12, 149-152.	2.4	34
112	Bone involvement in clusters of autoimmune diseases: Just a complication?. <i>Bone</i> , 2010, 46, 551-555.	1.4	18
113	Age-Period-Cohort Analysis of 1990-2003 Incidence Time Trends of Childhood Diabetes in Italy. <i>Diabetes</i> , 2010, 59, 2281-2287.	0.3	69
114	Not every child with diabetes needs insulin. <i>BMJ: British Medical Journal</i> , 2010, 341, c6512-c6512.	2.4	3
115	Insulin Pump Therapy Management in Very Young Children with Type 1 Diabetes Using Continuous Subcutaneous Insulin Infusion. <i>Diabetes Technology and Therapeutics</i> , 2009, 11, 707-709.	2.4	16
116	Insulin Gene Mutations as Cause of Diabetes in Children Negative for Five Type 1 Diabetes Autoantibodies. <i>Diabetes Care</i> , 2009, 32, 123-125.	4.3	126
117	Maturity-Onset Diabetes of the Young in Children With Incidental Hyperglycemia. <i>Diabetes Care</i> , 2009, 32, 1864-1866.	4.3	97
118	Use of real time continuous glucose monitoring and intravenous insulin in type 1 diabetic mothers to prevent respiratory distress and hypoglycaemia in infants. <i>BMC Pregnancy and Childbirth</i> , 2008, 8, 23.	0.9	32
119	The influence of gluten free diet on quantitative ultrasound of proximal phalanxes in children and adolescents with type 1 diabetes mellitus and celiac disease. <i>Bone</i> , 2008, 43, 322-326.	1.4	23
120	Adolescent Use of Insulin and Patient-Controlled Analgesia Pump Technology: A 10-Year Food and Drug Administration Retrospective Study of Adverse Events. <i>Pediatrics</i> , 2008, 122, 473-474.	1.0	4
121	Seven mutations in the human insulin gene linked to permanent neonatal/infancy-onset diabetes mellitus. <i>Journal of Clinical Investigation</i> , 2008, 118, 2148-56.	3.9	189
122	Insulin pump therapy in children and adolescents with type 1 diabetes: the Italian viewpoint. <i>Acta Biomedica</i> , 2008, 79, 57-64.	0.2	21
123	Bilateral isolated acute cataracts in three newly diagnosed insulin dependent diabetes mellitus young patients. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 313-315.	1.1	11
124	The egg or the chicken? Further data on whether good compliance to multi-injection insulin therapy should be a criterion for insulin pump therapy, or does insulin pump therapy improve compliance?. <i>Journal of Pediatrics</i> , 2007, 151, e23-e24.	0.9	3
125	The egg or the chicken? Should good compliance to multi-injection insulin therapy be a criterion for insulin pump therapy, or does insulin pump therapy improve compliance?. <i>Journal of Pediatrics</i> , 2006, 148, 421.	0.9	6
126	Blood ketone bodies in patients with recent-onset type 1 diabetes (a multicenter study). <i>Pediatric Diabetes</i> , 2006, 7, 223-228.	1.2	29

#	ARTICLE	IF	CITATIONS
127	Diabetes, Sensorineural Deafness, and Mitochondrial DNA Mutation. <i>Laryngoscope</i> , 2006, 116, 505-506.	1.1	0
128	Type 1 Diabetes and Autism Association Seems to Be Linked to the Incidence of Diabetes. <i>Diabetes Care</i> , 2006, 29, 1985-1986.	4.3	14
129	Zonulin Upregulation Is Associated With Increased Gut Permeability in Subjects With Type 1 Diabetes and Their Relatives. <i>Diabetes</i> , 2006, 55, 1443-1449.	0.3	442
130	Premeal Insulin Treatment During Basal-Bolus Regimen in Young Children With Type 1 Diabetes. <i>Diabetes Care</i> , 2006, 29, 2311-2312.	4.3	14
131	KCNJ11 activating mutations in Italian patients with permanent neonatal diabetes. <i>Human Mutation</i> , 2005, 25, 22-27.	1.1	131
132	Usefulness or Uselessness of GlucoWatch in Monitoring Hypoglycemia in Children and Adolescents. <i>Pediatrics</i> , 2004, 113, 175-176.	1.0	3
133	Improper Insulin Compliance May Lead to Hepatomegaly and Elevated Hepatic Enzymes in Type 1 Diabetic Patients: Response to Yu and Howard. <i>Diabetes Care</i> , 2004, 27, 2094-2095.	4.3	3
134	Prevalence of Eating Disorders in Young Patients With Type 1 Diabetes From Two Different Italian Cities. <i>Diabetes Care</i> , 2004, 27, 2278-2278.	4.3	18
135	Infection with <i>Giardia</i> and intestinal permeability in humans. <i>Gastroenterology</i> , 2003, 125, 277-279.	0.6	6
136	Irbesartan Reduces the Albumin Excretion Rate in Microalbuminuric Type 2 Diabetic Patients Independently of Hypertension: A randomized double-blind placebo-controlled crossover study. <i>Diabetes Care</i> , 2002, 25, 1909-1913.	4.3	64
137	Celiac Disease in Children and Adolescents with Type I Diabetes: Importance of Hypoglycemia. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001, 32, 37-40.	0.9	115
138	Altered Intestinal Permeability to Mannitol in Diabetes Mellitus Type I. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1999, 28, 264-269.	0.9	106
139	Eating Problems in Youths with Type 1 Diabetes During and After Lockdown in Italy: An 8-Month Follow-Up Study. <i>Journal of Clinical Psychology in Medical Settings</i> , 0, , .	0.8	0
140	The Silent Epidemic of Diabetic Ketoacidosis at Diagnosis of Type 1 Diabetes in Children and Adolescents in Italy During the COVID-19 Pandemic in 2020. <i>Frontiers in Endocrinology</i> , 0, 13, .	1.5	9