## **Robert Lafyatis**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6892430/publications.pdf

Version: 2024-02-01

| ex    |
|-------|
|       |
|       |
| 66    |
| thors |
| 6     |

| #  | Article  | IF           | CITATIONS |
|----|--|--------------|-----------|
| 1  | Safety and efficacy of subcutaneous tocilizumab in adults with systemic sclerosis (faSScinate): a phase 2, randomised, controlled trial. Lancet, The, 2016, 387, 2630-2640.  | 13.7         | 505       |
| 2  | Proliferating SPP1/MERTK-expressing macrophages in idiopathic pulmonary fibrosis. European Respiratory Journal, 2019, 54, 1802441.   | 6.7          | 400       |
| 3  | Immune Landscape of Viral- and Carcinogen-Driven Head and Neck Cancer. Immunity, 2020, 52, 183-199.e9.   | 14.3         | 383       |
| 4  | Generation of Transgene-Free Lung Disease-Specific Human Induced Pluripotent Stem Cells Using a Single Excisable Lentiviral Stem Cell Cassette Â. Stem Cells, 2010, 28, 1728-1740.   | 3.2          | 375       |
| 5  | Partial Inhibition of Integrin $\hat{l}\pm v\hat{l}^26$ Prevents Pulmonary Fibrosis without Exacerbating Inflammation. American Journal of Respiratory and Critical Care Medicine, 2008, 177, 56-65.                       | 5 <b>.</b> 6 | 371       |
| 6  | Proteome-wide Analysis and CXCL4 as a Biomarker in Systemic Sclerosis. New England Journal of Medicine, 2014, 370, 433-443.  | 27.0         | 365       |
| 7  | Shared and distinct mechanisms of fibrosis. Nature Reviews Rheumatology, 2019, 15, 705-730.  | 8.0          | 331       |
| 8  | Adaptive plasticity of IL-10+ and IL-35+ Treg cells cooperatively promotes tumor T cell exhaustion. Nature Immunology, 2019, 20, 724-735.  | 14.5         | 297       |
| 9  | A macrophage marker, siglec-1, is increased on circulating monocytes in patients with systemic sclerosis and induced by type i interferons and toll-like receptor agonists. Arthritis and Rheumatism, 2007, 56, 1010-1020. | 6.7          | 280       |
| 10 | Fresolimumab treatment decreases biomarkers and improves clinical symptoms in systemic sclerosis patients. Journal of Clinical Investigation, 2015, 125, 2795-2807.  | 8.2          | 271       |
| 11 | Transforming growth factor β—at the centre of systemic sclerosis. Nature Reviews Rheumatology, 2014, 10, 706-719.  | 8.0          | 253       |
| 12 | B cell depletion with rituximab in patients with diffuse cutaneous systemic sclerosis. Arthritis and Rheumatism, 2009, 60, 578-583.  | 6.7          | 250       |
| 13 | Toll-Like Receptor 4 Signaling Augments Transforming Growth Factor- $\hat{l}^2$ Responses. American Journal of Pathology, 2013, 182, 192-205.  | 3.8          | 243       |
| 14 | SFRP2/DPP4 and FMO1/LSP1 Define Major Fibroblast Populations in Human Skin. Journal of Investigative Dermatology, 2018, 138, 802-810.  | 0.7          | 236       |
| 15 | Tenascin-C drives persistence of organ fibrosis. Nature Communications, 2016, 7, 11703.  | 12.8         | 204       |
| 16 | Integrated Single-Cell Atlas of Endothelial Cells of the Human Lung. Circulation, 2021, 144, 286-302.  | 1.6          | 181       |
| 17 | Canonical Wnt signaling induces skin fibrosis and subcutaneous lipoatrophy: A novel mouse model for scleroderma?. Arthritis and Rheumatism, 2011, 63, 1707-1717.   | 6.7          | 178       |
| 18 | Single-cell analysis reveals fibroblast heterogeneity and myofibroblasts in systemic sclerosis-associated interstitial lung disease. Annals of the Rheumatic Diseases, 2019, 78, 1379-1387.                                | 0.9          | 178       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Association of Interferon―and Transforming Growth Factor β–Regulated Genes and Macrophage<br>Activation With Systemic Sclerosis–Related Progressive Lung Fibrosis. Arthritis and Rheumatology,<br>2014, 66, 714-725.                            | 5.6  | 169       |
| 20 | Capillary Regeneration in Scleroderma: Stem Cell Therapy Reverses Phenotype?. PLoS ONE, 2008, 3, e1452.   | 2.5  | 164       |
| 21 | Interleukin-1 Stimulates and <i>All-Trans</i> retinoic Acid Inhibits Collagenase Gene Expression through Its 5′ Activator Protein-1-Binding Site. Molecular Endocrinology, 1990, 4, 973-980.  | 3.7  | 161       |
| 22 | Increased Frequency and Compromised Function of T Regulatory Cells in Systemic Sclerosis (SSc) Is Related to a Diminished CD69 and $TGF\hat{l}^2$ Expression. PLoS ONE, 2009, 4, e5981.   | 2.5  | 159       |
| 23 | The Pronounced Th17 Profile in Systemic Sclerosis (SSc) Together with Intracellular Expression of TGF $\hat{I}^2$ and IFN $\hat{I}^3$ Distinguishes SSc Phenotypes. PLoS ONE, 2009, 4, e5903.   | 2.5  | 158       |
| 24 | Molecular Signatures in Skin Associated with Clinical Improvement during Mycophenolate Treatment in Systemic Sclerosis. Journal of Investigative Dermatology, 2013, 133, 1979-1989.   | 0.7  | 150       |
| 25 | B cell infiltration in systemic sclerosis–associated interstitial lung disease. Arthritis and Rheumatism, 2007, 56, 3167-3168.  | 6.7  | 148       |
| 26 | B cell signatures and tertiary lymphoid structures contribute to outcome in head and neck squamous cell carcinoma. Nature Communications, 2021, 12, 3349.   | 12.8 | 142       |
| 27 | Antimalarial agents: Closing the gate on toll-like receptors?. Arthritis and Rheumatism, 2006, 54, 3068-3070.   | 6.7  | 139       |
| 28 | Intrinsic Gene Expression Subsets of Diffuse Cutaneous Systemic Sclerosis Are Stable in Serial Skin Biopsies. Journal of Investigative Dermatology, 2012, 132, 1363-1373.   | 0.7  | 138       |
| 29 | Limited Systemic Sclerosis Patients with Pulmonary Arterial Hypertension Show Biomarkers of Inflammation and Vascular Injury. PLoS ONE, 2010, 5, e12106.  | 2.5  | 133       |
| 30 | Stability of a PKCI-1-related mRNA is controlled by the splicing factor ASF/SF2: a novel function for SR proteins. Genes and Development, 2002, 16, 594-607.  | 5.9  | 128       |
| 31 | Interferon and alternative activation of monocyte/macrophages in systemic sclerosis-associated pulmonary arterial hypertension. Arthritis and Rheumatism, 2011, 63, 1718-1728.  | 6.7  | 125       |
| 32 | Transcription factor T-bet regulates skin sclerosis through its function in innate immunity and via IL-13. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 2827-2830.                               | 7.1  | 122       |
| 33 | Therapeutic interleukin-6 blockade reverses transforming growth factor-beta pathway activation in dermal fibroblasts: insights from the faSScinate clinical trial in systemic sclerosis. Annals of the Rheumatic Diseases, 2018, 77, 1362-1371. | 0.9  | 122       |
| 34 | Fibrosis in connective tissue disease: the role of the myofibroblast and fibroblast-epithelial cell interactions. Arthritis Research and Therapy, 2007, 9, S4.  | 3.5  | 121       |
| 35 | Poly(I:C) Drives Type I IFN- and TGFÎ <sup>2</sup> -Mediated Inflammation and Dermal Fibrosis Simulating Altered Gene Expression in Systemic Sclerosis. Journal of Investigative Dermatology, 2010, 130, 2583-2593.                             | 0.7  | 121       |
| 36 | Increased Expression of Wnt2 and SFRP4 in Tsk Mouse Skin: Role of Wnt Signaling in Altered Dermal Fibrillin Deposition and Systemic Sclerosis. Journal of Investigative Dermatology, 2008, 128, 871-881.  | 0.7  | 114       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Cytotoxic CD4+ T lymphocytes may induce endothelial cell apoptosis in systemic sclerosis. Journal of Clinical Investigation, 2020, 130, 2451-2464.  | 8.2  | 106       |
| 38 | Investigating immune and non-immune cell interactions in head and neck tumors by single-cell RNA sequencing. Nature Communications, 2021, 12, 7338.   | 12.8 | 104       |
| 39 | Tau exon 10, whose missplicing causes frontotemporal dementia, is regulated by an intricate interplay of cis elements and trans factors. Journal of Neurochemistry, 2004, 88, 1078-1090.                    | 3.9  | 102       |
| 40 | Myofibroblast transcriptome indicates SFRP2hi fibroblast progenitors in systemic sclerosis skin. Nature Communications, 2021, 12, 4384.   | 12.8 | 101       |
| 41 | Myofibroblasts and hyalinized collagen as markers of skin disease in systemic sclerosis. Arthritis and Rheumatism, 2006, 54, 3655-3660.   | 6.7  | 100       |
| 42 | miR-155 in the progression of lung fibrosis in systemic sclerosis. Arthritis Research and Therapy, 2016, 18, 155.   | 3.5  | 96        |
| 43 | A Longitudinal Biomarker for the Extent of Skin Disease in Patients With Diffuse Cutaneous Systemic Sclerosis. Arthritis and Rheumatology, 2015, 67, 3004-3015.   | 5.6  | 95        |
| 44 | Epstein–Barr Virus Infection Induces Aberrant TLR Activation Pathway and Fibroblast–Myofibroblast Conversion in Scleroderma. Journal of Investigative Dermatology, 2014, 134, 954-964.                      | 0.7  | 89        |
| 45 | Sustained βâ€catenin activity in dermal fibroblasts promotes fibrosis by upâ€regulating expression of extracellular matrix proteinâ€coding genes. Journal of Pathology, 2015, 235, 686-697.                 | 4.5  | 89        |
| 46 | Oncolytic Viruses Engineered to Enforce Leptin Expression Reprogram Tumor-Infiltrating T Cell Metabolism and Promote Tumor Clearance. Immunity, 2019, 51, 548-560.e4.                                       | 14.3 | 88        |
| 47 | Regulation of the transforming growth factor- $\hat{l}^21$ and $-\hat{l}^23$ promoters by transcription factor Spl. Gene, 1993, 129, 223-228.   | 2.2  | 87        |
| 48 | p300 Is Elevated in Systemic Sclerosis and Its Expression Is Positively Regulated by TGF-Î2: Epigenetic Feed-Forward Amplification of Fibrosis. Journal of Investigative Dermatology, 2013, 133, 1302-1310. | 0.7  | 87        |
| 49 | Single-Cell Lymphocyte Heterogeneity in Advanced Cutaneous T-cell Lymphoma Skin Tumors. Clinical Cancer Research, 2019, 25, 4443-4454.  | 7.0  | 87        |
| 50 | Complex Regulation of Tau Exon 10, Whose Missplicing Causes Frontotemporal Dementia. Journal of Neurochemistry, 2001, 74, 490-500.  | 3.9  | 80        |
| 51 | Interspecies Comparison of Human and Murine Scleroderma Reveals IL-13 and CCL2 as Disease Subset-Specific Targets. American Journal of Pathology, 2012, 180, 1080-1094.                                     | 3.8  | 78        |
| 52 | A Role of Myocardin Related Transcription Factor-A (MRTF-A) in Scleroderma Related Fibrosis. PLoS ONE, 2015, 10, e0126015.  | 2.5  | 77        |
| 53 | An Autotaxin/Lysophosphatidic Acid/Interleukinâ€6 Amplification Loop Drives Scleroderma Fibrosis.<br>Arthritis and Rheumatology, 2016, 68, 2964-2974.   | 5.6  | 76        |
| 54 | GDF15 is an epithelial-derived biomarker of idiopathic pulmonary fibrosis. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2019, 317, L510-L521.                                   | 2.9  | 72        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Tau Exons 2 and 10, Which Are Misregulated in Neurodegenerative Diseases, Are Partly Regulated by Silencers Which Bind a SRp30c·SRp55 Complex That Either Recruits or Antagonizes htra2l²1. Journal of Biological Chemistry, 2005, 280, 14230-14239.                       | 3.4  | 69        |
| 56 | Innate immunity and inflammation in systemic sclerosis. Current Opinion in Rheumatology, 2009, 21, 617-622.  | 4.3  | 69        |
| 57 | Cloning by Polymerase Chain Reaction of a New Mouse TGF-β, mTGF-β3. Growth Factors, 1990, 3, 139-146.  | 1.7  | 68        |
| 58 | DIMM-SC: a Dirichlet mixture model for clustering droplet-based single cell transcriptomic data. Bioinformatics, 2018, 34, 139-146.  | 4.1  | 68        |
| 59 | Safety and Efficacy of Lenabasum in a Phase II, Randomized, Placeboâ€Controlled Trial in Adults With Systemic Sclerosis. Arthritis and Rheumatology, 2020, 72, 1350-1360.  | 5.6  | 67        |
| 60 | Chronic Toll-like receptor 4 stimulation in skin induces inflammation, macrophage activation, transforming growth factor beta signature gene expression, and fibrosis. Arthritis Research and Therapy, 2014, 16, R136.   | 3.5  | 65        |
| 61 | Transcriptional profiling of lung cell populations in idiopathic pulmonary arterial hypertension. Pulmonary Circulation, 2020, 10, 1-15.   | 1.7  | 64        |
| 62 | National Institutes of Health Consensus Development Project on Criteria for Clinical Trials in Chronic Graft-versus-Host Disease: IV. The 2020 Highly morbid forms report. Transplantation and Cellular Therapy, 2021, 27, 817-835.  | 1.2  | 62        |
| 63 | SF2 and SRp55 regulation of CD45 exon 4 skipping during T cell activation. European Journal of Immunology, 1999, 29, 823-837.  | 2.9  | 59        |
| 64 | Transforming growth factor? induces fibroblast fibrillin-1 matrix formation. Arthritis and Rheumatism, 2002, 46, 3000-3009.  | 6.7  | 59        |
| 65 | Identification of Cadherin 11 as a Mediator of Dermal Fibrosis and Possible Role in Systemic Sclerosis. Arthritis and Rheumatology, 2014, 66, 1010-1021.   | 5.6  | 59        |
| 66 | Stimulation of the secretion of latent cysteine proteinase activity by tumor necrosis factor $\hat{l}_{\pm}$ and interleukin-1. Arthritis and Rheumatism, 1993, 36, 772-780.   | 6.7  | 56        |
| 67 | A Bayesian mixture model for clustering droplet-based single-cell transcriptomic data from population studies. Nature Communications, 2019, 10, 1649.  | 12.8 | 56        |
| 68 | Increased Expression of Endoplasmic Reticulum Stress and Unfolded Protein Response Genes in Peripheral Blood Mononuclear Cells From Patients With Limited Cutaneous Systemic Sclerosis and Pulmonary Arterial Hypertension. Arthritis and Rheumatism, 2013, 65, 1357-1366. | 6.7  | 54        |
| 69 | Skin-Resident Effector Memory CD8+CD28– T Cells Exhibit a Profibrotic Phenotype in Patients with Systemic Sclerosis. Journal of Investigative Dermatology, 2017, 137, 1042-1050.   | 0.7  | 54        |
| 70 | Disparate Interferon Signaling and Shared Aberrant Basaloid Cells in Single-Cell Profiling of Idiopathic Pulmonary Fibrosis and Systemic Sclerosis-Associated Interstitial Lung Disease. Frontiers in Immunology, 2021, 12, 595811.  | 4.8  | 54        |
| 71 | Mutant fibrillin 1 from tight skin mice increases extracellular matrix incorporation of microfibril-associated glycoprotein 2 and type I collagen. Arthritis and Rheumatism, 2004, 50, 915-926.  | 6.7  | 53        |
| 72 | Single Cell RNA Sequencing Identifies HSPG2 and APLNR as Markers of Endothelial Cell Injury in Systemic Sclerosis Skin. Frontiers in Immunology, 2018, 9, 2191.  | 4.8  | 53        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 73 | Long noncoding RNA H19X is a key mediator of TGF-β–driven fibrosis. Journal of Clinical Investigation, 2020, 130, 4888-4905.  | 8.2 | 52        |
| 74 | Toll-like receptors and innate immune responses in systemic lupus erythematosus. Arthritis Research and Therapy, 2007, 9, 222.  | 3.5 | 51        |
| 75 | The c-Abl tyrosine kinase controls protein kinase Cl´-induced Fli-1 phosphorylation in human dermal fibroblasts. Arthritis and Rheumatism, 2011, 63, 1729-1737.   | 6.7 | 50        |
| 76 | Thymic Stromal Lymphopoietin Is Upâ€Regulated in the Skin of Patients With Systemic Sclerosis and Induces Profibrotic Genes and Intracellular Signaling That Overlap With Those Induced by Interleukinâ€13 and Transforming Growth Factor β. Arthritis and Rheumatism, 2013, 65, 1335-1346. | 6.7 | 50        |
| 77 | Global chemokine expression in systemic sclerosis (SSc): CCL19 expression correlates with vascular inflammation in SSc skin. Annals of the Rheumatic Diseases, 2014, 73, 1864-1872.   | 0.9 | 50        |
| 78 | The Mammalian Homolog of Suppressor-of-white-apricot Regulates Alternative mRNA Splicing of CD45 Exon 4 and Fibronectin IIICS. Journal of Biological Chemistry, 1996, 271, 31106-31114.   | 3.4 | 49        |
| 79 | Microfibril-associated MAGP-2 Stimulates Elastic Fiber Assembly. Journal of Biological Chemistry, 2007, 282, 800-808.   | 3.4 | 48        |
| 80 | Altered Dermal Fibroblasts in Systemic Sclerosis Display Podoplanin and CD90. American Journal of Pathology, 2016, 186, 2650-2664.  | 3.8 | 48        |
| 81 | Antagonistic Effect of the Matricellular Signaling Protein CCN3 on TGF- $\hat{l}^2$ - and Wnt-Mediated Fibrillinogenesis in Systemic Sclerosis and Marfan Syndrome. Journal of Investigative Dermatology, 2010, 130, 1514-1523.   | 0.7 | 47        |
| 82 | Single-cell RNA sequencing profiling of mouse endothelial cells in response to pulmonary arterial hypertension. Cardiovascular Research, 2022, 118, 2519-2534.  | 3.8 | 45        |
| 83 | A Proteome-Derived Longitudinal Pharmacodynamic Biomarker for Diffuse Systemic Sclerosis Skin.<br>Journal of Investigative Dermatology, 2017, 137, 62-70.   | 0.7 | 44        |
| 84 | Skin Gene Expression Is Prognostic for the Trajectory of Skin Disease in Patients With Diffuse Cutaneous Systemic Sclerosis. Arthritis and Rheumatology, 2018, 70, 912-919.   | 5.6 | 44        |
| 85 | Transcriptome landscape of myeloid cells in human skin reveals diversity, rare populations and putative DC progenitors. Journal of Dermatological Science, 2020, 97, 41-49.   | 1.9 | 44        |
| 86 | Inhibition of $\hat{l}^2$ -Catenin Signaling in the Skin Rescues Cutaneous Adipogenesis in Systemic Sclerosis: A Randomized, Double-Blind, Placebo-Controlled Trial of C-82. Journal of Investigative Dermatology, 2017, 137, 2473-2483.  | 0.7 | 43        |
| 87 | Transforming Growth Factor-? in Rheumatoid Arthritis. Annals of the New York Academy of Sciences, 1990, 593, 197-207.   | 3.8 | 40        |
| 88 | Blockade of PDGF Receptors by Crenolanib Has Therapeutic Effect in Patient Fibroblasts and in Preclinical Models of SystemicASclerosis. Journal of Investigative Dermatology, 2017, 137, 1671-1681.   | 0.7 | 39        |
| 89 | Expansion of Fcγ Receptor <scp>llla</scp> –Positive Macrophages, Ficolin 1–Positive <scp>Monocyteâ€Derived</scp> Dendritic Cells, and Plasmacytoid Dendritic Cells Associated With Severe Skin Disease in Systemic Sclerosis. Arthritis and Rheumatology, 2022, 74, 329-341.                | 5.6 | 38        |
| 90 | Frataxin deficiency promotes endothelial senescence in pulmonary hypertension. Journal of Clinical Investigation, 2021, 131, .  | 8.2 | 38        |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 91  | Dendritic cells maintain dermal adipose–derived stromal cells in skin fibrosis. Journal of Clinical Investigation, 2016, 126, 4331-4345.   | 8.2  | 38        |
| 92  | New Insights into the Mechanisms of Innate Immune Receptor Signalling in Fibrosis. Open Rheumatology Journal, 2012, 6, 72-79.  | 0.2  | 38        |
| 93  | Endothelial cells and the pathogenesis of rheumatoid arthritis in humans and streptococcal cell wall arthritis in Lewis rats. Journal of Cellular Biochemistry, 1991, 45, 162-166.   | 2.6  | 37        |
| 94  | Sequence specific protein binding to and activation of the TGF- $\hat{1}^2$ 3 promoter through a repeated TCCC motif. Nucleic Acids Research, 1991, 19, 6419-6425.   | 14.5 | 37        |
| 95  | High Rhodotorula Sequences in Skin Transcriptome of Patients with Diffuse Systemic Sclerosis. Journal of Investigative Dermatology, 2014, 134, 2138-2145.  | 0.7  | 37        |
| 96  | Role of aggrecanase 1 in Lyme arthritis. Arthritis and Rheumatism, 2006, 54, 3319-3329.  | 6.7  | 36        |
| 97  | Skewed X chromosomal inactivation impacts T regulatory cell function in systemic sclerosis. Annals of the Rheumatic Diseases, 2010, 69, 2213-2216.   | 0.9  | 36        |
| 98  | Promotion of Inflammatory Arthritis by Interferon Regulatory Factor 5 in a Mouse Model. Arthritis and Rheumatology, 2015, 67, 3146-3157.   | 5.6  | 36        |
| 99  | Ciprofloxacin has antifibrotic effects in scleroderma fibroblasts via downregulation of Dnmt1 and upregulation of Fli1. International Journal of Molecular Medicine, 2012, 30, 1473-1480.  | 4.0  | 35        |
| 100 | Identification of Optimal Mouse Models of Systemic Sclerosis by Interspecies Comparative Genomics. Arthritis and Rheumatology, 2016, 68, 2003-2015.  | 5.6  | 35        |
| 101 | dsRNA activation of endothelin-1 and markers of vascular activation in endothelial cells and fibroblasts. Annals of the Rheumatic Diseases, 2011, 70, 544-550.   | 0.9  | 33        |
| 102 | Single-cell transcriptome analysis identifies skin-specific T-cell responses in systemic sclerosis. Annals of the Rheumatic Diseases, 2021, 80, 1453-1460.   | 0.9  | 32        |
| 103 | Autoreactive CD8+ T cells are restrained by an exhaustion-like program that is maintained by LAG3. Nature Immunology, 2022, 23, 868-877.   | 14.5 | 32        |
| 104 | Fibrillin in Marfan syndrome and tight skin mice provides new insights into transforming growth factor- $\hat{l}^2$ regulation and systemic sclerosis. Current Opinion in Rheumatology, 2006, 18, 582-587.                               | 4.3  | 29        |
| 105 | The cytokine language of monocytes and macrophages in systemic sclerosis. Arthritis Research and Therapy, 2010, 12, 146.   | 3.5  | 29        |
| 106 | The relationship between skin symptoms and the scleroderma modification of the health assessment questionnaire, the modified Rodnan skin score, and skin pathology in patients with systemic sclerosis. Rheumatology, 2016, 55, 911-917. | 1.9  | 29        |
| 107 | Chronic lung diseases are associated with gene expression programs favoring SARS-CoV-2 entry and severity. Nature Communications, 2021, 12, 4314.  | 12.8 | 29        |
| 108 | Increased expression of type I collagen induced by microfibril-associated glycoprotein 2: Novel mechanistic insights into the molecular basis of dermal fibrosis in scleroderma. Arthritis and Rheumatism, 2005, 52, 1812-1823.          | 6.7  | 28        |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 109 | Modulation of the membrane-binding projection domain of tau protein: splicing regulation of exon 3. Molecular Brain Research, 2002, 101, 109-121.  | 2.3  | 27        |
| 110 | Toll interacting protein protects bronchial epithelial cells from bleomycinâ€induced apoptosis. FASEB Journal, 2020, 34, 9884-9898.  | 0.5  | 27        |
| 111 | Type I Interferons Inhibition of Inflammatory T Helper Cell Responses in Systemic Lupus Erythematosus. Annals of the New York Academy of Sciences, 2007, 1108, 11-23.  | 3.8  | 26        |
| 112 | Increased Expression and Modulated Regulatory Activity of Coinhibitory Receptors <scp>PD</scp> â€1, <scp>TIGIT</scp> , and <scp>TIM</scp> â€3 in Lymphocytes From Patients With Systemic Sclerosis. Arthritis and Rheumatology, 2018, 70, 566-577. | 5.6  | 26        |
| 113 | Fibroblast growth factor receptor 3 activates a network of profibrotic signaling pathways to promote fibrosis in systemic sclerosis. Science Translational Medicine, 2020, 12, .   | 12.4 | 26        |
| 114 | Fibulin-2 and Fibulin-5 Alterations in Tsk Mice Associated with Disorganized Hypodermal Elastic Fibers and Skin Tethering. Journal of Investigative Dermatology, 2004, 123, 1063-1069.   | 0.7  | 24        |
| 115 | Resolution of Skin Fibrosis by Neutralization of the Antifibrinolytic Function of Plasminogen Activator Inhibitor 1. Arthritis and Rheumatology, 2016, 68, 473-483.  | 5.6  | 23        |
| 116 | Development and validation of a patient-reported outcome instrument for skin involvement in patients with systemic sclerosis. Annals of the Rheumatic Diseases, 2017, 76, 1374-1380.   | 0.9  | 23        |
| 117 | Anti-CD95-induced Lethality Requires Radioresistant FcÎ <sup>3</sup> RII+ Cells. Journal of Biological Chemistry, 2003, 278, 7553-7557.  | 3.4  | 22        |
| 118 | Targeting Fibrosis in Systemic Sclerosis. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2006, 6, 395-400.  | 1.2  | 22        |
| 119 | Perivascular Adventitial Fibroblast Specialization Accompanies T Cell Retention in the Inflamed Human Dermis. Journal of Immunology, 2019, 202, 56-68.   | 0.8  | 22        |
| 120 | TRPV4 ION Channel Is Associated withÂScleroderma. Journal of Investigative Dermatology, 2017, 137, 962-965.  | 0.7  | 21        |
| 121 | A multicenter randomized, double-blind, placebo-controlled pilot study to assess the efficacy and safety of riociguat in systemic sclerosis-associated digital ulcers. Arthritis Research and Therapy, 2019, 21, 202.                              | 3.5  | 21        |
| 122 | Single-cell transcriptome conservation in a comparative analysis of fresh and cryopreserved human skin tissue: pilot in localized scleroderma. Arthritis Research and Therapy, 2020, 22, 263.  | 3.5  | 21        |
| 123 | Therapeutic Approaches to Systemic Sclerosis: Recent Approvals and Future Candidate Therapies.<br>Clinical Reviews in Allergy and Immunology, 2023, 64, 239-261.   | 6.5  | 20        |
| 124 | HLA-B35 and dsRNA Induce Endothelin-1 via Activation of ATF4 in Human Microvascular Endothelial Cells. PLoS ONE, 2013, 8, e56123.  | 2.5  | 20        |
| 125 | Xerostomia in Systemic Sclerosis: Systematic Evaluation by Salivary Scintigraphy and Lip Biopsy in Thirty-Four Patients. Arthritis and Rheumatism, 1994, 37, 439-441.  | 6.7  | 19        |
| 126 | Single cell RNA sequencing identifies IGFBP5 and QKI as ciliated epithelial cell genes associated with severe COPD. Respiratory Research, 2021, 22, 100.   | 3.6  | 18        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Modulation of tissue resident memory T cells by glucocorticoids after acute cellular rejection in lung transplantation. Journal of Experimental Medicine, 2022, 219, .   | 8.5 | 18        |
| 128 | The state of differentiation of HT-29 colon carcinoma cells alters the secretion of cathepsin D and of plasminogen activator. International Journal of Cancer, 1994, 57, 875-882.  | 5.1 | 17        |
| 129 | Acid sphingomyelinase deficiency contributes to resistance of scleroderma fibroblasts to Fas-mediated apoptosis. Journal of Dermatological Science, 2012, 67, 166-172.   | 1.9 | 16        |
| 130 | Stress granules and RNA processing bodies are novel autoantibody targets in systemic sclerosis. Arthritis Research and Therapy, 2016, 18, 27.  | 3.5 | 16        |
| 131 | Increased dermal collagen bundle alignment in systemic sclerosis is associated with a cell migration signature and role of Arhgdib in directed fibroblast migration on aligned ECMs. PLoS ONE, 2017, 12, e0180751.             | 2.5 | 16        |
| 132 | The HLA-B*35 allele modulates ER stress, inflammation and proliferation in PBMCs from Limited Cutaneous Systemic Sclerosis patients. Arthritis Research and Therapy, 2015, 17, 363.  | 3.5 | 15        |
| 133 | Local skin gene expression reflects both local and systemic skin disease in patients with systemic sclerosis. Rheumatology, 2016, 55, 377-379.   | 1.9 | 14        |
| 134 | Limited cutaneous systemic sclerosis skin demonstrates distinct molecular subsets separated by a cardiovascular development gene expression signature. Arthritis Research and Therapy, 2017, 19, 156.                          | 3.5 | 14        |
| 135 | Stretching Reduces Skin Thickness and Improves Subcutaneous Tissue Mobility in a Murine Model of Systemic Sclerosis. Frontiers in Immunology, 2017, 8, 124.  | 4.8 | 13        |
| 136 | Cigarette smoke exposure enhances transforming acidic coiled-coil–containing protein 2 turnover and thereby promotes emphysema. JCI Insight, 2020, 5, .  | 5.0 | 13        |
| 137 | KIAA0317 regulates pulmonary inflammation through SOCS2 degradation. JCI Insight, 2019, 4, .   | 5.0 | 13        |
| 138 | Randomised, double-blind, placebo-controlled trial of IL1-trap, rilonacept, in systemic sclerosis. A phase I/II biomarker trial. Clinical and Experimental Rheumatology, 2018, 36 Suppl 113, 146-149.                          | 0.8 | 13        |
| 139 | SSc—fibrosis takes flight with Wingless inhibition. Nature Reviews Rheumatology, 2012, 8, 441-442.   | 8.0 | 12        |
| 140 | Application of Biomarkers to Clinical Trials in Systemic Sclerosis. Current Rheumatology Reports, 2012, 14, 47-55.   | 4.7 | 12        |
| 141 | Patients with systemic sclerosis-associated pulmonary arterial hypertension express a genomic signature distinct from patients with interstitial lung disease. Journal of Scleroderma and Related Disorders, 2018, 3, 242-248. | 1.7 | 12        |
| 142 | Mitochondria, Aging, and Cellular Senescence: Implications for Scleroderma. Current Rheumatology Reports, 2020, 22, 37.  | 4.7 | 12        |
| 143 | Kelch-like protein 42 is a profibrotic ubiquitin E3 ligase involved in systemic sclerosis. Journal of Biological Chemistry, 2020, 295, 4171-4180.  | 3.4 | 12        |
| 144 | Defining the optimal disease duration of early diffuse systemic sclerosis for clinical trial design. Rheumatology, 2021, 60, 4662-4670.  | 1.9 | 12        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Analytic Review: Care of Patients With Scleroderma in the Intensive Care Setting. Journal of Intensive Care Medicine, 2010, 25, 247-258.  | 2.8 | 10        |
| 146 | Role for tollâ€like receptor 3 in muscle regeneration after cardiotoxin injury. Muscle and Nerve, 2011, 43, 733-740.  | 2.2 | 10        |
| 147 | Elevated expression of cav†in a subset of <scp>SS</scp> c fibroblasts contributes to constitutive Alk1/Smad1 activation. Journal of Cellular and Molecular Medicine, 2012, 16, 2238-2246.   | 3.6 | 10        |
| 148 | Skin Fibrosis and Recovery Is Dependent on Wnt Activation via DPP4. Journal of Investigative Dermatology, 2022, 142, 1597-1606.e9.  | 0.7 | 10        |
| 149 | The -2518A>G promoter polymorphism in the CCL2 gene is not associated with systemic sclerosis susceptibility or phenotype: Results from a multicenter study of European Caucasian patients. Human Immunology, 2009, 70, 130-133.                      | 2.4 | 9         |
| 150 | Reduced Proportion and Activity of Natural Killer Cells in the Lung of Patients with Idiopathic Pulmonary Fibrosis. American Journal of Respiratory and Critical Care Medicine, 2021, 204, 608-610.   | 5.6 | 9         |
| 151 | IL4RA on lymphatic endothelial cells promotes T cell egress during sclerodermatous graft versus host disease. JCI Insight, 2016, $1$ , .  | 5.0 | 8         |
| 152 | Pristane-Accelerated Autoimmune Disease in (SWR X NZB) F1 Mice Leads to Prominent Tubulointerstitial Inflammation and Human Lupus Nephritis-Like Fibrosis. PLoS ONE, 2016, 11, e0164423.  | 2.5 | 7         |
| 153 | Antibodies in raheumatoid synovial fluids bind to a restricted series of protein antigens in rheumatoid synovial tissue. Arthritis and Rheumatism, 1992, 35, 1016-1027.   | 6.7 | 6         |
| 154 | Editorial: Epigenetics in Systemic Sclerosis. Arthritis and Rheumatology, 2016, 68, 2841-2844.  | 5.6 | 6         |
| 155 | Rituximab: a potential therapeutic advance in scleroderma: What is the evidence?. Rheumatology, 2010, 49, 201-202.  | 1.9 | 5         |
| 156 | A pilot study of dimethyl fumarate in pulmonary arterial hypertension associated with systemic sclerosis. Journal of Scleroderma and Related Disorders, 2021, 6, 242-246.   | 1.7 | 5         |
| 157 | Î <sup>2</sup> -Agonist exposure preferentially impacts lung macrophage cyclic AMP-related gene expression in asthma and asthma COPD overlap syndrome. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2021, 321, L837-L843. | 2.9 | 5         |
| 158 | Single-Cell Analyses of Human Pancreas: Characteristics of two populations of acinar cells in chronic pancreatitis. American Journal of Physiology - Renal Physiology, 2021, 321, G449-G460.  | 3.4 | 5         |
| 159 | Progress and Priorities in Systemic Sclerosis: The Next 10 Years – Report from the World Scleroderma Foundation. Journal of Scleroderma and Related Disorders, 2016, 1, 7-9.  | 1.7 | 3         |
| 160 | SF2 and SRp55 regulation of CD45 exon 4 skipping during T cell activation. European Journal of Immunology, 1999, 29, 823-837.   | 2.9 | 3         |
| 161 | Etiology and pathogenesis of systemic sclerosis. , 2015, , 1177-1189.   |     | 3         |
| 162 | Overview of Animal Models. , 2012, , 291-307.   |     | 1         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Expression cloning using antibodies from a patient with rheumatoid arthritis of an autoantigen homologous to the Drosophila splicing regulator, suppressor-of-white-apricot., 1994,, 59-73. |     | 1         |
| 164 | Disease Classification Using Molecular Signatures. , 2012, , 71-81.   |     | 0         |
| 165 | Modeling Innate Immunity in Murine Skin: Utilization of Subcutaneous Osmotic Pumps for Inflammatory and Fibrotic Skin Disease. Methods in Molecular Biology, 2012, 900, 317-326.            | 0.9 | O         |
| 166 | Increased expression of ER stress genes in patients with limited cutaneous Systemic Sclerosis and Pulmonary Arterial Hypertension. FASEB Journal, 2013, 27, 1166.11.                        | 0.5 | 0         |
| 167 | Biomarkers in Systemic Sclerosis. , 2017, , 245-260.  |     | 0         |