ZdenÄ>k Peroutka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6893343/publications.pdf

Version: 2024-02-01

98 papers 824 citations

11 h-index 22 g-index

98 all docs 98 docs citations 98 times ranked 868 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Hybrid Deep Learning Techniques for Predicting Complex Phenomena: A Review on COVID-19. AI, 2022, 3, 416-433. | 2.1 | 11 |
| 2 | A Review of the Potential of Artificial Intelligence Approaches to Forecasting COVID-19 Spreading. Al, 2022, 3, 493-511. | 2.1 | 13 |
| 3 | Multi-Pole Winding Behavior in Multiphase Motors Under Current Harmonics Operation. IEEE Transactions on Energy Conversion, 2022, 37, 2546-2555. | 3.7 | 3 |
| 4 | In-motion charged vehicle simulation considering traffic and power grid interactions. Transportation Research, Part D: Transport and Environment, 2022, 109, 103322. | 3.2 | 0 |
| 5 | Comparison of main design concepts of auxiliary drives for DC catenary fed light traction vehicles: SiC JFET vs Si IGBT technology. EPE Journal (European Power Electronics and Drives Journal), 2021, 31, 17-31. | 0.7 | 1 |
| 6 | FPGA-based Real-time HIL Simulator of Permanent Magnet Synchronous Motor Drive., 2021,,. | | 4 |
| 7 | Distributed Control System for Medium-Voltage STATCOM based on Parallel Connected Power Converters., 2021,,. | | O |
| 8 | Size reduction and performance improvement of a microstrip Wilkinson power divider using a hybrid design technique. Scientific Reports, 2021, 11, 7773. | 1.6 | 64 |
| 9 | Neuro-Fuzzy Approaches to Estimating Thermal Overstress Behavior of IGBTs. , 2021, , . | | 4 |
| 10 | Maximizing power utilization of dual converter using predictive control with steady state cost. IET Power Electronics, 2021, 14, 2234-2248. | 1.5 | 2 |
| 11 | Constrained LQR Control of Dual Induction Motor Single Inverter Drive. IEEE Transactions on Industrial Electronics, 2021, 68, 5548-5558. | 5.2 | 7 |
| 12 | Dependence of IPMSM Motor Efficiency on Parameter Estimates. Sustainability, 2021, 13, 9299. | 1.6 | 4 |
| 13 | Four-Leg Transformer with Defined Zero Sequence Impedance for Ground Fault Compensation. , 2021, , . | | O |
| 14 | Universal balancing method of flying capacitor converters. , 2021, , . | | 0 |
| 15 | Predictive control of PMSM using improved model of the drive. , 2021, , . | | 1 |
| 16 | A Conceptual Deep Learning Framework for COVID-19 Drug Discovery. , 2021, , . | | 15 |
| 17 | A Modified Branch Line Coupler with Ultra-Wide Harmonics Rejection Using Resonators and Open-Ended Stubs. , 2021, , . | | 2 |
| 18 | Cloud-based Machine Learning Techniques Implemented by Microsoft Azure for Designing Power Amplifiers., 2021,,. | | 7 |

| # | Article | IF | Citations |
|----|--|--------------|-----------|
| 19 | Predictive Control of IM Drive Acoustic Noise. IEEE Transactions on Industrial Electronics, 2020, 67, 5666-5676. | 5.2 | 8 |
| 20 | Least Squares Method for Identification of IGBT Thermal Impedance Networks Using Direct Temperature Measurements. Energies, 2020, 13, 3749. | 1.6 | 4 |
| 21 | Comparison of IPMSM Parameter Estimation Methods for Motor Efficiency. , 2020, , . | | 6 |
| 22 | Multistep MPC of Dual Inverter for Switching Losses Optimization. , 2020, , . | | 0 |
| 23 | Ground Fault Active Compensation in Emulated Distribution Grid of 10 kV., 2020,,. | | 2 |
| 24 | Measurement of the Effects of Higher Harmonic Injection on Nine-phase Induction Motor., 2020,,. | | 2 |
| 25 | Modeling and optimal control of multi-winding permanent magnet synchronous motor. , 2020, , . | | О |
| 26 | Improved accuracy of model predictive control of Induction motor drive using FPGA., 2019,,. | | 2 |
| 27 | Minimum Infinity Norm-Based PWM for Three-Phase Four-Leg Converters. , 2019, , . | | О |
| 28 | DC Losses Heatsink Verification of IGBT Converter for Power Systems. , 2019, , . | | 1 |
| 29 | Adaptive Speed Control of Induction Motor Drive With Inaccurate Model. IEEE Transactions on Industrial Electronics, 2018, 65, 8532-8542. | 5. 2 | 57 |
| 30 | Control of a Single-Phase Cascaded H-Bridge Active Rectifier Under Unbalanced Load. IEEE Transactions on Power Electronics, 2018, 33, 5519-5527. | 5.4 | 44 |
| 31 | Direct Speed Control of a PMSM Drive Using SDRE and Convex Constrained Optimization. IEEE Transactions on Industrial Electronics, 2018, 65, 532-542. | 5.2 | 30 |
| 32 | Self-Sensing Control of Wound Rotor Synchronous Motor Drive for Mine Hoist. IEEE Transactions on Industrial Electronics, 2018, 65, 2009-2017. | 5 . 2 | 15 |
| 33 | Optimal Feedforward Torque Control of Synchronous Machines with Time-Varying Parameters. , 2018, , . | | 4 |
| 34 | Control of Dual Inverter with Power Losses Minimization Using SVPWM and Prediction with Extended Horizon. , 2018 , , . | | 0 |
| 35 | Time-optimal current trajectory for predictive speed control of PMSM drive., 2017,,. | | 7 |
| 36 | Improved model predictive control with extended horizon for dual inverter with real-time minimization of converter power losses. , 2017, , . | | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Control approaches of current-source rectifier: Predictive control versus PWM-based linear control., 2017,,. | | 2 |
| 38 | Model predictive control of multiple induction machines fed from single inverter. , 2017, , . | | 0 |
| 39 | Overmodulation of seven-phase systems using minimum infinity norm. , 2017, , . | | 4 |
| 40 | Implementation of predictive spectrum control of a LC filter using ADMM. , 2017, , . | | 3 |
| 41 | Universal PWM Modulator for Multiphase Drives With a Minimum Infinity-Norm Approach. IEEE Transactions on Industrial Electronics, 2016, 63, 5979-5987. | 5.2 | 18 |
| 42 | LQ lookahead in finite control set MPC of current-source rectifier., 2016,,. | | 2 |
| 43 | Simulation and control of FLC converters for UPS systems. , 2016, , . | | 0 |
| 44 | Multi-harmonic LQ control of single-phase converter with LCL filter. , 2016, , . | | 0 |
| 45 | Steady state torque optimal operating point control for wound rotor synchronous motors. , 2016, , . | | 0 |
| 46 | LQ control of single-phase converter with LCL filter with partially observed state. , 2016, , . | | 0 |
| 47 | Carrier-based PWM with minimum infinity norm for overmodulation area of five-phase converters. , 2016, , . | | 4 |
| 48 | Analysis of cost functions and setpoints for predictive speed control of PMSM drives. , 2016, , . | | 3 |
| 49 | Model predictive control of dual inverter respecting temperature limits of IGBTs. , 2016, , . | | 4 |
| 50 | Finite control set MPC with high frequency injections for sensorless position and speed estimation of a PMSM. , 2015 , , . | | 10 |
| 51 | Current Source Based on H-Bridge Inverter with Output LCL Filter. Journal of Electrical Engineering, 2015, 66, 287-291. | 0.4 | 4 |
| 52 | Finite control set MPC of active current-source rectifier with full state space model., 2015,,. | | 6 |
| 53 | Improved Stability of DC Catenary Fed Traction Drives Using Two-Stage Predictive Control. IEEE Transactions on Industrial Electronics, 2015, 62, 3192-3201. | 5.2 | 30 |
| 54 | Mitigation of electric drivetrain oscillation resulting from abrupt current derating at low coolant flow rate. , $2015, , .$ | | 3 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | Multilevel active rectifier with independent phase control. , 2015, , . | | 1 |
| 56 | Predictive current limiter for LQ based control of AC drives. , 2015, , . | | O |
| 57 | Frequency spectrum shaping using finite control set MPC with LQ lookahead. , 2015, , . | | 6 |
| 58 | Modulator for five-phase voltage-source inverters. , 2015, , . | | 1 |
| 59 | The SVPWM modulator with active voltage balancing control for 4-level FLC converter. , 2015, , . | | O |
| 60 | Position-Based T-S Fuzzy Power Management for Tram With Energy Storage System. IEEE Transactions on Industrial Electronics, 2015, 62, 3061-3071. | 5.2 | 39 |
| 61 | Implementation of SVPWM algorithm without trigonometric functions. , 2014, , . | | 3 |
| 62 | Comparative study of vector PWM and FS-MPC for 3-level Neutral Point Clamped converter. , 2014, , . | | 2 |
| 63 | Control of H-bridge power inverter with LCL filter. , 2014, , . | | O |
| 64 | Reduced-order Kalman filter in phase coordinates for IPMSM with higher flux harmonics. , 2014, , . | | 0 |
| 65 | Sensorless permanent magnet synchronous drive with DTC based on high frequency injections. , 2014, , . | | O |
| 66 | A minimum infinity norm based PWM modulator for four-leg three-phase converters. , 2014, , . | | 1 |
| 67 | Space vector modulated four-quadrant active current-source rectifier with DFT based power factor control for DC motor drive. , 2014, , . | | 3 |
| 68 | Control of cascaded H-bridge active rectifier providing active voltage balancing. , 2014, , . | | 2 |
| 69 | Start-stop system for a city bus based on model predictive control. , 2014, , . | | 2 |
| 70 | Extending horizon of finite control set MPC of PMSM drive with input LC filter using LQ lookahead. , 2014, , . | | 2 |
| 71 | Advanced Control Strategy for Single–Phase Voltage–Source Active Rectifier with Low Harmonic Emission. Journal of Electrical Engineering, 2014, 65, 121-124. | 0.4 | 6 |
| 72 | A novel least norm-based PWM for a four-leg earth fault compensator. , 2014, , . | | 4 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Resolver motivated sensorless rotor position estimation of wound rotor synchronous motors. , 2013, , . | | 6 |
| 74 | Frequency domain evaluation of a traction PMSM drive with direct torque control including field weakening area. , $2013, \ldots$ | | 2 |
| 75 | Universal precharging method for dc-link and flying capacitors of four-level Flying Capacitor Converter. , 2013, , . | | 12 |
| 76 | Low ripple current source based on resonant controllers. , 2013, , . | | 0 |
| 77 | Sensorless PMSM control: Hybrid rotor position estimator using maximum likelihood model selection., 2013,,. | | 2 |
| 78 | Distributed compensation including earth fault compensation for renewable energy resources. , 2013, , . | | 1 |
| 79 | Kalman filters unifying model-based and HF injection-based sensorless control of PMSM drives. , 2013, , . | | 6 |
| 80 | Resolver motivated sensorless rotor position estimation of wound rotor synchronous motors with Kalman filter. , 2013, , . | | 7 |
| 81 | FPGA implementation of marginalized particle filter for sensorless control of PMSM drives. , 2013, , . | | 7 |
| 82 | Sensorless direct torque control of PMSM with reduced model Extended Kalman filter., 2013,,. | | 5 |
| 83 | Active suppression of current harmonics on single-phase current-source active rectifier AC side: Proposed approches and their evaluation., 2012,,. | | O |
| 84 | Marginalized particle filter for sensorless control of PMSM drives. , 2012, , . | | 3 |
| 85 | Advantages of Square-Root Extended Kalman Filter for Sensorless Control of AC Drives. IEEE Transactions on Industrial Electronics, 2012, 59, 4189-4196. | 5.2 | 89 |
| 86 | Behavior of active current source rectifier under critical transient conditions in traction., 2012,,. | | 1 |
| 87 | Complete design of down-scale prototype of mining machine converter based on four-level voltage-source converter with flying capacitors. , 2012, , . | | 5 |
| 88 | DTC controlled PMSM traction drive input LC filter stabilization using model predictive control. , 2012, , . | | 2 |
| 89 | Optimal control and identification of model parameters of traction interior permanent magnet synchronous motor drive., 2011,,. | | 13 |
| 90 | Considerations about sensorless control of permanent magnet synchronous motors at low speed and standstill for wheel mounted drive of tram., 2011,,. | | 3 |

Zdenä>k Peroutka

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | New Configuration of Traction Converter With Medium-Frequency Transformer Using Matrix Converters. IEEE Transactions on Industrial Electronics, 2011, 58, 5041-5048. | 5.2 | 116 |
| 92 | Reduced-order square-root EKF for sensorless control of PMSM drives. , 2011, , . | | 13 |
| 93 | Current reference generator for 50-Hz and 16.7-Hz shunt active power filters. International Journal of Electronics, 2010, 97, 63-81. | 0.9 | 13 |
| 94 | Challenges of traction single-phase current-source active rectifier. , 2009, , . | | 5 |
| 95 | Single Phase Current-Source Active Rectifier: design, simulation and practical problems. , 2007, , . | | 2 |
| 96 | Comparison of 3D-SVPWM and Carrier-Based PWM of three-phase four-leg voltage source inverter. , 2007, , . | | 12 |
| 97 | Single-phase current-source active rectifier for traction applications: new control strategy based on phase shift controller. , 2007, , . | | 6 |
| 98 | New Control Algorithm for Traction Single-Phase Current-Source Active Rectifier., 2007,,. | | 0 |