

# Jayne Wu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/68934/jayne-wu-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153  
papers

4,672  
citations

39  
h-index

63  
g-index

178  
ext. papers

5,473  
ext. citations

6.2  
avg, IF

6.13  
L-index

#	Paper	IF	Citations
153	Electrochemical sensing of heavy metal ions with inorganic, organic and bio-materials. <i>Biosensors and Bioelectronics</i> , <b>2015</b> , 63, 276-286	11.8	361
152	Streptavidin-Functionalized Silver-Nanoparticle-Enriched Carbon Nanotube Tag for Ultrasensitive Multiplexed Detection of Tumor Markers. <i>Advanced Functional Materials</i> , <b>2011</b> , 21, 2938-2943	15.6	163
151	Electrochemical Sensor for Lead Cation Sensitized with a DNA Functionalized Porphyrinic Metal-Organic Framework. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 10635-41	7.8	160
150	A disposable electrochemical immunosensor for flow injection immunoassay of carcinoembryonic antigen. <i>Biosensors and Bioelectronics</i> , <b>2006</b> , 22, 102-8	11.8	158
149	Electric field-driven strategy for multiplexed detection of protein biomarkers using a disposable reagentless electrochemical immunosensor array. <i>Analytical Chemistry</i> , <b>2008</b> , 80, 6072-7	7.8	120
148	A DNA dual lock-and-key strategy for cell-subtype-specific siRNA delivery. <i>Nature Communications</i> , <b>2016</b> , 7, 13580	17.4	117
147	Long-Range AC Electroosmotic Trapping and Detection of Bioparticles. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2005</b> , 44, 2815-2822	3.9	116
146	Immunoreaction-triggered DNA assembly for one-step sensitive ratiometric electrochemical biosensing of protein biomarker. <i>Biosensors and Bioelectronics</i> , <b>2015</b> , 66, 345-9	11.8	107
145	A disposable multianalyte electrochemical immunosensor array for automated simultaneous determination of tumor markers. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 1495-502	5.5	105
144	Micropumping of biofluids by alternating current electrothermal effects. <i>Applied Physics Letters</i> , <b>2007</b> , 90, 234103	3.4	103
143	AC electrothermal manipulation of conductive fluids and particles for lab-chip applications. <i>IET Nanobiotechnology</i> , <b>2007</b> , 1, 36-43	2	99
142	Particle detection by electrical impedance spectroscopy with asymmetric-polarization AC electroosmotic trapping. <i>Microfluidics and Nanofluidics</i> , <b>2005</b> , 1, 161-167	2.8	96
141	Controllable aggregation-induced emission based on a tetraphenylethylene-functionalized pillar[5]arene via host-guest recognition. <i>Chemical Communications</i> , <b>2014</b> , 50, 9122-5	5.8	95
140	Ratiometric electrochemical proximity assay for sensitive one-step protein detection. <i>Scientific Reports</i> , <b>2014</b> , 4, 4360	4.9	80
139	Bisphenol A Sensors on Polyimide Fabricated by Laser Direct Writing for Onsite River Water Monitoring at Attomolar Concentration. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 17784-92	9.5	76
138	Electrochemical detection of Cu <sup>2+</sup> through Ag nanoparticle assembly regulated by copper-catalyzed oxidation of cysteamine. <i>Biosensors and Bioelectronics</i> , <b>2014</b> , 55, 272-7	11.8	74
137	Target-driven DNA association to initiate cyclic assembly of hairpins for biosensing and logic gate operation. <i>Chemical Science</i> , <b>2015</b> , 6, 4318-4323	9.4	73

136	Disposable reagentless electrochemical immunosensor array based on a biopolymer/sol-gel membrane for simultaneous measurement of several tumor markers. <i>Clinical Chemistry</i> , <b>2008</b> , 54, 1481-8 <sup>5</sup>	71
135	A plasmonic colorimetric strategy for biosensing through enzyme guided growth of silver nanoparticles on gold nanostars. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 78, 267-273	11.8 70
134	AC electrokinetics-enhanced capacitive immunosensor for point-of-care serodiagnosis of infectious diseases. <i>Biosensors and Bioelectronics</i> , <b>2014</b> , 51, 437-43	11.8 68
133	A disposable two-throughput electrochemical immunosensor chip for simultaneous multianalyte determination of tumor markers. <i>Biosensors and Bioelectronics</i> , <b>2007</b> , 23, 114-20	11.8 68
132	Label-free signal-on aptasensor for sensitive electrochemical detection of arsenite. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 79, 861-5	11.8 67
131	Disposable immunosensor array for ultrasensitive detection of tumor markers using glucose oxidase-functionalized silica nanosphere tags. <i>Biosensors and Bioelectronics</i> , <b>2011</b> , 26, 3782-7	11.8 64
130	Molecular Machine Powered Surface Programmatic Chain Reaction for Highly Sensitive Electrochemical Detection of Protein. <i>Analytical Chemistry</i> , <b>2018</b> , 90, 5503-5508	7.8 63
129	Phosphine oxide functional group based three-station molecular shuttle. <i>Chemical Science</i> , <b>2013</b> , 4, 1701 <sup>9</sup> .4	60
128	Bubble-Propelled Jellyfish-like Micromotors for DNA Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 13581-13588	9.5 59
127	Binding-induced DNA walker for signal amplification in highly selective electrochemical detection of protein. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 96, 201-205	11.8 57
126	A highly sensitive and specific capacitive aptasensor for rapid and label-free trace analysis of Bisphenol A (BPA) in canned foods. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 89, 1059-1067	11.8 57
125	Interactions of electrical fields with fluids: laboratory-on-a-chip applications. <i>IET Nanobiotechnology</i> , <b>2008</b> , 2, 14-27	2 57
124	Development of an AC electrokinetics-based immunoassay system for on-site serodiagnosis of infectious diseases. <i>Sensors and Actuators A: Physical</i> , <b>2011</b> , 171, 406-413	3.9 50
123	Ultrafast micropumping by biased alternating current electrokinetics. <i>Applied Physics Letters</i> , <b>2009</b> , 94, 064101	3.4 50
122	Insight into the roles of packing carriers and ultrasonication in anaerobic side-stream reactor coupled membrane bioreactors: Sludge reduction performance and mechanism. <i>Water Research</i> , <b>2019</b> , 155, 310-319	12.5 50
121	Rapid and sensitive detection of small biomolecule by capacitive sensing and low field AC electrothermal effect. <i>Sensors and Actuators B: Chemical</i> , <b>2016</b> , 226, 245-253	8.5 49
120	Optimization of planar interdigitated microelectrode array for biofluid transport by AC electrothermal effect. <i>Microfluidics and Nanofluidics</i> , <b>2014</b> , 16, 167-178	2.8 46
119	An AC electrokinetic impedance immunosensor for rapid detection of tuberculosis. <i>Analyst, The</i> , <b>2013</b> , 138, 7188-96	5 45

118	Rapid and sensitive detection of bisphenol a from serum matrix. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 91, 104-109	11.8	44
117	ac electro-osmotic micropump by asymmetric electrode polarization. <i>Journal of Applied Physics</i> , <b>2008</b> , 103, 024907	2.5	42
116	Synthesis of Bismuth-Nanoparticle-Enriched Nanoporous Carbon on Graphene for Efficient Electrochemical Analysis of Heavy-Metal Ions. <i>Chemistry - A European Journal</i> , <b>2015</b> , 21, 11525-30	4.8	40
115	Rapid, highly sensitive detection of Gram-negative bacteria with lipopolysaccharide based disposable aptasensor. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 112, 48-53	11.8	39
114	Organic Electrochemical Transistors for the Detection of Cell Surface Glycans. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 18470-18477	9.5	39
113	Highly sensitive and specific on-site detection of serum cocaine by a low cost aptasensor. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 108, 103-108	11.8	38
112	Recent development in chitosan nanocomposites for surface-based biosensor applications. <i>Electrophoresis</i> , <b>2019</b> , 40, 2084-2097	3.6	37
111	Design and characterization of a passive, disposable wireless AC-electroosmotic lab-on-a-film for particle and fluid manipulation. <i>Sensors and Actuators B: Chemical</i> , <b>2016</b> , 235, 330-342	8.5	36
110	Dielectrophoretic responses of DNA and fluorophore in physiological solution by impedimetric characterization. <i>Biosensors and Bioelectronics</i> , <b>2013</b> , 41, 649-55	11.8	36
109	High-throughput imaging assay of multiple proteins target-induced DNA assembly and cleavage. <i>Chemical Science</i> , <b>2015</b> , 6, 2602-2607	9.4	34
108	Enhancing microcantilever capability with integrated AC electroosmotic trapping. <i>Microfluidics and Nanofluidics</i> , <b>2007</b> , 3, 369-375	2.8	34
107	Thermally biased AC electrokinetic pumping effect for lab-on-a-chip based delivery of biofluids. <i>Biomedical Microdevices</i> , <b>2013</b> , 15, 125-33	3.7	32
106	Biased AC electro-osmosis for on-chip bioparticle processing. <i>IEEE Nanotechnology Magazine</i> , <b>2006</b> , 5, 84-89	2.6	31
105	Laser-Induced Carbon-Based Smart Flexible Sensor Array for Multiflavors Detection. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 34005-34012	9.5	31
104	Multiplexed electrochemical immunoassay using streptavidin/nanogold/carbon nanohorn as a signal tag to induce silver deposition. <i>Analytica Chimica Acta</i> , <b>2014</b> , 847, 37-43	6.6	30
103	Numerical study of in situ preconcentration for rapid and sensitive nanoparticle detection. <i>Biomicrofluidics</i> , <b>2010</b> , 4,	3.2	30
102	Electrochemical Immunoassay of Human Chorionic Gonadotrophin Based on Its Immobilization in Gold Nanoparticles-Chitosan Membrane. <i>Electroanalysis</i> , <b>2006</b> , 18, 670-676	3	29
101	Rapid capacitive detection of femtomolar levels of bisphenol A using an aptamer-modified disposable microelectrode array. <i>Mikrochimica Acta</i> , <b>2015</b> , 182, 2361-2367	5.8	28

100	Sensitive colorimetric biosensing for methylation analysis of p16/CDKN2 promoter with hyperbranched rolling circle amplification. <i>Biosensors and Bioelectronics</i> , <b>2014</b> , 61, 593-7	11.8	28
99	Ultrasensitive enzyme-free electrochemical immunosensor based on hybridization chain reaction triggered double strand DNA@Au nanoparticle tag. <i>Talanta</i> , <b>2014</b> , 120, 218-23	6.2	27
98	Nanogold-Enriched Carbon Nanohorn Label for Sensitive Electrochemical Detection of Biomarker on a Disposable Immunosensor. <i>Electroanalysis</i> , <b>2013</b> , 25, 1044-1049	3	27
97	A pH-responsive colorimetric strategy for DNA detection by acetylcholinesterase catalyzed hydrolysis and cascade amplification. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 94, 651-656	11.8	26
96	Multiplexed chemiluminescence imaging assay of protein biomarkers using DNA microarray with proximity binding-induced hybridization chain reaction amplification. <i>Analytica Chimica Acta</i> , <b>2018</b> , 1032, 130-137	6.6	26
95	A PCR-free point-of-care capacitive immunoassay for influenza A virus. <i>Mikrochimica Acta</i> , <b>2017</b> , 184, 1649-1657	5.8	23
94	An interdigitated microelectrode based aptasensor for real-time and ultratrace detection of four organophosphorus pesticides. <i>Biosensors and Bioelectronics</i> , <b>2020</b> , 150, 111879	11.8	22
93	Unamplified RNA Sensor for On-Site Screening of Zika Virus Disease in a Limited Resource Setting. <i>ChemElectroChem</i> , <b>2017</b> , 4, 485-489	4.3	21
92	A low cost and palm-size analyzer for rapid and sensitive protein detection by AC electrokinetics capacitive sensing. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 90, 83-90	11.8	21
91	Investigation of microflow reversal by ac electrokinetics in orthogonal electrodes for micropump design. <i>Biomicrofluidics</i> , <b>2008</b> , 2, 24101	3.2	21
90	Heavy Metal Ion Detection Platforms Based on a Glutathione Probe: A Mini Review. <i>Applied Sciences (Switzerland)</i> , <b>2019</b> , 9, 489	2.6	20
89	Alternating current electrokinetics enhanced in situ capacitive immunoassay. <i>Electrophoresis</i> , <b>2015</b> , 36, 471-4	3.6	20
88	Microfluidic flow reversal at low frequency by AC electrothermal effect. <i>Microfluidics and Nanofluidics</i> , <b>2009</b> , 7, 757-765	2.8	19
87	Proximity hybridization-regulated chemiluminescence resonance energy transfer for homogeneous immunoassay. <i>Talanta</i> , <b>2016</b> , 154, 455-60	6.2	19
86	Motor-based microprobe powered by bio-assembled catalase for motion detection of DNA. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 87, 31-37	11.8	18
85	Optimization of an AC electrokinetics immunoassay lab-chip for biomedical diagnostics. <i>Microfluidics and Nanofluidics</i> , <b>2017</b> , 21, 1	2.8	17
84	Capacitive DNA sensor for rapid and sensitive detection of whole genome human herpesvirus-1 dsDNA in serum. <i>Electrophoresis</i> , <b>2017</b> , 38, 1617-1623	3.6	17
83	Intensive and Persistent Chemiluminescence System Based on Nano-/Bioenzymes with Local Tandem Catalysis and Surface Diffusion. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 5517-5523	7.8	17

82	Lectin-mediated in situ rolling circle amplification on exosomes for probing cancer-related glycan pattern. <i>Analytica Chimica Acta</i> , <b>2018</b> , 1039, 108-115	6.6	16
81	Microfluidic transport by AC electroosmosis. <i>Journal of Physics: Conference Series</i> , <b>2006</b> , 34, 356-361	0.3	16
80	Powering efficiency of inductive links with inlaid electroplated microcoils. <i>Journal of Micromechanics and Microengineering</i> , <b>2004</b> , 14, 576-586	2	16
79	Capacitive Aptasensor Coupled with Microfluidic Enrichment for Real-Time Detection of Trace SARS-CoV-2 Nucleocapsid Protein.. <i>Analytical Chemistry</i> , <b>2022</b> ,	7.8	15
78	Proximity hybridization-induced on particle DNA walker for ultrasensitive protein detection. <i>Analytica Chimica Acta</i> , <b>2019</b> , 1074, 142-149	6.6	14
77	An on-site, highly specific immunosensor for Escherichia coli detection in field milk samples from mastitis-affected dairy cattle. <i>Biosensors and Bioelectronics</i> , <b>2020</b> , 165, 112366	11.8	14
76	Topological Analysis and Gaussian Decision Tree: Effective Representation and Classification of Biosignals of Small Sample Size. <i>IEEE Transactions on Biomedical Engineering</i> , <b>2017</b> , 64, 2288-2299	5	13
75	A Simple Method to Integrate In Situ Nano-Particle Focusing With Cantilever Detection. <i>IEEE Sensors Journal</i> , <b>2007</b> , 7, 957-958	4	12
74	Resonance energy transfer and electron-hole annihilation induced chemiluminescence of quantum dots for amplified immunoassay. <i>Chemical Communications</i> , <b>2018</b> , 54, 11861-11864	5.8	12
73	Motion of Enzyme-Powered Microshell Motors. <i>Chemistry - an Asian Journal</i> , <b>2019</b> , 14, 2491-2496	4.5	11
72	Fe-based ceramic nanocomposite membranes fabricated via e-spinning and vacuum filtration for Cd ions removal. <i>Chemosphere</i> , <b>2019</b> , 230, 527-535	8.4	11
71	Rapid detection of progesterone by commercially available microelectrode chips <b>2013</b> ,		11
70	Rapid detection of ultra-trace nanoparticles based on ACEK enrichment for semiconductor manufacturing quality control. <i>Microfluidics and Nanofluidics</i> , <b>2019</b> , 23, 1	2.8	11
69	A resettable in-line particle concentrator using AC electrokinetics for distributed monitoring of microalgae in source waters. <i>Sensors and Actuators B: Chemical</i> , <b>2017</b> , 244, 265-274	8.5	10
68	Experimental Observation of Thermally Excited Triplet States of Heavier Group 15 Element Centered Diradical Dianions. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 3156-3160	4.8	10
67	Rapid detection of microbial cell abundance in aquatic systems. <i>Biosensors and Bioelectronics</i> , <b>2016</b> , 85, 915-923	11.8	10
66	A highly sensitive aptasensor for on-site detection of lipopolysaccharides in food. <i>Electrophoresis</i> , <b>2019</b> , 40, 890-896	3.6	10
65	A new multidimensional integral relationship between heat flux and temperature for direct internal assessment of heat flux. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , <b>2008</b> , 59, 869-888	1.6	10

64	Heating rate dT/dt measurements developed from in-situ thermocouples using a voltage-rate interface. <i>International Communications in Heat and Mass Transfer</i> , <b>2008</b> , 35, 885-891	5.8	10
63	An inlaid electroplated copper coil for on-chip powering of microelectromechanical systems devices. <i>Journal of Vacuum Science &amp; Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , <b>2004</b> , 22, 611		10
62	A facile strategy for quantitative sensing of glycans on cell surface using organic electrochemical transistors. <i>Biosensors and Bioelectronics</i> , <b>2021</b> , 175, 112878	11.8	10
61	Rapid detection of trace Cu using an l-cysteine based interdigitated electrode sensor integrated with AC electrokinetic enrichment. <i>Electrophoresis</i> , <b>2019</b> , 40, 2699-2705	3.6	9
60	AC electrokinetic drug delivery in dentistry using an interdigitated electrode assembly powered by inductive coupling. <i>Biomedical Microdevices</i> , <b>2016</b> , 18, 84	3.7	9
59	Early mastitis diagnosis through topological analysis of biosignals from low-voltage alternate current electrokinetics. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2017</b> , 2017, 512-5	0.9	9
58	Particle Line Assembly/Patterning by Microfluidic AC Electroosmosis. <i>Journal of Physics: Conference Series</i> , <b>2006</b> , 34, 589-594	0.3	9
57	Real-time, selective, and low-cost detection of trace level SARS-CoV-2 spike-protein for cold-chain food quarantine. <i>Npj Science of Food</i> , <b>2021</b> , 5, 12	6.3	9
56	3D-printed microfluidic manipulation device integrated with magnetic array. <i>Microfluidics and Nanofluidics</i> , <b>2018</b> , 22, 1	2.8	9
55	Simultaneous enhancement of treatment performance and energy recovery using pyrite as anodic filling material in constructed wetland coupled with microbial fuel cells. <i>Water Research</i> , <b>2021</b> , 201, 117333 <sup>5</sup>	12.5	9
54	Organic electrochemical transistor for sensing of sialic acid in serum samples. <i>Analytica Chimica Acta</i> , <b>2020</b> , 1128, 231-237	6.6	8
53	Low-Cost and Desktop-Fabricated Biosensor for Rapid and Sensitive Detection of Circulating D-Dimer Biomarker. <i>IEEE Sensors Journal</i> , <b>2019</b> , 19, 1245-1251	4	8
52	Lack of methane hotspot in the upstream dam: Case study in a tributary of the Three Gorges Reservoir, China. <i>Science of the Total Environment</i> , <b>2021</b> , 754, 142151	10.2	8
51	A single-step DNAzyme sensor for ultra-sensitive and rapid detection of Pb <sup>2+</sup> ions. <i>Electrochimica Acta</i> , <b>2021</b> , 368, 137551	6.7	8
50	Hypergraph-based persistent cohomology (HPC) for molecular representations in drug design. <i>Briefings in Bioinformatics</i> , <b>2021</b> , 22,	13.4	8
49	A Rolling Circle-Amplified G-Quadruplex/Hemin DNAzyme for Chemiluminescence Immunoassay of the SARS-CoV-2 Protein. <i>Analytical Chemistry</i> , <b>2021</b> , 93, 9933-9938	7.8	8
48	Low-voltage dynamic control for DC electroosmotic devices. <i>Sensors and Actuators A: Physical</i> , <b>2009</b> , 153, 237-243	3.9	7
47	Optimisation of waste clean-up after large-scale disasters. <i>Waste Management</i> , <b>2021</b> , 119, 1-10	8.6	7

46	Thermal degradation behavior of pectin in citrus wastes with density functional theory study. <i>Waste Management</i> , <b>2019</b> , 89, 408-417	8.6	6
45	Real-time Cd <sup>2+</sup> detection at sub-femtomolar level in various liquid media by an aptasensor integrated with microfluidic enrichment. <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 329, 129282	8.5	6
44	Laser nanojoining of copper nanowires. <i>Journal of Laser Applications</i> , <b>2019</b> , 31, 022414	2.1	5
43	Target-Catalyzed Assembly of Pyrene-Labeled Hairpins for Exponentially Amplified Biosensing.. <i>ACS Applied Bio Materials</i> , <b>2020</b> , 3, 5342-5349	4.1	5
42	Obtaining Time Derivative of Low-Frequency Signals With Improved Signal-to-Noise Ratio. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2010</b> , 59, 596-603	5.2	5
41	Simple wireless powering scheme for MEMS devices <b>2001</b> , 4559, 43		5
40	Confined electrochemiluminescence imaging microarray for high-throughput biosensing of single cell-released dopamine.. <i>Biosensors and Bioelectronics</i> , <b>2022</b> , 201, 113959	11.8	5
39	Robust and Rapid Detection of Mixed Volatile Organic Compounds in Flow Through Air by a Low Cost Electronic Nose. <i>Chemosensors</i> , <b>2020</b> , 8, 73	4	5
38	Rapid and Sensitive Point of Care Detection of MRSA Genomic DNA by Nanoelectrokinetic Sensors. <i>Chemosensors</i> , <b>2021</b> , 9, 97	4	5
37	Thermal decomposition mechanism of O-acetyl-4-O-methylglucurono-xylan. <i>Journal of Molecular Modeling</i> , <b>2019</b> , 25, 234	2	4
36	Locating Sudden Changes in Heat Flux Using Higher Temporal Derivatives of Temperature. <i>Journal of Spacecraft and Rockets</i> , <b>2008</b> , 45, 631-635	1.5	4
35	Heating-Rate Measurements Developed from In-Situ Thermocouples Using a Voltage-Rate Interface <b>2006</b> ,		4
34	Inductive generation of arbitrary waveforms for electrical stimulation using implantable microcoils. <i>Journal of Micromechanics and Microengineering</i> , <b>2004</b> , 14, 1012-1021	2	4
33	Persistent spectral hypergraph based machine learning (PSH-ML) for protein-ligand binding affinity prediction. <i>Briefings in Bioinformatics</i> , <b>2021</b> , 22,	13.4	4
32	An anchored monopodial DNA walker triggered by proximity hybridization for amplified amperometric biosensing of nucleic acid and protein. <i>Analytica Chimica Acta</i> , <b>2020</b> , 1107, 48-54	6.6	3
31	AC electrokinetics based capture of yeast cells from ultra-fast through-flow for sensitive detection. <i>Micro and Nano Letters</i> , <b>2017</b> , 12, 901-906	0.9	3
30	<b>2011</b> ,		3
29	In Situ Nanoparticle Focusing Within Microfluidics <b>2010</b> , 295-316		3



28	An Inductive Link with Integrated Receiving Coil Coupling Coefficient and Link Efficiency. <i>Journal of Computational Electronics</i> , <b>2005</b> , 4, 221-230	1.8	3
27	Advances of LOC-Based Particle Manipulation by AC Electrical Fields. <i>Recent Patents on Electrical Engineering</i> , <b>2008</b> , 1, 178-187		3
26	A sensitive electrochemical method for rapid detection of dengue virus by CRISPR/Cas13a-assisted catalytic hairpin assembly. <i>Analytica Chimica Acta</i> , <b>2021</b> , 1187, 339131	6.6	3
25	A disposable bulk-acoustic-wave microalga trapping device for real-time water monitoring. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 304, 127388	8.5	3
24	Rapid and Sensitive Detection of miRNA Based on AC Electrokinetic Capacitive Sensing for Point-of-Care Applications. <i>Sensors</i> , <b>2021</b> , 21,	3.8	3
23	Pressure-Driven Micro-Casting for Electrode Fabrication and Its Applications in Wear Grain Detections. <i>Materials</i> , <b>2019</b> , 12,	3.5	3
22	Easy-to-operate fabrication of tapered glass capillaries for microdroplet generation. <i>Journal of Micromechanics and Microengineering</i> , <b>2019</b> , 29, 037001	2	3
21	A Nanofluidic Sensor for Real-Time Detection of Ultratrace Contaminant Particles in IC Fabrication. <i>IEEE Sensors Journal</i> , <b>2021</b> , 21, 755-764	4	3
20	Dowker complex based machine learning (DCML) models for protein-ligand binding affinity prediction.. <i>PLoS Computational Biology</i> , <b>2022</b> , 18, e1009943	5	3
19	Investigations of DC Electro-Osmotic (DCEO) micro pumps for an orthopaedic implant applications. <i>International Journal of Biomedical Engineering and Technology</i> , <b>2010</b> , 3, 173	1.3	2
18	. <i>IEEE Internet of Things Journal</i> , <b>2021</b> , 1-1	10.7	2
17	Topological complexity of the work map. <i>Journal of Topology and Analysis</i> , <b>2021</b> , 13, 219-238	0.3	2
16	Microfluidics-Integrated Sensors toward Rapid Detection of Single Nucleotide Variations. <i>ACS Omega</i> , <b>2021</b> , 6, 24297-24303	3.9	2
15	Rapid and sensitive detection of formaldehyde based on AC electrokinetic effects. <i>Micro and Nano Letters</i> , <b>2018</b> , 13, 63-68	0.9	1
14	Nitrogen Analogues of o-Quinodimethane with Unexpected non-Kekulé Diradical Character. <i>Chinese Journal of Chemistry</i> , <b>2018</b> , 36, 487-490	4.9	1
13	DC and RF characteristics of MBE grown GaAs barrier diode. <i>Journal of Crystal Growth</i> , <b>2001</b> , 227-228, 223-227	1.6	1
12	Optimization of ACEK-enhanced, PCB-based biosensor for highly sensitive and rapid detection of bisphenol a in low resource settings. <i>Biosensors and Bioelectronics</i> , <b>2022</b> , 196, 113745	11.8	1
11	Monose-modified organic electrochemical transistors for cell surface glycan analysis via competitive recognition to enzyme-labeled lectin. <i>Mikrochimica Acta</i> , <b>2021</b> , 188, 252	5.8	1

10	Simple, Fast And Highly Sensitive Detection Of Gram-Negative Bacteria By A Novel Electrical Biosensor. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2018</i> , 2018, 1279-1282	0.9	1
9	Inductive pulse transmission by amplitude modulation using thin-film and electroplated microcoils. <i>Journal of Micro/ Nanolithography, MEMS, and MOEMS</i> , 2005, 4, 013011	0.7	0
8	Response of CO and CH transport to damming: A case study of Yulin River in the Three Gorges Reservoir, China.. <i>Environmental Research</i> , 2022, 208, 112733	7.9	0
7	A Sensitive and Specific Genomic RNA Sensor for Point-of-Care Screening of Zika Virus from Serum. <i>Analytical Chemistry</i> , 2021, 93, 11379-11387	7.8	0
6	A disposable aptasensor based on a gold-plated coplanar electrode array for on-site and real-time determination of Cu. <i>Analytica Chimica Acta</i> , 2021, 1183, 338991	6.6	0
5	Aspects of topological approaches for data science 2022,		0
4	Chemiluminescent screening of specific hybridoma cells via a proximity-rolling circle activated enzymatic switch.. <i>Communications Biology</i> , 2022, 5, 308	6.7	0
3	New insight into ammonium oxidation processes and mechanisms mediated by manganese oxide in constructed wetlands.. <i>Water Research</i> , 2022, 215, 118251	12.5	0
2	Parallel Plate Particle Trapping with Application to Cantilevers. <i>Journal of Physics: Conference Series</i> , 2006, 34, 709-714	0.3	
1	Serologic Diagnosis of Taenia Solium Cysticercosis through Linear Unmixing Analysis of Biosignals from ACEK Capacitive Sensing Method. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2019</i> , 2019, 2261-2264	0.9	