
## **Caroline Watkins**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6894711/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prevalence of spasticity post stroke. Clinical Rehabilitation, 2002, 16, 515-522.	2.2	400
2	Reliability of the tone assessment scale and the modified ashworth scale as clinical tools for assessing poststroke spasticity. Archives of Physical Medicine and Rehabilitation, 1999, 80, 1013-1016.	0.9	344
3	Post-stroke dysphagia: A review and design considerations for future trials. International Journal of Stroke, 2016, 11, 399-411.	5.9	280
4	Repetitive task training for improving functional ability after stroke. The Cochrane Library, 2016, 2016, CD006073.	2.8	263
5	Developing an evidence base for interdisciplinary learning: a systematic review. Journal of Advanced Nursing, 2001, 35, 228-237.	3.3	239
6	Repetitive task training for improving functional ability after stroke. , 2007, , CD006073.		204
7	Stroke knowledge and awareness: an integrative review of the evidence. Age and Ageing, 2010, 39, 11-22.	1.6	167
8	Does repetitive task training improve functional activity after stroke? A Cochrane systematic review and meta-analysis. Journal of Rehabilitation Medicine, 2010, 42, 9-14.	1.1	162
9	Motivational Interviewing Early After Acute Stroke. Stroke, 2007, 38, 1004-1009.	2.0	147
10	Cluster-Randomized, Crossover Trial of Head Positioning in Acute Stroke. New England Journal of Medicine, 2017, 376, 2437-2447.	27.0	143
11	Very Early Rehabilitation or Intensive Telemetry after Stroke: A Pilot Randomised Trial. Cerebrovascular Diseases, 2010, 29, 352-360.	1.7	124
12	Evaluation of a nurse-led falls prevention programme versus usual care: a randomized controlled trial. Age and Ageing, 2002, 31, 203-210.	1.6	95
13	Predicting spasticity after stroke in those surviving to 12 months. Clinical Rehabilitation, 2004, 18, 438-443.	2.2	94
14	Effectiveness of enhanced communication therapy in the first four months after stroke for aphasia and dysarthria: a randomised controlled trial. BMJ, The, 2012, 345, e4407-e4407.	6.0	88
15	"Do none of you talk to each other?― the challenges facing the implementation of interprofessional education. Medical Teacher, 2004, 26, 545-552.	1.8	85
16	Accuracy of a single question in screening for depression in a cohort of patients after stroke: comparative study. BMJ: British Medical Journal, 2001, 323, 1159-1159.	2.3	78
17	The 12-Month Effects of Early Motivational Interviewing After Acute Stroke. Stroke, 2011, 42, 1956-1961.	2.0	72
18	Treatment of urinary incontinence after stroke in adults. The Cochrane Library, 2008, , CD004462.	2.8	71

#	Article	IF	CITATIONS
19	Can staff attitudes to team working in stroke care be improved?. Journal of Advanced Nursing, 2002, 40, 105-111.	3.3	60
20	Interventions for treating anxiety after stroke. The Cochrane Library, 2017, 2017, CD008860.	2.8	59
21	Development of a behaviour change intervention to increase upper limb exercise in stroke rehabilitation. Implementation Science, 2015, 10, 34.	6.9	58
22	A formative evaluation of the implementation of an upper limb stroke rehabilitation intervention in clinical practice: a qualitative interview study. Implementation Science, 2014, 9, 90.	6.9	54
23	An occupational therapy intervention for residents with stroke related disabilities in UK care homes (OTCH): cluster randomised controlled trial. BMJ, The, 2015, 350, h468-h468.	6.0	47
24	Clinical effectiveness, cost-effectiveness and service users' perceptions of early, well-resourced communication therapy following a stroke: a randomised controlled trial (the ACT NoW Study) Health Technology Assessment, 2012, 16, 1-160.	2.8	43
25	Interventions for treating anxiety after stroke. , 2011, , CD008860.		40
26	Interventions for treating urinary incontinence after stroke in adults. The Cochrane Library, 2019, 2019, 2019, CD004462.	2.8	39
27	Repetitive Task Training for Improving Functional Ability After Stroke. Stroke, 2009, 40, .	2.0	38
28	Repetitive Task Training for Improving Functional Ability After Stroke. Stroke, 2017, 48, .	2.0	37
29	Hi4D-ADSIP 3-D dynamic facial articulation database. Image and Vision Computing, 2012, 30, 713-727.	4.5	36
30	Evaluation of a single-item screening tool for depression after stroke: a cohort study. Clinical Rehabilitation, 2007, 21, 846-852.	2.2	33
31	Early, specialist vocational rehabilitation to facilitate return to work after traumatic brain injury: the FRESH feasibility RCT. Health Technology Assessment, 2018, 22, 1-124.	2.8	33
32	Engaging service users in the development of stroke services: an action research study. Journal of Clinical Nursing, 2008, 17, 1270-1279.	3.0	32
33	Oral flora in acute stroke patients: A prospective exploratory observational study. Gerodontology, 2017, 34, 343-356.	2.0	31
34	Moving stroke rehabilitation research evidence into clinical practice: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. International Journal of Stroke, 2019, 14, 766-773.	5.9	31
35	The COSTAR wheelchair study: a two-centre pilot study of self-propulsion in a wheelchair in early stroke rehabilitation. Clinical Rehabilitation, 2001, 15, 32-41.	2.2	29
36	Can early onset bone loss be effectively managed in post-stroke patients? An integrative review of the evidence. Age and Ageing, 2008, 37, 142-150.	1.6	29

#	Article	IF	CITATIONS
37	Therapists' Use of the Graded Repetitive Arm Supplementary Program (GRASP) Intervention: A Practice Implementation Survey Study. Physical Therapy, 2014, 94, 632-643.	2.4	29
38	Etiologic Workup in Cases of Cryptogenic Stroke. Stroke, 2020, 51, 1419-1427.	2.0	29
39	Can nurses help identify patients with depression following stroke? A pilot study using two methods of detection. Journal of Advanced Nursing, 2007, 57, 505-512.	3.3	27
40	Head Position in Stroke Trial (HeadPoST) – sitting-up vs lying-flat positioning of patients with acute stroke: study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 256.	1.6	27
41	The impact of education and training interventions for nurses and other health care staff involved in the delivery of stroke care: An integrative review. Nurse Education Today, 2018, 61, 249-257.	3.3	27
42	Prevention and treatment of urinary incontinence after stroke in adults. , 2005, , CD004462.		26
43	Estimating total Barthel scores from just three items: the European Stroke Database â€~minimum dataset' for assessing functional status at discharge from hospital. Age and Ageing, 1998, 27, 115-122.	1.6	24
44	People's experiences of the impact of transient ischaemic attack and its consequences: qualitative study. Journal of Advanced Nursing, 2012, 68, 1707-1715.	3.3	24
45	Training emergency services' dispatchers to recognise stroke: an interrupted time-series analysis. BMC Health Services Research, 2013, 13, 318.	2.2	23
46	Mechanisms of action of an implementation intervention in stroke rehabilitation: a qualitative interview study. BMC Health Services Research, 2016, 16, 534.	2.2	22
47	Identifying continence options after stroke (ICONS): a cluster randomised controlled feasibility trial. Trials, 2014, 15, 509.	1.6	20
48	The use of nurses' and carers' observations in the identification of poststroke depression. Journal of Advanced Nursing, 2007, 60, 595-604.	3.3	19
49	Physiological monitoring in acute stroke: a literature review. Journal of Advanced Nursing, 2007, 60, 577-594.	3.3	19
50	Repetitive arm functional tasks after stroke (RAFTAS): a pilot randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, 50.	1.2	19
51	Blood pressure variability and outcome in acute ischemic and hemorrhagic stroke: a post hoc analysis of the HeadPoST study. Journal of Human Hypertension, 2019, 33, 411-418.	2.2	19
52	Prescribing upper limb exercises after stroke: A survey of current UK therapy practice. Journal of Rehabilitation Medicine, 2014, 46, 212-218.	1.1	18
53	<i>â€~It was like he was in the room with us':</i> patients' and carers' perspectives of telemedicine in acute stroke. Health Expectations, 2016, 19, 98-111.	2.6	17
54	Risk-factor assessment for falls: from a written checklist to the penless clinic. Age and Ageing, 1998, 27, 569-572.	1.6	16

#	Article	IF	CITATIONS
55	Development and Inter-rater Reliability of an Assessment Tool for Measuring Muscle Tone in People with Hemiplegia after a Stroke. Physiotherapy, 1999, 85, 405-409.	0.4	16
56	Changing stroke mortality trends in middle-aged people: an age-period-cohort analysis of routine mortality data in persons aged 40 to 69 in England. Journal of Epidemiology and Community Health, 2010, 64, 523-529.	3.7	15
57	Study protocol: ICONS: Identifying continence options after stroke: A randomised trial. Trials, 2011, 12, 131.	1.6	15
58	A cluster randomised controlled trial of an occupational therapy intervention for residents with stroke living in UK care homes (OTCH): study protocol. BMC Neurology, 2012, 12, 52.	1.8	14
59	Regional variation in acute stroke care organisation. Journal of the Neurological Sciences, 2016, 371, 126-130.	0.6	14
60	Parallel-Serial Memoing. Qualitative Health Research, 2016, 26, 1745-1752.	2.1	14
61	â€~Is he awake?': dialogues between callers and call handlers about consciousness during emergency calls for suspected acute stroke. Emergency Medicine Journal, 2013, 30, 414-418.	1.0	12
62	Client and clinical staff perceptions of barriers to and enablers of the uptake and delivery of behavioural interventions for urinary incontinence: qualitative evidence synthesis. Journal of Advanced Nursing, 2017, 73, 21-38.	3.3	12
63	Screening for aspiration risk associated with dysphagia in acute stroke. The Cochrane Library, 0, , .	2.8	12
64	Callers' experiences of making emergency calls at the onset of acute stroke: a qualitative study: Table 1. Emergency Medicine Journal, 2012, 29, 502-505.	1.0	11
65	Case Series of a Knowledge Translation Intervention to Increase Upper Limb Exercise in Stroke Rehabilitation. Physical Therapy, 2016, 96, 1930-1937.	2.4	11
66	Motivational Interviewing Post-Stroke. Qualitative Health Research, 2016, 26, 264-272.	2.1	11
67	Fidelity to a motivational interviewing intervention for those with post-stroke aphasia: a small-scale feasibility study. Topics in Stroke Rehabilitation, 2018, 25, 54-60.	1.9	11
68	An Occupational Therapy intervention for residents with stroke-related disabilities in UK Care Homes (OTCH): cluster randomised controlled trial with economic evaluation. Health Technology Assessment, 2016, 20, 1-138.	2.8	11
69	Identifying Continence OptioNs after Stroke (ICONS): an evidence synthesis, case study and exploratory cluster randomised controlled trial of the introduction of a systematic voiding programme for patients with urinary incontinence after stroke in secondary care. Programme Grants for Applied Research, 2015, 3, 1-602.	1.0	11
70	Impact of Evidenceâ€Based Stroke Care on Patient Outcomes: A Multilevel Analysis of an International Study. Journal of the American Heart Association, 2019, 8, e012640.	3.7	10
71	Implementing a Systematic Voiding Program for Patients With Urinary Incontinence After Stroke. Qualitative Health Research, 2016, 26, 1393-1408.	2.1	9
72	Psychological Intervention Poststroke. Stroke, 2009, 40, 2951-2952.	2.0	8

#	Article	IF	CITATIONS
73	The use of formal and informal knowledge sources in patients' treatment decisions in secondary stroke prevention: qualitative study. Health Expectations, 2013, 16, e13-23.	2.6	8
74	Motivational interviewing for low mood and adjustment early after stroke: a feasibility randomised trial. Pilot and Feasibility Studies, 2018, 4, 152.	1.2	8
75	A scoping review of psychoeducational interventions for people after transient ischemic attack and minor stroke. Topics in Stroke Rehabilitation, 2021, 28, 390-400.	1.9	8
76	Stroke survivors' and carers' experiences of a systematic voiding programme to treat urinary incontinence after stroke. Journal of Clinical Nursing, 2018, 27, 2041-2051.	3.0	7
77	Predictors of recognition of out of hospital cardiac arrest by emergency medical services call handlers in England: a mixed methods diagnostic accuracy study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2021, 29, 7.	2.6	7
78	Assessing fidelity to treatment delivery in the ICONS (Identifying Continence OptioNs after Stroke) cluster randomised feasibility trial. BMC Medical Research Methodology, 2015, 15, 68.	3.1	6
79	Knowing-in-action that centres humanising relationships on stroke units: an appreciative action research study. Brain Impairment, 2022, 23, 60-75.	0.7	6
80	Stroke patients' experiences of being admitted to and nursed within a mixed sex environment: a qualitative study. Clinical Effectiveness in Nursing, 2003, 7, 141-147.	0.1	5
81	The recognition and emergency management of suspected stroke and transient ischaemic attack. Clinical Medicine, 2007, 7, 467-471.	1.9	5
82	Combined conservative interventions for urge, stress or mixed incontinence in adults. The Cochrane Library, 0, , .	2.8	5
83	Emergency Stroke Calls: Obtaining Rapid Telephone Triage (ESCORTT) – a programme of research to facilitate recognition of stroke by emergency medical dispatchers. Programme Grants for Applied Research, 2014, 2, 1-124.	1.0	5
84	How is hydration assessed and managed in acute stroke? A qualitative study of healthcare staff's knowledge, attitudes and experiences. Journal of Clinical Nursing, 2023, 32, 1089-1102.	3.0	5
85	Prevention and Treatment of Urinary Incontinence After Stroke in Adults. Stroke, 2006, 37, 929-930.	2.0	4
86	Could upright posture be harmful in the early stages of stroke?. Lancet, The, 2015, 386, 1734.	13.7	4
87	An exploration of stroke survivors' perspectives on cycling and the use of electric bikes. Physiotherapy Practice and Research, 2019, 40, 117-126.	0.1	4
88	Medication adherence early after stroke: using the Perceptions and Practicalities Framework to explore stroke survivors', informal carers' and nurses' experiences of barriers and solutions. Journal of Research in Nursing, 2021, 26, 499-514.	0.9	4
89	Acute stroke management: an online course. Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals, 2011, 3, 322-327.	0.1	3
90	Evidence-based stroke rehabilitation: do priorities for practice change and feasibility of implementation vary across high income, upper and lower-middle income countries?. Disability and Rehabilitation, 2022, 44, 4611-4618.	1.8	3

#	Article	IF	CITATIONS
91	Developing a Meaningful Garden Space in a Care Home with Staff and Family Members: A Qualitative Study. International Journal of Environmental Research and Public Health, 2022, 19, 7025.	2.6	3
92	Promoting stroke-specific education. Nursing Standard (Royal College of Nursing (Great Britain):) Tj ETQq0 0 0 rg	BT/Overlo	ock 10 Tf 50
93	Postal and Face-to-Face Administration of Stroke Outcome Measures. Stroke, 2013, 44, 217-219.	2.0	2
94	Statistical analysis plan for the Head Position in Stroke Trial (HeadPoST): An international cluster cross-over randomized trial. International Journal of Stroke, 2017, 12, 667-670.	5.9	2
95	PULSE-I - Is rePetitive Upper Limb SEnsory stimulation early after stroke feasible and acceptable? A stratified single-blinded randomised controlled feasibility study. Trials, 2019, 20, 388.	1.6	2
96	Etiologic workup in cases of cryptogenic stroke: protocol for a systematic review and comparison of international clinical practice guidelines. Systematic Reviews, 2019, 8, 331.	5.3	2
97	Promoting stroke-specific education. Nursing Standard (Royal College of Nursing (Great Britain):) Tj ETQq1 1 0.78	34314 rgB 0.1	T /Overlock 2
98	Optimising Psychoeducation for Transient Ischaemic Attack and Minor Stroke Management (OPTIMISM): Protocol for a feasibility randomised controlled trial. AMRC Open Research, 0, 2, 24.	1.7	2
99	Performing interprofessional research: the example of a team care project. Nurse Researcher, 2002, 9, 29-48.	0.5	1
100	Role of emergency care staff in managing acute stroke. Emergency Nurse, 2014, 22, 18-19.	0.2	1
101	Developing Stroke Services: A Key Role for Nursing and Nurses. , 0, , 17-32.		1
102	Acute Stroke Nursing Management. , 0, , 66-90.		1
103	Delivering motivational interviewing early post stroke: standardisation of the intervention. Disability and Rehabilitation, 2020, , 1-6.	1.8	1
104	Promoting Continence., 0,, 123-151.		1
105	Author's response: The development of the THROAT: The Holistic and Reliable Oral Assessment Tool (THROAT). Clinical Effectiveness in Nursing, 2002, 6, 45.	0.1	0
106	Effective treatment and rehabilitation for fallers: a cohort study to explore relevant factors. Clinical Effectiveness in Nursing, 2003, 7, 134-140.	0.1	0
107	30th anniversary commentary on Hamrin E. (1982) Attitudes of nursing staff in general medical wards towards activation of stroke patients. Journal of Advanced Nursing 7, 33-42. Journal of Advanced Nursing, 2006, 53, 44-45.	3.3	0
108	Practical and methodological challenges in the design and implementation of a cluster-randomised feasibility trial of the management of urinary incontinence after stroke. Trials, 2011, 12, .	1.6	0

#	Article	IF	CITATIONS
109	Pathway to excellence. Nursing Older People, 2011, 23, 9-9.	0.2	Ο
110	Authors' reply to Enderby, Meteyard, and Thornton. BMJ, The, 2012, 345, e6023-e6023.	6.0	0
111	Clarification of conclusions from the ACT NoW trial. Nature Reviews Neurology, 2013, 9, 118-118.	10.1	Ο
112	Not just a â€~funny turn'. Nursing Older People, 2014, 26, 11-11.	0.2	0
113	A united force can improve stroke care and recovery. Nursing Standard (Royal College of Nursing) Tj ETQq1 1 0.7	′84314 rgl 0.1	BT /Overlock
114	Stroke care conference. Nursing Older People, 2016, 28, 15-15.	0.2	0
115	Rehabilitation and Recovery Processes. , 0, , 241-262.		0
116	Stroke and Palliative Care: A Difficult Combination?. , 0, , 263-274.		0
117	Longer-Term Support for Survivors and Supporters. , 0, , 309-330.		0
118	Stroke Resources for Professionals, Patients and Carers. , 0, , 331-341.		0
119	What is a Stroke?. , 0, , 33-65.		0
120	Management of Physical Impairments Post-Stroke. , 0, , 152-183.		0