

Shang-Jyh Hwang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6895178/publications.pdf>

Version: 2024-02-01

155
papers

3,454
citations

186265
28
h-index

182427
51
g-index

159
all docs

159
docs citations

159
times ranked

5495
citing authors

#	ARTICLE	IF	CITATIONS
1	The Novel Coronavirus 2019 epidemic and kidneys. <i>Kidney International</i> , 2020, 97, 824-828.	5.2	502
2	Epidemiology, impact and preventive care of chronic kidney disease in Taiwan. <i>Nephrology</i> , 2010, 15, 3-9.	1.6	229
3	Impact of the clinical conditions at dialysis initiation on mortality in incident haemodialysis patients: a national cohort study in Taiwan. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2616-2624.	0.7	141
4	Association of Fluid Overload with Cardiovascular Morbidity and All-Cause Mortality in Stages 4 and 5 CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 39-46.	4.5	118
5	Hepatitis C Virus Infection Increases Risk of Developing End-Stage Renal Disease Using Competing Risk Analysis. <i>PLoS ONE</i> , 2014, 9, e100790.	2.5	95
6	Association of Fluid Overload With Kidney Disease Progression in Advanced CKD: A Prospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2014, 63, 68-75.	1.9	92
7	Incidence, Prevalence, and Duration of Chronic Kidney Disease in Taiwan: Results from a Community-Based Screening Program of 106,094 Individuals. <i>Nephron</i> , 2018, 140, 175-184.	1.8	80
8	Association of prescribed Chinese herbal medicine use with risk of end-stage renal disease in patients with chronic kidney disease. <i>Kidney International</i> , 2015, 88, 1365-1373.	5.2	76
9	Chronic kidney disease care program improves quality of pre-€stage renal disease care and reduces medical costs. <i>Nephrology</i> , 2010, 15, 108-115.	1.6	71
10	Overlooked Risk for Chronic Kidney Disease after Leptospiral Infection: A Population-Based Survey and Epidemiological Cohort Evidence. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004105.	3.0	61
11	High hepatitis B virus surface antigen levels and favorable interleukin 28B genotype predict spontaneous hepatitis C virus clearance in uremic patients. <i>Journal of Hepatology</i> , 2014, 60, 253-259.	3.7	58
12	Indoxyl sulfate, not p-cresyl sulfate, is associated with cognitive impairment in early-stage chronic kidney disease. <i>NeuroToxicology</i> , 2016, 53, 148-152.	3.0	56
13	Association of Dialysis with the Risks of Cancers. <i>PLoS ONE</i> , 2015, 10, e0122856.	2.5	52
14	Progression of stages 3-5 chronic kidney disease-€Preliminary results of Taiwan National Pre-ESRD Disease Management Program in Southern Taiwan. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 773-782.	1.7	47
15	Modification of Diet in Renal Disease (MDRD) Study and CKD Epidemiology Collaboration (CKD-EPI) Equations for Taiwanese Adults. <i>PLoS ONE</i> , 2014, 9, e99645.	2.5	47
16	Increased risk of mortality in the elderly population with late-stage chronic kidney disease: a cohort study in Taiwan. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3192-3198.	0.7	44
17	Prognostic Cardiovascular Markers in Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1388-1407.	2.0	43
18	Association of physical activity with cardiovascular and renal outcomes and quality of life in chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0183642.	2.5	41

#	ARTICLE	IF	CITATIONS
19	Effects of a self-management program on patients with early-stage chronic kidney disease: A pilot study. <i>Applied Nursing Research</i> , 2013, 26, 151-156.	2.2	39
20	Glycated Hemoglobin and Outcomes in Patients with Advanced Diabetic Chronic Kidney Disease. <i>Scientific Reports</i> , 2016, 6, 20028.	3.3	39
21	Effect of national pre-ESRD care program on expenditures and mortality in incident dialysis patients: A population-based study. <i>PLoS ONE</i> , 2018, 13, e0198387.	2.5	38
22	Association of Renal Elasticity and Renal Function Progression in Patients with Chronic Kidney Disease Evaluated by Real-Time Ultrasound Elastography. <i>Scientific Reports</i> , 2017, 7, 43303.	3.3	36
23	Diabetic Retinopathy and Clinical Parameters Favoring the Presence of Diabetic Nephropathy could Predict Renal Outcome in Patients with Diabetic Kidney Disease. <i>Scientific Reports</i> , 2017, 7, 1236.	3.3	35
24	Protein-bound uremic toxins are associated with cognitive function among patients undergoing maintenance hemodialysis. <i>Scientific Reports</i> , 2019, 9, 20388.	3.3	34
25	Indole-3 acetic acid increased risk of impaired cognitive function in patients receiving hemodialysis. <i>NeuroToxicology</i> , 2019, 73, 85-91.	3.0	33
26	Indoxyl Sulfate Induces Apoptosis Through Oxidative Stress and Mitogen-Activated Protein Kinase Signaling Pathway Inhibition in Human Astrocytes. <i>Journal of Clinical Medicine</i> , 2019, 8, 191.	2.4	30
27	Angiopoietin-2, Angiopoietin-1 and subclinical cardiovascular disease in Chronic Kidney Disease. <i>Scientific Reports</i> , 2016, 6, 39400.	3.3	29
28	Erectile Dysfunction in Patients with Sleep Apnea – A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0132510.	2.5	28
29	Risk factors and their interaction on chronic kidney disease: A multi-centre case control study in Taiwan. <i>BMC Nephrology</i> , 2015, 16, 83.	1.8	28
30	Heart Rate Variability Change Before and After Hemodialysis is Associated with Overall and Cardiovascular Mortality in Hemodialysis. <i>Scientific Reports</i> , 2016, 6, 20597.	3.3	28
31	Economic evaluation of a pre-ESRD pay-for-performance programme in advanced chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw372.	0.7	28
32	Health-related Quality of Life Taiwanese Dialysis Patients: Effects of Dialysis Modality. <i>Kaohsiung Journal of Medical Sciences</i> , 2008, 24, 453-460.	1.9	27
33	Body Mass Index, Mortality, and Gender Difference in Advanced Chronic Kidney Disease. <i>PLoS ONE</i> , 2015, 10, e0126668.	2.5	27
34	The Association of Targeted Gut Microbiota with Body Composition in Type 2 Diabetes Mellitus. <i>International Journal of Medical Sciences</i> , 2021, 18, 511-519.	2.5	27
35	Hyponatremia is Associated with Fluid Imbalance and Adverse Renal Outcome in Chronic Kidney Disease Patients Treated with Diuretics. <i>Scientific Reports</i> , 2016, 6, 36817.	3.3	26
36	FADS Gene Polymorphisms, Fatty Acid Desaturase Activities, and HDL-C in Type 2 Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 572.	2.6	26

#	ARTICLE	IF	CITATIONS
37	Association of Angiotensin-2 with Renal Outcome in Chronic Kidney Disease. PLoS ONE, 2014, 9, e108862.	2.5	26
38	Establishment of an outreach, grouping healthcare system to achieve microelimination of HCV for uremic patients in haemodialysis centres (ERASE-C). Gut, 2021, 70, 2349-2358.	12.1	25
39	Angiotensin-2 as a Prognostic Biomarker of Major Adverse Cardiovascular Events and All-Cause Mortality in Chronic Kidney Disease. PLoS ONE, 2015, 10, e0135181.	2.5	24
40	Is Fluid Overload More Important than Diabetes in Renal Progression in Late Chronic Kidney Disease?. PLoS ONE, 2013, 8, e82566.	2.5	23
41	Relationship between body mass index and renal function deterioration among the Taiwanese chronic kidney disease population. Scientific Reports, 2018, 8, 6908.	3.3	22
42	Comparison of outcomes between emergent-start and planned-start peritoneal dialysis in incident ESRD patients: a prospective observational study. BMC Nephrology, 2017, 18, 359.	1.8	21
43	A competing risk analysis of sequential complication development in Asian type 2 diabetes mellitus patients. Scientific Reports, 2015, 5, 15687.	3.3	20
44	Pyuria, urinary tract infection and renal outcome in patients with chronic kidney disease stage 3-5. Scientific Reports, 2020, 10, 19460.	3.3	20
45	CYP17A1 Intron Mutation Causing Cryptic Splicing in 17 α -Hydroxylase Deficiency. PLoS ONE, 2011, 6, e25492.	2.5	19
46	Microscopic Haematuria and Clinical Outcomes in Patients With Stage 3-5 Nondiabetic Chronic Kidney Disease. Scientific Reports, 2015, 5, 15242.	3.3	19
47	Association of n-3 polyunsaturated fatty acids and inflammatory indicators with renal function decline in type 2 diabetes. Clinical Nutrition, 2015, 34, 229-234.	5.0	19
48	Glycosuria and Renal Outcomes in Patients with Nondiabetic Advanced Chronic Kidney Disease. Scientific Reports, 2016, 6, 39372.	3.3	19
49	Effect of Statins on Renal Function in Chronic Kidney Disease Patients. Scientific Reports, 2018, 8, 16276.	3.3	19
50	Three months of rifapentine and isoniazid for latent tuberculosis infection in hemodialysis patients: High rates of adverse events. Journal of Microbiology, Immunology and Infection, 2019, 52, 158-162.	3.1	19
51	Patient assessment of chronic kidney disease self-care using the chronic kidney disease self-care scale in Taiwan. Nephrology, 2019, 24, 615-621.	1.6	18
52	Adiponectin gene (ADIPOQ) polymorphisms correlate with the progression of nephropathy in Taiwanese male patients with type 2 diabetes. Diabetes Research and Clinical Practice, 2014, 105, 261-270.	2.8	17
53	Prevalence of and associated factors with chronic kidney disease in human immunodeficiency virus-infected patients in Taiwan. Journal of Microbiology, Immunology and Infection, 2015, 48, 256-262.	3.1	17
54	Patient-Centered Self-Management in Patients with Chronic Kidney Disease: Challenges and Implications. International Journal of Environmental Research and Public Health, 2020, 17, 9443.	2.6	17

#	ARTICLE	IF	CITATIONS
55	Risk factors and prognosis assessment for acute kidney injury: The 2020 consensus of the Taiwan AKI Task Force. Journal of the Formosan Medical Association, 2021, 120, 1424-1433.	1.7	17
56	Discrepancy between Serological and Virological Analysis of Viral Hepatitis in Hemodialysis Patients. International Journal of Medical Sciences, 2014, 11, 436-441.	2.5	16
57	Comparison of dementia risk between end stage renal disease patients with hemodialysis and peritoneal dialysis - a population based study. Scientific Reports, 2015, 5, 8224.	3.3	16
58	Decreased incidence of gout in diabetic patients using pioglitazone. Rheumatology, 2018, 57, 92-99.	1.9	16
59	Dyslipoproteinemia and Impairment of Renal Function in Diabetic Kidney Disease: An Analysis of Animal Studies, Observational Studies, and Clinical Trials. Review of Diabetic Studies, 2013, 10, 110-120.	1.3	16
60	Systolic Blood Pressure and Outcomes in Stage 3-4 Chronic Kidney Disease Patients: Evidence from a Taiwanese Cohort. American Journal of Hypertension, 2014, 27, 1396-1407.	2.0	15
61	Decreased incidence of diabetes in patients with gout using benzbromarone. Rheumatology, 2018, 57, 1574-1582.	1.9	15
62	Planned Creation of Vascular Access Saves Medical Expenses for Incident Dialysis Patients. Kaohsiung Journal of Medical Sciences, 2009, 25, 521-529.	1.9	14
63	Anemia modifies the prognostic value of glycated hemoglobin in patients with diabetic chronic kidney disease. PLoS ONE, 2018, 13, e0199378.	2.5	14
64	Hematuria and Renal Outcomes in Patients With Diabetic Chronic Kidney Disease. American Journal of the Medical Sciences, 2018, 356, 268-276.	1.1	14
65	Angiotensin-converting enzyme inhibitors or angiotensin receptor blocker monotherapy retard deterioration of renal function in Taiwanese chronic kidney disease population. Scientific Reports, 2019, 9, 2694.	3.3	14
66	Exploring the Benefit of 2-Methylbutyric Acid in Patients Undergoing Hemodialysis Using a Cardiovascular Proteomics Approach. Nutrients, 2019, 11, 3033.	4.1	14
67	The interaction between self-care behavior and disease knowledge on the decline in renal function in chronic kidney disease. Scientific Reports, 2021, 11, 401.	3.3	14
68	COVID-19 Vaccines in Patients with Maintenance Hemodialysis. Journal of Personalized Medicine, 2021, 11, 789.	2.5	14
69	Take proactive measures for the pandemic COVID-19 infection in the dialysis facilities. Journal of the Formosan Medical Association, 2020, 119, 895-897.	1.7	13
70	Hepatitis C viremia interferes with serum hepatitis B virus surface antigen and DNA levels in hepatitis B uremics. Hepatology International, 2014, 8, 224-232.	4.2	12
71	Evaluation of vancomycin dosing protocols to achieve therapeutic serum concentrations in patients receiving high-flux haemodialysis. International Journal of Antimicrobial Agents, 2014, 43, 384-385.	2.5	12
72	Association of brain white matter lesions and atrophy with cognitive function in chronic kidney disease. International Journal of Geriatric Psychiatry, 2019, 34, 1826-1832.	2.7	12

#	ARTICLE	IF	CITATIONS
73	The relationship of indoxyl sulfate and p-cresyl sulfate with target cardiovascular proteins in hemodialysis patients. <i>Scientific Reports</i> , 2021, 11, 3786.	3.3	12
74	Multidisciplinary care program in pre-end-stage kidney disease from 2010 to 2018 in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2022, 121, S64-S72.	1.7	12
75	Chylous ascites and chylothorax due to the existence of transdiaphragmatic shunting in an adult with nephrotic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1501-1502.	0.7	11
76	Adherence to A Diabetic Care Plan Provides Better Glycemic Control in Ambulatory Patients With Type 2 Diabetes. <i>Kaohsiung Journal of Medical Sciences</i> , 2009, 25, 184-192.	1.9	11
77	Association of Fluid Status and Body Composition with Physical Function in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0165400.	2.5	11
78	The interaction between fluid status and angiotensin-2 in adverse renal outcomes of chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0173906.	2.5	11
79	Dipyridamole treatment is associated with improved renal outcome and patient survival in advanced chronic kidney disease. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 599-607.	1.9	10
80	Link between Peripheral Artery Disease and Heart Rate Variability in Hemodialysis Patients. <i>PLoS ONE</i> , 2015, 10, e0120459.	2.5	10
81	Association of homocysteine level and vascular burden and cognitive function in middle-aged and older adults with chronic kidney disease. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 723-730.	2.7	10
82	P Wave Dispersion and Maximum P Wave Duration Are Associated with Renal Outcomes in Chronic Kidney Disease. <i>PLoS ONE</i> , 2014, 9, e101962.	2.5	10
83	Identification and Analysis of SARS-CoV-2 Alpha Variants in the Largest Taiwan COVID-19 Outbreak in 2021. <i>Frontiers in Medicine</i> , 2022, 9, 869818.	2.6	10
84	Factors associated with type 2 diabetes in patients with vascular dementia: a population-based cross-sectional study. <i>BMC Endocrine Disorders</i> , 2018, 18, 45.	2.2	9
85	Effect of nephrology referrals and multidisciplinary care programs on renal replacement and medical costs on patients with advanced chronic kidney disease. <i>Medicine (United States)</i> , 2019, 98, e16808.	1.0	9
86	Blood pressure modifies outcomes in patients with stage 3 to 5 chronic kidney disease. <i>Kidney International</i> , 2020, 97, 402-413.	5.2	9
87	Comedications and potential drug-drug interactions with direct-acting antivirals in hepatitis C patients on hemodialysis. <i>Clinical and Molecular Hepatology</i> , 2021, 27, 186-196.	8.9	9
88	Low serum iron is associated with anemia in CKD stage 1-4 patients with normal transferrin saturations. <i>Scientific Reports</i> , 2021, 11, 8343.	3.3	9
89	The Relationship between Subtypes of Health Literacy and Self-Care Behavior in Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 447.	2.5	9
90	Nomenclature and diagnostic criteria for acute kidney injury – 2020 consensus of the Taiwan AKI-task force. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 749-765.	1.7	9

#	ARTICLE	IF	CITATIONS
91	Fluid Overload, Pulse Wave Velocity, and Ratio of Brachial Pre-Ejection Period to Ejection Time in Diabetic and Non-Diabetic Chronic Kidney Disease. PLoS ONE, 2014, 9, e111000.	2.5	8
92	Interankle systolic blood pressure difference and renal outcomes in patients with chronic kidney disease. Nephrology, 2016, 21, 379-386.	1.6	8
93	Dialysis Increases the Risk of Bladder Recurrence in Patients with Upper Tract Urothelial Cancer: A Population-Based Study. Annals of Surgical Oncology, 2018, 25, 1086-1093.	1.5	8
94	Depression amongst patients commencing maintenance dialysis is associated with increased risk of death and severe infections: A nationwide cohort study. PLoS ONE, 2019, 14, e0218335.	2.5	8
95	Comparative effectiveness of bisoprolol and carvedilol among patients receiving maintenance hemodialysis. CKJ: Clinical Kidney Journal, 2021, 14, 983-990.	2.9	8
96	Association of digoxin with mortality in patients with advanced chronic kidney disease: A population-based cohort study. PLoS ONE, 2021, 16, e0245620.	2.5	8
97	Incidence and survival variations of upper tract urothelial cancer in Taiwan (2001–2010). International Journal of Urology, 2021, , .	1.0	8
98	U-Shaped Association between Waist-to-Hip Ratio and All-Cause Mortality in Stage 3–5 Chronic Kidney Disease Patients with Body Mass Index Paradox. Journal of Personalized Medicine, 2021, 11, 1355.	2.5	8
99	Nonapnea Sleep Disorders in Patients Younger than 65 Years Are Significantly Associated with CKD: A Nationwide Population-Based Study. PLoS ONE, 2015, 10, e0140401.	2.5	7
100	Isolation and Identification of a Rare Spike Gene Double-Deletion SARS-CoV-2 Variant From the Patient With High Cycle Threshold Value. Frontiers in Medicine, 2021, 8, 822633.	2.6	7
101	HCV Infection Complicated with Nephrotic Syndrome, Immune Complex Crescentic Glomerulonephritis and Acute Renal Failure: A Case Report. Kaohsiung Journal of Medical Sciences, 2005, 21, 470-474.	1.9	6
102	Variability in Estimated Glomerular Filtration Rate by Area under the Curve Predicts Renal Outcomes in Chronic Kidney Disease. Scientific World Journal, The, 2014, 2014, 1-8.	2.1	6
103	Mobile Health, Disease Knowledge, and Self-Care Behavior in Chronic Kidney Disease: A Prospective Cohort Study. Journal of Personalized Medicine, 2021, 11, 845.	2.5	6
104	Melamine exposure threshold in early chronic kidney disease patients – A benchmark dose approach. Environment International, 2021, 156, 106652.	10.0	6
105	Effect of differences in serum creatinine estimation methodologies on estimated glomerular filtration rate. Singapore Medical Journal, 2019, 60, 468-473.	0.6	6
106	Association of Relatives of Hemodialysis Patients with Metabolic Syndrome, Albuminuria and Framingham Risk Score. PLoS ONE, 2014, 9, e96362.	2.5	6
107	Interrelationship of Gut Microbiota, Obesity, Body Composition and Insulin Resistance in Asians with Type 2 Diabetes Mellitus. Journal of Personalized Medicine, 2022, 12, 617.	2.5	6
108	Hepatic Steatosis Is Associated with High White Blood Cell and Platelet Counts. Biomedicines, 2022, 10, 892.	3.2	6

#	ARTICLE	IF	CITATIONS
109	Association of Far-Infrared Radiation Therapy and Ankle-Brachial Index of Patients on Hemodialysis with Peripheral Artery Occlusive Disease. <i>International Journal of Medical Sciences</i> , 2016, 13, 970-976.	2.5	5
110	Review of the present features and the infection control challenges of COVID-19 pandemic in dialysis facilities. <i>Kaohsiung Journal of Medical Sciences</i> , 2020, 36, 393-398.	1.9	5
111	Evolutionary seroepidemiology of viral hepatitis and the gap in hepatitis C care cascades among uraemic patients receiving haemodialysis in Taiwan—the Formosa-Like Group. <i>Journal of Viral Hepatitis</i> , 2021, 28, 719-727.	2.0	5
112	Comparison of effectiveness and safety between ticagrelor and clopidogrel in patients with acute coronary syndrome and on dialysis in Taiwan. <i>British Journal of Clinical Pharmacology</i> , 2021, , .	2.4	5
113	Association of glomerular filtration rate slope with timely creation of vascular access in incident hemodialysis. <i>Scientific Reports</i> , 2021, 11, 13137.	3.3	5
114	Effective Preventive Strategies to Prevent Secondary Transmission of COVID-19 in Hemodialysis Unit: The First Month of Community Outbreak in Taiwan. <i>Healthcare (Switzerland)</i> , 2021, 9, 1173.	2.0	5
115	The applicability of non-invasive methods for assessing liver fibrosis in hemodialysis patients with chronic hepatitis C. <i>PLoS ONE</i> , 2020, 15, e0242601.	2.5	5
116	Association between Flow-Mediated Dilation and Skin Perfusion Pressure with Peripheral Artery Disease in Hemodialysis Patients. <i>Journal of Personalized Medicine</i> , 2021, 11, 1251.	2.5	5
117	A Low-Protein Diet with a Renal-Specific Oral Nutrition Supplement Helps Maintain Nutritional Status in Patients with Advanced Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 1360.	2.5	5
118	Prescriptions for angiotensin-converting enzyme inhibitors/angiotensin receptor blockers and monitoring of serum creatinine and potassium in patients with chronic kidney disease. <i>Kaohsiung Journal of Medical Sciences</i> , 2012, 28, 477-483.	1.9	4
119	Prognostic Significance of Left Ventricular Mass Index and Renal Function Decline Rate in Chronic Kidney Disease G3 and G4. <i>Scientific Reports</i> , 2017, 7, 42578.	3.3	4
120	Association of hyperglycemia episodes on long-term mortality in type 2 diabetes mellitus with vascular dementia: A population-based cohort study. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 123-127.	2.3	4
121	Data Analysis of the Risks of Type 2 Diabetes Mellitus Complications before Death Using a Data-Driven Modelling Approach: Methodologies and Challenges in Prolonged Diseases. <i>Information (Switzerland)</i> , 2021, 12, 326.	2.9	4
122	Low dose ultraviolet B irradiation at 308Ånm with light-emitting diode device effectively increases serum levels of 25(OH)D. <i>Scientific Reports</i> , 2021, 11, 2583.	3.3	4
123	Predictors and Assessment of Hospice Use for End-Stage Renal Disease Patients in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 85.	2.6	4
124	Investigation of the Relationship between Cardiovascular Biomarkers and Brachial—Ankle Pulse Wave Velocity in Hemodialysis Patients. <i>Journal of Personalized Medicine</i> , 2022, 12, 636.	2.5	4
125	Association between Body Mass Index and Renal Outcomes Modified by Chronic Kidney Disease and Anemia: The Obesity Paradox for Renal Outcomes. <i>Journal of Clinical Medicine</i> , 2022, 11, 2787.	2.4	4
126	Successful management of type IV hypersensitivity reactions to human insulin analogue with injecting mixtures of biphasic insulin aspart and dexamethasone. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 843-848.	1.7	3

#	ARTICLE	IF	CITATIONS
127	Reduced Incidence of Stroke in Patients with Gout Using Benzbromarone. Journal of Personalized Medicine, 2022, 12, 28.	2.5	3
128	CKD Care Programs and Incident Kidney Failure: A Study of a National Disease Management Program in Taiwan. Kidney Medicine, 2022, 4, 100485.	2.0	3
129	Predominant global glomerulosclerosis in patients of upper urinary tract urothelial carcinoma with pre-existing renal function impairment is a predictor of poor renal outcomes. BMC Cancer, 2019, 19, 337.	2.6	2
130	Comorbidities in patients with chronic hepatitis C and hepatitis B on hemodialysis. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 2261-2269.	2.8	2
131	Harmonizing Formula Prescription Patterns in Patients With Chronic Kidney Disease: A Population-Based Cross-Sectional Study. Frontiers in Pharmacology, 2021, 12, 573145.	3.5	2
132	Impact of Weaning from Acute Dialytic Therapy on Outcomes of Chronic Kidney Disease following Urgent-Start Dialysis. PLoS ONE, 2015, 10, e0123386.	2.5	2
133	Effect of Nephrology Care on Mortality in Incident Dialysis Patients: A Population-Based Cohort Study. Journal of Personalized Medicine, 2021, 11, 1071.	2.5	2
134	Achievements and challenges in chronic kidney disease care in Taiwan. Journal of the Formosan Medical Association, 2022, 121, S3-S4.	1.7	2
135	Kidney Function Change and All-Cause Mortality in Denosumab Users with and without Chronic Kidney Disease. Journal of Personalized Medicine, 2022, 12, 185.	2.5	2
136	Association of Death from Renal Failure with Calcium Levels in Drinking Water. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2003, 66, 2327-2335.	2.3	1
137	Effectiveness of antiresorptive medications in women on long-term dialysis after hip fracture: A population-based cohort study. PLoS ONE, 2020, 15, e0238248.	2.5	1
138	Exploring the Impact of Different Types of Do-Not-Resuscitate Consent on End-of-Life Treatments among Patients with Advanced Kidney Disease: An Observational Study. International Journal of Environmental Research and Public Health, 2021, 18, 8194.	2.6	1
139	No Obvious Impact of NSAIDs on Risk of Kidney Failure: Causal or Another Selection Bias?. American Journal of Kidney Diseases, 2020, 76, 742.	1.9	1
140	Changes of renal cortical Na-K ATPase activity, protein, and mRNA expression in ureteral obstruction. Kaohsiung Journal of Medical Sciences, 2002, 18, 273-80.	1.9	1
141	Does Amino Acid-Based Peritoneal Dialysate Change Homocysteine Metabolism in Continuous Ambulatory Peritoneal Dialysis Patients?. Peritoneal Dialysis International, 2003, 23, 48-51.	2.3	0
142	Reply to the comments on "Progression of stages 3b to 5 chronic kidney disease" preliminary results of Taiwan National Pre-ESRD Disease Management Program in Southern Taiwan by Chen et al. Journal of the Formosan Medical Association, 2014, 113, 983-984.	1.7	0
143	The Authors Reply. Kidney International, 2016, 90, 228-229.	5.2	0
144	Challenges of measuring the Healthcare Access and Quality Index. Lancet, The, 2018, 391, 428-429.	13.7	0

#	ARTICLE	IF	CITATIONS
145	ASO Author Reflections: Dialysis and Recurrence in Urothelial Cancer. Annals of Surgical Oncology, 2018, 25, 978-979.	1.5	0
146	P0832FINAL OUTCOME OF CKD STAGE 5 PATIENTS WHO CHOSE PALLIATIVE TREATMENT-EXPERIENCE FROM ONE MEDICAL CENTER IN TAIWAN. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
147	Compliance of energy and protein intake correlates with changes in renal functions of patients with chronic kidney disease. FASEB Journal, 2010, 24, 557.1.	0.5	0
148	Body mass index and suboptimal energy or protein intake predict risks of dialysis and mortality in patients with chronic kidney disease (CKD). FASEB Journal, 2011, 25, 995.9.	0.5	0
149	Title is missing!., 2020, 15, e0238248.		0
150	Title is missing!., 2020, 15, e0238248.		0
151	Title is missing!., 2020, 15, e0238248.		0
152	Title is missing!., 2020, 15, e0238248.		0
153	Title is missing!., 2020, 15, e0238248.		0
154	Title is missing!., 2020, 15, e0238248.		0
155	Hyperuricemia, a Non-Independent Component of Metabolic Syndrome, Only Predicts Renal Outcome in Chronic Kidney Disease Patients without Metabolic Syndrome or Diabetes. Biomedicines, 2022, 10, 1719.	3.2	0