

# Shang-Jyh Hwang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6895178/publications.pdf>

Version: 2024-02-01

155  
papers

3,454  
citations

186209

28  
h-index

182361

51  
g-index

159  
all docs

159  
docs citations

159  
times ranked

5495  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Novel Coronavirus 2019 epidemic and kidneys. <i>Kidney International</i> , 2020, 97, 824-828.	2.6	502
2	Epidemiology, impact and preventive care of chronic kidney disease in Taiwan. <i>Nephrology</i> , 2010, 15, 3-9.	0.7	229
3	Impact of the clinical conditions at dialysis initiation on mortality in incident haemodialysis patients: a national cohort study in Taiwan. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2616-2624.	0.4	141
4	Association of Fluid Overload with Cardiovascular Morbidity and All-Cause Mortality in Stages 4 and 5 CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 39-46.	2.2	118
5	Hepatitis C Virus Infection Increases Risk of Developing End-Stage Renal Disease Using Competing Risk Analysis. <i>PLoS ONE</i> , 2014, 9, e100790.	1.1	95
6	Association of Fluid Overload With Kidney Disease Progression in Advanced CKD: A Prospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2014, 63, 68-75.	2.1	92
7	Incidence, Prevalence, and Duration of Chronic Kidney Disease in Taiwan: Results from a Community-Based Screening Program of 106,094 Individuals. <i>Nephron</i> , 2018, 140, 175-184.	0.9	80
8	Association of prescribed Chinese herbal medicine use with risk of end-stage renal disease in patients with chronic kidney disease. <i>Kidney International</i> , 2015, 88, 1365-1373.	2.6	76
9	Chronic kidney disease care program improves quality of pre-€stage renal disease care and reduces medical costs. <i>Nephrology</i> , 2010, 15, 108-115.	0.7	71
10	Overlooked Risk for Chronic Kidney Disease after Leptospiral Infection: A Population-Based Survey and Epidemiological Cohort Evidence. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004105.	1.3	61
11	High hepatitis B virus surface antigen levels and favorable interleukin 28B genotype predict spontaneous hepatitis C virus clearance in uremic patients. <i>Journal of Hepatology</i> , 2014, 60, 253-259.	1.8	58
12	Indoxyl sulfate, not p-cresyl sulfate, is associated with cognitive impairment in early-stage chronic kidney disease. <i>NeuroToxicology</i> , 2016, 53, 148-152.	1.4	56
13	Association of Dialysis with the Risks of Cancers. <i>PLoS ONE</i> , 2015, 10, e0122856.	1.1	52
14	Progression of stages 3-5 chronic kidney disease—Preliminary results of Taiwan National Pre-ESRD Disease Management Program in Southern Taiwan. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 773-782.	0.8	47
15	Modification of Diet in Renal Disease (MDRD) Study and CKD Epidemiology Collaboration (CKD-EPI) Equations for Taiwanese Adults. <i>PLoS ONE</i> , 2014, 9, e99645.	1.1	47
16	Increased risk of mortality in the elderly population with late-stage chronic kidney disease: a cohort study in Taiwan. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3192-3198.	0.4	44
17	Prognostic Cardiovascular Markers in Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1388-1407.	0.9	43
18	Association of physical activity with cardiovascular and renal outcomes and quality of life in chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0183642.	1.1	41

#	ARTICLE	IF	CITATIONS
19	Effects of a self-management program on patients with early-stage chronic kidney disease: A pilot study. <i>Applied Nursing Research</i> , 2013, 26, 151-156.	1.0	39
20	Glycated Hemoglobin and Outcomes in Patients with Advanced Diabetic Chronic Kidney Disease. <i>Scientific Reports</i> , 2016, 6, 20028.	1.6	39
21	Effect of national pre-ESRD care program on expenditures and mortality in incident dialysis patients: A population-based study. <i>PLoS ONE</i> , 2018, 13, e0198387.	1.1	38
22	Association of Renal Elasticity and Renal Function Progression in Patients with Chronic Kidney Disease Evaluated by Real-Time Ultrasound Elastography. <i>Scientific Reports</i> , 2017, 7, 43303.	1.6	36
23	Diabetic Retinopathy and Clinical Parameters Favoring the Presence of Diabetic Nephropathy could Predict Renal Outcome in Patients with Diabetic Kidney Disease. <i>Scientific Reports</i> , 2017, 7, 1236.	1.6	35
24	Protein-bound uremic toxins are associated with cognitive function among patients undergoing maintenance hemodialysis. <i>Scientific Reports</i> , 2019, 9, 20388.	1.6	34
25	Indole-3 acetic acid increased risk of impaired cognitive function in patients receiving hemodialysis. <i>NeuroToxicology</i> , 2019, 73, 85-91.	1.4	33
26	Indoxyl Sulfate Induces Apoptosis Through Oxidative Stress and Mitogen-Activated Protein Kinase Signaling Pathway Inhibition in Human Astrocytes. <i>Journal of Clinical Medicine</i> , 2019, 8, 191.	1.0	30
27	Angiotensin-2, Angiotensin-1 and subclinical cardiovascular disease in Chronic Kidney Disease. <i>Scientific Reports</i> , 2016, 6, 39400.	1.6	29
28	Erectile Dysfunction in Patients with Sleep Apnea – A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0132510.	1.1	28
29	Risk factors and their interaction on chronic kidney disease: A multi-centre case control study in Taiwan. <i>BMC Nephrology</i> , 2015, 16, 83.	0.8	28
30	Heart Rate Variability Change Before and After Hemodialysis is Associated with Overall and Cardiovascular Mortality in Hemodialysis. <i>Scientific Reports</i> , 2016, 6, 20597.	1.6	28
31	Economic evaluation of a pre-ESRD pay-for-performance programme in advanced chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw372.	0.4	28
32	Health-related Quality of Life Taiwanese Dialysis Patients: Effects of Dialysis Modality. <i>Kaohsiung Journal of Medical Sciences</i> , 2008, 24, 453-460.	0.8	27
33	Body Mass Index, Mortality, and Gender Difference in Advanced Chronic Kidney Disease. <i>PLoS ONE</i> , 2015, 10, e0126668.	1.1	27
34	The Association of Targeted Gut Microbiota with Body Composition in Type 2 Diabetes Mellitus. <i>International Journal of Medical Sciences</i> , 2021, 18, 511-519.	1.1	27
35	Hyponatremia is Associated with Fluid Imbalance and Adverse Renal Outcome in Chronic Kidney Disease Patients Treated with Diuretics. <i>Scientific Reports</i> , 2016, 6, 36817.	1.6	26
36	FADS Gene Polymorphisms, Fatty Acid Desaturase Activities, and HDL-C in Type 2 Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 572.	1.2	26

#	ARTICLE	IF	CITATIONS
37	Association of Angiotensin-2 with Renal Outcome in Chronic Kidney Disease. <i>PLoS ONE</i> , 2014, 9, e108862.	1.1	26
38	Establishment of an outreach, grouping healthcare system to achieve microelimination of HCV for uremic patients in haemodialysis centres (ERASE-C). <i>Gut</i> , 2021, 70, 2349-2358.	6.1	25
39	Angiotensin-2 as a Prognostic Biomarker of Major Adverse Cardiovascular Events and All-Cause Mortality in Chronic Kidney Disease. <i>PLoS ONE</i> , 2015, 10, e0135181.	1.1	24
40	Is Fluid Overload More Important than Diabetes in Renal Progression in Late Chronic Kidney Disease?. <i>PLoS ONE</i> , 2013, 8, e82566.	1.1	23
41	Relationship between body mass index and renal function deterioration among the Taiwanese chronic kidney disease population. <i>Scientific Reports</i> , 2018, 8, 6908.	1.6	22
42	Comparison of outcomes between emergent-start and planned-start peritoneal dialysis in incident ESRD patients: a prospective observational study. <i>BMC Nephrology</i> , 2017, 18, 359.	0.8	21
43	A competing risk analysis of sequential complication development in Asian type 2 diabetes mellitus patients. <i>Scientific Reports</i> , 2015, 5, 15687.	1.6	20
44	Pyuria, urinary tract infection and renal outcome in patients with chronic kidney disease stage 3-5. <i>Scientific Reports</i> , 2020, 10, 19460.	1.6	20
45	CYP17A1 Intron Mutation Causing Cryptic Splicing in 17 $\alpha$ -Hydroxylase Deficiency. <i>PLoS ONE</i> , 2011, 6, e25492.	1.1	19
46	Microscopic Haematuria and Clinical Outcomes in Patients With Stage 3-5 Nondiabetic Chronic Kidney Disease. <i>Scientific Reports</i> , 2015, 5, 15242.	1.6	19
47	Association of n-3 polyunsaturated fatty acids and inflammatory indicators with renal function decline in type 2 diabetes. <i>Clinical Nutrition</i> , 2015, 34, 229-234.	2.3	19
48	Glycosuria and Renal Outcomes in Patients with Nondiabetic Advanced Chronic Kidney Disease. <i>Scientific Reports</i> , 2016, 6, 39372.	1.6	19
49	Effect of Statins on Renal Function in Chronic Kidney Disease Patients. <i>Scientific Reports</i> , 2018, 8, 16276.	1.6	19
50	Three months of rifapentine and isoniazid for latent tuberculosis infection in hemodialysis patients: High rates of adverse events. <i>Journal of Microbiology, Immunology and Infection</i> , 2019, 52, 158-162.	1.5	19
51	Patient assessment of chronic kidney disease self-care using the chronic kidney disease self-care scale in Taiwan. <i>Nephrology</i> , 2019, 24, 615-621.	0.7	18
52	Adiponectin gene (ADIPOQ) polymorphisms correlate with the progression of nephropathy in Taiwanese male patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2014, 105, 261-270.	1.1	17
53	Prevalence of and associated factors with chronic kidney disease in human immunodeficiency virus-infected patients in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , 2015, 48, 256-262.	1.5	17
54	Patient-Centered Self-Management in Patients with Chronic Kidney Disease: Challenges and Implications. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9443.	1.2	17

#	ARTICLE	IF	CITATIONS
55	Risk factors and prognosis assessment for acute kidney injury: The 2020 consensus of the Taiwan AKI Task Force. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1424-1433.	0.8	17
56	Discrepancy between Serological and Virological Analysis of Viral Hepatitis in Hemodialysis Patients. <i>International Journal of Medical Sciences</i> , 2014, 11, 436-441.	1.1	16
57	Comparison of dementia risk between end stage renal disease patients with hemodialysis and peritoneal dialysis - a population based study. <i>Scientific Reports</i> , 2015, 5, 8224.	1.6	16
58	Decreased incidence of gout in diabetic patients using pioglitazone. <i>Rheumatology</i> , 2018, 57, 92-99.	0.9	16
59	Dyslipoproteinemia and Impairment of Renal Function in Diabetic Kidney Disease: An Analysis of Animal Studies, Observational Studies, and Clinical Trials. <i>Review of Diabetic Studies</i> , 2013, 10, 110-120.	0.5	16
60	Systolic Blood Pressure and Outcomes in Stage 3-4 Chronic Kidney Disease Patients: Evidence from a Taiwanese Cohort. <i>American Journal of Hypertension</i> , 2014, 27, 1396-1407.	1.0	15
61	Decreased incidence of diabetes in patients with gout using benzbromarone. <i>Rheumatology</i> , 2018, 57, 1574-1582.	0.9	15
62	Planned Creation of Vascular Access Saves Medical Expenses for Incident Dialysis Patients. <i>Kaohsiung Journal of Medical Sciences</i> , 2009, 25, 521-529.	0.8	14
63	Anemia modifies the prognostic value of glycated hemoglobin in patients with diabetic chronic kidney disease. <i>PLoS ONE</i> , 2018, 13, e0199378.	1.1	14
64	Hematuria and Renal Outcomes in Patients With Diabetic Chronic Kidney Disease. <i>American Journal of the Medical Sciences</i> , 2018, 356, 268-276.	0.4	14
65	Angiotensin-converting enzyme inhibitors or angiotensin receptor blocker monotherapy retard deterioration of renal function in Taiwanese chronic kidney disease population. <i>Scientific Reports</i> , 2019, 9, 2694.	1.6	14
66	Exploring the Benefit of 2-Methylbutyric Acid in Patients Undergoing Hemodialysis Using a Cardiovascular Proteomics Approach. <i>Nutrients</i> , 2019, 11, 3033.	1.7	14
67	The interaction between self-care behavior and disease knowledge on the decline in renal function in chronic kidney disease. <i>Scientific Reports</i> , 2021, 11, 401.	1.6	14
68	COVID-19 Vaccines in Patients with Maintenance Hemodialysis. <i>Journal of Personalized Medicine</i> , 2021, 11, 789.	1.1	14
69	Take proactive measures for the pandemic COVID-19 infection in the dialysis facilities. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 895-897.	0.8	13
70	Hepatitis C viremia interferes with serum hepatitis B virus surface antigen and DNA levels in hepatitis B uremics. <i>Hepatology International</i> , 2014, 8, 224-232.	1.9	12
71	Evaluation of vancomycin dosing protocols to achieve therapeutic serum concentrations in patients receiving high-flux haemodialysis. <i>International Journal of Antimicrobial Agents</i> , 2014, 43, 384-385.	1.1	12
72	Association of brain white matter lesions and atrophy with cognitive function in chronic kidney disease. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1826-1832.	1.3	12

#	ARTICLE	IF	CITATIONS
73	The relationship of indoxyl sulfate and p-cresyl sulfate with target cardiovascular proteins in hemodialysis patients. <i>Scientific Reports</i> , 2021, 11, 3786.	1.6	12
74	Multidisciplinary care program in pre-end-stage kidney disease from 2010 to 2018 in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2022, 121, S64-S72.	0.8	12
75	Chylous ascites and chylothorax due to the existence of transdiaphragmatic shunting in an adult with nephrotic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1501-1502.	0.4	11
76	Adherence to A Diabetic Care Plan Provides Better Glycemic Control in Ambulatory Patients With Type 2 Diabetes. <i>Kaohsiung Journal of Medical Sciences</i> , 2009, 25, 184-192.	0.8	11
77	Association of Fluid Status and Body Composition with Physical Function in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0165400.	1.1	11
78	The interaction between fluid status and angiotensin-2 in adverse renal outcomes of chronic kidney disease. <i>PLoS ONE</i> , 2017, 12, e0173906.	1.1	11
79	Dipyridamole treatment is associated with improved renal outcome and patient survival in advanced chronic kidney disease. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 599-607.	0.8	10
80	Link between Peripheral Artery Disease and Heart Rate Variability in Hemodialysis Patients. <i>PLoS ONE</i> , 2015, 10, e0120459.	1.1	10
81	Association of homocysteine level and vascular burden and cognitive function in middle-aged and older adults with chronic kidney disease. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 723-730.	1.3	10
82	P Wave Dispersion and Maximum P Wave Duration Are Associated with Renal Outcomes in Chronic Kidney Disease. <i>PLoS ONE</i> , 2014, 9, e101962.	1.1	10
83	Identification and Analysis of SARS-CoV-2 Alpha Variants in the Largest Taiwan COVID-19 Outbreak in 2021. <i>Frontiers in Medicine</i> , 2022, 9, 869818.	1.2	10
84	Factors associated with type 2 diabetes in patients with vascular dementia: a population-based cross-sectional study. <i>BMC Endocrine Disorders</i> , 2018, 18, 45.	0.9	9
85	Effect of nephrology referrals and multidisciplinary care programs on renal replacement and medical costs on patients with advanced chronic kidney disease. <i>Medicine (United States)</i> , 2019, 98, e16808.	0.4	9
86	Blood pressure modifies outcomes in patients with stage 3 to 5 chronic kidney disease. <i>Kidney International</i> , 2020, 97, 402-413.	2.6	9
87	Comedications and potential drug-drug interactions with direct-acting antivirals in hepatitis C patients on hemodialysis. <i>Clinical and Molecular Hepatology</i> , 2021, 27, 186-196.	4.5	9
88	Low serum iron is associated with anemia in CKD stage 1-4 patients with normal transferrin saturations. <i>Scientific Reports</i> , 2021, 11, 8343.	1.6	9
89	The Relationship between Subtypes of Health Literacy and Self-Care Behavior in Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 447.	1.1	9
90	Nomenclature and diagnostic criteria for acute kidney injury - 2020 consensus of the Taiwan AKI-task force. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 749-765.	0.8	9

#	ARTICLE	IF	CITATIONS
91	Fluid Overload, Pulse Wave Velocity, and Ratio of Brachial Pre-Ejection Period to Ejection Time in Diabetic and Non-Diabetic Chronic Kidney Disease. <i>PLoS ONE</i> , 2014, 9, e111000.	1.1	8
92	Interankle systolic blood pressure difference and renal outcomes in patients with chronic kidney disease. <i>Nephrology</i> , 2016, 21, 379-386.	0.7	8
93	Dialysis Increases the Risk of Bladder Recurrence in Patients with Upper Tract Urothelial Cancer: A Population-Based Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 1086-1093.	0.7	8
94	Depression amongst patients commencing maintenance dialysis is associated with increased risk of death and severe infections: A nationwide cohort study. <i>PLoS ONE</i> , 2019, 14, e0218335.	1.1	8
95	Comparative effectiveness of bisoprolol and carvedilol among patients receiving maintenance hemodialysis. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 983-990.	1.4	8
96	Association of digoxin with mortality in patients with advanced chronic kidney disease: A population-based cohort study. <i>PLoS ONE</i> , 2021, 16, e0245620.	1.1	8
97	Incidence and survival variations of upper tract urothelial cancer in Taiwan (2001–2010). <i>International Journal of Urology</i> , 2021, , .	0.5	8
98	U-Shaped Association between Waist-to-Hip Ratio and All-Cause Mortality in Stage 3–5 Chronic Kidney Disease Patients with Body Mass Index Paradox. <i>Journal of Personalized Medicine</i> , 2021, 11, 1355.	1.1	8
99	Nonapnea Sleep Disorders in Patients Younger than 65 Years Are Significantly Associated with CKD: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0140401.	1.1	7
100	Isolation and Identification of a Rare Spike Gene Double-Deletion SARS-CoV-2 Variant From the Patient With High Cycle Threshold Value. <i>Frontiers in Medicine</i> , 2021, 8, 822633.	1.2	7
101	HCV Infection Complicated with Nephrotic Syndrome, Immune Complex Crescentic Glomerulonephritis and Acute Renal Failure: A Case Report. <i>Kaohsiung Journal of Medical Sciences</i> , 2005, 21, 470-474.	0.8	6
102	Variability in Estimated Glomerular Filtration Rate by Area under the Curve Predicts Renal Outcomes in Chronic Kidney Disease. <i>Scientific World Journal</i> , The, 2014, 2014, 1-8.	0.8	6
103	Mobile Health, Disease Knowledge, and Self-Care Behavior in Chronic Kidney Disease: A Prospective Cohort Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 845.	1.1	6
104	Melamine exposure threshold in early chronic kidney disease patients – A benchmark dose approach. <i>Environment International</i> , 2021, 156, 106652.	4.8	6
105	Effect of differences in serum creatinine estimation methodologies on estimated glomerular filtration rate. <i>Singapore Medical Journal</i> , 2019, 60, 468-473.	0.3	6
106	Association of Relatives of Hemodialysis Patients with Metabolic Syndrome, Albuminuria and Framingham Risk Score. <i>PLoS ONE</i> , 2014, 9, e96362.	1.1	6
107	Interrelationship of Gut Microbiota, Obesity, Body Composition and Insulin Resistance in Asians with Type 2 Diabetes Mellitus. <i>Journal of Personalized Medicine</i> , 2022, 12, 617.	1.1	6
108	Hepatic Steatosis Is Associated with High White Blood Cell and Platelet Counts. <i>Biomedicines</i> , 2022, 10, 892.	1.4	6

#	ARTICLE	IF	CITATIONS
109	Association of Far-Infrared Radiation Therapy and Ankle-Brachial Index of Patients on Hemodialysis with Peripheral Artery Occlusive Disease. <i>International Journal of Medical Sciences</i> , 2016, 13, 970-976.	1.1	5
110	Review of the present features and the infection control challenges of COVID-19 pandemic in dialysis facilities. <i>Kaohsiung Journal of Medical Sciences</i> , 2020, 36, 393-398.	0.8	5
111	Evolutionary seroepidemiology of viral hepatitis and the gap in hepatitis C care cascades among uraemic patients receiving haemodialysis in Taiwan—the Formosa-Like Group. <i>Journal of Viral Hepatitis</i> , 2021, 28, 719-727.	1.0	5
112	Comparison of effectiveness and safety between ticagrelor and clopidogrel in patients with acute coronary syndrome and on dialysis in Taiwan. <i>British Journal of Clinical Pharmacology</i> , 2021, , .	1.1	5
113	Association of glomerular filtration rate slope with timely creation of vascular access in incident hemodialysis. <i>Scientific Reports</i> , 2021, 11, 13137.	1.6	5
114	Effective Preventive Strategies to Prevent Secondary Transmission of COVID-19 in Hemodialysis Unit: The First Month of Community Outbreak in Taiwan. <i>Healthcare (Switzerland)</i> , 2021, 9, 1173.	1.0	5
115	The applicability of non-invasive methods for assessing liver fibrosis in hemodialysis patients with chronic hepatitis C. <i>PLoS ONE</i> , 2020, 15, e0242601.	1.1	5
116	Association between Flow-Mediated Dilation and Skin Perfusion Pressure with Peripheral Artery Disease in Hemodialysis Patients. <i>Journal of Personalized Medicine</i> , 2021, 11, 1251.	1.1	5
117	A Low-Protein Diet with a Renal-Specific Oral Nutrition Supplement Helps Maintain Nutritional Status in Patients with Advanced Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , 2021, 11, 1360.	1.1	5
118	Prescriptions for angiotensin-converting enzyme inhibitors/angiotensin receptor blockers and monitoring of serum creatinine and potassium in patients with chronic kidney disease. <i>Kaohsiung Journal of Medical Sciences</i> , 2012, 28, 477-483.	0.8	4
119	Prognostic Significance of Left Ventricular Mass Index and Renal Function Decline Rate in Chronic Kidney Disease G3 and G4. <i>Scientific Reports</i> , 2017, 7, 42578.	1.6	4
120	Association of hyperglycemia episodes on long-term mortality in type 2 diabetes mellitus with vascular dementia: A population-based cohort study. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 123-127.	1.2	4
121	Data Analysis of the Risks of Type 2 Diabetes Mellitus Complications before Death Using a Data-Driven Modelling Approach: Methodologies and Challenges in Prolonged Diseases. <i>Information (Switzerland)</i> , 2021, 12, 326.	1.7	4
122	Low dose ultraviolet B irradiation at 308Ånm with light-emitting diode device effectively increases serum levels of 25(OH)D. <i>Scientific Reports</i> , 2021, 11, 2583.	1.6	4
123	Predictors and Assessment of Hospice Use for End-Stage Renal Disease Patients in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 85.	1.2	4
124	Investigation of the Relationship between Cardiovascular Biomarkers and Brachial—Ankle Pulse Wave Velocity in Hemodialysis Patients. <i>Journal of Personalized Medicine</i> , 2022, 12, 636.	1.1	4
125	Association between Body Mass Index and Renal Outcomes Modified by Chronic Kidney Disease and Anemia: The Obesity Paradox for Renal Outcomes. <i>Journal of Clinical Medicine</i> , 2022, 11, 2787.	1.0	4
126	Successful management of type IV hypersensitivity reactions to human insulin analogue with injecting mixtures of biphasic insulin aspart and dexamethasone. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 843-848.	0.8	3



#	ARTICLE	IF	CITATIONS
127	Reduced Incidence of Stroke in Patients with Gout Using Benzbromarone. <i>Journal of Personalized Medicine</i> , 2022, 12, 28.	1.1	3
128	CKD Care Programs and Incident Kidney Failure: A Study of a National Disease Management Program in Taiwan. <i>Kidney Medicine</i> , 2022, 4, 100485.	1.0	3
129	Predominant global glomerulosclerosis in patients of upper urinary tract urothelial carcinoma with pre-existing renal function impairment is a predictor of poor renal outcomes. <i>BMC Cancer</i> , 2019, 19, 337.	1.1	2
130	Comorbidities in patients with chronic hepatitis C and hepatitis B on hemodialysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 2261-2269.	1.4	2
131	Harmonizing Formula Prescription Patterns in Patients With Chronic Kidney Disease: A Population-Based Cross-Sectional Study. <i>Frontiers in Pharmacology</i> , 2021, 12, 573145.	1.6	2
132	Impact of Weaning from Acute Dialytic Therapy on Outcomes of Chronic Kidney Disease following Urgent-Start Dialysis. <i>PLoS ONE</i> , 2015, 10, e0123386.	1.1	2
133	Effect of Nephrology Care on Mortality in Incident Dialysis Patients: A Population-Based Cohort Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 1071.	1.1	2
134	Achievements and challenges in chronic kidney disease care in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2022, 121, S3-S4.	0.8	2
135	Kidney Function Change and All-Cause Mortality in Denosumab Users with and without Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , 2022, 12, 185.	1.1	2
136	Association of Death from Renal Failure with Calcium Levels in Drinking Water. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2003, 66, 2327-2335.	1.1	1
137	Effectiveness of antiresorptive medications in women on long-term dialysis after hip fracture: A population-based cohort study. <i>PLoS ONE</i> , 2020, 15, e0238248.	1.1	1
138	Exploring the Impact of Different Types of Do-Not-Resuscitate Consent on End-of-Life Treatments among Patients with Advanced Kidney Disease: An Observational Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8194.	1.2	1
139	No Obvious Impact of NSAIDs on Risk of Kidney Failure: Causal or Another Selection Bias?. <i>American Journal of Kidney Diseases</i> , 2020, 76, 742.	2.1	1
140	Changes of renal cortical Na-K ATPase activity, protein, and mRNA expression in ureteral obstruction. <i>Kaohsiung Journal of Medical Sciences</i> , 2002, 18, 273-80.	0.8	1
141	Does Amino Acid-Based Peritoneal Dialysate Change Homocysteine Metabolism in Continuous Ambulatory Peritoneal Dialysis Patients?. <i>Peritoneal Dialysis International</i> , 2003, 23, 48-51.	1.1	0
142	Reply to the comments on "Progression of stages 3b to 5 chronic kidney disease" preliminary results of Taiwan National Pre-ESRD Disease Management Program in Southern Taiwan by Chen et al. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 983-984.	0.8	0
143	The Authors Reply. <i>Kidney International</i> , 2016, 90, 228-229.	2.6	0
144	Challenges of measuring the Healthcare Access and Quality Index. <i>Lancet, The</i> , 2018, 391, 428-429.	6.3	0

#	ARTICLE	IF	CITATIONS
145	ASO Author Reflections: Dialysis and Recurrence in Urothelial Cancer. <i>Annals of Surgical Oncology</i> , 2018, 25, 978-979.	0.7	0
146	P0832FINAL OUTCOME OF CKD STAGE 5 PATIENTS WHO CHOSE PALLIATIVE TREATMENT-EXPERIENCE FROM ONE MEDICAL CENTER IN TAIWAN. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
147	Compliance of energy and protein intake correlates with changes in renal functions of patients with chronic kidney disease. <i>FASEB Journal</i> , 2010, 24, 557.1.	0.2	0
148	Body mass index and suboptimal energy or protein intake predict risks of dialysis and mortality in patients with chronic kidney disease (CKD). <i>FASEB Journal</i> , 2011, 25, 995.9.	0.2	0
149	Title is missing!. , 2020, 15, e0238248.		0
150	Title is missing!. , 2020, 15, e0238248.		0
151	Title is missing!. , 2020, 15, e0238248.		0
152	Title is missing!. , 2020, 15, e0238248.		0
153	Title is missing!. , 2020, 15, e0238248.		0
154	Title is missing!. , 2020, 15, e0238248.		0
155	Hyperuricemia, a Non-Independent Component of Metabolic Syndrome, Only Predicts Renal Outcome in Chronic Kidney Disease Patients without Metabolic Syndrome or Diabetes. <i>Biomedicines</i> , 2022, 10, 1719.	1.4	0