

Jin Goo Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6895600/publications.pdf>

Version: 2024-02-01

36
papers

880
citations

567281

15
h-index

477307

29
g-index

36
all docs

36
docs citations

36
times ranked

1654
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Effects of Fe ₂ O ₃ doping on structural and electrical properties of 8 mol% yttria-stabilized zirconia electrolyte for solid oxide fuel cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 3208-3214. | 2.2 | 5 |
| 2 | Harnessing Strong Metal-Support Interaction to Proliferate the Dry Reforming of Methane Performance by In Situ Reduction. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 12140-12148. | 8.0 | 19 |
| 3 | Use of Interplay between A-Site Nonstoichiometry and Hydroxide Doping to Deliver Novel Proton-Conducting Perovskite Oxides. <i>Advanced Energy Materials</i> , 2021, 11, 2101337. | 19.5 | 11 |
| 4 | Perovskites: Replacement of Ca by Ni in a Perovskite Titanate to Yield a Novel Perovskite Exsolution Architecture for Oxygen-Evolution Reactions (Adv. Energy Mater. 10/2020). <i>Advanced Energy Materials</i> , 2020, 10, 2070044. | 19.5 | 4 |
| 5 | Replacement of Ca by Ni in a Perovskite Titanate to Yield a Novel Perovskite Exsolution Architecture for Oxygen-Evolution Reactions. <i>Advanced Energy Materials</i> , 2020, 10, 1903693. | 19.5 | 53 |
| 6 | Effects of dispersed copper nanoparticles on Ni-ceria based dry methanol fuelled low temperature solid oxide fuel cells. <i>RSC Advances</i> , 2019, 9, 6320-6327. | 3.6 | 8 |
| 7 | Nanostructured carbons containing FeNi/NiFe ₂ O ₄ supported over N-doped carbon nanofibers for oxygen reduction and evolution reactions. <i>RSC Advances</i> , 2019, 9, 36586-36599. | 3.6 | 9 |
| 8 | Various Problems in Oxygen-evolution Reaction Catalysts in Alkaline Conditions and Perovskites Utilization. <i>Ceramist</i> , 2019, 22, 182-188. | 0.1 | 0 |
| 9 | Role of Nitrogen-Doped Carbon Nanofibers Inside Polymer Membranes for Enhancing Fuel Cell Performance. <i>Energy Technology</i> , 2018, 6, 998-1002. | 3.8 | 3 |
| 10 | Coke-tolerant La ₂ Sn ₂ O ₇ -Ni-Gd _{0.1} Ce _{0.9} O _{1.95} composite anode for direct methane-fueled solid oxide fuel cells. <i>Journal of Electroceramics</i> , 2018, 40, 323-331. | 2.0 | 2 |
| 11 | One-step fabrication of surface-decorated inorganic nanowires via single-nozzle electrospinning. <i>Ceramics International</i> , 2018, 44, 11858-11861. | 4.8 | 3 |
| 12 | Characteristics of Ba(Zr _{0.1} Ce _{0.7} Y _{0.2})O _{3-δ} nano-powders synthesized by different wet-chemical methods for solid oxide fuel cells. <i>Ceramics International</i> , 2018, 44, 433-437. | 4.8 | 14 |
| 13 | Next-generation flexible solid oxide fuel cells with high thermomechanical stability. <i>Journal of Materials Chemistry A</i> , 2018, 6, 18018-18024. | 10.3 | 9 |
| 14 | Selective Ion Transporting Polymerized Ionic Liquid Membrane Separator for Enhancing Cycle Stability and Durability in Secondary Zinc-Air Battery Systems. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 26298-26308. | 8.0 | 69 |
| 15 | Synthesis and application of hexagonal perovskite BaNiO ₃ with quadrivalent nickel under atmospheric and low-temperature conditions. <i>Chemical Communications</i> , 2016, 52, 10731-10734. | 4.1 | 13 |
| 16 | Optimization of the Pd-Fe-Mo Catalysts for Oxygen Reduction Reaction in Proton-Exchange Membrane Fuel Cells. <i>Electrochimica Acta</i> , 2016, 220, 29-35. | 5.2 | 22 |
| 17 | Platinum catalysts protected by N-doped carbon for highly efficient and durable polymer-electrolyte membrane fuel cells. <i>Electrochimica Acta</i> , 2016, 193, 191-198. | 5.2 | 14 |
| 18 | Low-temperature co-firing process of solid oxide fuel cells by a trace of copper. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 4792-4798. | 7.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Durable and High-Performance Direct-Methane Fuel Cells with Coke-Tolerant Ceria-Coated Ni Catalysts at Reduced Temperatures. <i>Electrochimica Acta</i> , 2016, 191, 677-686. | 5.2 | 29 |
| 20 | A New Family of Perovskite Catalysts for Oxygen-Evolution Reaction in Alkaline Media: $\text{BaNiO}_{3-x}\text{BaNi}_{0.83-x}\text{O}_{2.5-x}$. <i>Journal of the American Chemical Society</i> , 2016, 138, 3541-3547. | 13.7 | 204 |
| 21 | Electrospun Poly(Ether Sulfone) Membranes Impregnated with Nafion for High-Temperature Polymer Electrolyte Membrane Fuel Cells. <i>Journal of the Korean Electrochemical Society</i> , 2016, 19, 9-13. | 0.1 | 0 |
| 22 | Effects of Microwave Treatment on Carbon Electrode for Vanadium Redox Flow Battery. <i>ChemElectroChem</i> , 2015, 2, 872-876. | 3.4 | 22 |
| 23 | Effects of 8mol% yttria-stabilized zirconia with copper oxide on solid oxide fuel cell performance. <i>Ceramics International</i> , 2015, 41, 7982-7988. | 4.8 | 22 |
| 24 | Physical and electrochemical properties of $(\text{La}_{0.3}\text{Sr}_{0.7})_{0.93}\text{TiO}_3$ synthesized by Pechini method as an anode material for solid oxide fuel cells. <i>Journal of Sol-Gel Science and Technology</i> , 2014, 69, 148-154. | 2.4 | 6 |
| 25 | Electrochemical characteristics of electrospun $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-x}\text{Gd}_{0.1}\text{Ce}_{0.9}\text{O}_{1.95}$ cathode. <i>Ceramics International</i> , 2014, 40, 8053-8060. | 4.8 | 17 |
| 26 | Nano-Composite $\text{Ni-Gd}_{0.1}\text{Ce}_{0.9}\text{O}_{1.95}$ Anode Functional Layer for Low Temperature Solid Oxide Fuel Cells. <i>Electrochimica Acta</i> , 2014, 129, 100-106. | 5.2 | 22 |
| 27 | Tailoring gadolinium-doped ceria-based solid oxide fuel cells to achieve 2%W/cm ² at 550°C. <i>Nature Communications</i> , 2014, 5, 4045. | 12.8 | 193 |
| 28 | Fabrication of anode-supported tubular $\text{Ba}(\text{Zr}_{0.1}\text{Ce}_{0.7}\text{Y}_{0.2})\text{O}_3$ cell for intermediate temperature solid oxide fuel cells. <i>Ceramics International</i> , 2014, 40, 1513-1518. | 4.8 | 26 |
| 29 | Application of GDC-YDB bilayer and LSM-YDB cathode for intermediate temperature solid oxide fuel cells. <i>Journal of Electroceramics</i> , 2013, 31, 231-237. | 2.0 | 11 |
| 30 | Performance evaluation of anode-supported $\text{Gd}_{0.1}\text{Ce}_{0.9}\text{O}_{1.95}$ cell with electrospun $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-x}\text{Gd}_{0.1}\text{Ce}_{0.9}\text{O}_{1.95}$ cathode. <i>Electrochimica Acta</i> , 2013, 108, 356-360. | 5.2 | 23 |
| 31 | Performance Improvement of Ni-YSZ-Based Solid Oxide Fuel Cell with the Anode Functional Layer Synthesized by Co-Precipitation Method. <i>ECS Transactions</i> , 2013, 57, 2947-2952. | 0.5 | 1 |
| 32 | A novel cathodic electrolyte based on $\text{H}_2\text{C}_2\text{O}_4$ for a stable vanadium redox flow battery with high charge/discharge capacities. <i>RSC Advances</i> , 2013, 3, 21347. | 3.6 | 18 |
| 33 | Direct methane fuel cell with $\text{La}_2\text{Sn}_2\text{O}_7\text{Ni-Gd}_{0.1}\text{Ce}_{0.9}\text{O}_{1.95}$ anode and electrospun $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-x}\text{Gd}_{0.1}\text{Ce}_{0.9}\text{O}_{1.95}$ cathode. <i>RSC Advances</i> , 2013, 3, 11816. | 3.6 | 15 |
| 34 | Coprecipitation Synthesis and Characterization of $\text{La}_{0.8}\text{Sr}_{0.2}\text{Ga}_{0.8}\text{Mg}_{0.2}$ for Intermediate Temperature Solid Oxide Fuel Cell Electrolytes. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 769-774. | 0.9 | 1 |
| 35 | Synthesis of Yttria-Doped Bismuth Oxide Powder by Carbonate Coprecipitation for IT-SOFC Electrolyte. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 820-823. | 0.9 | 9 |
| 36 | Synthesis and Characterization of Cu- and Co-Doped $\text{Bi}_4\text{V}_2\text{O}_{11}$ for Intermediate-Temperature Solid Oxide Fuel Cell Electrolytes by Carbonate Coprecipitation. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 01BE19. | 1.5 | 1 |