Andr Scherag

List of Publications by Citations

Source: https://exaly.com/author-pdf/6896229/andre-scherag-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 12,164 24 63 g-index

63 15,133 10.5 5.26 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
60	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015 , 518, 197-206	50.4	2687
59	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010 , 42, 937-48	36.3	2267
58	Assessment of Clinical Criteria for Sepsis: For the Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 762-7	74 ²⁷⁻⁴	1800
57	Assessment of Global Incidence and Mortality of Hospital-treated Sepsis. Current Estimates and Limitations. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 193, 259-72	10.2	1544
56	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015 , 518, 187-196	50.4	920
55	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013 , 45, 501-12	36.3	437
54	A genome-wide association meta-analysis identifies new childhood obesity loci. <i>Nature Genetics</i> , 2012 , 44, 526-31	36.3	292
53	Quality control and conduct of genome-wide association meta-analyses. <i>Nature Protocols</i> , 2014 , 9, 119	2-28.8	278
52	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017 , 174, 850-858	11.9	276
51	Two new Loci for body-weight regulation identified in a joint analysis of genome-wide association studies for early-onset extreme obesity in French and german study groups. <i>PLoS Genetics</i> , 2010 , 6, e10	000916	250
50	A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , 2014 , 19, 1085-94	15.1	224
49	TERT promoter mutation status as an independent prognostic factor in cutaneous melanoma. Journal of the National Cancer Institute, 2014 , 106,	9.7	164
48	Day-patient treatment after short inpatient care versus continued inpatient treatment in adolescents with anorexia nervosa (ANDI): a multicentre, randomised, open-label, non-inferiority trial. <i>Lancet, The</i> , 2014 , 383, 1222-9	40	154
47	Infectious disease consultation for Staphylococcus aureus bacteremia - A systematic review and meta-analysis. <i>Journal of Infection</i> , 2016 , 72, 19-28	18.9	125
46	Current gaps in sepsis immunology: new opportunities for translational research. <i>Lancet Infectious Diseases, The</i> , 2019 , 19, e422-e436	25.5	88
45	Hospital-related cost of sepsis: A systematic review. <i>Journal of Infection</i> , 2017 , 74, 107-117	18.9	86
44	Genome-wide analysis of rare copy number variations reveals PARK2 as a candidate gene for attention-deficit/hyperactivity disorder. <i>Molecular Psychiatry</i> , 2014 , 19, 115-21	15.1	59

(2020-2019)

43	Cefazolin versus anti-staphylococcal penicillins for the treatment of patients with Staphylococcus aureus bacteraemia. <i>Clinical Microbiology and Infection</i> , 2019 , 25, 818-827	9.5	48	
42	Smart Medical Information Technology for Healthcare (SMITH). <i>Methods of Information in Medicine</i> , 2018 , 57, e92-e105	1.5	45	
41	Novel approach identifies SNPs in SLC2A10 and KCNK9 with evidence for parent-of-origin effect on body mass index. <i>PLoS Genetics</i> , 2014 , 10, e1004508	6	45	
40	Investigation of a genome wide association signal for obesity: synthetic association and haplotype analyses at the melanocortin 4 receptor gene locus. <i>PLoS ONE</i> , 2010 , 5, e13967	3.7	40	
39	Genetic Factors of the Disease Course after Sepsis: A Genome-Wide Study for 28Day Mortality. <i>EBioMedicine</i> , 2016 , 12, 239-246	8.8	35	
38	Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. <i>Molecular Psychiatry</i> , 2017 , 22, 192-201	15.1	31	
37	Positron Emission Tomography (PET) Guided Therapy of Aggressive Lymphomas & Randomized Controlled Trial Comparing Different Treatment Approaches Based on Interim PET Results (PETAL Trial). <i>Blood</i> , 2014 , 124, 391-391	2.2	29	
36	Genetic Factors of the Disease Course After Sepsis: Rare Deleterious Variants Are Predictive. <i>EBioMedicine</i> , 2016 , 12, 227-238	8.8	22	
35	High-throughput DNA methylation analysis in anorexia nervosa confirms TNXB hypermethylation. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 187-199	3.8	20	
34	A structured proteomic approach identifies 14-3-3Sigma as a novel and reliable protein biomarker in panel based differential diagnostics of liver tumors. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015 , 1854, 641-50	4	18	
33	SDCCAG8 obesity alleles and reduced weight loss after a lifestyle intervention in overweight children and adolescents. <i>Obesity</i> , 2012 , 20, 466-70	8	17	
32	Update of the effect estimates for common variants associated with carotid intima media thickness within four independent samples: The Bonn IMT Family Study, the Heinz Nixdorf Recall Study, the SAPHIR Study and the Bruneck Study. <i>Atherosclerosis</i> , 2016 , 249, 83-7	3.1	14	
31	Internet-based cognitive-behavioural writing therapy for reducing post-traumatic stress after intensive care for sepsis in patients and their spouses (REPAIR): study protocol for a randomised-controlled trial. <i>BMJ Open</i> , 2017 , 7, e014363	3	13	
30	Medical and psychosocial implications of adolescent extreme obesity - acceptance and effects of structured care, short: Youth with Extreme Obesity Study (YES). <i>BMC Public Health</i> , 2013 , 13, 789	4.1	13	
29	Chronic Critical Illness from Sepsis Is Associated with an Enhanced TCR Response. <i>Journal of Immunology</i> , 2017 , 198, 4781-4791	5.3	12	
28	A patient cohort on long-term sequelae of sepsis survivors: study protocol of the Mid-German Sepsis Cohort. <i>BMJ Open</i> , 2017 , 7, e016827	3	11	
27	Sepsis-associated acute respiratory distress syndrome in individuals of European ancestry: a genome-wide association study. <i>Lancet Respiratory Medicine,the</i> , 2020 , 8, 258-266	35.1	10	
26	Effect of antiviral therapy on the outcomes of mechanically ventilated patients with herpes simplex virus detected in the respiratory tract: a systematic review and meta-analysis. <i>Critical Care</i> , 2020 , 24, 584	10.8	9	

25	Comparative validation of three screening instruments for posttraumatic stress disorder after intensive care. <i>Journal of Critical Care</i> , 2019 , 53, 149-154	4	8
24	Common genomic variation in the FER gene: useful to stratify patients with sepsis due to pneumonia?. <i>Intensive Care Medicine</i> , 2015 , 41, 1379-81	14.5	8
23	Health related quality of life associated with extreme obesity in adolescents - results from the baseline evaluation of the YES-study. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 58	3	6
22	Assessing efficacy of CytoSorb haemoadsorber for prevention of organ dysfunction in cardiac surgery patients with infective endocarditis: REMOVE-protocol for randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e031912	3	6
21	Linkage and Association Analysis Identifies TRAF1 Influencing Common Carotid Intima-Media Thickness. <i>Stroke</i> , 2016 , 47, 2904-2909	6.7	6
20	Cytokine Hemoadsorption During Cardiac Surgery versus Standard Surgical Care for Infective Endocarditis (REMOVE): Results from a Multicenter, Randomized, Controlled Trial <i>Circulation</i> , 2022 ,	16.7	6
19	The epidemiology of bloodstream infections and antimicrobial susceptibility patterns in Thuringia, Germany: a five-year prospective, state-wide surveillance study (AlertsNet). <i>Antimicrobial Resistance and Infection Control</i> , 2021 , 10, 132	6.2	5
18	Identification of cardiovascular and molecular prognostic factors for the medium-term and long-term outcomes of sepsis (ICROS): protocol for a prospective monocentric cohort study. <i>BMJ Open</i> , 2020 , 10, e036527	3	4
17	A Structured, Manual-Based Low-Level Intervention vs. Treatment as Usual Evaluated in a Randomized Controlled Trial for Adolescents with Extreme Obesity - the STEREO Trial. <i>Obesity Facts</i> , 2017 , 10, 341-352	5.1	4
16	Study on the utility of a statewide counselling programme for improving mortality outcomes of patients with bacteraemia in Thuringia (SUPPORT): a study protocol of a cluster-randomised crossover trial. <i>BMJ Open</i> , 2017 , 7, e013976	3	4
15	Do adolescents with extreme obesity differ according to previous treatment seeking behavior? The Youth with Extreme obesity Study (YES) cohort. <i>International Journal of Obesity</i> , 2019 , 43, 103-115	5.5	4
14	The role of risk communication in public health interventions. An analysis of risk communication for a community quarantine in Germany to curb the SARS-CoV-2 pandemic. <i>PLoS ONE</i> , 2021 , 16, e0256113	3.7	4
13	Comparison of fatigue, cognitive dysfunction and psychological disorders in post-COVID patients and patients after sepsis: is there a specific constellation?. <i>Infection</i> , 2022 , 1	5.8	3
12	Approaching Clinical Data Transformation from Disparate Healthcare IT Systems Through a Modular Framework. <i>Studies in Health Technology and Informatics</i> , 2019 , 258, 85-89	0.5	3
11	Evaluating strategies for marker ranking in genome-wide association studies of complex traits. <i>Methods of Information in Medicine</i> , 2010 , 49, 632-40	1.5	2
10	Mid-German Sepsis Cohort (MSC): a prospective observational study of sepsis survivorship. <i>BMJ Open</i> , 2021 , 11, e043352	3	2
9	Hospital-wide ELectronic medical record evaluated computerised decision support system to improve outcomes of Patients with staphylococcal bloodstream infection (HELP): study protocol for a multicentre stepped-wedge cluster randomised trial. <i>BMJ Open</i> , 2020 , 10, e033391	3	2
8	Postcoronavirus Disease Chronic Fatigue Is Frequent and Not Only Restricted to Hospitalized Patients. <i>Critical Care Medicine</i> , 2021 , 49, e1052-e1053	1.4	1

LIST OF PUBLICATIONS

7	Risk stratification for isolated tricuspid valve surgery assisted using the Model for End-Stage Liver Disease score <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022 ,	1.5	1
6	Internet-based cognitive-behavioural writing therapy for reducing post-traumatic stress after severe sepsis in patients and their spouses (REPAIR): results of a randomised-controlled trial <i>BMJ Open</i> , 2022 , 12, e050305	3	1
5	Algorithmic surveillance of ICU patients with acute respiratory distress syndrome (ASIC): protocol for a multicentre stepped-wedge cluster randomised quality improvement strategy. <i>BMJ Open</i> , 2021 , 11, e045589	3	0
4	Treatment with etanercept and low monocyte concentration contribute to the risk of invasive aspergillosis in patients post allogeneic stem cell transplantation. <i>Scientific Reports</i> , 2019 , 9, 17231	4.9	O
3	Association between sepsis incidence and regional socioeconomic deprivation and health care capacity in Germany - an ecological study. <i>BMC Public Health</i> , 2021 , 21, 1636	4.1	0
2	Phase II dose-response trials: A simulation study to compare analysis method performance under design considerations. <i>Journal of Biopharmaceutical Statistics</i> , 2017 , 27, 885-901	1.3	
1	Identification of cardiovascular and molecular prognostic factors for the morbidity and mortality in COVID-19-sepsis (ICROVID): Protocol for a prospective multi-centre cohort study. <i>PLoS ONE</i> , 2022 , 17, e0269247	3.7	