

Henrik Kj rlhede

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/689665/publications.pdf>

Version: 2024-02-01

21
papers

216
citations

1478505

6
h-index

1058476

14
g-index

23
all docs

23
docs citations

23
times ranked

322
citing authors

#	ARTICLE	IF	CITATIONS
1	The transferability of the minimal invasive surgeon's skills to open surgery. <i>Scandinavian Journal of Urology</i> , 2022, 56, 131-136.	1.0	3
2	Standardized care pathways for patients with suspected urinary bladder cancer: the Swedish experience. <i>Scandinavian Journal of Urology</i> , 2022, 56, 227-232.	1.0	5
3	Computed tomography urography with corticomedullary phase can exclude urinary bladder cancer with high accuracy. <i>BMC Urology</i> , 2022, 22, 60.	1.4	4
4	Do not throw out the baby with the bath water. <i>Scandinavian Journal of Urology</i> , 2022, 56, 235-236.	1.0	0
5	Artificial intelligence-based detection of lymph node metastases by PET/CT predicts prostate cancer-specific survival. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 62-67.	1.2	20
6	Artificial intelligence-aided CT segmentation for body composition analysis: a validation study. <i>European Radiology Experimental</i> , 2021, 5, 11.	3.4	22
7	A retrospective study assessing the accuracy of [18F]-fluorocholine PET/CT for primary staging of lymph node metastases in intermediate and high-risk prostate cancer patients undergoing robotic-assisted laparoscopic prostatectomy with extended lymph node dissection. <i>Scandinavian Journal of Urology</i> , 2021, 55, 293-297.	1.0	3
8	Detection of any-stage cancer using plasma and urine glycosaminoglycans. <i>Journal of Clinical Oncology</i> , 2021, 39, 3034-3034.	1.6	3
9	Cumulative incidence of ureteroenteric strictures after radical cystectomy in a population-based Swedish cohort. <i>Scandinavian Journal of Urology</i> , 2021, 55, 361-365.	1.0	8
10	Artificial intelligence-based measurements of PET/CT imaging biomarkers are associated with disease-specific survival of high-risk prostate cancer patients. <i>Scandinavian Journal of Urology</i> , 2021, 55, 427-433.	1.0	2
11	Automated artificial intelligence-based analysis of skeletal muscle volume predicts overall survival after cystectomy for urinary bladder cancer. <i>European Radiology Experimental</i> , 2021, 5, 50.	3.4	5
12	Prostate volume and age are predictors of energy delivery using the CoreTherm Concept in patients with LUTS/BPO: a study on thermal dose. <i>Scandinavian Journal of Urology</i> , 2020, 54, 248-252.	1.0	1
13	A randomised trial comparing two protocols for transrectal prostate repeat biopsy: six lateral posterior plus six anterior cores versus a standard posterior 12-core biopsy. <i>Scandinavian Journal of Urology</i> , 2019, 53, 217-221.	1.0	2
14	Development and validation of a prediction model for identifying men with intermediate- or high-risk prostate cancer for whom bone imaging is unnecessary: a nation-wide population-based study. <i>Scandinavian Journal of Urology</i> , 2019, 53, 378-384.	1.0	3
15	Pre-treatment 18F-choline PET/CT is prognostic for biochemical recurrence, development of bone metastasis, and cancer specific mortality following radical local therapy of high-risk prostate cancer. <i>European Journal of Hybrid Imaging</i> , 2018, 2, 16.	1.5	5
16	A population-based study of the clinical utility of 18F-choline PET/CT for primary metastasis staging of high-risk prostate cancer. <i>European Journal of Hybrid Imaging</i> , 2017, 1, .	1.5	2
17	Simplified intraoperative sentinel-node detection performed by the urologist accurately determines lymph-node stage in prostate cancer. <i>Scandinavian Journal of Urology</i> , 2015, 49, 97-102.	1.0	5
18	18F-choline PET/CT for early detection of metastases in biochemical recurrence following radical prostatectomy. <i>World Journal of Urology</i> , 2015, 33, 1749-1752.	2.2	9

#	ARTICLE	IF	CITATIONS
19	Laparoscopic extended pelvic lymphadenectomy for staging can be performed with limited morbidity and short hospital stay in patients with prostate cancer. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 332-336.	1.4	5
20	Combined 18F-fluorocholine and 18F-fluoride positron emission tomography/computed tomography imaging for staging of high-risk prostate cancer. <i>BJU International</i> , 2012, 110, 1501-1506.	2.5	73
21	Use of a virtual reality, real-time, simulation model for the training of urologists in transurethral resection of the prostate. <i>Scandinavian Journal of Urology and Nephrology</i> , 2005, 39, 313-320.	1.4	36