

Anna Grimby-Ekman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6897250/publications.pdf>

Version: 2024-02-01

28
papers

1,013
citations

759233

12
h-index

552781

26
g-index

30
all docs

30
docs citations

30
times ranked

1577
citing authors

#	ARTICLE	IF	CITATIONS
1	Stress, non-restorative sleep, and physical inactivity as risk factors for chronic pain in young adults: A cohort study. PLoS ONE, 2022, 17, e0262601.	2.5	17
2	App-based COVID-19 syndromic surveillance and prediction of hospital admissions in COVID Symptom Study Sweden. Nature Communications, 2022, 13, 2110.	12.8	17
3	Validation and reliability testing of the BREAST-Q expectations questionnaire in Swedish. Journal of Plastic Surgery and Hand Surgery, 2022, , 1-9.	0.8	0
4	Multidimensional health changes after a multimodal pain rehabilitation program: a registry-based study. Pain Reports, 2021, 6, e938.	2.7	4
5	Insomnia Symptoms and Chronic Pain among Patients Participating in a Pain Rehabilitation Program—A Registry Study. Journal of Clinical Medicine, 2021, 10, 4040.	2.4	3
6	Concurrent and lagged effects of psychosocial job stressors on symptoms of burnout. International Archives of Occupational and Environmental Health, 2019, 92, 1013-1021.	2.3	7
7	Altered relationship between anandamide and glutamate in circulation after 30 min of arm cycling: A comparison of chronic pain subject with healthy controls. Molecular Pain, 2019, 15, 174480691989836.	2.1	9
8	Longitudinal associations between cardiorespiratory fitness and stress-related exhaustion, depression, anxiety and sleep disturbances. BMC Public Health, 2019, 19, 1726.	2.9	12
9	Factor structure and internal consistency of a Swedish version of the Pain Catastrophizing Scale. Acta Anaesthesiologica Scandinavica, 2019, 63, 259-266.	1.6	19
10	Pain could negatively affect school grades - Swedish middle school students with low school grades most affected. PLoS ONE, 2018, 13, e0208435.	2.5	11
11	The association between pain characteristics, pain catastrophizing and health care use – Baseline results from the SWEPAIN cohort. Scandinavian Journal of Pain, 2017, 16, 122-128.	1.3	13
12	Work ability is influenced by kinesiophobia among patients with persistent pain. Physiotherapy Theory and Practice, 2017, 33, 634-643.	1.3	4
13	Pain Sensitivity and its Relation to Spreading on the Body, Intensity, Frequency, and Duration of Pain. Clinical Journal of Pain, 2017, 33, 579-587.	1.9	21
14	Texting on mobile phones and musculoskeletal disorders in young adults: A five-year cohort study. Applied Ergonomics, 2017, 58, 208-214.	3.1	141
15	Predicting participation in the population-based Swedish cardiopulmonary bio-image study (SCAPIS) using register data. Scandinavian Journal of Public Health, 2017, 45, 45-49.	2.3	29
16	Physical functioning and fall-related efficacy among community-dwelling elderly people. European Journal of Physiotherapy, 2016, 18, 11-17.	1.3	9
17	Different DHEA-S Levels and Response Patterns in Individuals with Chronic Neck Pain, Compared with a Pain Free Group—a Pilot Study. Pain Medicine, 2016, 18, pnw162.	1.9	5
18	Experiences of work ability in young workers: an exploratory interview study. International Archives of Occupational and Environmental Health, 2016, 89, 629-640.	2.3	10

#	ARTICLE	IF	CITATIONS
19	Seasonal variations in fatigue in persons with rheumatoid arthritis: a longitudinal study. BMC Musculoskeletal Disorders, 2016, 17, 59.	1.9	17
20	Leisure time computer use and overweight development in young adults – a prospective study. BMC Public Health, 2015, 15, 839.	2.9	28
21	Internal construct validity of the stress-energy questionnaire in a working population, a cohort study. BMC Public Health, 2015, 15, 180.	2.9	19
22	Affective stress responses during leisure time: Validity evaluation of a modified version of the Stress-Energy Questionnaire. Scandinavian Journal of Public Health, 2015, 43, 825-832.	2.3	3
23	Comorbidities, intensity, frequency and duration of pain, daily functioning and health care seeking in local, regional, and widespread pain – a descriptive population-based survey (SwePain). BMC Musculoskeletal Disorders, 2015, 16, 165.	1.9	42
24	Physical Activity and Health-Related Quality of Life Among Community Dwelling Elderly. Journal of Clinical Medicine Research, 2015, 7, 845-852.	1.2	75
25	Salivary cortisol in two professions: daily cortisol profiles in school teachers and firefighters. Neuroendocrinology Letters, 2014, 35, 314-21.	0.2	1
26	Simple neck pain questions used in surveys, evaluated in relation to health outcomes: a cohort study. BMC Research Notes, 2012, 5, 587.	1.4	4
27	The work ability index and single-item question: associations with sick leave, symptoms, and health – a prospective study of women on long-term sick leave. Scandinavian Journal of Work, Environment and Health, 2010, 36, 404-412.	3.4	447
28	Analyzing musculoskeletal neck pain, measured as present pain and periods of pain, with three different regression models: a cohort study. BMC Musculoskeletal Disorders, 2009, 10, 73.	1.9	44