Jia-Chun Feng

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6898283/jia-chun-feng-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 4,987 123 37 h-index g-index citations papers 126 6.25 5,544 5.5 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
123	Microstructure evolution during cooling and reheating of the physical gel composed of SEBS copolymer and crystallizable paraffin. <i>Polymer</i> , 2022 , 239, 124442	3.9	O
122	Hydrochar as an environment-friendly additive to improve the performance of biodegradable plastics <i>Science of the Total Environment</i> , 2022 , 155124	10.2	О
121	Nucleation Efficiencies of Calcium Hexahydrophthalic Acid for Poly(Eaprolactone) Crystallization. <i>ACS Applied Polymer Materials</i> , 2022 , 4, 627-634	4.3	
120	Thermorheological evidence and structure of heterogeneity in syndiotactic polypropylene melts with strong memory effects. <i>Polymer</i> , 2021 , 218, 123484	3.9	3
119	Unexpected Improvement of Both Mechanical Strength and Elasticity of EPDM/PP Thermoplastic Vulcanizates by Introducing ENucleating Agents. <i>Macromolecules</i> , 2021 , 54, 2835-2843	5.5	5
118	Concentration Effect of a Bis-amide Nucleating Agent on the Shear-Induced Crystallization Behavior of Isotactic Polypropylene. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 1145-1156	4.3	1
117	Non-Negligible Effect of Additives in the Application of Successive Self-Nucleation and Annealing Fractionation for Microstructure Characterization of Matrix Resin in Additive-Containing Samples. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 4634-4644	4.3	O
116	The effect of Ehucleating agent on the self-nucleation of isotactic polypropylene. <i>Polymer</i> , 2021 , 229, 124009	3.9	
115	Comparison of the melt memory effects in matched fractions segregated from Ziegler-Natta and metallocene-made isotactic polypropylene with similar total defect content. <i>Polymer</i> , 2021 , 230, 12406	03.9	1
114	Acrylonitrile-Styrene-Acrylate Particles with Different Microstructure for Improving the Toughness of Poly(styrene-co-acrylonitrile) Resin. <i>Advances in Polymer Technology</i> , 2021 , 2021, 1-13	1.9	
113	Toward a More Comprehensive Understanding on the Structure Evolution and Assembly Formation of a Bisamide Nucleating Agent in Polypropylene Melt. <i>Macromolecules</i> , 2020 , 53, 4381-4394	5.5	14
112	Facile fabrication of stretchable and compressible strain sensors by coating and integrating low-cost melamine foam scaffolds with reduced graphene oxide and poly (styrene-b-ethylene-butylene-b-styrene). <i>Chemical Engineering Journal</i> , 2020 , 398, 125429	14.7	15
111	Flexible and fire-resistant all-inorganic composite film with high in-plane thermal conductivity. <i>Chemical Engineering Journal</i> , 2020 , 398, 125633	14.7	12
110	Investigating the Nucleation Effect of DMDBS on Syndiotactic Polypropylene from the Perspective of Chain Conformation. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2020 , 38, 1355-1364	3.5	4
109	Skin-Inspired Multifunctional Luminescent Hydrogel Containing Layered Rare-Earth Hydroxide with 3D Printability for Human Motion Sensing. <i>ACS Applied Materials & Description of the Sensing ACS Applied ACS Appl</i>	9.5	18
108	Form-stable phase change materials based on delignified wood flour for thermal management of buildings. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 129, 105690	8.4	13
107	Comparative Investigation on Step-cycle Tensile Behaviors of Two Bimodal Pipe-grade Polyethylene with Different Slow Crack Growth Resistance. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2020 , 38, 611-619	3.5	1

106	Water-responsive actuators based on the solution casted PVA/epoxidized-SBS two-way shape memory bilayer composite film. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 14826-14833	7.1	4
105	Mass-produced SEBS/graphite nanoplatelet composites with a segregated structure for highly stretchable and recyclable strain sensors. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 9423-9429	7.1	19
104	Constitutive expression of NtabSPL6-1 in tobacco and Arabidopsis could change the structure of leaves and promote the development of trichomes. <i>Journal of Plant Physiology</i> , 2019 , 240, 152991	3.6	0
103	Structure evolution upon heating and cooling and its effects on nucleation performance: A review on aromatic amide Enucleating agents for isotactic polypropylene. <i>Polymer Crystallization</i> , 2019 , 2, e100	149 ⁹	3
102	Preparation of Thermally Conductive Polymer Composites with Good Electromagnetic Interference Shielding Efficiency Based on Natural Wood-Derived Carbon Scaffolds. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 6259-6266	8.3	47
101	Achieving vertically aligned SiC microwires networks in a uniform cold environment for polymer composites with high through-plane thermal conductivity enhancement. <i>Composites Science and Technology</i> , 2019 , 170, 135-140	8.6	36
100	3D-Printable ABS Blends with Improved Scratch Resistance and Balanced Mechanical Performance. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 3923-3931	3.9	23
99	Highly in-Plane Thermally Conductive Composite Films from Hexagonal Boron Nitride Microplatelets Assembled with Graphene Oxide. <i>ACS Applied Nano Materials</i> , 2018 , 1, 94-100	5.6	18
98	Poly(MMA-co-FMA) as a platform for tuning emission by clicking with luminescent lanthanide complexes. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 10202-10206	7.1	8
97	Fabricating dual-responsive shape memory PVA-based composites via reactive melt-mixing by skillfully utilizing excellent flowability and crosslinking heat of polyethylene. <i>Polymer</i> , 2018 , 146, 267-27	74 ^{.9}	2
96	Highly Thermally Conductive Composite Films Based on Nanofibrillated Cellulose in Situ Coated with a Small Amount of Silver Nanoparticles. <i>ACS Applied Materials & District States</i> , 2018, 10, 24193-24	1200	61
95	The effect of structure evolution upon heat treatment on the beta-nucleating ability of calcium pimelate in isotactic polypropylene. <i>Polymer</i> , 2018 , 149, 55-64	3.9	15
94	Synergistic Toughening Effect of Olefin Block Copolymer and Highly Effective ENucleating Agent on the Low-Temperature Toughness of Polypropylene Random Copolymer. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 5277-5283	3.9	8
93	Low-Density, Mechanical Compressible, Water-Induced Self-Recoverable Graphene Aerogels for Water Treatment. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 22456-22464	9.5	66
92	Promoting the dispersion of graphene and crystallization of poly (lactic acid) with a freezing-dried graphene/PEG masterbatch. <i>Composites Science and Technology</i> , 2017 , 144, 215-222	8.6	35
91	An attempt towards fabricating reduced graphene oxide composites with traditional polymer processing techniques by adding chemical reduction agents. <i>Composites Science and Technology</i> , 2017 , 140, 16-22	8.6	26
90	3D printing of tunable shape memory polymer blends. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 8361-8	365	49
89	The Preparation of Compressible and Fire-Resistant Sponge-Supported Reduced Graphene Oxide Aerogel for Electromagnetic Interference Shielding. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 2586-93	4.5	28

88	Regulation of Physical Networks and Mechanical Properties of Triblock Thermoplastic Elastomer through Introduction of Midblock Similar Crystalline Polymer with Multiblock Architecture. <i>Macromolecules</i> , 2016 , 49, 7379-7386	5.5	15	
87	Nonreversible Enhanced Crystallization of Olefin Block Copolymer Induced by Preshearing. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 3782-3789	3.9	3	
86	A feasible route to balance the mechanical properties of epoxy thermosets by reinforcing a PCL-PPC-PCL toughened system with reduced graphene oxide. <i>Composites Science and Technology</i> , 2016 , 125, 108-113	8.6	20	
85	Further understanding on the three domains of isotactic polypropylene by investigating the crystalline morphologies evolution after treatment at different domains. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2016 , 34, 344-358	3.5	9	
84	Exploring the crystallization-induced mesophase evolution in an olefin block copolymer through a rationally designed two-step isothermal crystallization strategy. <i>CrystEngComm</i> , 2016 , 18, 1532-1542	3.3	4	
83	Relaxation behavior of shear-induced crystallization precursors in isotactic polypropylene containing sorbitol-based nucleating agents with different nucleating abilities. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 8926-37	3.6	7	
82	Toughened polypropylene random copolymer with olefin block copolymer. <i>Materials and Design</i> , 2016 , 107, 295-301	8.1	25	
81	Graphene-Based Films with Integrated Strength and Toughness via a Novel Two-Step Method Combining Gel Casting and Surface Crosslinking. <i>ChemNanoMat</i> , 2016 , 2, 816-821	3.5	8	
80	A Facile Strategy to Fabricate Multishape Memory Polymers with Controllable Mechanical Properties. <i>Macromolecular Rapid Communications</i> , 2016 , 37, 1262-7	4.8	32	
79	Exploring supramolecular self-assembly of a bisamide nucleating agent in polypropylene melt: The roles of hydrogen bond and molecular conformation. <i>Polymer</i> , 2016 , 93, 123-131	3.9	43	
78	The effect of sonication treatment of graphene oxide on the mechanical properties of the assembled films. <i>RSC Advances</i> , 2016 , 6, 39681-39687	3.7	47	
77	Regulation of crystalline morphologies and mechanical properties of olefin multiblock copolymers by blending polymer with similar architecture of constituent blocks. <i>Polymer</i> , 2015 , 73, 139-148	3.9	9	
76	Exploring the Application of Sustainable Poly(propylene carbonate) Copolymer in Toughening Epoxy Thermosets. <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 2077-2083	8.3	35	
75	White-Light-Emitting Polymer Composite Film Based on Carbon Dots and Lanthanide Complexes. Journal of Physical Chemistry C, 2015 , 119, 7865-7872	3.8	79	
74	Investigation on the recovery performance of olefin block copolymer/hexadecane form stable phase change materials with shape memory properties. <i>Solar Energy Materials and Solar Cells</i> , 2015 , 132, 632-639	6.4	30	
73	Fracture Mechanism and Toughness Optimization of Macroscopic Thick Graphene Oxide Film. <i>Scientific Reports</i> , 2015 , 5, 13102	4.9	16	
72	Formation of banded spherulites and the temperature dependence of the band space in olefin block copolymer. <i>RSC Advances</i> , 2015 , 5, 43155-43163	3.7	8	
71	Preparation of Lanthanide-Polymer Composite Material via Click Chemistry. <i>Macromolecular Rapid Communications</i> , 2015 , 36, 1836-40	4.8	6	

(2013-2015)

70	Tuning the crystalline and mesophase structure of olefin block copolymer through self-nucleation and annealing treatments. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 16158-69	3.6	7
69	CoreBhell-like structured graphene aerogel encapsulating paraffin: shape-stable phase change material for thermal energy storage. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 4018-4025	13	169
68	Mussel-inspired gold hollow superparticles for photothermal therapy. <i>Advanced Healthcare Materials</i> , 2015 , 4, 1009-14	10.1	16
67	Polydopamine as an efficient and robust platform to functionalize carbon fiber for high-performance polymer composites. <i>ACS Applied Materials & Distributed & Distributed Materials & Distributed & Distributed & Distributed</i>	9.5	170
66	Flow-Induced Enhancement of in Situ Thermal Reduction of Graphene Oxide during the Melt-Processing of Polymer Nanocomposites. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 25718-25724	3.8	10
65	Towards three-dimensional, multi-functional graphene-based nanocomposite aerogels by hydrophobicity-driven absorption. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 10365	13	21
64	Epoxy laminated composites reinforced with polyethyleneimine functionalized carbon fiber fabric: Mechanical and thermal properties. <i>Composites Science and Technology</i> , 2014 , 101, 145-151	8.6	40
63	Self-assembled three-dimensional hierarchical graphene/polypyrrole nanotube hybrid aerogel and its application for supercapacitors. <i>ACS Applied Materials & Distributed Mater</i>	9.5	199
62	The probable influence of in situ thermal reduction of graphene oxides on the crystallization behavior of isotactic polypropylene. <i>Polymer</i> , 2014 , 55, 4341-4347	3.9	7
61	Temperature-dependent selective crystallization behavior of isotactic polypropylene with a Ehucleating agent. <i>Journal of Applied Polymer Science</i> , 2013 , 128, 628-635	2.9	23
60	Deposition of three-dimensional graphene aerogel on nickel foam as a binder-free supercapacitor electrode. <i>ACS Applied Materials & Description of three-dimensional graphene aerogel on nickel foam as a binder-free supercapacitor electrode. ACS Applied Materials & Description of three-dimensional graphene aerogel on nickel foam as a binder-free supercapacitor electrode. ACS Applied Materials & Description of three-dimensional graphene aerogel on nickel foam as a binder-free supercapacitor electrode. ACS Applied Materials & Description of three-dimensional graphene aerogel on nickel foam as a binder-free supercapacitor electrode. ACS Applied Materials & Description of three-dimensional graphene aerogel on nickel foam as a binder-free supercapacitor electrode. ACS Applied Materials & Description of three-dimensional graphene aerogel on nickel foam as a binder-free supercapacitor electrode. ACS Applied Materials & Description of the D</i>	9.5	238
59	Systematic investigation on shape stability of high-efficiency SEBS/paraffin form-stable phase change materials. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 118, 54-60	6.4	48
58	Difunctional olefin block copolymer/paraffin form-stable phase change materials with simultaneous shape memory property. <i>Solar Energy Materials and Solar Cells</i> , 2013 , 117, 259-266	6.4	60
57	Temperature-dependent compatibilizing effect of graphene oxide as a compatibilizer for immiscible polymer blends. <i>RSC Advances</i> , 2013 , 3, 7987	3.7	32
56	Synergistic improvement of toughness of isotactic polypropylene: The introduction of high density polyethylene and annealing treatment. <i>Materials & Design</i> , 2013 , 49, 502-510		24
55	Realizing ultrahigh modulus and high strength of macroscopic graphene oxide papers through crosslinking of mussel-inspired polymers. <i>Advanced Materials</i> , 2013 , 25, 2980-3	24	299
54	Highly elastic graphene oxidellpoxy composite aerogels via simple freeze-drying and subsequent routine curing. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 3495	13	133
53	A multifunctional luminescent europium photostabilizer based on a novel hindered amine ligand and phenanthroline. <i>Journal of Applied Polymer Science</i> , 2013 , 130, 1399-1405	2.9	_

52	Different crystallization behavior of olefin block copolymer in <code>HandEpolypropylene</code> matrix. <i>Polymer</i> , 2013 , 54, 4719-4727	3.9	20
51	A new insight into the in situ thermal reduction of graphene oxide dispersed in a polymer matrix. <i>Polymer Chemistry</i> , 2013 , 4, 1765	4.9	46
50	Study on ENucleated Controlled-Rheological Polypropylene Random Copolymer: Crystallization Behavior and a Possible Degradation Mechanism. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 761-770	3.9	19
49	Phase morphology evolution upon melt annealing treatment and corresponding mechanical performance of impact-resistant polypropylene copolymer. <i>Materials Chemistry and Physics</i> , 2012 , 133, 893-900	4.4	14
48	Real time synchrotron SAXS and WAXS investigations on temperature related deformation and transitions of EPP with uniaxial stretching. <i>Polymer</i> , 2012 , 53, 1593-1601	3.9	78
47	Influence of nucleation on the brittle-ductile transition temperature of impact-resistant polypropylene copolymer: From the sight of phase morphology. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 1784-1792	2.9	12
46	A new strategy to prepare polymer composites with versatile shape memory properties. <i>Journal of Materials Chemistry</i> , 2012 , 22, 24776		70
45	Graphene-Oxide-Sheet-Induced Gelation of Cellulose and Promoted Mechanical Properties of Composite Aerogels. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 8063-8068	3.8	118
44	Polypropylene-grafted graphene oxide sheets as multifunctional compatibilizers for polyolefin-based polymer blends. <i>Journal of Materials Chemistry</i> , 2012 , 22, 14997		85
43	Graphene oxide sheets covalently functionalized with block copolymersvia click chemistry as reinforcing fillers. <i>Journal of Materials Chemistry</i> , 2011 , 21, 9271		150
43		-7 16.7	150 199
	reinforcing fillers. Journal of Materials Chemistry, 2011 , 21, 9271	-7 16.7	
42	reinforcing fillers. <i>Journal of Materials Chemistry</i> , 2011 , 21, 9271 Compatibilization of immiscible polymer blends using graphene oxide sheets. <i>ACS Nano</i> , 2011 , 5, 5920 DSC and morphological studies on the crystallization behavior of Ehucleated isotactic polypropylene composites filled with Kevlar fibers. <i>Journal of Thermal Analysis and Calorimetry</i> ,	,	199
42 41	reinforcing fillers. <i>Journal of Materials Chemistry</i> , 2011 , 21, 9271 Compatibilization of immiscible polymer blends using graphene oxide sheets. <i>ACS Nano</i> , 2011 , 5, 5920 DSC and morphological studies on the crystallization behavior of Ehucleated isotactic polypropylene composites filled with Kevlar fibers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2011 , 103, 339-345 Annealing of melt-crystallized polyethylene and its influence on microstructure and mechanical properties: A comparative study on branched and linear polyethylenes. <i>Journal of Polymer Science</i> ,	4.1	199
42 41 40	reinforcing fillers. <i>Journal of Materials Chemistry</i> , 2011 , 21, 9271 Compatibilization of immiscible polymer blends using graphene oxide sheets. <i>ACS Nano</i> , 2011 , 5, 5920 DSC and morphological studies on the crystallization behavior of Ehucleated isotactic polypropylene composites filled with Kevlar fibers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2011 , 103, 339-345 Annealing of melt-crystallized polyethylene and its influence on microstructure and mechanical properties: A comparative study on branched and linear polyethylenes. <i>Journal of Polymer Science</i> , <i>Part B: Polymer Physics</i> , 2011 , 49, 1347-1359 A New Strategy to Prepare Polymer-based Shape Memory Elastomers. <i>Macromolecular Rapid</i>	4.1 2.6 4.8	199 26 14
42 41 40 39	Compatibilization of immiscible polymer blends using graphene oxide sheets. <i>ACS Nano</i> , 2011 , 5, 5920 DSC and morphological studies on the crystallization behavior of Ehucleated isotactic polypropylene composites filled with Kevlar fibers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2011 , 103, 339-345 Annealing of melt-crystallized polyethylene and its influence on microstructure and mechanical properties: A comparative study on branched and linear polyethylenes. <i>Journal of Polymer Science</i> , <i>Part B: Polymer Physics</i> , 2011 , 49, 1347-1359 A New Strategy to Prepare Polymer-based Shape Memory Elastomers. <i>Macromolecular Rapid Communications</i> , 2011 , 32, 1569-75	4.1 2.6 4.8	199 26 14 53
42 41 40 39 38	Compatibilization of immiscible polymer blends using graphene oxide sheets. <i>ACS Nano</i> , 2011 , 5, 5920 DSC and morphological studies on the crystallization behavior of Ehucleated isotactic polypropylene composites filled with Kevlar fibers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2011 , 103, 339-345 Annealing of melt-crystallized polyethylene and its influence on microstructure and mechanical properties: A comparative study on branched and linear polyethylenes. <i>Journal of Polymer Science</i> , <i>Part B: Polymer Physics</i> , 2011 , 49, 1347-1359 A New Strategy to Prepare Polymer-based Shape Memory Elastomers. <i>Macromolecular Rapid Communications</i> , 2011 , 32, 1569-75 Decoration of graphene oxide sheets with luminescent rare-earth complexes. <i>Carbon</i> , 2011 , 49, 1502-101.	4.1 2.6 4.8	199 26 14 53 42

34	Alkyl-functionalized graphene nanosheets with improved lipophilicity. Carbon, 2010, 48, 1683-1685	10.4	95
33	Preparation of organically dispersible graphene nanosheet powders through a lyophilization method and their poly(lactic acid) composites. <i>Carbon</i> , 2010 , 48, 3834-3839	10.4	249
32	Simultaneously improving the toughness, flexural modulus and thermal performance of isotactic polypropylene by Etrystalline transition and inorganic whisker reinforcement. <i>Polymer Engineering and Science</i> , 2010 , 50, 222-231	2.3	18
31	Influence of a novel Ehucleating agent on the structure, morphology, and nonisothermal crystallization behavior of isotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2009 , 111, 1076-	1685	66
30	Influence of pre-shearing on the crystallization of an impact-resistant polypropylene copolymer. <i>Polymer</i> , 2009 , 50, 286-295	3.9	47
29	Shear-Enhanced Crystallization in Impact-Resistant Polypropylene Copolymer: Influence of Compositional Heterogeneity and Phase Structure. <i>Macromolecules</i> , 2009 , 42, 7067-7078	5.5	53
28	Intermediate states in the melting process of low molecular weight poly(ethylene oxide). <i>Applied Spectroscopy</i> , 2009 , 63, 1303-7	3.1	1
27	Nonisothermal crystallization kinetics of ZnO nanorod filled polyamide 11 composites. <i>Materials Chemistry and Physics</i> , 2008 , 109, 547-555	4.4	46
26	Effect of small amount of ultra high molecular weight component on the crystallization behaviors of bimodal high density polyethylene. <i>Polymer</i> , 2008 , 49, 2964-2973	3.9	59
25	Two novel oligomers based on fluorene and pyridine: Correlation between the structures and optoelectronic properties. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 1548-1558	2.5	7
24	Effect of Ehucleating agents on crystallization and melting behavior of isotactic polypropylene. Journal of Applied Polymer Science, 2008 , 108, 3370-3379	2.9	87
23	Covalent integration of luminescent Eu (III) complex onto composite conductors or semiconducting substrates by grafting with organosilane. <i>Thin Solid Films</i> , 2008 , 517, 469-473	2.2	3
22	Nanostructured ultra-low-[porous fluoropolymer composite films via plasma co-polymerization of hydrophobic and hydrophilic monomers and subsequent hydrolysis treatment. <i>European Polymer Journal</i> , 2007 , 43, 3773-3779	5.2	4
21	Hyperbranched triazine-containing polyfluorenes: Efficient blue emitters for polymer light-emitting diodes (PLEDs). <i>Polymer</i> , 2007 , 48, 1824-1829	3.9	36
20	Synthesis and characterization of a main-chain-type conjugated copolymer containing rare earth with photocrosslinkable group. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 388-394	2.5	22
19	Synthesis and characterization of cross-shaped pl diblock oligomers. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 1066-1073	2.5	17
18	A novel fluorene-containing oligomer with relative high photoluminescence quantum efficiency. Journal of Fluorine Chemistry, 2006 , 127, 973-976	2.1	4
17	Cruciform pl diblock conjugated oligomers for electroluminescent applications. <i>New Journal of Chemistry</i> , 2006 , 30, 667-670	3.6	33

16	Effective Tuning of HOMO and LUMO Energy Levels by pl Diblock and Triblock Oligomer Approaches <i>Journal of Organic Chemistry</i> , 2006 , 71, 7124-7124	4.2	1
15	Effective tuning of HOMO and LUMO energy levels by p-n diblock and triblock oligomer approaches. <i>Journal of Organic Chemistry</i> , 2006 , 71, 2565-71	4.2	13
14	Novel oligomers based on fluorene and 2,4-difluorobenzene: Correlation between the structures and optical properties. <i>Journal of Polymer Science Part A</i> , 2006 , 44, 4346-4353	2.5	8
13	Graft and characterization of 9-vinylcarbazole conjugated molecule on hydrogen-terminated silicon surface. <i>Applied Surface Science</i> , 2006 , 253, 1534-1539	6.7	4
12	Influence of oxygen plasma treatment on poly(ether sulphone) films. <i>Polymer Degradation and Stability</i> , 2006 , 91, 12-20	4.7	36
11	New pfi diblock and triblock oligomers: effective tuning of HOMO/LUMO energy levels. <i>Tetrahedron Letters</i> , 2006 , 47, 2829-2833	2	8
10	Hyperbranched Oxadiazole-Containing Polyfluorenes: Toward Stable Blue Light PLEDs. <i>Macromolecules</i> , 2005 , 38, 6755-6758	5.5	101
9	Color Tuning Based on a Six-membered Chelated Iridium(III) Complex with Aza-aromatic Ligand. <i>Chemistry Letters</i> , 2005 , 34, 1668-1669	1.7	23
8	Di-Channel Polyfluorene Containing Spiro-Bridged Oxadiazole Branches. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 1729-1735	4.8	31
7	Deposition of Well-Defined Fluoropolymer Nanospheres on PET Substrate by Plasma Polymerization of Heptadecafluorodecyl Acrylate and Their Potential Application as a Protective Layer. <i>Plasma Processes and Polymers</i> , 2005 , 2, 127-135	3.4	11
6	Influence of Shear on Crystallization Behavior of the IPhase in Isotactic Polypropylene with ENucleating Agent. <i>Macromolecules</i> , 2004 , 37, 2478-2483	5.5	277
5	Effects of La3+-containing additive on crystalline characteristics of isotactic polypropylene. <i>Polymer International</i> , 2003 , 52, 42-45	3.3	44
4	Effects of mineral additives on the Erystalline form of isotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2002 , 85, 1742-1748	2.9	26
3	Synthesis of fluorocarbon-modified poly(acrylic acid) in supercritical carbon dioxide. <i>Polymer</i> , 2002 , 43, 6357-6361	3.9	10
2	Assessment of efficacy of trivalent lanthanum complex as surface modifier of calcium carbonate. Journal of Applied Polymer Science, 2001 , 82, 1339-1345	2.9	22
1	Synergistic enhanced thermal conductivity of polydimethylsiloxane composites via introducing SCF and hetero-structured GB@rGO hybrid fillers. <i>Advanced Composites and Hybrid Materials</i> ,1	8.7	2