

Mirta I Aranguren

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6898711/mirta-i-aranguren-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

6,254
citations

38
h-index

77
g-index

121
ext. papers

6,739
ext. citations

3.6
avg, IF

5.69
L-index

#	Paper	IF	Citations
119	Nanocelluloses Reinforced Bio-Waterborne Polyurethane. <i>Polymers</i> , 2021 , 13, 2853	4.5	4
118	Cellulose nanocrystals suspensions: Liquid crystal anisotropy, rheology and films iridescence. <i>Carbohydrate Polymers</i> , 2021 , 261, 117848	10.3	6
117	Nanocomposites Based on Waterborne Polyurethane Matrix and Fe ₃ O ₄ Nanoparticles: Synthesis and Characterization. <i>Advanced Engineering Materials</i> , 2021 , 23, 2100381	3.5	0
116	Bio-based waterborne polyurethanes reinforced with cellulose nanocrystals as coating films. <i>Progress in Organic Coatings</i> , 2020 , 144, 105649	4.8	17
115	Plant Oil-Based Waterborne Polyurethanes: A Brief Review. <i>Journal of Renewable Materials</i> , 2020 , 8, 579-601	2.4	12
114	Structural properties of vegetable oil thermosets: Effect of crosslinkers, modifiers and oxidative aging. <i>European Polymer Journal</i> , 2020 , 124, 109470	5.2	10
113	Comparative effects of two different crosslinkers on the properties of vegetable oil-based polyurethanes. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48741	2.9	11
112	Cellulose nanocrystals in aqueous suspensions: rheology of lyotropic chiral liquid crystals. <i>Cellulose</i> , 2019 , 26, 2317-2332	5.5	18
111	Composite films obtained from a waterborne biopolyurethane. Incorporation of tartaric acid and nanocellulose. <i>Industrial Crops and Products</i> , 2019 , 142, 111879	5.9	12
110	Synthesis and characterization of a waterborne polyurethane made from castor oil and tartaric acid. <i>European Polymer Journal</i> , 2018 , 102, 151-160	5.2	29
109	Composites made from a soybean oil biopolyurethane and cellulose nanocrystals. <i>Polymer Engineering and Science</i> , 2018 , 58, 125-132	2.3	8
108	Nanocomposites of Waterborne Polyurethane Reinforced with Cellulose Nanocrystals from Sisal Fibres. <i>Journal of Polymers and the Environment</i> , 2018 , 26, 1869-1880	4.5	26
107	Physical and mechanical properties of a vegetable oil based nanocomposite. <i>European Polymer Journal</i> , 2018 , 98, 116-124	5.2	14
106	Magnetic Remote Activation of Shape Recovery in Nanocomposites Based on Tung Oil and Styrene. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018 , 215, 1800311	1.6	5
105	Polyurethane Composites Synthesized Using Natural Oil-Based Polyols and Sisal Fibers. <i>Journal of Renewable Materials</i> , 2018 , 6, 426-437	2.4	4
104	Spectroscopy Studies of Cellulose Nanofiber- and Cellulose Nanocrystal-Based Nanocomposites 2017 , 581-608		1
103	Effect of the composition and chemical aging in tung oil-styrene networks: Free volume and dynamic-mechanical properties. <i>European Polymer Journal</i> , 2017 , 87, 231-240	5.2	2

102	Recent developments in plant oil based functional materials. <i>Polymer International</i> , 2016 , 65, 28-38	3.3	34
101	Waterborne polyurethane nanocomposites based on vegetable oil and microfibrillated cellulose. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	21
100	Magnetism and structure of nanocomposites made from magnetite and vegetable oil based polymeric matrices. <i>Materials Chemistry and Physics</i> , 2016 , 175, 81-91	4.4	9
99	EPR spectroscopy applied to the study of the TEMPO mediated oxidation of nanocellulose. <i>Carbohydrate Polymers</i> , 2016 , 136, 744-9	10.3	20
98	Natural Fiber-Polypropylene Composites Made from Caranday Palm. <i>Journal of Renewable Materials</i> , 2016 , 4, 101-112	2.4	2
97	Synthesis and Characterization of Polyurethane Rigid Foams from Soybean Oil-Based Polyol and Glycerol. <i>Journal of Renewable Materials</i> , 2016 , 4, 275-284	2.4	3
96	Nanocellulose reinforced polyurethane obtained from hydroxylated soybean oil. <i>IOP Conference Series: Materials Science and Engineering</i> , 2016 , 111, 012011	0.4	7
95	Solid "Green" Polyurethanes Based on Rapeseed Oil Polyol and Modified with Glycerol and Microcellulose. <i>Journal of Renewable Materials</i> , 2016 , 4, 266-274	2.4	1
94	Rapeseed oil-based polyurethane foams modified with glycerol and cellulose micro/nanocrystals. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	35
93	Linseed Oil-Based Polyurethane Rigid Foams: Synthesis and Characterization. <i>Journal of Renewable Materials</i> , 2015 , 3, 3-13	2.4	16
92	Polymeric networks based on tung oil: Reaction and modification with green oil monomers. <i>European Polymer Journal</i> , 2015 , 67, 551-560	5.2	41
91	Preparation and characterization of conductive nanostructured particles based on polyaniline and cellulose nanofibers. <i>Ultrasonics Sonochemistry</i> , 2014 , 21, 1641-8	8.9	36
90	Polyelectrolyte films based on chitosan/olive oil and reinforced with cellulose nanocrystals. <i>Carbohydrate Polymers</i> , 2014 , 101, 1018-26	10.3	163
89	Nanocomposites with superparamagnetic behavior based on a vegetable oil and magnetite nanoparticles. <i>European Polymer Journal</i> , 2014 , 53, 90-99	5.2	43
88	Responsive Nanocellulose Composites. <i>Materials and Energy</i> , 2014 , 181-199		2
87	Ageing of thermosets based on tung oil/styrene/divinylbenzene. <i>Polymer Testing</i> , 2013 , 32, 249-255	4.5	23
86	Free-radical polymerization induced macrophase separation in poly(methyl methacrylate)/dimethacrylate blends: Experiment and modeling. <i>European Polymer Journal</i> , 2013 , 49, 3956-3965	5.2	4
85	A short review on novel biocomposites based on plant oil precursors. <i>European Polymer Journal</i> , 2013 , 49, 1243-1256	5.2	161

84	Effect of the nano-cellulose content on the properties of reinforced polyurethanes. A study using mechanical tests and positron anihilation spectroscopy. <i>Polymer Testing</i> , 2013 , 32, 115-122	4.5	54
83	Spectroscopic Characterization of Renewable Nanoparticles and Their Composites 2013 , 509-540		1
82	Biodegradation of a vegetable oil based polyurethane and wood flour composites. <i>Polymer Testing</i> , 2012 , 31, 7-15	4.5	51
81	Composite films based on shape memory polyurethanes and nanostructured polyaniline or cellulose/polyaniline particles. <i>Synthetic Metals</i> , 2012 , 162, 1654-1664	3.6	28
80	Biodegradable materials from grafting of modified PLA onto starch nanocrystals. <i>Polymer Degradation and Stability</i> , 2012 , 97, 2021-2026	4.7	51
79	Shape memory segmented polyurethanes: dependence of behavior on nanocellulose addition and testing conditions. <i>Polymer International</i> , 2012 , 61, 321-327	3.3	32
78	Vegetable oil/styrene thermoset copolymers with shape memory behavior and damping capacity. <i>Polymer International</i> , 2012 , 61, 735-742	3.3	32
77	Moisture dependence of the properties of composites made from tung oil based polyurethane and wood flour. <i>Journal of Polymer Research</i> , 2012 , 19, 1	2.7	11
76	Polyaniline-modified cellulose nanofibrils as reinforcement of a smart polyurethane. <i>Polymer International</i> , 2011 , 60, 743-750	3.3	49
75	Smart and structural thermosets from the cationic copolymerization of a vegetable oil. <i>Journal of Applied Polymer Science</i> , 2011 , 124, n/a-n/a	2.9	2
74	Study of nanoreinforced shape memory polymers processed by casting and extrusion. <i>Polymer Composites</i> , 2011 , 32, 455-463	3	11
73	Castor oil-based polyurethanes containing cellulose nanocrystals. <i>Polymer Engineering and Science</i> , 2011 , 51, 1389-1396	2.3	53
72	Creep behavior of wood flour composites made from linseed oil-based polyester thermosets. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 2626-2633	2.9	10
71	Effect of glycerol on the morphology of nanocomposites made from thermoplastic starch and starch nanocrystals. <i>Carbohydrate Polymers</i> , 2011 , 84, 203-210	10.3	165
70	Review: current international research into cellulose nanofibres and nanocomposites. <i>Journal of Materials Science</i> , 2010 , 45, 1-33	4.3	1760
69	Caseinate films modified with tung oil. <i>Food Hydrocolloids</i> , 2010 , 24, 800-808	10.6	74
68	Reactivity ratios and copolymer composition evolution during styrene/dimethacrylate free-radical crosslinking copolymerization. <i>Journal of Applied Polymer Science</i> , 2010 , 115, 3081-3091	2.9	8
67	Nanocomposites made from cellulose nanocrystals and tailored segmented polyurethanes. <i>Journal of Applied Polymer Science</i> , 2010 , 115, 1215-1225	2.9	61

66	Chemical and mechanical characterization of two South-American plant fibers for polymer reinforcement: Caranday Palm and Phormium. <i>Journal of Applied Polymer Science</i> , 2010 , 115, 2236-2245	2.9	9
65	Effect of crosslinking on the properties of sodium caseinate films. <i>Journal of Applied Polymer Science</i> , 2010 , 116, 18-26	2.9	26
64	Resin-Basal and Wood Flour Composites Made from Unsaturated Polyester Thermosets. <i>Composite Interfaces</i> , 2009 , 16, 639-657	2.3	13
63	Wood Flour [Recycled Polyol Based Polyurethane Lightweight Composites. <i>Journal of Composite Materials</i> , 2009 , 43, 2871-2884	2.7	12
62	Physico-Mechanical Properties of Biodegradable Starch Nanocomposites. <i>Macromolecular Materials and Engineering</i> , 2009 , 294, 169-177	3.9	185
61	Water vapor absorption and permeability of films based on chitosan and sodium caseinate. <i>Journal of Applied Polymer Science</i> , 2009 , 111, 2777-2784	2.9	51
60	Polyurethanes from tung oil: Polymer characterization and composites. <i>Polymer Engineering and Science</i> , 2009 , 49, 685-692	2.3	83
59	High-strength composites based on tung oil polyurethane and wood flour: Effect of the filler concentration on the mechanical properties. <i>Polymer Engineering and Science</i> , 2009 , 49, 713-721	2.3	55
58	A comparison between the physico-chemical properties of tuber and cereal starches. <i>Food Research International</i> , 2009 , 42, 976-982	7	93
57	Polyurethane Foams Obtained from Castor Oil-based Polyol and Filled with Wood Flour. <i>Journal of Composite Materials</i> , 2009 , 43, 3057-3072	2.7	120
56	Vegetable Oil Based-Polymers Reinforced with Wood Flour. <i>Molecular Crystals and Liquid Crystals</i> , 2008 , 484, 143/[509]-150/[516]	0.5	10
55	Characterization of nanocellulose- reinforced shape memory polyurethanes. <i>Polymer International</i> , 2008 , 57, 651-659	3.3	146
54	Characterization of chitosan/caseinate films. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 1080-1090	2.9	88
53	Thermal degradation of a phenolic resin, vegetable fibers, and derived composites. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 2977-2985	2.9	25
52	Effect of natural rubber on wood-reinforced tannin composites. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 1825-1832	2.9	16
51	Microfoams based on castor oil polyurethanes and vegetable fibers. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 2791-2800	2.9	43
50	Poly(methyl methacrylate)-modified vinyl ester thermosets: Morphology, volume shrinkage, and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 4007-4017	2.9	15
49	Moisture absorption effects on the thermal and mechanical properties of wood flour/linseed oil resin composites. <i>Polymer International</i> , 2007 , 56, 779-786	3.3	5

48	Aging study of linseed oil resin/styrene thermosets and their composites with wood flour. <i>Polymer International</i> , 2007 , 56, 875-881	3.3	12
47	PMMA-modified divinylester/styrene resins: Phase diagrams and morphologies. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 4539-4549	2.9	9
46	Toughening of wood particle composites Effects of sisal fibers. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 1982-1987	2.9	9
45	Rheological study of the curing kinetics of epoxy phenol novolac resin. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 4430-4439	2.9	34
44	Maleic anhydride grafting of polypropylene: peroxide and solvent effects. <i>Plastics, Rubber and Composites</i> , 2006 , 35, 117-123	1.5	8
43	Cellulose micro/nanocrystals reinforced polyurethane. <i>Journal of Materials Research</i> , 2006 , 21, 870-881	2.5	193
42	Natural Composites: Polymeric Matrices Based on Vegetable Resources. <i>Molecular Crystals and Liquid Crystals</i> , 2006 , 448, 145/[747]-159/[761]	0.5	6
41	AFM fracture surface study of vinylester and unsaturated polyester based thermosets. <i>Journal of Materials Science</i> , 2006 , 41, 6154-6158	4.3	9
40	Thermodynamic, morphological, mechanical and fracture properties of poly(methyl methacrylate)(PMMA) modified divinylester(DVE)/styrene(St) thermosets. <i>Polymer</i> , 2005 , 46, 2306-2319	3.9	13
39	Mechanical properties of linseed oil monoglyceride maleate/styrene copolymers. <i>Journal of Applied Polymer Science</i> , 2005 , 97, 825-836	2.9	61
38	Mechanical properties of woodflour/linseed oil resin composites. <i>Polymer International</i> , 2005 , 54, 829-836	3.3	39
37	Lignocellulosic materials and unsaturated polyester matrix composites: Interfacial modifications. <i>Composite Interfaces</i> , 2005 , 12, 3-24	2.3	14
36	Rheology of particle suspensions in viscoelastic media. Wood flour-polypropylene melt. <i>Rheologica Acta</i> , 2004 , 43, 293-303	2.3	69
35	Analysis of the creep behavior of polypropylene-woodflour composites. <i>Polymer Engineering and Science</i> , 2004 , 44, 1594-1603	2.3	58
34	Thermal and mechanical properties of woodflour/tannin adhesive composites. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 3074-3082	2.9	15
33	Mechanical characterization of polypropylene wood flour composites. <i>Journal of Applied Polymer Science</i> , 2003 , 88, 1420-1428	2.9	110
32	Morphology of rubber-modified vinyl ester resins cured at different temperatures. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 274-283	2.9	15
31	Influence of fiber volume fraction and aspect ratio in resin/sisal composites. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 2714-2722	2.9	23

30	Composites from PMMA modified thermosets and chemically treated woodflour. <i>Polymer Engineering and Science</i> , 2003 , 43, 999-1010	2.3	16
29	Thermal and dynamic mechanical characterization of polypropylene-woodflour composites. <i>Polymer Engineering and Science</i> , 2002 , 42, 733-742	2.3	90
28	Rubber modified vinyl ester resins of different molecular weights. <i>Journal of Materials Science</i> , 2002 , 37, 4117-4126	4.3	16
27	Modified woodflour as thermoset fillers. <i>Thermochimica Acta</i> , 2001 , 372, 45-57	2.9	96
26	Modified woodflour as thermoset fillers Part I. Effect of the chemical modification and percentage of filler on the mechanical properties. <i>Polymer</i> , 2001 , 42, 815-825	3.9	99
25	Liquid rubber modified vinyl ester resins: fracture and mechanical behavior. <i>Polymer</i> , 2001 , 42, 3723-3730	3.9	64
24	Quasibinary and quasiternary styrene, dimethacrylate resin, and CTBN (or VTBN) liquid rubber systems: phase diagrams, interaction parameters and cured materials morphologies. <i>Polymer</i> , 2001 , 42, 6503-6513	3.9	12
23	Curing kinetics of epoxy-urethane copolymers. <i>Journal of Applied Polymer Science</i> , 2001 , 79, 1771-1779	2.9	11
22	Curing of epoxy-urethane copolymers in a heated mold: Effect of the curing conditions on the phase-separation process. <i>Journal of Applied Polymer Science</i> , 2001 , 81, 889-900	2.9	1
21	Epoxy-urethane copolymers: Relation between morphology and properties. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 2544-2552	2.9	11
20	Analysis of a styrene-divinylester copolymerization: reaction heats, double bond conversions and average sequence lengths. <i>Polymer</i> , 2000 , 41, 3317-3329	3.9	3
19	Composites Made from Lignocellulosics and Thermoset Polymers. <i>Molecular Crystals and Liquid Crystals</i> , 2000 , 353, 95-108		7
18	Moisture diffusion in polyester-woodflour composites. <i>Polymer</i> , 1999 , 40, 7313-7320	3.9	90
17	Curing kinetics of divinyl ester resins with styrene. <i>Journal of Applied Polymer Science</i> , 1999 , 74, 1044-1053	3.9	22
16	Polyurethane-ductilized epoxy resins. <i>Journal of Applied Polymer Science</i> , 1998 , 68, 1781-1789	2.9	22
15	Dependence of the mechanical properties of woodflour-polymer composites on the moisture content. <i>Journal of Applied Polymer Science</i> , 1998 , 68, 2069-2076	2.9	89
14	Crystallization of polydimethylsiloxane: effect of silica filler and curing. <i>Polymer</i> , 1998 , 39, 4897-4903	3.9	125
13	Epoxy-based divinyl ester resin/styrene copolymers: Composition dependence of the mechanical and thermal properties. <i>Journal of Applied Polymer Science</i> , 1997 , 66, 1059-1066	2.9	28

12	Compounding Fumed Silicas into Polydimethylsiloxane: Bound Rubber and Final Aggregate Size. <i>Journal of Colloid and Interface Science</i> , 1997 , 195, 329-37	9.3	76
11	Composites from sawdust and unsaturated polyester. <i>Journal of Applied Polymer Science</i> , 1996 , 61, 119-124	2.4	46
10	FTIR spectroscopy applied to woodflour. <i>Composite Interfaces</i> , 1996 , 4, 119-132	2.3	16
9	Rheological and Mechanical Properties of Filled Rubber: Silica-Silicone. <i>Rubber Chemistry and Technology</i> , 1994 , 67, 820-833	1.7	32
8	Effect of reinforcing fillers on the rheology of polymer melts. <i>Journal of Rheology</i> , 1992 , 36, 1165-1182	4.1	230
7	Interfacial Interactions in Silica Reinforced Silicones. <i>Materials Research Society Symposia Proceedings</i> , 1989 , 170, 303		5
6	Modulus of polybutadiene networks made by hydrosilation crosslinking. <i>Macromolecules</i> , 1988 , 21, 2484-2491	5.3	23
5	Kinetic and statistical aspects of the formation of polyurethanes from toluene diisocyanate. <i>Polymer</i> , 1986 , 27, 425-430	3.9	35
4	Statistics of novolacs. <i>Industrial & Engineering Chemistry Product Research and Development</i> , 1984 , 23, 370-374		20
3	Statistical aspects for the production of novolacs. <i>Polymer</i> , 1982 , 23, 263-266	3.9	7
2	Some aspects of curing novolac with hexamethylenetetramine. <i>Journal of Polymer Science: Polymer Chemistry Edition</i> , 1982 , 20, 311-318		17
1	Selected Topics on Polypropylene/Wood Flour Composites: Thermal, Mechanical, and Time-Dependent Response	150-177	