Stphane D Lemaire

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/689938/stephane-d-lemaire-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106 11,429 45 100 h-index g-index citations papers 6.6 13,020 5.5 111 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
100	Atypical Iron-Sulfur Cluster Binding, Redox Activity and Structural Properties of Glutaredoxin 2. <i>Antioxidants</i> , 2021 , 10,	7.1	3
99	Crystal structure of chloroplastic thioredoxin z defines a type-specific target recognition. <i>Plant Journal</i> , 2021 , 107, 434-447	6.9	3
98	Structural and functional insights into nitrosoglutathione reductase from Chlamydomonas reinhardtii. <i>Redox Biology</i> , 2021 , 38, 101806	11.3	4
97	Scientific contributions of Pierre Gadal and his lab tribute to Pierre Gadal (1938 2019). <i>Advances in Botanical Research</i> , 2021 , 41-127	2.2	
96	The ATG4 protease integrates redox and stress signals to regulate autophagy. <i>Journal of Experimental Botany</i> , 2021 , 72, 3340-3351	7	2
95	Blasticidin S Deaminase: A New Efficient Selectable Marker for. Frontiers in Plant Science, 2020, 11, 242	6.2	6
94	High-Resolution Crystal Structure of Chloroplastic Ribose-5-Phosphate Isomerase from -An Enzyme Involved in the Photosynthetic Calvin-Benson Cycle. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
93	Redox Modification of the Iron-Sulfur Glutaredoxin GRXS17 Activates Holdase Activity and Protects Plants from Heat Stress. <i>Plant Physiology</i> , 2020 , 184, 676-692	6.6	14
92	Secondary Metabolites from the Culture of the Marine-derived Fungus PC 362H and Evaluation of the Anticancer Activity of Its Metabolite Hyalodendrin. <i>Marine Drugs</i> , 2020 , 18,	6	5
91	Detection of IgG directed against a recombinant form of Epstein-Barr virus BALF0/1 protein in patients with nasopharyngeal carcinoma. <i>Protein Expression and Purification</i> , 2019 , 162, 44-50	2	2
90	and phosphoribulokinase crystal structures complete the redox structural proteome of the Calvin-Benson cycle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 8048-8053	11.5	10
89	The Synthetic Biology Toolkit for Photosynthetic Microorganisms. <i>Plant Physiology</i> , 2019 , 181, 14-27	6.6	22
88	Molecular characterization of telomeres and telomerase mutants. <i>Life Science Alliance</i> , 2019 , 2,	5.8	7
87	Glutathionylation primes soluble glyceraldehyde-3-phosphate dehydrogenase for late collapse into insoluble aggregates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 26057-26065	11.5	16
86	When Unity Is Strength: The Strategies Used by to Survive Environmental Stresses. <i>Cells</i> , 2019 , 8,	7.9	16
85	Structural and Biochemical Insights into the Reactivity of Thioredoxin h1 from. <i>Antioxidants</i> , 2019 , 8,	7.1	6
84	Nitric Oxide Remodels the Photosynthetic Apparatus upon S-Starvation in. <i>Plant Physiology</i> , 2019 , 179, 718-731	6.6	31

83	Redox Homeostasis in Photosynthetic Organisms: Novel and Established Thiol-Based Molecular Mechanisms. <i>Antioxidants and Redox Signaling</i> , 2019 , 31, 155-210	8.4	45
82	MinOmics, an Integrative and Immersive Tool for Multi-Omics Analysis. <i>Journal of Integrative Bioinformatics</i> , 2018 , 15,	3.8	15
81	Pyrenoid functions revealed by proteomics in Chlamydomonas reinhardtii. <i>PLoS ONE</i> , 2018 , 13, e018503	39 .7	38
80	Crystal Structure of Chloroplastic Thioredoxin f2 from Reveals Distinct Surface Properties. <i>Antioxidants</i> , 2018 , 7,	7.1	11
79	Birth of a Photosynthetic Chassis: A MoClo Toolkit Enabling Synthetic Biology in the Microalga Chlamydomonas reinhardtii. <i>ACS Synthetic Biology</i> , 2018 , 7, 2074-2086	5.7	109
78	Modulation of the specific glutathionylation of mitochondrial proteins in the yeast under basal and stress conditions. <i>Biochemical Journal</i> , 2017 , 474, 1175-1193	3.8	9
77	Structural basis for the magnesium-dependent activation of transketolase from Chlamydomonas reinhardtii. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017 , 1861, 2132-2145	4	7
76	Redox Control of Autophagy in Photosynthetic Organisms. <i>Progress in Botany Fortschritte Der Botanik</i> , 2017 , 75-88	0.6	
75	The Deep Thioredoxome in Chlamydomonas reinhardtii: New Insights into Redox Regulation. <i>Molecular Plant</i> , 2017 , 10, 1107-1125	14.4	40
74	Control of Autophagy in Chlamydomonas Is Mediated through Redox-Dependent Inactivation of the ATG4 Protease. <i>Plant Physiology</i> , 2016 , 172, 2219-2234	6.6	41
73	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
72	Protein S-nitrosylation in photosynthetic organisms: A comprehensive overview with future perspectives. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2016 , 1864, 952-66	4	56
71	A Light Switch Based on Protein S-Nitrosylation Fine-Tunes Photosynthetic Light Harvesting in Chlamydomonas. <i>Plant Physiology</i> , 2016 , 171, 821-32	6.6	21
70	Chloroplast FBPase and SBPase are thioredoxin-linked enzymes with similar architecture but different evolutionary histories. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 6779-84	11.5	39
69	Genome-wide analysis on Chlamydomonas reinhardtii reveals the impact of hydrogen peroxide on protein stress responses and overlap with other stress transcriptomes. <i>Plant Journal</i> , 2015 , 84, 974-988	6.9	35
68	First proteomic study of S-glutathionylation in cyanobacteria. <i>Journal of Proteome Research</i> , 2015 , 14, 59-71	5.6	54
67	Putative role of the malate valve enzyme NADP-malate dehydrogenase in H2O2 signalling in Arabidopsis. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014 , 369, 20130228	5.8	38
66	Insight into protein S-nitrosylation in Chlamydomonas reinhardtii. <i>Antioxidants and Redox Signaling</i> , 2014 , 21, 1271-84	8.4	53

65	High-resolution crystal structure and redox properties of chloroplastic triosephosphate isomerase from Chlamydomonas reinhardtii. <i>Molecular Plant</i> , 2014 , 7, 101-20	14.4	26
64	Oxidative stress contributes to autophagy induction in response to endoplasmic reticulum stress in Chlamydomonas reinhardtii. <i>Plant Physiology</i> , 2014 , 166, 997-1008	6.6	58
63	The yeast autophagy protease Atg4 is regulated by thioredoxin. <i>Autophagy</i> , 2014 , 10, 1953-64	10.2	74
62	In vitro characterization of bacterial and chloroplast Hsp70 systems reveals an evolutionary optimization of the co-chaperones for their Hsp70 partner. <i>Biochemical Journal</i> , 2014 , 460, 13-24	3.8	13
61	Cardiolipin at the heart of stress response across kingdoms. <i>Plant Signaling and Behavior</i> , 2014 , 9, e2927	28 .5	5
60	Thioredoxin-dependent redox regulation of chloroplastic phosphoglycerate kinase from Chlamydomonas reinhardtii. <i>Journal of Biological Chemistry</i> , 2014 , 289, 30012-24	5.4	29
59	The Synechocystis PCC6803 MerA-like enzyme operates in the reduction of both mercury and uranium under the control of the glutaredoxin 1 enzyme. <i>Journal of Bacteriology</i> , 2013 , 195, 4138-45	3.5	39
58	The activity of the Synechocystis PCC6803 AbrB2 regulator of hydrogen production can be post-translationally controlled through glutathionylation. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 13547-13555	6.7	18
57	Mechanisms of nitrosylation and denitrosylation of cytoplasmic glyceraldehyde-3-phosphate dehydrogenase from Arabidopsis thaliana. <i>Journal of Biological Chemistry</i> , 2013 , 288, 22777-89	5.4	83
56	Redox regulation of the Calvin-Benson cycle: something old, something new. <i>Frontiers in Plant Science</i> , 2013 , 4, 470	6.2	232
55	Down-regulation of catalase activity allows transient accumulation of a hydrogen peroxide signal in Chlamydomonas reinhardtii. <i>Plant, Cell and Environment</i> , 2013 , 36, 1204-13	8.4	46
54	Plant cytoplasmic GAPDH: redox post-translational modifications and moonlighting properties. <i>Frontiers in Plant Science</i> , 2013 , 4, 450	6.2	107
53	Reactive oxygen species and autophagy in plants and algae. <i>Plant Physiology</i> , 2012 , 160, 156-64	6.6	154
52	Redox regulation in photosynthetic organisms: focus on glutathionylation. <i>Antioxidants and Redox Signaling</i> , 2012 , 16, 567-86	8.4	125
51	Glutaredoxin s12: unique properties for redox signaling. <i>Antioxidants and Redox Signaling</i> , 2012 , 16, 17-	3 8 .4	51
50	The emerging roles of protein glutathionylation in chloroplasts. <i>Plant Science</i> , 2012 , 185-186, 86-96	5.3	80
49	Glutathionylation of cytosolic glyceraldehyde-3-phosphate dehydrogenase from the model plant Arabidopsis thaliana is reversed by both glutaredoxins and thioredoxins in vitro. <i>Biochemical Journal</i> , 2012 , 445, 337-47	3.8	100
48	Glutathionylation in the photosynthetic model organism Chlamydomonas reinhardtii: a proteomic survey. <i>Molecular and Cellular Proteomics</i> , 2012 , 11, M111.014142	7.6	107

(2007-2010)

47	Plant thioredoxin CDSP32 regenerates 1-cys methionine sulfoxide reductase B activity through the direct reduction of sulfenic acid. <i>Journal of Biological Chemistry</i> , 2010 , 285, 14964-14972	5.4	61
46	Biochemical characterization of glutaredoxins from Chlamydomonas reinhardtii: kinetics and specificity in deglutathionylation reactions. <i>FEBS Letters</i> , 2010 , 584, 2242-8	3.8	40
45	Methods for analysis of protein glutathionylation and their application to photosynthetic organisms. <i>Molecular Plant</i> , 2009 , 2, 218-35	14.4	65
44	Chapter 12 Glutathionylation in Photosynthetic Organisms. Advances in Botanical Research, 2009, 363-4	023.2	6
43	Auxin-responsive genes AIR12 code for a new family of plasma membrane b-type cytochromes specific to flowering plants. <i>Plant Physiology</i> , 2009 , 150, 606-20	6.6	29
42	Pattern of expression and substrate specificity of chloroplast ferredoxins from Chlamydomonas reinhardtii. <i>Journal of Biological Chemistry</i> , 2009 , 284, 25867-78	5.4	108
41	Prompt and easy activation by specific thioredoxins of calvin cycle enzymes of Arabidopsis thaliana associated in the GAPDH/CP12/PRK supramolecular complex. <i>Molecular Plant</i> , 2009 , 2, 259-69	14.4	103
40	Structure-function relationship of the chloroplastic glutaredoxin S12 with an atypical WCSYS active site. <i>Journal of Biological Chemistry</i> , 2009 , 284, 9299-310	5.4	71
39	Regulation by glutathionylation of isocitrate lyase from Chlamydomonas reinhardtii. <i>Journal of Biological Chemistry</i> , 2009 , 284, 36282-36291	5.4	36
38	Function and regulation of the glutathione peroxidase homologous gene GPXH/GPX5 in Chlamydomonas reinhardtii. <i>Plant Molecular Biology</i> , 2009 , 71, 569-83	4.6	37
37	Regeneration mechanisms of Arabidopsis thaliana methionine sulfoxide reductases B by glutaredoxins and thioredoxins. <i>Journal of Biological Chemistry</i> , 2009 , 284, 18963-71	5.4	107
36	Chlamydomonas proteomics. Current Opinion in Microbiology, 2009, 12, 285-91	7.9	47
35	The peroxiredoxin and glutathione peroxidase families in Chlamydomonas reinhardtii. <i>Genetics</i> , 2008 , 179, 41-57	4	85
34	Biochemical characterization of glutaredoxins from Chlamydomonas reinhardtii reveals the unique properties of a chloroplastic CGFS-type glutaredoxin. <i>Journal of Biological Chemistry</i> , 2008 , 283, 8868-7	6 ^{5.4}	108
33	In vivo targets of S-thiolation in Chlamydomonas reinhardtii. <i>Journal of Biological Chemistry</i> , 2008 , 283, 21571-8	5.4	96
32	Photosynthetic electron flow affects H2O2 signaling by inactivation of catalase in Chlamydomonas reinhardtii. <i>Planta</i> , 2008 , 228, 1055-66	4.7	60
31	The role of glutathione in photosynthetic organisms: emerging functions for glutaredoxins and glutathionylation. <i>Annual Review of Plant Biology</i> , 2008 , 59, 143-66	30.7	420
30	The thioredoxin-independent isoform of chloroplastic glyceraldehyde-3-phosphate dehydrogenase is selectively regulated by glutathionylation. <i>FEBS Journal</i> , 2007 , 274, 212-26	5.7	98

29	The Chlamydomonas genome reveals the evolution of key animal and plant functions. <i>Science</i> , 2007 , 318, 245-50	33.3	1969
28	Thioredoxins in chloroplasts. <i>Current Genetics</i> , 2007 , 51, 343-65	2.9	170
27	Thioredoxins, glutaredoxins, and glutathionylation: new crosstalks to explore. <i>Photosynthesis Research</i> , 2006 , 89, 225-45	3.7	93
26	Glutathionylation of chloroplast thioredoxin f is a redox signaling mechanism in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 16478-83	11.5	158
25	NADP-malate dehydrogenase from unicellular green alga Chlamydomonas reinhardtii. A first step toward redox regulation?. <i>Plant Physiology</i> , 2005 , 137, 514-21	6.6	48
24	Functional specialization of Chlamydomonas reinhardtii cytosolic thioredoxin h1 in the response to alkylation-induced DNA damage. <i>Eukaryotic Cell</i> , 2005 , 4, 262-73		34
23	Poplar peroxiredoxin Q. A thioredoxin-linked chloroplast antioxidant functional in pathogen defense. <i>Plant Physiology</i> , 2004 , 134, 1027-38	6.6	150
22	Thioredoxin Ch1 of Chlamydomonas reinhardtii displays an unusual resistance toward one-electron oxidation. <i>FEBS Journal</i> , 2004 , 271, 3481-7		21
21	Characterization of Arabidopsis Mutants for the Variable Subunit of Ferredoxin:thioredoxin Reductase. <i>Photosynthesis Research</i> , 2004 , 79, 265-74	3.7	40
20	The glutaredoxin family in oxygenic photosynthetic organisms. <i>Photosynthesis Research</i> , 2004 , 79, 305-	18 .7	120
20	The glutaredoxin family in oxygenic photosynthetic organisms. <i>Photosynthesis Research</i> , 2004 , 79, 305- The Chlamydomonas reinhardtii proteins Ccp1 and Ccp2 are required for long-term growth, but are not necessary for efficient photosynthesis, in a low-CO2 environment. <i>Plant Molecular Biology</i> , 2004 , 56, 125-32	1 8 .7	120 53
	The Chlamydomonas reinhardtii proteins Ccp1 and Ccp2 are required for long-term growth, but are not necessary for efficient photosynthesis, in a low-CO2 environment. <i>Plant Molecular Biology</i> ,		
19	The Chlamydomonas reinhardtii proteins Ccp1 and Ccp2 are required for long-term growth, but are not necessary for efficient photosynthesis, in a low-CO2 environment. <i>Plant Molecular Biology</i> , 2004 , 56, 125-32	4.6	53
19 18	The Chlamydomonas reinhardtii proteins Ccp1 and Ccp2 are required for long-term growth, but are not necessary for efficient photosynthesis, in a low-CO2 environment. <i>Plant Molecular Biology</i> , 2004 , 56, 125-32 The thioredoxin superfamily in Chlamydomonas reinhardtii. <i>Photosynthesis Research</i> , 2004 , 82, 203-20 New thioredoxin targets in the unicellular photosynthetic eukaryote Chlamydomonas reinhardtii.	4.6 3·7	53
19 18 17	The Chlamydomonas reinhardtii proteins Ccp1 and Ccp2 are required for long-term growth, but are not necessary for efficient photosynthesis, in a low-CO2 environment. <i>Plant Molecular Biology</i> , 2004 , 56, 125-32 The thioredoxin superfamily in Chlamydomonas reinhardtii. <i>Photosynthesis Research</i> , 2004 , 82, 203-20 New thioredoxin targets in the unicellular photosynthetic eukaryote Chlamydomonas reinhardtii. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7475-80 Chlamydomonas reinhardtii: a model organism for the study of the thioredoxin family. <i>Plant</i>	4.6 3.7 11.5	53 45 217
19 18 17	The Chlamydomonas reinhardtii proteins Ccp1 and Ccp2 are required for long-term growth, but are not necessary for efficient photosynthesis, in a low-CO2 environment. <i>Plant Molecular Biology</i> , 2004 , 56, 125-32 The thioredoxin superfamily in Chlamydomonas reinhardtii. <i>Photosynthesis Research</i> , 2004 , 82, 203-20 New thioredoxin targets in the unicellular photosynthetic eukaryote Chlamydomonas reinhardtii. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7475-80 Chlamydomonas reinhardtii: a model organism for the study of the thioredoxin family. <i>Plant Physiology and Biochemistry</i> , 2003 , 41, 513-521	4.6 3.7 11.5	53 45 217 30
19 18 17 16	The Chlamydomonas reinhardtii proteins Ccp1 and Ccp2 are required for long-term growth, but are not necessary for efficient photosynthesis, in a low-CO2 environment. <i>Plant Molecular Biology</i> , 2004 , 56, 125-32 The thioredoxin superfamily in Chlamydomonas reinhardtii. <i>Photosynthesis Research</i> , 2004 , 82, 203-20 New thioredoxin targets in the unicellular photosynthetic eukaryote Chlamydomonas reinhardtii. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7475-80 Chlamydomonas reinhardtii: a model organism for the study of the thioredoxin family. <i>Plant Physiology and Biochemistry</i> , 2003 , 41, 513-521 Effect of pH on the oxidation-reduction properties of thioredoxins. <i>Biochemistry</i> , 2003 , 42, 14877-84 Characterization of thioredoxin y, a new type of thioredoxin identified in the genome of	4.6 3.7 11.5 5.4 3.2	53 45 217 30 40

LIST OF PUBLICATIONS

11	The Nac2 gene of Chlamydomonas encodes a chloroplast TPR-like protein involved in psbD mRNA stability. <i>EMBO Journal</i> , 2000 , 19, 3366-76	13	135
10	Characterization of Mbb1, a nucleus-encoded tetratricopeptide-like repeat protein required for expression of the chloroplast psbB/psbT/psbH gene cluster in Chlamydomonas reinhardtii. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 14813-8	11.5	110
9	Difference in the mechanisms of the cold and heat induced unfolding of thioredoxin h from Chlamydomonas reinhardtii: spectroscopic and calorimetric studies. <i>Biochemistry</i> , 2000 , 39, 11154-62	3.2	33
8	Analysis of light/dark synchronization of cell-wall-less Chlamydomonas reinhardtii (Chlorophyta) cells by flow cytometry. <i>European Journal of Phycology</i> , 1999 , 34, 279-286	2.2	1
7	Heavy-metal regulation of thioredoxin gene expression in chlamydomonas reinhardtii. <i>Plant Physiology</i> , 1999 , 120, 773-8	6.6	72
6	The complex regulation of ferredoxin/thioredoxin-related genes by light and the circadian clock. <i>Planta</i> , 1999 , 209, 221-229	4.7	40
5	The internal Cys-207 of sorghum leaf NADP-malate dehydrogenase can form mixed disulphides with thioredoxin. <i>FEBS Letters</i> , 1999 , 444, 165-9	3.8	37
4	The single mutation Trp35>Ala in the 35-40 redox site of Chlamydomonas reinhardtii thioredoxin h affects its biochemical activity and the pH dependence of C36-C39 1H-13C NMR. <i>FEBS Journal</i> , 1998 , 255, 185-95		58
3	Cysteine-153 is required for redox regulation of pea chloroplast fructose-1,6-bisphosphatase. <i>FEBS Letters</i> , 1997 , 401, 143-7	3.8	83
2	High-level expression of recombinant pea chloroplast fructose-1,6-bisphosphatase and mutagenesis of its regulatory site. <i>FEBS Journal</i> , 1995 , 229, 675-81		45
1	Redox response of iron-sulfur glutaredoxin GRXS17 activates its holdase activity to protect plants from heat stress		2