

# Goran R StankoviÄ

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6899862/publications.pdf>

Version: 2024-02-01

272  
papers

13,632  
citations

31976

53  
h-index

22832

112  
g-index

310  
all docs

310  
docs citations

310  
times ranked

9242  
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidence, Predictors, and Outcome of Thrombosis After Successful Implantation of Drug-Eluting Stents. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 2126.	7.4	2,769
2	Complete Revascularization with Multivessel PCI for Myocardial Infarction. <i>New England Journal of Medicine</i> , 2019, 381, 1411-1421.	27.0	542
3	Randomized Trial of Primary PCI with or without Routine Manual Thrombectomy. <i>New England Journal of Medicine</i> , 2015, 372, 1389-1398.	27.0	536
4	Early and Mid-Term Results of Drug-Eluting Stent Implantation in Unprotected Left Main. <i>Circulation</i> , 2005, 111, 791-795.	1.6	358
5	Stress echocardiography in the detection of myocardial ischemia. Head-to-head comparison of exercise, dobutamine, and dipyridamole tests. <i>Circulation</i> , 1994, 90, 1168-1176.	1.6	283
6	Mechanism of Late In-Stent Restenosis After Implantation of a Paclitaxel Derivateâ€“Eluting Polymer Stent System in Humans. <i>Circulation</i> , 2002, 106, 2649-2651.	1.6	253
7	Dual Antiplatelet Therapy after PCI in Patients at High Bleeding Risk. <i>New England Journal of Medicine</i> , 2021, 385, 1643-1655.	27.0	247
8	In-stent restenosis in small coronary arteries. <i>Journal of the American College of Cardiology</i> , 2002, 40, 403-409.	2.8	244
9	Treating chronic total occlusions using subintimal tracking and reentry: The STAR Technique. <i>Catheterization and Cardiovascular Interventions</i> , 2005, 64, 407-411.	1.7	243
10	Modified T-stenting technique with crushing for bifurcation lesions: Immediate results and 30-day outcome. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 60, 145-151.	1.7	237
11	Thrombus Aspiration in ST-Segmentâ€“Elevation Myocardial Infarction. <i>Circulation</i> , 2017, 135, 143-152.	1.6	233
12	Effect of remote ischaemic conditioning on clinical outcomes in patients with acute myocardial infarction (CONDI-2/ERIC-PPCI): a single-blind randomised controlled trial. <i>Lancet, The</i> , 2019, 394, 1415-1424.	13.7	223
13	Percutaneous coronary intervention for coronary bifurcation disease: consensus from the first 10 years of the European Bifurcation Club meetings. <i>EuroIntervention</i> , 2014, 10, 545-560.	3.2	213
14	2018 Joint European consensus document on the management of antithrombotic therapy in atrial fibrillation patients presenting with acute coronary syndrome and/or undergoing percutaneous cardiovascular interventions: a joint consensus document of the European Heart Rhythm Association (EHRA), European Society of Cardiology Working Group on Thrombosis, European Association of Percutaneous Cardiovascular Interventions (EAPCI), and European Association of Acute Cardiac Care (ACCA) endorsed by the Heart Rhythm So. <i>Europace</i> , 2019, 21, 192-193.	1.7	209
15	Results and Long-Term Predictors of Adverse Clinical Events After Elective Percutaneous Interventions on Unprotected Left Main Coronary Artery. <i>Circulation</i> , 2002, 106, 698-702.	1.6	199
16	First Clinical Experience With a Paclitaxel Derivateâ€“Eluting Polymer Stent System Implantation for In-Stent Restenosis. <i>Circulation</i> , 2002, 105, 1883-1886.	1.6	188
17	Outcomes after thrombus aspiration for ST elevation myocardial infarction: 1-year follow-up of the prospective randomised TOTAL trial. <i>Lancet, The</i> , 2016, 387, 127-135.	13.7	187
18	Percutaneous coronary intervention for the left main stem and other bifurcation lesions: 12th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2018, 13, 1540-1553.	3.2	185

#	ARTICLE	IF	CITATIONS
19	Sex Differences in Outcomes After STEMI. <i>JAMA Internal Medicine</i> , 2018, 178, 632.	5.1	183
20	Percutaneous coronary intervention for coronary bifurcation disease: 11th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2016, 12, 38-46.	3.2	181
21	Randomized Evaluation of Polytetrafluoroethylene-Covered Stent in Saphenous Vein Grafts. <i>Circulation</i> , 2003, 108, 37-42.	1.6	170
22	Preliminary Observations Regarding Angiographic Pattern of Restenosis After Rapamycin-Eluting Stent Implantation. <i>Circulation</i> , 2003, 107, 2178-2180.	1.6	168
23	Drug-eluting or bare-metal stents for percutaneous coronary intervention: a systematic review and individual patient data meta-analysis of randomised clinical trials. <i>Lancet, The</i> , 2019, 393, 2503-2510.	13.7	166
24	Optimal timing of an invasive strategy in patients with non-ST-elevation acute coronary syndrome: a meta-analysis of randomised trials. <i>Lancet, The</i> , 2017, 390, 737-746.	13.7	160
25	Percutaneous coronary intervention for bifurcation coronary lesions: the 15 <sup>th</sup> consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2021, 16, 1307-1317.	3.2	147
26	Consensus from the 5th European Bifurcation Club meeting. <i>EuroIntervention</i> , 2010, 6, 34-38.	3.2	138
27	A 12-Year Follow-up Study of Patients With Newly Diagnosed Lone Atrial Fibrillation. <i>Chest</i> , 2012, 141, 339-347.	0.8	136
28	Selection of coronary stents. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1021-1033.	2.8	127
29	The European bifurcation club Left Main Coronary Stent study: a randomized comparison of stepwise provisional vs. systematic dual stenting strategies (EBC MAIN). <i>European Heart Journal</i> , 2021, 42, 3829-3839.	2.2	119
30	Immediate Versus Delayed Invasive Intervention for Non-STEMI Patients. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 541-549.	2.9	117
31	Incidence, predictors, in-hospital, and late outcomes of coronary artery perforations. <i>American Journal of Cardiology</i> , 2004, 93, 213-216.	1.6	103
32	The EBC TWO Study (European Bifurcation Coronary TWO). <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	3.9	102
33	Percutaneous coronary intervention for bifurcation lesions: 2008 consensus document from the fourth meeting of the European Bifurcation Club. <i>EuroIntervention</i> , 2009, 5, 39-49.	3.2	102
34	Consensus from the 7th European Bifurcation Club meeting. <i>EuroIntervention</i> , 2013, 9, 36-45.	3.2	102
35	Baseline Characteristics and Risk Profiles of Participants in the ISCHEMIA Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2019, 4, 273.	6.1	100
36	Percutaneous coronary intervention for obstructive bifurcation lesions: the 14th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2019, 15, 90-98.	3.2	99

#	ARTICLE	IF	CITATIONS
37	Clinical and angiographic outcome after sirolimus-eluting stent implantation in aorto-ostial lesions. <i>Journal of the American College of Cardiology</i> , 2004, 44, 967-971.	2.8	97
38	Stroke in the TOTAL trial: a randomized trial of routine thrombectomy vs. percutaneous coronary intervention alone in ST elevation myocardial infarction. <i>European Heart Journal</i> , 2015, 36, 2364-2372.	2.2	95
39	Percutaneous coronary intervention in left main coronary artery disease: the 13th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2018, 14, 112-120.	3.2	94
40	Intraprocedural Stent Thrombosis During Implantation of Sirolimus-Eluting Stents. <i>Circulation</i> , 2004, 109, 2732-2736.	1.6	88
41	Treatment of multivessel coronary artery disease with sirolimus-eluting stent implantation: immediate and mid-term results. <i>Journal of the American College of Cardiology</i> , 2004, 43, 1154-1160.	2.8	88
42	Rationale, design, and baseline characteristics in Evaluation of LIXisenatide in Acute Coronary Syndrome, a long-term cardiovascular end point trial of lixisenatide versus placebo. <i>American Heart Journal</i> , 2015, 169, 631-638.e7.	2.7	88
43	Biomechanical Modeling to Improve Coronary Artery Bifurcation Stenting. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1281-1296.	2.9	84
44	Comparison of diamond-like carbon-coated stents versus uncoated stainless steel stents in coronary artery disease. <i>American Journal of Cardiology</i> , 2004, 93, 474-477.	1.6	81
45	Clinical Outcomes Following Coronary Bifurcation PCI Techniques. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1432-1444.	2.9	78
46	Dipyridamole-dobutamine echocardiography: A novel test for the detection of milder forms of coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1994, 23, 1115-1122.	2.8	68
47	Endothelial cell markers from clinician's perspective. <i>Experimental and Molecular Pathology</i> , 2017, 102, 303-313.	2.1	68
48	Thrombus Aspiration in Patients With High Thrombus Burden in the TOTAL Trial. <i>Journal of the American College of Cardiology</i> , 2018, 72, 1589-1596.	2.8	67
49	Gender-related differences in presentation, treatment and long-term outcome in patients with first-diagnosed atrial fibrillation and structurally normal heart: The Belgrade atrial fibrillation study. <i>International Journal of Cardiology</i> , 2012, 161, 39-44.	1.7	64
50	Culprit lesion thrombus burden after manual thrombectomy or percutaneous coronary intervention-alone in ST-segment elevation myocardial infarction: the optical coherence tomography sub-study of the TOTAL (Thrombectomy versus PCI Alone) trial. <i>European Heart Journal</i> , 2015, 36, 1892-1900.	2.2	60
51	Intravascular ultrasound in the evaluation and treatment of left main coronary artery disease: a consensus statement from the European Bifurcation Club. <i>EuroIntervention</i> , 2018, 14, e467-e474.	3.2	60
52	Acute Coronary Syndrome: The Risk to Young Women. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	58
53	European Bifurcation Club white paper on stenting techniques for patients with bifurcated coronary artery lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, 1067-1079.	1.7	57
54	Design and rationale of the Management of High Bleeding Risk Patients Post Bioresorbable Polymer Coated Stent Implantation With an Abbreviated Versus Standard DAPT Regimen (MASTER DAPT) Study. <i>American Heart Journal</i> , 2019, 209, 97-105.	2.7	53

#	ARTICLE	IF	CITATIONS
55	Integrated evaluation of relation between coronary lesion features and stress echocardiography results: the importance of coronary lesion morphology. <i>Journal of the American College of Cardiology</i> , 1999, 33, 717-726.	2.8	51
56	Joint consensus on the use of OCT in coronary bifurcation lesions by the European and Japanese bifurcation clubs. <i>EuroIntervention</i> , 2019, 14, e1568-e1577.	3.2	51
57	Dual antiplatelet therapy duration after coronary stenting in clinical practice: results of an EAPCI survey. <i>EuroIntervention</i> , 2015, 11, 68-74.	3.2	48
58	Percutaneous coronary intervention for bifurcation disease. A consensus view from the first meeting of the European Bifurcation Club. <i>EuroIntervention</i> , 2006, 2, 149-53.	3.2	48
59	Cutting balloon angioplasty for treatment of calcified coronary lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2001, 54, 473-481.	1.7	43
60	Impact of Sirolimus-Eluting and Paclitaxel-Eluting Stents on Outcome in Patients With Diabetes Mellitus and Stenting in More Than One Coronary Artery. <i>American Journal of Cardiology</i> , 2006, 98, 362-366.	1.6	43
61	Mitral Annular Calcification Predicts Cardiovascular Morbidity and Mortality in Middle-aged Patients With Atrial Fibrillation. <i>Chest</i> , 2011, 140, 902-910.	0.8	43
62	Treatment of coronary bifurcation lesions, part I: implanting the first stent in the provisional pathway. The 16th expert consensus document of the European Bifurcation Club. <i>EuroIntervention</i> , 2022, 18, e362-e376.	3.2	43
63	Treatment of coronary bifurcation lesions, part II: implanting two stents. The 16th expert consensus document of the European Bifurcation Club. <i>EuroIntervention</i> , 2022, 18, 457-470.	3.2	42
64	Comparison of directional coronary atherectomy and stenting versus stenting alone for the treatment of de novo and restenotic coronary artery narrowing. <i>American Journal of Cardiology</i> , 2004, 93, 953-958.	1.6	41
65	Abbreviated Antiplatelet Therapy in Patients at High Bleeding Risk With or Without Oral Anticoagulant Therapy After Coronary Stenting: An Open-Label, Randomized, Controlled Trial. <i>Circulation</i> , 2021, 144, 1196-1211.	1.6	41
66	Preliminary experience with the frontrunner coronary catheter: Novel device dedicated to mechanical revascularization of chronic total occlusions. <i>Catheterization and Cardiovascular Interventions</i> , 2005, 64, 146-152.	1.7	40
67	Validation of a New Risk Score to Predict Contrast-Induced Nephropathy After Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2014, 113, 1487-1493.	1.6	39
68	Timing of invasive strategy in NSTEMI-ACS patients and effect on clinical outcomes: A systematic review and meta-analysis of randomized controlled trials. <i>Atherosclerosis</i> , 2015, 241, 48-54.	0.8	39
69	Prediction of Restenosis After Coronary Angioplasty by Use of a New Index. <i>Circulation</i> , 2000, 101, 962-968.	1.6	38
70	Outcome of nonobstructive residual dissections detected by intravascular ultrasound following percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2002, 89, 1257-1262.	1.6	38
71	Optical Coherence Tomographyâ€“Guided Percutaneous Coronary Intervention in ST-Segmentâ€“Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, e003414.	3.9	37
72	Angiographic patterns of restenosis after paclitaxel-eluting stent implantation. <i>Journal of the American College of Cardiology</i> , 2005, 45, 805-806.	2.8	36

#	ARTICLE	IF	CITATIONS
73	Myocardial blush and microvascular reperfusion following manual thrombectomy during percutaneous coronary intervention for ST elevation myocardial infarction: insights from the TOTAL trial. <i>European Heart Journal</i> , 2016, 37, 1891-1898.	2.2	36
74	9-Month Clinical and Angiographic Outcomes of the COBRA Polyzene-F NanoCoated Coronary Stent System. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 160-167.	2.9	35
75	Quantitative angiography methods for bifurcation lesions: a consensus statement update from the European Bifurcation Club. <i>EuroIntervention</i> , 2017, 13, 115-123.	3.2	35
76	High Dose Adenosine Stress Echocardiography for Noninvasive Detection of Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 1996, 28, 1689-1695.	2.8	33
77	Mid-term outcomes after percutaneous interventions in coronary bifurcations. <i>International Journal of Cardiology</i> , 2019, 283, 78-83.	1.7	33
78	Technical aspects of the T And small Protrusion (TAP) technique. <i>EuroIntervention</i> , 2015, 11, V91-V95.	3.2	33
79	Sex Differences in Modifiable Risk Factors and Severity of Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2020, 9, e017235.	3.7	32
80	Feasibility and repeatability of optical coherence tomography measurements of pre-stent thrombus burden in patients with STEMI treated with primary PCI. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 96-107.	1.2	31
81	Effects of Glucose-Insulin-Potassium Infusion on ST-Elevation Myocardial Infarction in Patients Treated With Thrombolytic Therapy. <i>American Journal of Cardiology</i> , 2005, 96, 1053-1058.	1.6	30
82	Randomized Controlled Comparison of Optimal Medical Therapy with Percutaneous Recanalization of Chronic Total Occlusion (COMET-CTO). <i>International Heart Journal</i> , 2021, 62, 16-22.	1.0	29
83	Cutting balloon angioplasty for in-stent restenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2000, 50, 480-483.	1.7	28
84	Additive prognostic value of the SYNTAX score over GRACE, TIMI, ZWOLLE, CADILLAC and PAMI risk scores in patients with acute ST-segment elevation myocardial infarction treated by primary percutaneous coronary intervention. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1215-1228.	1.5	28
85	Bench testing and coronary artery bifurcations: a consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2018, 13, e1794-e1803.	3.2	28
86	Sirolimus-eluting stents: a review of experimental and clinical findings. <i>Clinical Research in Cardiology</i> , 2002, 91, 49-57.	1.1	27
87	The value of fractional and coronary flow reserve in predicting myocardial recovery in patients with previous myocardial infarction. <i>European Heart Journal</i> , 2008, 29, 2617-2624.	2.2	27
88	Clinical impact of direct stenting and interaction with thrombus aspiration in patients with ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention: Thrombectomy Trialists Collaboration. <i>European Heart Journal</i> , 2018, 39, 2472-2479.	2.2	27
89	Frequency of Slow Coronary Flow Following Successful Stent Implantation and Effect of Nitroprusside. <i>American Journal of Cardiology</i> , 2007, 99, 916-920.	1.6	26
90	Regional Difference of Microcirculation in Patients with Asymmetric Hypertrophic Cardiomyopathy: Transthoracic Doppler Coronary Flow Velocity Reserve Analysis. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 775-782.	2.8	26

#	ARTICLE	IF	CITATIONS
91	Percutaneous coronary intervention of bifurcation lesions: state-of-the-art. Insights from the second meeting of the European Bifurcation Club. <i>EuroIntervention</i> , 2007, 3, 44-9.	3.2	26
92	Early Outcome of Treatment of Ostial De Novo Left Anterior Descending Coronary Artery Lesions With Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2006, 97, 187-191.	1.6	25
93	N-terminal pro-brain natriuretic peptide is related with coronary flow velocity reserve and diastolic dysfunction in patients with asymmetric hypertrophic cardiomyopathy. <i>Journal of Cardiology</i> , 2017, 70, 323-328.	1.9	25
94	Definition and classification of bifurcation lesions and treatments. <i>EuroIntervention</i> , 2010, 6, J31-J35.	3.2	25
95	Definitions and Standardized Endpoints for Treatment of Coronary Bifurcations. <i>Journal of the American College of Cardiology</i> , 2022, 80, 63-88.	2.8	25
96	Comparison of Sirolimus Versus Paclitaxel Eluting Stents for Treatment of Coronary In-Stent Restenosis. <i>American Journal of Cardiology</i> , 2006, 97, 1182-1187.	1.6	24
97	Prognostic implications of bleeding measured by Bleeding Academic Research Consortium (BARC) categorisation in patients undergoing primary percutaneous coronary intervention. <i>Heart</i> , 2014, 100, 146-152.	2.9	24
98	Outcomes Among Clopidogrel, Prasugrel, and Ticagrelor in ST-Elevation Myocardial Infarction Patients Who Underwent Primary Percutaneous Coronary Intervention From the TOTAL Trial. <i>Canadian Journal of Cardiology</i> , 2019, 35, 1377-1385.	1.7	24
99	Management and Outcome of Periprocedural Cardiac Perforation and Tamponade with Radiofrequency Catheter Ablation of Cardiac Arrhythmias: A Single Medium-Volume Center Experience. <i>Advances in Therapy</i> , 2016, 33, 1782-1796.	2.9	23
100	The Presence of a CTO in a Nonâ€“Infarct-Related Artery During a STEMI Treated With Contemporary Primary PCI Is Associated With Increased Rates of EarlyÅand Late Cardiovascular Morbidity and Mortality. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 709-711.	2.9	23
101	Clinical outcomes of the proximal optimisation technique (POT) in bifurcation stenting. <i>EuroIntervention</i> , 2021, 17, e910-e918.	3.2	22
102	Antithrombotic therapy after percutaneous coronary intervention of bifurcation lesions. <i>EuroIntervention</i> , 2021, 17, 59-66.	3.2	21
103	Functional Assessment of Myocardial Bridging With Conventional and Diastolic Fractional Flow Reserve: Vasodilator Versus Inotropic Provocation. <i>Journal of the American Heart Association</i> , 2021, 10, e020597.	3.7	21
104	Outcome of treatment of aorto-ostial lesions involving the right coronary artery or a saphenous vein graft with a polytetrafluoroethylene- covered stent. <i>American Journal of Cardiology</i> , 2002, 90, 63-66.	1.6	20
105	A new dedicated stent and delivery system for the treatment of bifurcation lesions: Preliminary experience. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 58, 34-42.	1.7	20
106	Comparison of exercise, dobutamine-atropine and dipyridamole-atropine stress echocardiography in detecting coronary artery disease. <i>Cardiovascular Ultrasound</i> , 2006, 4, 22.	1.6	20
107	Prior Beta-Blocker Therapy for Hypertension and Sex-Based Differences in Heart Failure Among Patients With Incident Coronary Heart Disease. <i>Hypertension</i> , 2020, 76, 819-826.	2.7	19
108	3D reconstruction of coronary artery bifurcations from coronary angiography and optical coherence tomography: feasibility, validation, and reproducibility. <i>Scientific Reports</i> , 2020, 10, 18049.	3.3	19

#	ARTICLE	IF	CITATIONS
109	Effectiveness of sirolimus-eluting stent implantation for treatment of in-stent restenosis after brachytherapy failure. <i>American Journal of Cardiology</i> , 2004, 94, 351-354.	1.6	18
110	Systemic rapamycin without loading dose for restenosis prevention after coronary bare metal stent implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 75, 317-325.	1.7	18
111	Self-reported treatment burden in patients with atrial fibrillation: quantification, major determinants, and implications for integrated holistic management of the arrhythmia. <i>Europace</i> , 2020, 22, 1788-1797.	1.7	18
112	Coronary vasodilation without myocardial erection: Simultaneous haemodynamic, echocardiographic and arteriographic findings during adenosine and dipyridamole infusion. <i>European Heart Journal</i> , 1997, 18, 1166-1174.	2.2	17
113	Efficiency, Safety, and Long-Term Follow-Up of Retrograde Approach for CTO Recanalization: Initial (Belgrade) Experience with International Proctorship. <i>Journal of Interventional Cardiology</i> , 2012, 25, 540-548.	1.2	16
114	2012 ESC STEMI guidelines and reperfusion therapy. <i>Heart</i> , 2013, 99, 1154-1156.	2.9	16
115	Development of High Tryptophan Maize Near Isogenic Lines Adapted to Temperate Regions through Marker Assisted Selection - Impediments and Benefits. <i>PLoS ONE</i> , 2016, 11, e0167635.	2.5	15
116	Efficiency of ergonovine echocardiography in detecting angiographically assessed coronary vasospasm. <i>American Journal of Cardiology</i> , 2001, 88, 1183-1187.	1.6	14
117	Randomised evaluation of a novel biodegradable polymer-based sirolimus-eluting stent in ST-segment elevation myocardial infarction: the MASTER study. <i>EuroIntervention</i> , 2019, 14, e1836-e1842.	3.2	14
118	Is overdilatation of 3.0 mm sirolimus-eluting stent associated with a higher restenosis rate?. <i>Catheterization and Cardiovascular Interventions</i> , 2005, 64, 129-133.	1.7	13
119	Persistency of left atrial linear lesions after radiofrequency catheter ablation for atrial fibrillation: Data from an invasive follow-up electrophysiology study. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 1403-1414.	1.7	13
120	Prognostic Value of Transthoracic Doppler Echocardiography Coronary Flow Velocity Reserve in Patients with Nonculprit Stenosis of Intermediate Severity Early after Primary Percutaneous Coronary Intervention. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 880-887.	2.8	13
121	Improved Propensity-Score Matched Long-Term Clinical Outcomes in Patients with Successful Percutaneous Coronary Interventions of Coronary Chronic Total Occlusion. <i>International Heart Journal</i> , 2018, 59, 719-726.	1.0	13
122	Patient-specific computational simulation of coronary artery bifurcation stenting. <i>Scientific Reports</i> , 2021, 11, 16486.	3.3	13
123	Incidence, predictors and prognostic implications of bleeding complicating primary percutaneous coronary intervention. <i>Vojnosanitetski Pregled</i> , 2015, 72, 589-595.	0.2	13
124	Dipyridamole-Atropine-Induced Myocardial Infarction in a Patient with Patent Epicardial Coronary Arteries. <i>Herz</i> , 2001, 26, 485-488.	1.1	12
125	The challenge of in-stent restenosis: insights from intravascular ultrasound. <i>European Heart Journal</i> , 2003, 24, 138-150.	2.2	12
126	ORAL immunosuppressive therapy to prevent in-Stent rEstenosis (RAMSES) cooperation: A patient-level meta-analysis of randomized trials. <i>Atherosclerosis</i> , 2014, 237, 410-417.	0.8	12



#	ARTICLE	IF	CITATIONS
127	The Prognostic Effect of Circadian Blood Pressure Pattern on Long-Term Cardiovascular Outcome Is Independent of Left Ventricular Remodeling. <i>Journal of Clinical Medicine</i> , 2019, 8, 2126.	2.4	12
128	Step-by-step manual for planning and performing bifurcation PCI: a resource-tailored approach. <i>EuroIntervention</i> , 2018, 13, e1804-e1811.	3.2	12
129	Prognostic Value of Transthoracic Doppler Echocardiography Coronary Flow Velocity Reserve in Patients With Asymmetric Hypertrophic Cardiomyopathy. <i>Journal of the American Heart Association</i> , 2021, 10, e021936.	3.7	12
130	Three-Year Impact of Immediate Invasive Strategy in Patients With Non-â€œST-Segment Elevation Myocardial Infarction (from the RIDDLE-NSTEMI Study). <i>American Journal of Cardiology</i> , 2018, 122, 54-60.	1.6	11
131	Impacts of climatic conditions on aflatoxin B1 and fumonisins contamination of maize kernels and their co-occurrence. <i>Biotechnology in Animal Husbandry</i> , 2018, 34, 469-480.	0.3	11
132	Assessment stability of maize lines yield by GGE-biplot analysis. <i>Genetika</i> , 2018, 50, 755-770.	0.4	11
133	Creatine kinase-myocardial band isoenzyme elevation after percutaneous coronary interventions using sirolimus-eluting stents. <i>American Journal of Cardiology</i> , 2004, 93, 1397-1401.	1.6	10
134	The Use of Intracoronary Sodium Nitroprusside to Treat No-Reflow after Primary Percutaneous Coronary Intervention in Acute Myocardial Infarction. <i>Herz</i> , 2010, 35, 114-118.	1.1	9
135	A novel framework for fluid/structure interaction in rapid subject specific simulations of blood flow in coronary artery bifurcations. <i>Vojnosanitetski Pregled</i> , 2014, 71, 285-292.	0.2	9
136	Fractional flow reserve and myocardial viability as assessed by SPECT perfusion scintigraphy in patients with prior myocardial infarction. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 817-824.	2.1	8
137	The impact of the extent of side branch disease on outcomes following bifurcation stenting. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, E84-E92.	1.7	8
138	Physiological Approach for Coronary Artery Bifurcation Disease. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 1297-1309.	2.9	8
139	Effective plaque removal with a new 8 French-compatible atherectomy catheter. <i>Catheterization and Cardiovascular Interventions</i> , 2002, 56, 452-459.	1.7	7
140	Co-expression of vascular and lymphatic endothelial cell markers on early endothelial cells present in aspirated coronary thrombi from patients with ST-elevation myocardial infarction. <i>Experimental and Molecular Pathology</i> , 2016, 100, 31-38.	2.1	7
141	Drug coated balloons and their role in bifurcation coronary angioplasty: appraisal of the current evidence and future directions. <i>Expert Review of Medical Devices</i> , 2020, 17, 1021-1033.	2.8	7
142	Prognostic impact of non-culprit chronic total occlusion over time in patients with ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 990-998.	1.0	7
143	Photosynthetic properties of erect leaf maize inbred lines as the efficient photo-model in breeding and seed production. <i>Genetika</i> , 2003, 35, 85-97.	0.4	7
144	Actual prestigious properties of maize inbred lines: A good initial basis for the efficient development of new and yielding maize hybrids. <i>Genetika</i> , 2008, 40, 121-133.	0.4	7

#	ARTICLE	IF	CITATIONS
145	Quality protein maize: QPM. <i>Genetika</i> , 2008, 40, 205-214.	0.4	7
146	Covered Stent to Exclude Intravascular Thrombus. <i>Journal of Endovascular Therapy</i> , 2002, 9, 246-249.	1.5	6
147	Rotational Atherectomy in Clinical Practice. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	3.9	6
148	Three dimensional reconstruction of coronary artery stents from optical coherence tomography: experimental validation and clinical feasibility. <i>Scientific Reports</i> , 2021, 11, 12252.	3.3	6
149	When and how to use BRS in bifurcations?. <i>EuroIntervention</i> , 2015, 11, V185-V187.	3.2	6
150	Effectiveness of treatment of in-stent restenosis with an 8-French compatible atherectomy catheter. <i>American Journal of Cardiology</i> , 2003, 92, 725-728.	1.6	5
151	Initial experience with a new 8 French-compatible directional atherectomy catheter: Immediate and mid-term results. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 60, 159-166.	1.7	5
152	Results and follow-up after implantation of four or more sirolimus-eluting stents in the same patient. <i>Catheterization and Cardiovascular Interventions</i> , 2005, 64, 436-439.	1.7	5
153	A response to a misrepresentation of the STEMI guidelines: the response. <i>Heart</i> , 2013, 99, 1787-1788.	2.9	5
154	<b>The Randomized Physiologic Assessment of Thrombus Aspiration in Patients with Acute STâ€Segment Elevation Myocardial Infarction Trial (PATA STEMI):</b> Study Rationale and Design. <i>Journal of Interventional Cardiology</i> , 2014, 27, 341-347.	1.2	5
155	Application of the MADS classification system in a â€œmega mammothâ€-stent trial: Feasibility and preliminary clinical implications. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 57-63.	1.7	5
156	Upstream anticoagulation for patients with STâ€elevation myocardial infarction undergoing primary percutaneous coronary intervention: Insights from the TOTAL trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, 519-525.	1.7	5
157	Improvement of Maximal Exercise Performance After Catheterâ€Ablation of Atrial Fibrillation and Its Prognostic Significance for Longâ€Term Rhythm Outcome. <i>Journal of the American Heart Association</i> , 2021, 10, e017445.	3.7	5
158	Covered Stent to Exclude Intravascular Thrombus. <i>Journal of Endovascular Therapy</i> , 2002, 9, 246-249.	1.5	5
159	Role of genetic resources from different geographic and climatic regions in simultaneous breeding for high quality protein maize (HQPM) and stress tolerance. <i>Genetika</i> , 2012, 44, 13-23.	0.4	5
160	Kernel modifications and tryptophan content in QPM segregating generations. <i>Genetika</i> , 2010, 42, 267-277.	0.4	5
161	Definitions and Standardized Endpoints for Treatment of Coronary Bifurcations. <i>EuroIntervention</i> , 2023, 19, e807-e831.	3.2	5
162	Nothing is lower than 0, and 3 is closer to 0 than to 5â€”medicine is not arithmetic. <i>European Heart Journal</i> , 2002, 23, 840-842.	2.2	4

#	ARTICLE	IF	CITATIONS
163	A tortuous distal carotid artery: how to overcome the problem, with the aim of guaranteeing distal protection. <i>International Journal of Cardiovascular Interventions</i> , 2003, 5, 77-80.	0.5	4
164	Quantitative evaluation of collateral circulation in patients with previous myocardial infarction: relation to myocardial ischemia, angiographic appearance and functional improvement of myocardium. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 353-361.	1.5	4
165	CDKN2B gene expression is affected by 9p21.3 rs10757278 in CAD patients, six months after the MI. <i>Clinical Biochemistry</i> , 2019, 73, 70-76.	1.9	4
166	Impact on long-term mortality of access and non-access site bleeding after primary percutaneous coronary intervention. <i>Heart</i> , 2019, 105, 1568-1574.	2.9	4
167	The Full Revasc (Ffr-guidance for complete non-culprit REVASCularization) Registry-based randomized clinical trial. <i>American Heart Journal</i> , 2021, 241, 92-100.	2.7	4
168	Coronary bifurcation treatment revisited. <i>EuroIntervention</i> , 2015, 11, 850-851.	3.2	4
169	Drug-eluting or Bare-metal Stents for Left Anterior Descending or Left Main Coronary Artery Revascularization. <i>Journal of the American Heart Association</i> , 2021, 10, e018828.	3.7	4
170	Akutni koronarni sindrom. <i>Srce I Krvni Sudovi</i> , 2011, 30, 161-172.	0.1	4
171	An assessment of nutritional quality of hybrid maize grain based on chemical composition. <i>Genetika</i> , 2012, 44, 571-582.	0.4	4
172	Prognostic Role of Residual Thrombus Burden Following Thrombectomy: Insights From the TOTAL Trial. <i>Circulation: Cardiovascular Interventions</i> , 2022, 15, e011336.	3.9	4
173	B-type natriuretic peptide in outpatients after myocardial infarction: Optimized cut-off value for incident heart failure prediction. <i>Peptides</i> , 2010, 31, 1946-1948.	2.4	3
174	Intravascular Ultrasound and Fractional Flow Reserve in Assessment of the Intermediate Coronary Stenosis. <i>Journal of the American College of Cardiology</i> , 2013, 61, 924-925.	2.8	3
175	The role of manual aspiration thrombectomy in the management of STEMI: a TOTALly different TASTE of TAPAS. <i>Postepy W Kardiologii Interwencyjnej</i> , 2016, 1, 3-5.	0.2	3
176	Prognostic Significance of Atrial Fibrillation in Lower Limb Amputee Patients. <i>European Journal of Vascular and Endovascular Surgery</i> , 2016, 52, 823-829.	1.5	3
177	INCIDENCE AND PREDICTORS OF NO REFLOW PHENOMENON: INSIGHTS FROM THE TOTAL TRIAL. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1179.	2.8	3
178	Bare metal versus drug eluting stents for ST-segment elevation myocardial infarction in the TOTAL trial. <i>International Journal of Cardiology</i> , 2017, 248, 120-123.	1.7	3
179	Renal Sympathetic Denervation in Patients with Resistant Hypertension: A Feasibility Study. <i>Pulse</i> , 2018, 6, 137-143.	1.9	3
180	Atherosclerosis and coronary artery bifurcation lesions: Anatomy and flow characteristics. <i>Vojnosanitetski Pregled</i> , 2017, 74, 161-166.	0.2	3

#	ARTICLE	IF	CITATIONS
181	The EuroIntervention coronary bifurcation treatment supplement. EuroIntervention, 2015, 11, V9-V11.	3.2	3
182	Urgent hybrid approach in treatment of the acute myocardial infarction complicated by the ventricular septal rupture. Srpski Arhiv Za Celokupno Lekarstvo, 2014, 142, 226-228.	0.2	3
183	Left main PCI: are we giving the kiss the attention it deserves?. EuroIntervention, 2020, 16, 192-194.	3.2	3
184	Low or high pressure for stent deployment? Not always ?in medio stat virtus?. Catheterization and Cardiovascular Interventions, 2000, 50, 402-405.	1.7	2
185	Beta-radiation therapy for long lesions in native coronary vessels. Cardiovascular Radiation Medicine, 2003, 4, 18-24.	0.6	2
186	Predictive Value of Biphasic Response During Dipyridamole Echocardiography Test in the Low-risk Group of Patients After Acute Myocardial Infarction. Journal of the American Society of Echocardiography, 2005, 18, 1355-1361.	2.8	2
187	Complex Angioplasty up to Chronic Total Occlusion*. Herz, 2006, 31, 156-164.	1.1	2
188	Timing of invasive strategy in patients with non-ST-segment elevation acute coronary syndrome and effect on clinical outcomes. Journal of Thoracic Disease, 2017, 9, 4236-4239.	1.4	2
189	The association of glutathione S-transferase <i>T1</i> and <i>M1</i> deletions with myocardial infarction. Free Radical Research, 2021, 55, 267-274.	3.3	2
190	B-type Natriuretic Peptide and RISK-PCI Score in the Risk Assessment in Patients with STEMI Treated by Primary Percutaneous Coronary Intervention. Clinical Laboratory, 2016, 62, 317-25.	0.5	2
191	Gene expression profiling in response to heat and water stress in maize kernel. Genetika, 2003, 35, 139-147.	0.4	2
192	Genetic and biochemical characterization of parental inbred lines in marker assisted selection for quality protein maize. Genetika, 2014, 46, 579-590.	0.4	2
193	Percutaneous implantation of self-expandable aortic valve in high risk patients with severe aortic stenosis: The first experiences in Serbia. Vojnosanitetski Pregled, 2016, 73, 192-197.	0.2	2
194	Serbia: coronary and structural heart interventions from 2010 to 2015. EuroIntervention, 2017, 13, Z59-Z63.	3.2	2
195	Maize resistance to ear rot caused by Aspergillus parasiticus. Genetika, 2019, 51, 357-363.	0.4	2
196	Towards a common pathway for the treatment of left main disease: contemporary evidence and future directions. Asialntervention, 2021, 7, 85-95.	0.4	2
197	Coronary Flow Velocity Reserve Using Dobutamine Test for Noninvasive Functional Assessment of Myocardial Bridging. Journal of Clinical Medicine, 2022, 11, 204.	2.4	2
198	Main branch stent deformation following difficult side branch rewiring and balloon dilatation. Herz, 2010, 35, 582-588.	1.1	1

#	ARTICLE	IF	CITATIONS
199	In-Laboratory High-Dose Clopidogrel Loading. <i>Journal of the American College of Cardiology</i> , 2010, 56, 558-560.	2.8	1
200	Impact of access and nonaccess site bleeding measured by Bleeding Academic Research Consortium (BARC) criteria on long-term outcome in patients treated with primary percutaneous coronary intervention. <i>European Heart Journal</i> , 2013, 34, P1217-P1217.	2.2	1
201	Primary percutaneous coronary intervention for acute coronary syndrome due to stent thrombosis. <i>European Heart Journal</i> , 2013, 34, P1264-P1264.	2.2	1
202	Is there enough evidence for routine use of drug-eluting stents in acute myocardial infarction with ST segment elevation?. <i>Vojnosanitetski Pregled</i> , 2014, 71, 870-874.	0.2	1
203	The HACD4 haplotype as a risk factor for atherosclerosis in males. <i>Gene</i> , 2018, 641, 35-40.	2.2	1
204	EXCELLing in Left Main Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e007363.	3.9	1
205	Association of PHACTR1 intronic variants with the first myocardial infarction and their effect on PHACTR1 mRNA expression in PBMCs. <i>Gene</i> , 2021, 775, 145428.	2.2	1
206	Cutting balloon angioplasty for treatment of calcified coronary lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2001, 54, 473.	1.7	1
207	P2247 The use of the sirolimus drug-eluting stent for ?real life coronary lesions: the Milan experience?. <i>European Heart Journal</i> , 2003, 24, 429.	2.2	1
208	Cervical poorly differentiated adenocarcinoma with dominant choriocarcinomatous pattern: A case report. <i>Vojnosanitetski Pregled</i> , 2015, 72, 651-653.	0.2	1
209	Bifurcations and Branch Vessel Stenting. , 2012, , 270-287.		1
210	Contemporary techniques for coronary CTO revascularization. <i>Panminerva Medica</i> , 2017, 59, 47-66.	0.8	1
211	In memoriam Alfonso Medina Fernandez-Aceituno, MD, 1946-2017. Goodbye to a friend and to a 1,1,1 cardiologist. <i>EuroIntervention</i> , 2017, 13, 269-269.	3.2	1
212	Delivering ultimate bifurcation treatment. <i>Minerva Cardiology and Angiology</i> , 2018, 66, 489-507.	0.7	1
213	The retrograde technique for recanalization of chronically occluded coronary arteries: Case series report. <i>Vojnosanitetski Pregled</i> , 2022, 79, 503-509.	0.2	1
214	Impact of dual antiplatelet therapy duration on clinical outcome after coronary bifurcation stenting: results from the Euro Bifurcation Club registry. <i>Panminerva Medica</i> , 2022, , .	0.8	1
215	Provisional stenting in small vessels. <i>International Journal of Cardiovascular Interventions</i> , 2001, 4, 91-98.	0.5	0
216	Initial experience with a new 8 French compatible directional coronary atherectomy catheter: a comparison with GTO device. <i>Journal of the American College of Cardiology</i> , 2002, 39, 7.	2.8	0

#	ARTICLE	IF	CITATIONS
217	Directional atherectomy of a calcified lesion using a new atherectomy device. <i>Catheterization and Cardiovascular Interventions</i> , 2002, 56, 222-226.	1.7	0
218	Carotid Angioplasty and Stenting with Cerebral Protection. <i>The Neuroradiology Journal</i> , 2003, 16, 69-79.	0.1	0
219	Trial finds no evidence that directional coronary atherectomy prior to stenting has any benefit over stenting alone. <i>Evidence-based Cardiovascular Medicine</i> , 2004, 8, 225-226.	0.0	0
220	The Value of Selectivity – Editorials published in the <i>Journal of the American College of Cardiology</i> reflect the views of the authors and do not necessarily represent the views of JACC or the American College of Cardiology. <i>Journal of the American College of Cardiology</i> , 2006, 47, 719-720.	2.8	0
221	Intervenção coronariana percutânea (ICP) para pacientes estáveis: há algum benefício além do alívio dos sintomas?. <i>Arquivos Brasileiros De Cardiologia</i> , 2009, 93, 196-199.	0.8	0
222	Effects of immediate invasive strategy on occurrence of in-hospital major cardiovascular events in non-STEMI patients. <i>European Heart Journal</i> , 2013, 34, 5906-5906.	2.2	0
223	Final kissing balloon inflation does not improve long-term clinical outcome in patients with true bifurcation lesions treated with provisional stenting. <i>European Heart Journal</i> , 2013, 34, P3033-P3033.	2.2	0
224	Does mean platelet volume and platelet distribution width predict inadequate myocardial reperfusion in primary percutaneous coronary intervention?. <i>European Heart Journal</i> , 2013, 34, P1228-P1228.	2.2	0
225	Risk stratification for two-year mortality after primary percutaneous coronary intervention according to BARC bleeding classification. <i>European Heart Journal</i> , 2013, 34, P1285-P1285.	2.2	0
226	The randomized physiologic assessment of thrombus aspiration in patients with ST-segment Elevation acute Myocardial Infarction trial (PATA STEMI). <i>European Heart Journal</i> , 2013, 34, P455-P455.	2.2	0
227	Quantitative assessment of microcirculatory resistance in infarct-related and non-infarct-related coronary arteries in patients with ST-segment elevation myocardial infarction treated with primary PCI. <i>European Heart Journal</i> , 2013, 34, P1281-P1281.	2.2	0
228	Surgical treatment of hand vascular anomalies: A case report. <i>Vojnosanitetski Pregled</i> , 2014, 71, 73-77.	0.2	0
229	TCT-141 The Randomized Physiologic Assessment of Thrombus Aspiration in Patients with Acute Myocardial Infarction with ST-segment Elevation Trial. <i>Journal of the American College of Cardiology</i> , 2014, 64, B42-B43.	2.8	0
230	TCT-337 Quantitative assessment of microcirculatory resistance in infarct-related and non-infarct-related coronary arteries in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>Journal of the American College of Cardiology</i> , 2014, 64, B97.	2.8	0
231	Presence of early endothelial cells in aspirated coronary thrombi from patients with ST-elevation myocardial infarction - their association with angiographic outcomes. <i>Atherosclerosis</i> , 2015, 241, e211.	0.8	0
232	Reply. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 754.	2.9	0
233	Reply. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1416.	2.9	0
234	HACD4 haplotype confers risk of myocardial infarction among males in the population of Serbia. <i>Atherosclerosis</i> , 2018, 275, e210-e211.	0.8	0

#	ARTICLE	IF	CITATIONS
235	THE ROLE OF DOBUTAMINE IN THE HEMODYNAMIC ASSESSMENT OF MYOCARDIAL BRIDGING: CORRELATIONS BETWEEN STRESS-INDUCED MYOCARDIAL ISCHEMIA, FRACTIONAL FLOW RESERVE AND QUANTITATIVE CORONARY ANGIOGRAPHY MEASUREMENTS. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1163.	2.8	0
236	Prompt and consistent improvement of coronary flow velocity reserve following successful recanalization of the coronary chronic total occlusion in patients with viable myocardium. <i>Cardiovascular Ultrasound</i> , 2020, 18, 29.	1.6	0
237	Aggressiveness and trichothecene production of <i>Fusarium graminearum</i> isolates from cereals in Serbia. <i>Pesticidi I Fitomedicina = Pesticides and Phytomedicine</i> , 2021, 36, 1-13.	0.2	0
238	Computational Simulation, Bench Testing, and Modeling: Novel Tools to Strategize and Optimize Interventional Procedures. <i>Current Cardiovascular Imaging Reports</i> , 2021, 14, 1.	0.6	0
239	SEX DIFFERENCES IN HEART FAILURE FOLLOWING ACUTE CORONARY SYNDROMES. <i>Journal of the American College of Cardiology</i> , 2021, 77, 104.	2.8	0
240	OCT Guidance for Detection and Treatment of Free-Floating Struts Following Ostial LAD Stenting. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1376-1377.	2.9	0
241	Standardisation of techniques for bifurcation stenting optimisation: the journey continues. <i>EuroIntervention</i> , 2021, 17, 701-702.	3.2	0
242	P2251 Sirolimus-eluting stent implantation and occurrence of thrombosis: value of glycoprotein 2b/3a inhibitors. <i>European Heart Journal</i> , 2003, 24, 430.	2.2	0
243	P2255 Sirolimus-eluting stents in unprotected left main. <i>European Heart Journal</i> , 2003, 24, 431.	2.2	0
244	P2252 Rapamycine eluting stents for the treatment of in-stent restenosis: results from a single centre experience. <i>European Heart Journal</i> , 2003, 24, 430.	2.2	0
245	P2216 Estradiol coated stents for the prevention of restenosis in native coronary arteries: results. <i>European Heart Journal</i> , 2003, 24, 421.	2.2	0
246	P533 The 'crushing' stenting technique: a new technique for treatment of bifurcation lesions with drug-eluting stents. <i>European Heart Journal</i> , 2003, 24, 86.	2.2	0
247	Predictors of heart failure in patients treated with primary PCI for acute myocardial infarction: Short term 30-days follow-up. <i>Srce I Krvni Sudovi</i> , 2011, 30, 27-34.	0.1	0
248	Interventional approach to bifurcation lesions: Case presentation of TAP technique. <i>Srce I Krvni Sudovi</i> , 2011, 30, 51-54.	0.1	0
249	Complex pci intervention: Szabo technique in focus. <i>Srce I Krvni Sudovi</i> , 2011, 30, 62-65.	0.1	0
250	Glucose-insulin-potassium therapy in acute myocardial infarction: Ten years follow-up. <i>Srce I Krvni Sudovi</i> , 2015, 34, 163-173.	0.1	0
251	Is there a need for dedicated devices?. <i>EuroIntervention</i> , 2015, 11, V139-V142.	3.2	0
252	Significance of relative coronary flow reserve in patient with microvascular dysfunction to differentiate significant coronary artery stenosis. <i>Srce I Krvni Sudovi</i> , 2017, 36, 102-104.	0.1	0

#	ARTICLE	IF	CITATIONS
253	Left atrial appendage closure with Watchman device in prevention of thromboembolic complications in patients with atrial fibrillation: First experience in Serbia. <i>Vojnosanitetski Pregled</i> , 2017, 74, 378-385.	0.2	0
254	How should I treat recurrent restenosis with underexpanded multilayered struts after repeated complex bifurcation stenting?. <i>EuroIntervention</i> , 2017, 12, 1795-1798.	3.2	0
255	Treatment of Bifurcation Lesions by Bail-Out TAP or Culotte: Lost in Translation?. <i>Reviews on Recent Clinical Trials</i> , 2017, 12, 212-215.	0.8	0
256	Comparison of predictive value of five risk scores in patients with myocardial infarction treated with primary percutaneous coronary intervention. <i>Medicinski Podmladak</i> , 2018, 69, 28-35.	0.0	0
257	Fatal outcome in the patient with the suspected ectopic pregnancy and diagnosed epithelioid trophoblastic tumor. <i>Vojnosanitetski Pregled</i> , 2019, 76, 1082-1086.	0.2	0
258	Comparison of predictive value of risk scores regarding the short-term and long-term prognosis of patients with acute myocardial infarction treated with primary percutaneous coronary intervention. <i>Medicinski Podmladak</i> , 2020, 71, 13-19.	0.0	0
259	"The significant other": Evaluation of side branch ostial compromise in bifurcation stenting. <i>Cardiology Journal</i> , 2020, 27, 474-477.	1.2	0
260	Comparison of contrast induced nephropathy definitions and in-hospital mortality in patients undergoing primary percutaneous coronary intervention for acute myocardial infarction. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
261	Comparison of the FASTEST and the ZWOLLE risk scores for identification of very low-risk patients for all-cause mortality and MACE following primary PCI. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
262	A two year echocardiographic follow-up of patients with chronic total occlusion treated with percutaneous coronary intervention or receiving only medical therapy. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
263	Clinical characteristics and long-term mortality of patients with midrange ejection fraction undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
264	Echocardiographic assessment of the impact of percutaneous revascularisation of chronic total occlusion on myocardial function and electrical stability, two-year follow up period. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
265	Abstract 13648: Sex Differences in Modifiable Risk Factors and Severity of Coronary Artery Disease. <i>Circulation</i> , 2020, 142, .	1.6	0
266	Impact of a CTO in a non-infarct-related artery on long-term mortality in patients undergoing primary PCI. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
267	Prognostic impact of gender and young age in patients with acute myocardial infarction undergoing primary PCI. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
268	Prognostic impact of elevated baseline CRP levels in primary PCI-treated patients with residual cholesterol risk. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
269	Time-dependent improvement in coronary flow reserve in collateral donor artery following successful recanalization of the Coronary Chronic Total Occlusion. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
270	Characteristics, predictors and outcomes after unprotected left main stem primary percutaneous coronary intervention. <i>European Heart Journal</i> , 2020, 41, .	2.2	0



#	ARTICLE	IF	CITATIONS
271	Prognostic impact of atrial fibrillation in patients undergoing primary PCI with versus without left ventricular function impairment. <i>European Heart Journal</i> , 2020, 41, .	2.2	0
272	Risk factors, revascularization therapies and cardiovascular mortality in countries with middle and low public health expenditure. <i>European Heart Journal</i> , 2020, 41, .	2.2	0