List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6899862/publications.pdf

Version: 2024-02-01



**CORAN R STANKOVIÄ**†

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Definitions and Standardized Endpoints for Treatment of Coronary Bifurcations. EuroIntervention, 2023, 19, e807-e831.  | 3.2 | 5         |
| 2  | The retrograde technique for recanalization of chronically occluded coronary arteries: Case series report. Vojnosanitetski Pregled, 2022, 79, 503-509.   | 0.2 | 1         |
| 3  | Coronary Flow Velocity Reserve Using Dobutamine Test for Noninvasive Functional Assessment of Myocardial Bridging. Journal of Clinical Medicine, 2022, 11, 204.  | 2.4 | 2         |
| 4  | Impact of dual antiplatelet therapy duration on clinical outcome after coronary bifurcation stenting:<br>results from the Euro Bifurcation Club registry. Panminerva Medica, 2022, , .   | 0.8 | 1         |
| 5  | Prognostic Role of Residual Thrombus Burden Following Thrombectomy: Insights From the TOTAL<br>Trial. Circulation: Cardiovascular Interventions, 2022, 15, e011336.  | 3.9 | 4         |
| 6  | Treatment of coronary bifurcation lesions, part I: implanting the first stent in the provisional pathway. The 16th expert consensus document of the European Bifurcation Club. EuroIntervention, 2022, 18, e362-e376.          | 3.2 | 43        |
| 7  | Treatment of coronary bifurcation lesions, part II: implanting two stents. The 16th expert consensus document of the European Bifurcation Club. EuroIntervention, 2022, 18, 457-470.   | 3.2 | 42        |
| 8  | Definitions and Standardized Endpoints for Treatment of Coronary Bifurcations. Journal of the<br>American College of Cardiology, 2022, 80, 63-88.  | 2.8 | 25        |
| 9  | Physiological Approach for CoronaryÂArtery Bifurcation Disease. JACC: Cardiovascular Interventions, 2022, 15, 1297-1309.   | 2.9 | 8         |
| 10 | Aggressiveness and trichothecene production of Fusarium graminearum isolates from cereals in Serbia. Pesticidi I Fitomedicina = Pesticides and Phytomedicine, 2021, 36, 1-13.  | 0.2 | 0         |
| 11 | Randomized Controlled Comparison of Optimal Medical Therapy with Percutaneous Recanalization of Chronic Total Occlusion (COMET-CTO). International Heart Journal, 2021, 62, 16-22.   | 1.0 | 29        |
| 12 | Improvement of Maximal Exercise Performance After Catheterâ€Ablation of Atrial Fibrillation and Its<br>Prognostic Significance for Longâ€Term Rhythm Outcome. Journal of the American Heart Association,<br>2021, 10, e017445. | 3.7 | 5         |
| 13 | Percutaneous coronary intervention for bifurcation coronary lesions: the 15 <sup>th</sup><br>consensus document from the European Bifurcation Club. EuroIntervention, 2021, 16, 1307-1317.                                     | 3.2 | 147       |
| 14 | The association of glutathione S-transferase <i>T1</i> and <i>M1</i> deletions with myocardial infarction. Free Radical Research, 2021, 55, 267-274.   | 3.3 | 2         |
| 15 | Computational Simulation, Bench Testing, and Modeling: Novel Tools to Strategize and Optimize<br>Interventional Procedures. Current Cardiovascular Imaging Reports, 2021, 14, 1.   | 0.6 | Ο         |
| 16 | Association of PHACTR1 intronic variants with the first myocardial infarction and their effect on PHACTR1 mRNA expression in PBMCs. Gene, 2021, 775, 145428.   | 2.2 | 1         |
| 17 | SEX DIFFERENCES IN HEART FAILURE FOLLOWING ACUTE CORONARY SYNDROMES. Journal of the American College of Cardiology, 2021, 77, 104.   | 2.8 | 0         |
| 18 | Antithrombotic therapy after percutaneous coronary intervention of bifurcation lesions.<br>EuroIntervention, 2021, 17, 59-66.  | 3.2 | 21        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | The European bifurcation club Left Main Coronary Stent study: a randomized comparison of stepwise provisional vs. systematic dual stenting strategies (EBC MAIN). European Heart Journal, 2021, 42, 3829-3839.  | 2.2  | 119       |
| 20 | Prognostic impact of non-culprit chronic total occlusion over time in patients with ST-elevation<br>myocardial infarction treated with primary percutaneous coronary intervention. European Heart<br>Journal: Acute Cardiovascular Care, 2021, 10, 990-998. | 1.0  | 7         |
| 21 | Three dimensional reconstruction of coronary artery stents from optical coherence tomography: experimental validation and clinical feasibility. Scientific Reports, 2021, 11, 12252.  | 3.3  | 6         |
| 22 | OCT Guidance for Detection and Treatment of Free-Floating Struts Following Ostial LAD Stenting.<br>JACC: Cardiovascular Interventions, 2021, 14, 1376-1377.   | 2.9  | 0         |
| 23 | Functional Assessment of Myocardial Bridging With Conventional and Diastolic Fractional Flow<br>Reserve: Vasodilator Versus Inotropic Provocation. Journal of the American Heart Association, 2021,<br>10, e020597.   | 3.7  | 21        |
| 24 | Patient-specific computational simulation of coronary artery bifurcation stenting. Scientific Reports, 2021, 11, 16486.   | 3.3  | 13        |
| 25 | Dual Antiplatelet Therapy after PCI in Patients at High Bleeding Risk. New England Journal of Medicine, 2021, 385, 1643-1655.   | 27.0 | 247       |
| 26 | Abbreviated Antiplatelet Therapy in Patients at High Bleeding Risk With or Without Oral<br>Anticoagulant Therapy After Coronary Stenting: An Open-Label, Randomized, Controlled Trial.<br>Circulation, 2021, 144, 1196-1211.                                | 1.6  | 41        |
| 27 | The Full Revasc (Ffr-gUidance for compLete non-cuLprit REVASCularization) Registry-based randomized clinical trial. American Heart Journal, 2021, 241, 92-100.  | 2.7  | 4         |
| 28 | Standardisation of techniques for bifurcation stenting optimisation: the journey continues.<br>EuroIntervention, 2021, 17, 701-702.   | 3.2  | 0         |
| 29 | Drugâ€Eluting or Bareâ€Metal Stents for Left Anterior Descending or Left Main Coronary Artery<br>Revascularization. Journal of the American Heart Association, 2021, 10, e018828.   | 3.7  | 4         |
| 30 | Prognostic Value of Transthoracic Doppler Echocardiography Coronary Flow Velocity Reserve in<br>Patients With Asymmetric Hypertrophic Cardiomyopathy. Journal of the American Heart Association,<br>2021, 10, e021936.                                      | 3.7  | 12        |
| 31 | Towards a common pathway for the treatment of left main disease: contemporary evidence and future directions. AsiaIntervention, 2021, 7, 85-95.   | 0.4  | 2         |
| 32 | Clinical outcomes of the proximal optimisation technique (POT) in bifurcation stenting.<br>EuroIntervention, 2021, 17, e910-e918.   | 3.2  | 22        |
| 33 | Upstream anticoagulation for patients with STâ€elevation myocardial infarction undergoing primary percutaneous coronary intervention: Insights from the TOTAL trial. Catheterization and Cardiovascular Interventions, 2020, 96, 519-525.                   | 1.7  | 5         |
| 34 | Sex Differences in Modifiable Risk Factors and Severity of Coronary Artery Disease. Journal of the American Heart Association, 2020, 9, e017235.  | 3.7  | 32        |
| 35 | Self-reported treatment burden in patients with atrial fibrillation: quantification, major determinants, and implications for integrated holistic management of the arrhythmia. Europace, 2020, 22, 1788-1797.  | 1.7  | 18        |
| 36 | Drug coated balloons and their role in bifurcation coronary angioplasty: appraisal of the current evidence and future directions. Expert Review of Medical Devices, 2020, 17, 1021-1033   | 2.8  | 7         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Prior Beta-Blocker Therapy for Hypertension and Sex-Based Differences in Heart Failure Among<br>Patients With Incident Coronary Heart Disease. Hypertension, 2020, 76, 819-826.   | 2.7 | 19        |
| 38 | Prompt and consistent improvement of coronary flow velocity reserve following successful recanalization of the coronary chronic total occlusion in patients with viable myocardium. Cardiovascular Ultrasound, 2020, 18, 29.                | 1.6 | 0         |
| 39 | 3D reconstruction of coronary artery bifurcations from coronary angiography and optical coherence tomography: feasibility, validation, and reproducibility. Scientific Reports, 2020, 10, 18049.  | 3.3 | 19        |
| 40 | European Bifurcation Club white paper on stenting techniques for patients with bifurcated coronary artery lesions. Catheterization and Cardiovascular Interventions, 2020, 96, 1067-1079.   | 1.7 | 57        |
| 41 | Clinical Outcomes Following Coronary Bifurcation PCI Techniques. JACC: Cardiovascular<br>Interventions, 2020, 13, 1432-1444.  | 2.9 | 78        |
| 42 | The impact of the extent of side branch disease on outcomes following bifurcation stenting.<br>Catheterization and Cardiovascular Interventions, 2020, 96, E84-E92.   | 1.7 | 8         |
| 43 | Left main PCI: are we giving the kiss the attention it deserves?. EuroIntervention, 2020, 16, 192-194.  | 3.2 | 3         |
| 44 | Comparison of predictive value of risk scores regarding the short-term and long-term prognosis of patients with acute myocardial infarction treated with primary percutaneous coronary intervention. Medicinski Podmladak, 2020, 71, 13-19. | 0.0 | 0         |
| 45 | "The significant other": Evaluation of side branch ostial compromise in bifurcation stenting.<br>Cardiology Journal, 2020, 27, 474-477.   | 1.2 | Ο         |
| 46 | Comparison of contrast induced nephropathy definitions and in-hospital mortality in patients<br>undergoing primary percutaneous coronary intervention for acute myocardial infarction. European<br>Heart Journal, 2020, 41, .               | 2.2 | 0         |
| 47 | Comparison of the FASTEST and the ZWOLLE risk scores for identification of very low-risk patients for all-cause mortality and MACE following primary PCI. European Heart Journal, 2020, 41, .   | 2.2 | 0         |
| 48 | A two year echocardiographic follow-up of patients with chronic total occlusion treated with percutaneous coronary intervention or receiving only medical therapy. European Heart Journal, 2020, 41, .                                      | 2.2 | 0         |
| 49 | Clinical characteristics and long-term mortality of patients with midrange ejection fraction undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction. European Heart Journal, 2020, 41, .              | 2.2 | Ο         |
| 50 | Echocardiographic assessment of the impact of percutaneous revascularisation of chronic total<br>occlusion on myocardial function and electrical stability, two-year follow up period. European Heart<br>Journal, 2020, 41, .               | 2.2 | 0         |
| 51 | Abstract 13648: Sex Differences in Modifiable Risk Factors and Severity of Coronary Artery Disease.<br>Circulation, 2020, 142, .  | 1.6 | Ο         |
| 52 | Impact of a CTO in a non-infarct-related artery on long-term mortality in patients undergoing primary PCI. European Heart Journal, 2020, 41, .  | 2.2 | 0         |
| 53 | Prognostic impact of gender and young age in patients with acute myocardial infarction undergoing primary PCI. European Heart Journal, 2020, 41, .  | 2.2 | 0         |
| 54 | Prognostic impact of elevated baseline CRP levels in primary PCI-treated patients with residual cholesterol risk. European Heart Journal, 2020, 41, .   | 2.2 | 0         |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Time-dependent improvement in coronary flow reserve in collateral donor artery following<br>successful recanalization of the Coronary Chronic Total Occlusion. European Heart Journal, 2020,<br>41, .   | 2.2  | 0         |
| 56 | Characteristics, predictors and outcomes after unprotected left main stem primary percutaneous coronary intervention. European Heart Journal, 2020, 41, .   | 2.2  | 0         |
| 57 | Prognostic impact of atrial fibrillation in patients undergoing primary PCI with versus without left ventricular function impairment. European Heart Journal, 2020, 41, .   | 2.2  | 0         |
| 58 | Risk factors, revascularization therapies and cardiovascular mortality in countries with middle and low public health expenditure. European Heart Journal, 2020, 41, .  | 2.2  | 0         |
| 59 | fibrillation patients presenting with acute coronary syndrome and/or undergoing percutaneous<br>cardiovascular interventions: a joint consensus document of the European Heart Rhythm Association<br>(EHRA), European Society of Cardiology Working Group on Thrombosis, European Association of<br>Percutaneous Cardiovascular Interventions (EAPCI). and European Association of Acute Cardiac Care | 1.7  | 209       |
| 60 | (ACCA) endorsed by the Heart Rhythm So. Europace, 2019, 21, 192-193.<br>CDKN2B gene expression is affected by 9p21.3 rs10757278 in CAD patients, six months after the MI.<br>Clinical Biochemistry, 2019, 73, 70-76.  | 1.9  | 4         |
| 61 | Outcomes Among Clopidogrel, Prasugrel, and Ticagrelor in ST-Elevation Myocardial Infarction<br>Patients Who Underwent Primary Percutaneous Coronary Intervention From the TOTAL Trial.<br>Canadian Journal of Cardiology, 2019, 35, 1377-1385.  | 1.7  | 24        |
| 62 | Complete Revascularization with Multivessel PCI for Myocardial Infarction. New England Journal of Medicine, 2019, 381, 1411-1421.   | 27.0 | 542       |
| 63 | Effect of remote ischaemic conditioning on clinical outcomes in patients with acute myocardial infarction (CONDI-2/ERIC-PPCI): a single-blind randomised controlled trial. Lancet, The, 2019, 394, 1415-1424.   | 13.7 | 223       |
| 64 | Impact on long-term mortality of access and non-access site bleeding after primary percutaneous coronary intervention. Heart, 2019, 105, 1568-1574.   | 2.9  | 4         |
| 65 | Drug-eluting or bare-metal stents for percutaneous coronary intervention: a systematic review and individual patient data meta-analysis of randomised clinical trials. Lancet, The, 2019, 393, 2503-2510.   | 13.7 | 166       |
| 66 | THE ROLE OF DOBUTAMINE IN THE HEMODYNAMIC ASSESSMENT OF MYOCARDIAL BRIDGING: CORRELATIONS<br>BETWEEN STRESS-INDUCED MYOCARDIAL ISCHEMIA, FRACTIONAL FLOW RESERVE AND QUANTITATIVE<br>CORONARY ANGIOGRAPHY MEASUREMENTS. Journal of the American College of Cardiology, 2019, 73,<br>1163.   | 2.8  | 0         |
| 67 | Baseline Characteristics and Risk Profiles of Participants in the ISCHEMIA Randomized Clinical Trial.<br>JAMA Cardiology, 2019, 4, 273.   | 6.1  | 100       |
| 68 | The Prognostic Effect of Circadian Blood Pressure Pattern on Long-Term Cardiovascular Outcome Is<br>Independent of Left Ventricular Remodeling. Journal of Clinical Medicine, 2019, 8, 2126.  | 2.4  | 12        |
| 69 | Design and rationale of the Management of High Bleeding Risk Patients Post Bioresorbable Polymer<br>Coated Stent Implantation With an Abbreviated Versus Standard DAPT Regimen (MASTER DAPT) Study.<br>American Heart Journal, 2019, 209, 97-105.   | 2.7  | 53        |
| 70 | Mid-term outcomes after percutaneous interventions in coronary bifurcations. International Journal of Cardiology, 2019, 283, 78-83.   | 1.7  | 33        |
| 71 | Application of the MADS classification system in a "mega mammoth―stent trial: Feasibility and preliminary clinical implications. Catheterization and Cardiovascular Interventions, 2019, 93, 57-63.   | 1.7  | 5         |
| 72 | Randomised evaluation of a novel biodegradable polymer-based sirolimus-eluting stent in ST-segment elevation myocardial infarction: the MASTER study. EuroIntervention, 2019, 14, e1836-e1842.  | 3.2  | 14        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Joint consensus on the use of OCT in coronary bifurcation lesions by the European and Japanese bifurcation clubs. EuroIntervention, 2019, 14, e1568-e1577.  | 3.2 | 51        |
| 74 | Percutaneous coronary intervention for obstructive bifurcation lesions: the 14th consensus document from the European Bifurcation Club. EuroIntervention, 2019, 15, 90-98.  | 3.2 | 99        |
| 75 | Maize resistance to ear rot caused by Aspergillus parasiticus. Genetika, 2019, 51, 357-363.   | 0.4 | 2         |
| 76 | Fatal outcome in the patient with the suspected ectopic pregnancy and diagnosed epithelioid trophoblastic tumor. Vojnosanitetski Pregled, 2019, 76, 1082-1086.  | 0.2 | 0         |
| 77 | Clinical impact of direct stenting and interaction with thrombus aspiration in patients with ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention: Thrombectomy Trialists Collaboration. European Heart Journal, 2018, 39, 2472-2479.                     | 2.2 | 27        |
| 78 | The Presence of a CTO in a Non–Infarct-Related Artery During a STEMI Treated With Contemporary<br>Primary PCI Is Associated With Increased Rates of EarlyAand Late Cardiovascular Morbidity and<br>Mortality. JACC: Cardiovascular Interventions, 2018, 11, 709-711.                          | 2.9 | 23        |
| 79 | Sex Differences in Outcomes After STEMI. JAMA Internal Medicine, 2018, 178, 632.  | 5.1 | 183       |
| 80 | Prognostic Value of Transthoracic Doppler Echocardiography Coronary Flow Velocity Reserve in<br>Patients with Nonculprit Stenosis of Intermediate Severity Early after Primary Percutaneous<br>Coronary Intervention. Journal of the American Society of Echocardiography, 2018, 31, 880-887. | 2.8 | 13        |
| 81 | Three-Year Impact of Immediate Invasive Strategy in Patients With Non–ST-Segment Elevation<br>Myocardial Infarction (from the RIDDLE-NSTEMI Study). American Journal of Cardiology, 2018, 122,<br>54-60.  | 1.6 | 11        |
| 82 | The HACD4 haplotype as a risk factor for atherosclerosis in males. Gene, 2018, 641, 35-40.  | 2.2 | 1         |
| 83 | HACD4 haplotype confers risk of myocardial infarction among males in the population of Serbia.<br>Atherosclerosis, 2018, 275, e210-e211.  | 0.8 | 0         |
| 84 | Thrombus Aspiration in Patients With High Thrombus Burden in the TOTAL Trial. Journal of the American College of Cardiology, 2018, 72, 1589-1596.   | 2.8 | 67        |
| 85 | EXCELling in Left Main Intervention. Circulation: Cardiovascular Interventions, 2018, 11, e007363.  | 3.9 | 1         |
| 86 | Renal Sympathetic Denervation in Patients with Resistant Hypertension: A Feasibility Study. Pulse, 2018, 6, 137-143.  | 1.9 | 3         |
| 87 | Improved Propensity-Score Matched Long-Term Clinical Outcomes in Patients with Successful<br>Percutaneous Coronary Interventions of Coronary Chronic Total Occlusion. International Heart<br>Journal, 2018, 59, 719-726.  | 1.0 | 13        |
| 88 | Impacts of climatic conditions on aflatoxin B1 and fumonisins contamination of maize kernels and their co-occurrence. Biotechnology in Animal Husbandry, 2018, 34, 469-480.   | 0.3 | 11        |
| 89 | Assessment stability of maize lines yield by GGE-biplot analysis. Genetika, 2018, 50, 755-770.  | 0.4 | 11        |
| 90 | Bench testing and coronary artery bifurcations: a consensus document from the European Bifurcation Club. EuroIntervention, 2018, 13, e1794-e1803.   | 3.2 | 28        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Step-by-step manual for planning and performing bifurcation PCI: a resource-tailored approach.<br>EuroIntervention, 2018, 13, e1804-e1811.  | 3.2  | 12        |
| 92  | Percutaneous coronary intervention for the left main stem and other bifurcation lesions: 12th consensus document from the European Bifurcation Club. EuroIntervention, 2018, 13, 1540-1553.   | 3.2  | 185       |
| 93  | Intravascular ultrasound in the evaluation and treatment of left main coronary artery disease: a consensus statement from the European Bifurcation Club. EuroIntervention, 2018, 14, e467-e474.   | 3.2  | 60        |
| 94  | Percutaneous coronary intervention in left main coronary artery disease: the 13th consensus document from the European Bifurcation Club. EuroIntervention, 2018, 14, 112-120.   | 3.2  | 94        |
| 95  | Comparison of predictive value of five risk scores in patients with myocardial infarction treated with primary percutaneous coronary intervention. Medicinski Podmladak, 2018, 69, 28-35.   | 0.0  | 0         |
| 96  | Delivering ultimate bifurcation treatment. Minerva Cardiology and Angiology, 2018, 66, 489-507.   | 0.7  | 1         |
| 97  | 9-Month Clinical and Angiographic Outcomes of the COBRA Polyzene-F NanoCoated Coronary Stent System. JACC: Cardiovascular Interventions, 2017, 10, 160-167.   | 2.9  | 35        |
| 98  | Endothelial cell markers from clinician's perspective. Experimental and Molecular Pathology, 2017, 102, 303-313.  | 2.1  | 68        |
| 99  | INCIDENCE AND PREDICTORS OF NO REFLOW PHENOMENON: INSIGHTS FROM THE TOTAL TRIAL. Journal of the American College of Cardiology, 2017, 69, 1179.   | 2.8  | 3         |
| 100 | N-terminal pro-brain natriuretic peptide is related with coronary flow velocity reserve and diastolic<br>dysfunction in patients with asymmetric hypertrophic cardiomyopathy. Journal of Cardiology, 2017, 70,<br>323-328.                  | 1.9  | 25        |
| 101 | Thrombus Aspiration in ST-Segment–Elevation Myocardial Infarction. Circulation, 2017, 135, 143-152.   | 1.6  | 233       |
| 102 | Persistency of left atrial linear lesions after radiofrequency catheter ablation for atrial fibrillation:<br>Data from an invasive followâ€up electrophysiology study. Journal of Cardiovascular<br>Electrophysiology, 2017, 28, 1403-1414. | 1.7  | 13        |
| 103 | Bare metal versus drug eluting stents for ST-segment elevation myocardial infarction in the TOTAL trial. International Journal of Cardiology, 2017, 248, 120-123.   | 1.7  | 3         |
| 104 | Optimal timing of an invasive strategy in patients with non-ST-elevation acute coronary syndrome: a meta-analysis of randomised trials. Lancet, The, 2017, 390, 737-746.  | 13.7 | 160       |
| 105 | Acute Coronary Syndrome: The Risk to Young Women. Journal of the American Heart Association, 2017, 6, .   | 3.7  | 58        |
| 106 | Timing of invasive strategy in patients with non-ST-segment elevation acute coronary syndrome and effect on clinical outcomes. Journal of Thoracic Disease, 2017, 9, 4236-4239.   | 1.4  | 2         |
| 107 | Atherosclerosis and coronary artery bifurcation lesions: Anatomy and flow characteristics.<br>Vojnosanitetski Pregled, 2017, 74, 161-166.   | 0.2  | 3         |
| 108 | Quantitative angiography methods for bifurcation lesions: a consensus statement update from the European Bifurcation Club. EuroIntervention, 2017, 13, 115-123.   | 3.2  | 35        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Significance of relative coronary flow reserve in patient with microvascular dysfunction to differentiate significant coronary artery stenosis. Srce I Krvni Sudovi, 2017, 36, 102-104.  | 0.1 | Ο         |
| 110 | Left atrial appendage closure with Watchman device in prevention of thromboembolic complications<br>in patients with atrial fibrillation: First experience in Serbia. Vojnosanitetski Pregled, 2017, 74, 378-385.                                      | 0.2 | 0         |
| 111 | Contemporary techniques for coronary CTO revascularization. Panminerva Medica, 2017, 59, 47-66.  | 0.8 | 1         |
| 112 | How should I treat recurrent restenosis with underexpanded multilayered struts after repeated complex bifurcation stenting?. EuroIntervention, 2017, 12, 1795-1798.  | 3.2 | 0         |
| 113 | Serbia: coronary and structural heart interventions from 2010 to 2015. EuroIntervention, 2017, 13, Z59-Z63.  | 3.2 | 2         |
| 114 | In memoriam Alfonso Medina Fernandez-Aceituno, MD, 1946-2017. Goodbye to a friend and to a 1,1,1 cardiologist. EuroIntervention, 2017, 13, 269-269.  | 3.2 | 1         |
| 115 | Treatment of Bifurcation Lesions by Bail-Out TAP or Culotte: Lost in Translation?. Reviews on Recent<br>Clinical Trials, 2017, 12, 212-215.  | 0.8 | 0         |
| 116 | The role of manual aspiration thrombectomy in the management of STEMI: a TOTALly different TASTE of TAPAS. Postepy W Kardiologii Interwencyjnej, 2016, 1, 3-5.   | 0.2 | 3         |
| 117 | Prognostic Significance of Atrial Fibrillation in Lower Limb Amputee Patients. European Journal of<br>Vascular and Endovascular Surgery, 2016, 52, 823-829.  | 1.5 | 3         |
| 118 | Optical Coherence Tomography–Guided Percutaneous Coronary Intervention in ST-Segment–Elevation<br>Myocardial Infarction. Circulation: Cardiovascular Interventions, 2016, 9, e003414.  | 3.9 | 37        |
| 119 | Reply. JACC: Cardiovascular Interventions, 2016, 9, 754.   | 2.9 | 0         |
| 120 | Myocardial blush and microvascular reperfusion following manual thrombectomy during<br>percutaneous coronary intervention for ST elevation myocardial infarction: insights from the TOTAL<br>trial. European Heart Journal, 2016, 37, 1891-1898.       | 2.2 | 36        |
| 121 | Management and Outcome of Periprocedural Cardiac Perforation and Tamponade with<br>Radiofrequency Catheter Ablation of Cardiac Arrhythmias: A Single Medium-Volume Center Experience.<br>Advances in Therapy, 2016, 33, 1782-1796.                     | 2.9 | 23        |
| 122 | The EBC TWO Study (European Bifurcation Coronary TWO). Circulation: Cardiovascular<br>Interventions, 2016, 9, .  | 3.9 | 102       |
| 123 | Rotational Atherectomy in Clinical Practice. Circulation: Cardiovascular Interventions, 2016, 9, .   | 3.9 | 6         |
| 124 | Reply. JACC: Cardiovascular Interventions, 2016, 9, 1416.  | 2.9 | 0         |
| 125 | Co-expression of vascular and lymphatic endothelial cell markers on early endothelial cells present<br>in aspirated coronary thrombi from patients with ST-elevation myocardial infarction. Experimental<br>and Molecular Pathology, 2016, 100, 31-38. | 2.1 | 7         |
| 126 | Immediate Versus Delayed Invasive Intervention for Non-STEMI Patients. JACC: Cardiovascular<br>Interventions, 2016, 9, 541-549.  | 2.9 | 117       |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Outcomes after thrombus aspiration for ST elevation myocardial infarction: 1-year follow-up of the prospective randomised TOTAL trial. Lancet, The, 2016, 387, 127-135.   | 13.7 | 187       |
| 128 | Development of High Tryptophan Maize Near Isogenic Lines Adapted to Temperate Regions through<br>Marker Assisted Selection - Impediments and Benefits. PLoS ONE, 2016, 11, e0167635.  | 2.5  | 15        |
| 129 | Percutaneous coronary intervention for coronary bifurcation disease: 11th consensus document from the European Bifurcation Club. EuroIntervention, 2016, 12, 38-46.   | 3.2  | 181       |
| 130 | B-type Natriuretic Peptide and RISK-PCI Score in the Risk Assessment in Patients with STEMI Treated by Primary Percutaneous Coronary Intervention. Clinical Laboratory, 2016, 62, 317-25.   | 0.5  | 2         |
| 131 | Percutaneous implantation of self-expandable aortic valve in high risk patients with severe aortic stenosis: The first experiences in Serbia. Vojnosanitetski Pregled, 2016, 73, 192-197.   | 0.2  | 2         |
| 132 | Rationale, design, and baseline characteristics in Evaluation of LIXisenatide in Acute Coronary<br>Syndrome, a long-term cardiovascular end point trial of lixisenatide versus placebo. American Heart<br>Journal, 2015, 169, 631-638.e7.   | 2.7  | 88        |
| 133 | Culprit lesion thrombus burden after manual thrombectomy or percutaneous coronary intervention-alone in ST-segment elevation myocardial infarction: the optical coherence tomography sub-study of the TOTAL (ThrOmbecTomy versus PCI ALone) trial. European Heart Journal, 2015, 36, 1892-1900. | 2.2  | 60        |
| 134 | Presence of early endothelial cells in aspirated coronary thrombi from patients with ST-elevation myocardial infarction - their association with angiographic outcomes. Atherosclerosis, 2015, 241, e211.   | 0.8  | 0         |
| 135 | Stroke in the TOTAL trial: a randomized trial of routine thrombectomy vs. percutaneous coronary intervention alone in ST elevation myocardial infarction. European Heart Journal, 2015, 36, 2364-2372.  | 2.2  | 95        |
| 136 | Randomized Trial of Primary PCI with or without Routine Manual Thrombectomy. New England<br>Journal of Medicine, 2015, 372, 1389-1398.  | 27.0 | 536       |
| 137 | Timing of invasive strategy in NSTE-ACS patients and effect on clinical outcomes: A systematic review and meta-analysis of randomized controlled trials. Atherosclerosis, 2015, 241, 48-54.   | 0.8  | 39        |
| 138 | Biomechanical Modeling to Improve Coronary Artery Bifurcation Stenting. JACC: Cardiovascular<br>Interventions, 2015, 8, 1281-1296.  | 2.9  | 84        |
| 139 | Feasibility and repeatability of optical coherence tomography measurements of pre-stent thrombus<br>burden in patients with STEMI treated with primary PCI. European Heart Journal Cardiovascular<br>Imaging, 2015, 16, 96-107.   | 1.2  | 31        |
| 140 | Incidence, predictors and prognostic implications of bleeding complicating primary percutaneous coronary intervention. Vojnosanitetski Pregled, 2015, 72, 589-595.  | 0.2  | 13        |
| 141 | Cervical poorly differentiated adenocarcinoma with dominant choriocarcinomatous pattern: A case report. Vojnosanitetski Pregled, 2015, 72, 651-653.   | 0.2  | 1         |
| 142 | Dual antiplatelet therapy duration after coronary stenting in clinical practice: results of an EAPCI survey. EuroIntervention, 2015, 11, 68-74.   | 3.2  | 48        |
| 143 | Coronary bifurcation treatment revisited. EuroIntervention, 2015, 11, 850-851.  | 3.2  | 4         |
| 144 | The EuroIntervention coronary bifurcation treatment supplement. EuroIntervention, 2015, 11, V9-V11.   | 3.2  | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Technical aspects of the T And small Protrusion (TAP) technique. EuroIntervention, 2015, 11, V91-V95.  | 3.2 | 33        |
| 146 | When and how to use BRS in bifurcations?. EuroIntervention, 2015, 11, V185-V187.   | 3.2 | 6         |
| 147 | Glucose-insulin-potassium therapy in acute myocardial infarction: Ten years follow-up. Srce I Krvni<br>Sudovi, 2015, 34, 163-173.  | 0.1 | 0         |
| 148 | Is there a need for dedicated devices?. EuroIntervention, 2015, 11, V139-V142.   | 3.2 | 0         |
| 149 | Prognostic implications of bleeding measured by Bleeding Academic Research Consortium (BARC) categorisation in patients undergoing primary percutaneous coronary intervention. Heart, 2014, 100, 146-152.  | 2.9 | 24        |
| 150 | Surgical treatment of hand vascular anomalies: A case report. Vojnosanitetski Pregled, 2014, 71, 73-77.  | 0.2 | 0         |
| 151 | Is there enough evidence for routine use of drug-eluting stents in acute myocardial infarction with<br>ST segment elevation?. Vojnosanitetski Pregled, 2014, 71, 870-874.  | 0.2 | 1         |
| 152 | A novel framework for fluid/structure interaction in rapid subject specific simulations of blood flow in coronary artery bifurcations. Vojnosanitetski Pregled, 2014, 71, 285-292.   | 0.2 | 9         |
| 153 | <b>The Randomized Physiologic Assessment of Thrombus Aspiration in Patients with Acute STâ€Segment<br/>Elevation Myocardial Infarction Trial (PATA STEMI):</b> Study Rationale and Design. Journal of<br>Interventional Cardiology, 2014, 27, 341-347.   | 1.2 | 5         |
| 154 | Validation of a New Risk Score to Predict Contrast-Induced Nephropathy After Percutaneous<br>Coronary Intervention. American Journal of Cardiology, 2014, 113, 1487-1493.  | 1.6 | 39        |
| 155 | ORAl iMmunosuppressive therapy to prevent in-Stent rEstenosiS (RAMSES) cooperation: A patient-level meta-analysis of randomized trials. Atherosclerosis, 2014, 237, 410-417.   | 0.8 | 12        |
| 156 | TCT-141 The Randomized Physiologic Assessment of Thrombus Aspiration in Patients with Acute<br>Myocardial Infarction with ST-segment Elevation Trial. Journal of the American College of<br>Cardiology, 2014, 64, B42-B43.   | 2.8 | 0         |
| 157 | TCT-337 Quantitative assessment of microcirculatory resistance in infarct-related and non-infarct-related coronary arteries in patients with ST-segment elevation myocardial infarction tretaed with primary percutaneous coronary intervention. Journal of the American College of Cardiology 2014 64 897 | 2.8 | 0         |
| 158 | Percutaneous coronary intervention for coronary bifurcation disease: consensus from the first 10 years of the European Bifurcation Club meetings. EuroIntervention, 2014, 10, 545-560.   | 3.2 | 213       |
| 159 | Genetic and biochemical characterization of parental inbred lines in marker assisted selection for quality protein maize. Genetika, 2014, 46, 579-590.   | 0.4 | 2         |
| 160 | Urgent hybrid approach in treatment of the acute myocardial infarction complicated by the ventricular septal rupture. Srpski Arhiv Za Celokupno Lekarstvo, 2014, 142, 226-228.   | 0.2 | 3         |
| 161 | Regional Difference of Microcirculation in Patients withÂAsymmetric Hypertrophic Cardiomyopathy:<br>Transthoracic Doppler Coronary Flow Velocity Reserve Analysis. Journal of the American Society of<br>Echocardiography, 2013, 26, 775-782.  | 2.8 | 26        |
| 162 | Additive prognostic value of the SYNTAX score over GRACE, TIMI, ZWOLLE, CADILLAC and PAMI risk scores in patients with acute ST-segment elevation myocardial infarction treated by primary percutaneous coronary intervention. International Journal of Cardiovascular Imaging, 2013, 29, 1215-1228.       | 1.5 | 28        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Intravascular Ultrasound and Fractional Flow Reserve in Assessment of the Intermediate Coronary Stenosis. Journal of the American College of Cardiology, 2013, 61, 924-925.  | 2.8 | 3         |
| 164 | Impact of access and nonaccess site bleeding measured by Bleeding Academic Research Consortium<br>(BARC) criteria on long-term outcome in patients treated with primary percutaneous coronary<br>intervention. European Heart Journal, 2013, 34, P1217-P1217.  | 2.2 | 1         |
| 165 | Effects of immediate invasive strategy on occurrence of in-hospital major cardiovascular events in non-STEMI patients. European Heart Journal, 2013, 34, 5906-5906.  | 2.2 | 0         |
| 166 | Final kissing balloon inflation does not improve long-term clinical outcome in patients with true<br>bifurcation lesions treated with provisional stenting. European Heart Journal, 2013, 34, P3033-P3033.   | 2.2 | 0         |
| 167 | 2012 ESC STEMI guidelines and reperfusion therapy. Heart, 2013, 99, 1154-1156.   | 2.9 | 16        |
| 168 | A response to a misrepresentation of the STEMI guidelines: the response. Heart, 2013, 99, 1787-1788.   | 2.9 | 5         |
| 169 | Primary percutaneous coronary intervention for acute coronary syndrome due to stent thrombosis.<br>European Heart Journal, 2013, 34, P1264-P1264.  | 2.2 | 1         |
| 170 | Does mean platelet volume and platelet distribution width predict inadequate myocardial reperfision in primary percutaneous coronary intervention?. European Heart Journal, 2013, 34, P1228-P1228.   | 2.2 | 0         |
| 171 | Risk stratification for two-year mortality after primary percutaneous coronary intervention according to BARC bleeding classification. European Heart Journal, 2013, 34, P1285-P1285.  | 2.2 | Ο         |
| 172 | The randomized physiologic assessment of thrombus aspirtion in patients with ST-segment Elevation acute Myocardial Infarction trial (PATA STEMI). European Heart Journal, 2013, 34, P455-P455.   | 2.2 | 0         |
| 173 | Quantitative assessment of microcirculatory resistance in infarct-related and non-infarct-related coronary arteries in patients with ST-segment elevation myocardial infarction tretaed with primary PCI. European Heart Journal, 2013, 34, P1281-P1281.       | 2.2 | 0         |
| 174 | Consensus from the 7th European Bifurcation Club meeting. EuroIntervention, 2013, 9, 36-45.  | 3.2 | 102       |
| 175 | A 12-Year Follow-up Study of Patients With Newly Diagnosed Lone Atrial Fibrillation. Chest, 2012, 141, 339-347.  | 0.8 | 136       |
| 176 | Efficiency, Safety, and Longâ€Term Followâ€up of Retrograde Approach for CTO Recanalization: Initial<br>(Belgrade) Experience with International Proctorship. Journal of Interventional Cardiology, 2012, 25,<br>540-548.                                      | 1.2 | 16        |
| 177 | Gender-related differences in presentation, treatment and long-term outcome in patients with first-diagnosed atrial fibrillation and structurally normal heart: The Belgrade atrial fibrillation study. International Journal of Cardiology, 2012, 161, 39-44. | 1.7 | 64        |
| 178 | Role of genetic resources from different geographic and climatic regions in simultaneous breeding for high quality protein maize (HQPM) and stress tolerance. Genetika, 2012, 44, 13-23.   | 0.4 | 5         |
| 179 | Bifurcations and Branch Vessel Stenting. , 2012, , 270-287.  |     | 1         |
| 180 | An assessment of nutritional quality of hybryd maize grain based on chemical composition. Genetika, 2012, 44, 571-582.   | 0.4 | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Mitral Annular Calcification Predicts Cardiovascular Morbidity and Mortality in Middle-aged Patients<br>With Atrial Fibrillation. Chest, 2011, 140, 902-910.  | 0.8 | 43        |
| 182 | Predictors of heart failure in patients treated with primary PCI for acute myocardial infarction:<br>Short term 30-days follow-up. Srce I Krvni Sudovi, 2011, 30, 27-34.  | 0.1 | 0         |
| 183 | Akutni koronarni sindrom. Srce I Krvni Sudovi, 2011, 30, 161-172.   | 0.1 | 4         |
| 184 | Interventional approach to bifurcation lesions: Case presentation of TAP technique. Srce I Krvni<br>Sudovi, 2011, 30, 51-54.  | 0.1 | 0         |
| 185 | Complex pci intervention: Szabo technique in focus. Srce I Krvni Sudovi, 2011, 30, 62-65.   | 0.1 | 0         |
| 186 | Systemic rapamycin without loading dose for restenosis prevention after coronary bare metal stent implantation. Catheterization and Cardiovascular Interventions, 2010, 75, 317-325.  | 1.7 | 18        |
| 187 | The Use of Intracoronary Sodium Nitroprusside to Treat No-Reflow after Primary Percutaneous<br>Coronary Intervention in Acute Myocardial Infarction. Herz, 2010, 35, 114-118.   | 1.1 | 9         |
| 188 | Main branch stent deformation following difficult side branch rewiring and balloon dilatation.<br>Herz, 2010, 35, 582-588.  | 1.1 | 1         |
| 189 | Fractional flow reserve and myocardial viability as assessed by SPECT perfusion scintigraphy in patients with prior myocardial infarction. Journal of Nuclear Cardiology, 2010, 17, 817-824.  | 2.1 | 8         |
| 190 | In-Laboratory High-Dose Clopidogrel Loading. Journal of the American College of Cardiology, 2010, 56, 558-560.  | 2.8 | 1         |
| 191 | B-type natriuretic peptide in outpatients after myocardial infarction: Optimized cut-off value for incident heart failure prediction. Peptides, 2010, 31, 1946-1948.  | 2.4 | 3         |
| 192 | Consensus from the 5th European Bifurcation Club meeting. EuroIntervention, 2010, 6, 34-38.   | 3.2 | 138       |
| 193 | Definition and classification of bifurcation lesions and treatments. EuroIntervention, 2010, 6, J31-J35.  | 3.2 | 25        |
| 194 | Kernel modifications and tryptophan content in QPM segregating generations. Genetika, 2010, 42, 267-277.  | 0.4 | 5         |
| 195 | Intervenção coronariana percutânea (ICP) para pacientes estáveis: há algum benefÃcio além do alÃvio<br>dos sintomas?. Arquivos Brasileiros De Cardiologia, 2009, 93, 196-199.   | 0.8 | 0         |
| 196 | Quantitative evaluation of collateral circulation in patients with previous myocardial infarction:<br>relation to myocardial ischemia, angiographic appearance and functional improvement of<br>myocardium. International Journal of Cardiovascular Imaging, 2009, 25, 353-361. | 1.5 | 4         |
| 197 | Percutaneous coronary intervention for bifurcation lesions: 2008 consensus document from the fourth meeting of the European Bifurcation Club. EuroIntervention, 2009, 5, 39-49.   | 3.2 | 102       |
| 198 | The value of fractional and coronary flow reserve in predicting myocardial recovery in patients with previous myocardial infarction. European Heart Journal, 2008, 29, 2617-2624.   | 2.2 | 27        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Actual prestigious properties of maize inbred lines: A good initial basis for the efficient development of new and yielding maize hybrids. Genetika, 2008, 40, 121-133.   | 0.4 | 7         |
| 200 | Quality protein maize: QPM. Genetika, 2008, 40, 205-214.  | 0.4 | 7         |
| 201 | Frequency of Slow Coronary Flow Following Successful Stent Implantation and Effect of Nitroprusside. American Journal of Cardiology, 2007, 99, 916-920.   | 1.6 | 26        |
| 202 | Percutaneous coronary intervention of bifurcation lesions: state-of-the-art. Insights from the second meeting of the European Bifurcation Club. EuroIntervention, 2007, 3, 44-9.  | 3.2 | 26        |
| 203 | The Value of SelectivityâŽâŽEditorials published in the Journal of the American College of<br>Cardiologyreflect the views of the authors and do not necessarily represent the views of JACCor the<br>American College of Cardiology Journal of the American College of Cardiology, 2006, 47, 719-720. | 2.8 | 0         |
| 204 | Comparison of exercise, dobutamine-atropine and dipyridamole-atropine stress echocardiography in detecting coronary artery disease. Cardiovascular Ultrasound, 2006, 4, 22.   | 1.6 | 20        |
| 205 | Complex Angioplasty up to Chronic Total Occlusion*. Herz, 2006, 31, 156-164.  | 1.1 | 2         |
| 206 | Early Outcome of Treatment of Ostial De Novo Left Anterior Descending Coronary Artery Lesions<br>With Drug-Eluting Stents. American Journal of Cardiology, 2006, 97, 187-191.   | 1.6 | 25        |
| 207 | Comparison of Sirolimus Versus Paclitaxel Eluting Stents for Treatment of Coronary In-Stent<br>Restenosis. American Journal of Cardiology, 2006, 97, 1182-1187.   | 1.6 | 24        |
| 208 | Impact of Sirolimus-Eluting and Paclitaxel-Eluting Stents on Outcome in Patients With Diabetes<br>Mellitus and Stenting in More Than One Coronary Artery. American Journal of Cardiology, 2006, 98,<br>362-366.   | 1.6 | 43        |
| 209 | Percutaneous coronary intervention for bifurcation disease. A consensus view from the first meeting of the European Bifurcation Club. EuroIntervention, 2006, 2, 149-53.  | 3.2 | 48        |
| 210 | Effects of Glucose-Insulin-Potassium Infusion on ST-Elevation Myocardial Infarction in Patients<br>Treated With Thrombolytic Therapy. American Journal of Cardiology, 2005, 96, 1053-1058.  | 1.6 | 30        |
| 211 | Preliminary experience with the frontrunner coronary catheter: Novel device dedicated to mechanical revascularization of chronic total occlusions. Catheterization and Cardiovascular Interventions, 2005, 64, 146-152.   | 1.7 | 40        |
| 212 | Is overdilatation of 3.0 mm sirolimus-eluting stent associated with a higher restenosis rate?.<br>Catheterization and Cardiovascular Interventions, 2005, 64, 129-133.  | 1.7 | 13        |
| 213 | Results and follow-up after implantation of four or more sirolimus-eluting stents in the same patient.<br>Catheterization and Cardiovascular Interventions, 2005, 64, 436-439.  | 1.7 | 5         |
| 214 | Treating chronic total occlusions using subintimal tracking and reentry: The STAR Technique.<br>Catheterization and Cardiovascular Interventions, 2005, 64, 407-411.  | 1.7 | 243       |
| 215 | Early and Mid-Term Results of Drug-Eluting Stent Implantation in Unprotected Left Main. Circulation, 2005, 111, 791-795.  | 1.6 | 358       |
| 216 | Incidence, Predictors, and Outcome of Thrombosis After Successful Implantation of Drug-Eluting<br>Stents, IAMA - Journal of the American Medical Association, 2005, 293, 2126.  | 7.4 | 2,769     |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Predictive Value of Biphasic Response During Dipyridamole Echocardiography Test in the Low-risk<br>Group of Patients After Acute Myocardial Infarction. Journal of the American Society of<br>Echocardiography, 2005, 18, 1355-1361. | 2.8 | 2         |
| 218 | Angiographic patterns of restenosis after paclitaxel-eluting stent implantation. Journal of the<br>American College of Cardiology, 2005, 45, 805-806.  | 2.8 | 36        |
| 219 | Intraprocedural Stent Thrombosis During Implantation of Sirolimus-Eluting Stents. Circulation, 2004, 109, 2732-2736.   | 1.6 | 88        |
| 220 | Incidence, predictors, in-hospital, and late outcomes of coronary artery perforations. American<br>Journal of Cardiology, 2004, 93, 213-216.   | 1.6 | 103       |
| 221 | Comparison of diamond-like carbon-coated stents versus uncoated stainless steel stents in coronary artery disease. American Journal of Cardiology, 2004, 93, 474-477.  | 1.6 | 81        |
| 222 | Comparison of directional coronary atherectomy and stenting versus stenting alone for the treatment of de novo and restenotic coronary artery narrowing. American Journal of Cardiology, 2004, 93, 953-958.                          | 1.6 | 41        |
| 223 | Creatine kinase-myocardial band isoenzyme elevation after percutaneous coronary interventions using sirolimus-eluting stents. American Journal of Cardiology, 2004, 93, 1397-1401.   | 1.6 | 10        |
| 224 | Effectiveness of sirolimus-eluting stent implantation for treatment of in-stent restenosis after brachytherapy failure. American Journal of Cardiology, 2004, 94, 351-354.   | 1.6 | 18        |
| 225 | Treatment of multivessel coronary artery disease with sirolimus-eluting stent implantation:<br>immediate and mid-term results. Journal of the American College of Cardiology, 2004, 43, 1154-1160.                                   | 2.8 | 88        |
| 226 | Clinical and angiographic outcome after sirolimus-eluting stent implantation in aorto-ostial lesions.<br>Journal of the American College of Cardiology, 2004, 44, 967-971.   | 2.8 | 97        |
| 227 | Trial finds no evidence that directional coronary atherectomy prior to stenting has any benefit over stenting alone. Evidence-based Cardiovascular Medicine, 2004, 8, 225-226.   | 0.0 | Ο         |
| 228 | Beta-radiation therapy for long lesions in native coronary vessels. Cardiovascular Radiation Medicine, 2003, 4, 18-24.   | 0.6 | 2         |
| 229 | Effectiveness of treatment of in-stent restenosis with an 8-French compatible atherectomy catheter.<br>American Journal of Cardiology, 2003, 92, 725-728.  | 1.6 | 5         |
| 230 | A new dedicated stent and delivery system for the treatment of bifurcation lesions: Preliminary experience. Catheterization and Cardiovascular Interventions, 2003, 58, 34-42.   | 1.7 | 20        |
| 231 | Modified T-stenting technique with crushing for bifurcation lesions: Immediate results and 30-day outcome. Catheterization and Cardiovascular Interventions, 2003, 60, 145-151.  | 1.7 | 237       |
| 232 | Initial experience with a new 8 French-compatible directional atherectomy catheter: Immediate and mid-term results. Catheterization and Cardiovascular Interventions, 2003, 60, 159-166.   | 1.7 | 5         |
| 233 | A tortuous distal carotid artery: how to overcome the problem, with the aim of guaranteeing distal protection. International Journal of Cardiovascular Interventions, 2003, 5, 77-80.  | 0.5 | 4         |
| 234 | Randomized Evaluation of Polytetrafluoroethylene-Covered Stent in Saphenous Vein Grafts.<br>Circulation, 2003, 108, 37-42.   | 1.6 | 170       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Preliminary Observations Regarding Angiographic Pattern of Restenosis After Rapamycin-Eluting Stent<br>Implantation. Circulation, 2003, 107, 2178-2180.                             | 1.6 | 168       |
| 236 | The challenge of in-stent restenosis: insights from intravascular ultrasound. European Heart Journal, 2003, 24, 138-150.  | 2.2 | 12        |
| 237 | Carotid Angioplasty and Stenting with Cerebral Protection. The Neuroradiology Journal, 2003, 16, 69-79.   | 0.1 | Ο         |
| 238 | P2247 The use of the sirolimus drug-eluting stent for ?real life coronary lesions: the Milan experience?. European Heart Journal, 2003, 24, 429.                                    | 2.2 | 1         |
| 239 | Photosynthetic properties of erect leaf maize inbred lines as the efficient photo-model in breeding and seed production. Genetika, 2003, 35, 85-97.                                 | 0.4 | 7         |
| 240 | Gene expression profiling in response to heat and water stress in maize kernel. Genetika, 2003, 35, 139-147.  | 0.4 | 2         |
| 241 | P2251 Sirolimus-eluting stent implantation and occurrence of thrombosis: value of glycoprotein 2b/3a inhibitors. European Heart Journal, 2003, 24, 430.                             | 2.2 | 0         |
| 242 | P2255 Sirolimus-eluting stents in unprotected left main. European Heart Journal, 2003, 24, 431.   | 2.2 | 0         |
| 243 | P2252 Rapamycine eluting stents for the treatment of in-stent restenosis: results from a single centre experience. European Heart Journal, 2003, 24, 430.                           | 2.2 | 0         |
| 244 | P2216 Estradiol coated stents for the prevention of restenosis in native coronary arteries: results.<br>European Heart Journal, 2003, 24, 421.                                      | 2.2 | 0         |
| 245 | P533 The ?crushing? stenting technique: a new technique for treatment of bifurcation lesions with drug-eluting stents. European Heart Journal, 2003, 24, 86.                        | 2.2 | 0         |
| 246 | First Clinical Experience With a Paclitaxel Derivate–Eluting Polymer Stent System Implantation for<br>In-Stent Restenosis. Circulation, 2002, 105, 1883-1886.                       | 1.6 | 188       |
| 247 | Mechanism of Late In-Stent Restenosis After Implantation of a Paclitaxel Derivate–Eluting Polymer<br>Stent System in Humans. Circulation, 2002, 106, 2649-2651.                     | 1.6 | 253       |
| 248 | Nothing is lower than 0, and 3 is closer to 0 than to 5—medicine is not arithmetic. European Heart<br>Journal, 2002, 23, 840-842.   | 2.2 | 4         |
| 249 | Covered Stent to Exclude Intravascular Thrombus. Journal of Endovascular Therapy, 2002, 9, 246-249.   | 1.5 | 6         |
| 250 | Results and Long-Term Predictors of Adverse Clinical Events After Elective Percutaneous<br>Interventions on Unprotected Left Main Coronary Artery. Circulation, 2002, 106, 698-702. | 1.6 | 199       |
| 251 | In-stent restenosis in small coronary arteries. Journal of the American College of Cardiology, 2002, 40, 403-409.   | 2.8 | 244       |
| 252 | Selection of coronary stents. Journal of the American College of Cardiology, 2002, 40, 1021-1033.   | 2.8 | 127       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Initial experience with a new 8 French compatible directional coronary atherectomy catheter: a comparison with GTO device. Journal of the American College of Cardiology, 2002, 39, 7.  | 2.8 | Ο         |
| 254 | Outcome of nonobstructive residual dissections detected by intravascular ultrasound following percutaneous coronary intervention. American Journal of Cardiology, 2002, 89, 1257-1262.  | 1.6 | 38        |
| 255 | Outcome of treatment of aorto-ostial lesions involving the right coronary artery or a saphenous vein graft with a polytetrafluoroethylene- covered stent. American Journal of Cardiology, 2002, 90, 63-66.                    | 1.6 | 20        |
| 256 | Directional atherectomy of a calcified lesion using a new atherectomy device. Catheterization and Cardiovascular Interventions, 2002, 56, 222-226.  | 1.7 | 0         |
| 257 | Effective plaque removal with a new 8 French-compatible atherectomy catheter. Catheterization and Cardiovascular Interventions, 2002, 56, 452-459.  | 1.7 | 7         |
| 258 | Sirolimus-eluting stents: a review of experimental and clinical findings. Clinical Research in Cardiology, 2002, 91, 49-57.   | 1.1 | 27        |
| 259 | Covered Stent to Exclude Intravascular Thrombus. Journal of Endovascular Therapy, 2002, 9, 246-249.   | 1.5 | 5         |
| 260 | Provisional stenting in small vessels. International Journal of Cardiovascular Interventions, 2001, 4, 91-98.   | 0.5 | 0         |
| 261 | Dipyridamole-Atropine-Induced Myocardial Infarction in a Patient with Patent Epicardial Coronary<br>Arteries. Herz, 2001, 26, 485-488.  | 1.1 | 12        |
| 262 | Cutting balloon angioplasty for treatment of calcified coronary lesions. Catheterization and Cardiovascular Interventions, 2001, 54, 473-481.   | 1.7 | 43        |
| 263 | Efficiency of ergonovine echocardiography in detecting angiographically assessed coronary vasospasm. American Journal of Cardiology, 2001, 88, 1183-1187.   | 1.6 | 14        |
| 264 | Cutting balloon angioplasty for treatment of calcified coronary lesions. Catheterization and Cardiovascular Interventions, 2001, 54, 473.   | 1.7 | 1         |
| 265 | Low or high pressure for stent deployment? Not always ?in medio stat virtus?. Catheterization and<br>Cardiovascular Interventions, 2000, 50, 402-405.   | 1.7 | 2         |
| 266 | Cutting balloon angioplasty for in-stent restenosis. Catheterization and Cardiovascular<br>Interventions, 2000, 50, 480-483.  | 1.7 | 28        |
| 267 | Prediction of Restenosis After Coronary Angioplasty by Use of a New Index. Circulation, 2000, 101, 962-968.   | 1.6 | 38        |
| 268 | Integrated evaluation of relation between coronary lesion features and stress echocardiography<br>results: the importance of coronary lesion morphology. Journal of the American College of<br>Cardiology, 1999, 33, 717-726. | 2.8 | 51        |
| 269 | Coronary vasodilation without myocardial erection: Simultaneous haemodynamic,<br>echocardiographic and arteriographic findings during adenosine and dipyridamole infusion. European<br>Heart Journal, 1997, 18, 1166-1174.    | 2.2 | 17        |
| 270 | High Dose Adenosine Stress Echocardiography for Noninvasive Detection of Coronary Artery Disease.<br>Journal of the American College of Cardiology, 1996, 28, 1689-1695.  | 2.8 | 33        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Stress echocardiography in the detection of myocardial ischemia. Head-to-head comparison of exercise, dobutamine, and dipyridamole tests Circulation, 1994, 90, 1168-1176.               | 1.6 | 283       |
| 272 | Dipyridamole-dobutamine echocardiography: A novel test for the detection of milder forms of coronary artery disease. Journal of the American College of Cardiology, 1994, 23, 1115-1122. | 2.8 | 68        |