

Catherine Leclercq

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6901133/catherine-leclercq-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32
papers

1,133
citations

15
h-index

32
g-index

32
ext. papers

1,309
ext. citations

4
avg, IF

3.57
L-index

#	Paper	IF	Citations
32	The Italian National Food Consumption Survey INRAN-SCAI 2005-06: main results in terms of food consumption. <i>Public Health Nutrition</i> , 2009 , 12, 2504-32	3.3	289
31	The third Italian National Food Consumption Survey, INRAN-SCAI 2005-06--part 1: nutrient intakes in Italy. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 922-32	4.5	155
30	Food intake of European adolescents in the light of different food-based dietary guidelines: results of the HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) Study. <i>Public Health Nutrition</i> , 2012 , 15, 386-98	3.3	117
29	Association between self-reported sleep duration and dietary quality in European adolescents. <i>British Journal of Nutrition</i> , 2013 , 110, 949-59	3.6	50
28	The third National Food Consumption Survey, INRAN-SCAI 2005-06: major dietary sources of nutrients in Italy. <i>International Journal of Food Sciences and Nutrition</i> , 2013 , 64, 1014-21	3.7	48
27	Quantification of estragole in fennel herbal teas: implications on the assessment of dietary exposure to estragole. <i>Food and Chemical Toxicology</i> , 2011 , 49, 370-5	4.7	47
26	Intake of saccharin, aspartame, acesulfame K and cyclamate in Italian teenagers: present levels and projections. <i>Food Additives and Contaminants</i> , 1999 , 16, 99-109		44
25	Food composition issues--implications for the development of food-based dietary guidelines. <i>Public Health Nutrition</i> , 2001 , 4, 677-82	3.3	43
24	Physical Activity Is Associated with Attention Capacity in Adolescents. <i>Journal of Pediatrics</i> , 2016 , 168, 126-131.e2	3.6	42
23	Correlates of dietary energy misreporting among European adolescents: the Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. <i>British Journal of Nutrition</i> , 2016 , 115, 1439-52	3.6	41
22	Dietary animal and plant protein intakes and their associations with obesity and cardio-metabolic indicators in European adolescents: the HELENA cross-sectional study. <i>Nutrition Journal</i> , 2015 , 14, 10	4.3	40
21	Main characteristics and participation rate of European adolescents included in the HELENA study. <i>Archives of Public Health</i> , 2012 , 70, 14	2.6	35
20	Patterns of food and nutrient intakes in Italy and their application to the development of food-based dietary guidelines. <i>British Journal of Nutrition</i> , 1999 , 81 Suppl 2, S83-9	3.6	30
19	Quantitation of tr-cinnamaldehyde, safrole and myristicin in cola-flavoured soft drinks to improve the assessment of their dietary exposure. <i>Food and Chemical Toxicology</i> , 2013 , 59, 626-35	4.7	19
18	The relationship between frequency of carbohydrates intake and dental caries: a cross-sectional study in Italian teenagers. <i>Public Health Nutrition</i> , 2002 , 5, 553-60	3.3	19
17	Global comparison of national individual food consumption surveys as a basis for health research and integration in national health surveillance programmes. <i>Proceedings of the Nutrition Society</i> , 2017 , 76, 549-567	2.9	14
16	Associations of birth weight with serum long chain polyunsaturated fatty acids in adolescents; the HELENA study. <i>Atherosclerosis</i> , 2011 , 217, 286-91	3.1	13

15	Stochastic modelling of human exposure to food chemicals and nutrients within the "Montecarlo" project: an exploration of the influence of brand loyalty and market share on intake estimates of intense sweeteners from sugar-free soft drinks. <i>Toxicology Letters</i> , 2003 , 140-141, 443-57	4.4	12
14	Could Dietary Goals and Climate Change Mitigation Be Achieved Through Optimized Diet? The Experience of Modeling the National Food Consumption Data in Italy. <i>Frontiers in Nutrition</i> , 2020 , 7, 48	6.2	11
13	Intake and serum profile of fatty acids are weakly correlated with global dietary quality in European adolescents. <i>Nutrition</i> , 2013 , 29, 411-9.e1-3	4.8	11
12	Dietary and lifestyle quality indices with/without physical activity and markers of insulin resistance in European adolescents: the HELENA study. <i>British Journal of Nutrition</i> , 2013 , 110, 1919-25	3.6	10
11	Modelling framework for assessment of dietary exposure to added flavouring substances within the FACET (Flavours, Additives, and Food Contact Material Exposure Task) project. <i>Food and Chemical Toxicology</i> , 2013 , 58, 236-41	4.7	9
10	Overview of existing European food consumption databases: critical aspects in relation to their use for the assessment of dietary exposure to additives, flavourings and residues of food contact materials. <i>International Journal of Food Sciences and Nutrition</i> , 2011 , 62, 121-32	3.7	8
9	Dietary lipid intake only partially influences variance in serum phospholipid fatty acid composition in adolescents: impact of other dietary factors. <i>Lipids</i> , 2014 , 49, 881-93	1.6	6
8	Resting Heart Rate Is Not a Good Predictor of a Clustered Cardiovascular Risk Score in Adolescents: The HELENA Study. <i>PLoS ONE</i> , 2015 , 10, e0127530	3.7	4
7	Use of market share data to select food products for an occurrence survey on flavourings in eight EU countries within the FACET project. <i>International Journal of Food Sciences and Nutrition</i> , 2013 , 64, 768-79	3.7	3
6	Assessment of energy intake of infants exclusively fed with infant formulae available on the European market. <i>International Journal of Food Sciences and Nutrition</i> , 2009 , 60 Suppl 5, 212-9	3.7	3
5	Issues arising when methods used to assess dietary exposure to flavouring substances are compared. <i>Food and Chemical Toxicology</i> , 2007 , 45, 2336-7	4.7	3
4	Do dietary patterns determine levels of vitamin B, folate, and vitamin B intake and corresponding biomarkers in European adolescents? The Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. <i>Nutrition</i> , 2018 , 50, 8-17	4.8	3
3	A case study on the use of the Added Portions Exposure Technique (APET) to estimate total dietary exposure to flavouring substances. <i>Trends in Food Science and Technology</i> , 2013 , 32, 51-70	15.3	2
2	The 2018 Revision of Italian Dietary Guidelines: Development Process, Novelty, Main Recommendations, and Policy Implications.. <i>Frontiers in Nutrition</i> , 2022 , 9, 861526	6.2	2
1	Variability of Allyl Hexanoate Concentration in Pineapple-Flavored Beverages and Yogurts 2014 , 273-276		