

Erik F Smets

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6901244/publications.pdf>

Version: 2024-02-01

253
papers

9,137
citations

46918

47
h-index

79541

73
g-index

257
all docs

257
docs citations

257
times ranked

7660
citing authors

#	ARTICLE	IF	CITATIONS
1	Exploring genetic variation in the tomato (<i>Solanum</i> section <i>Lycopersicon</i>) clade by whole-genome sequencing. <i>Plant Journal</i> , 2014, 80, 136-148.	2.8	397
2	Aluminum Hyperaccumulation in Angiosperms: A Review of Its Phylogenetic Significance. <i>Botanical Review</i> , The, 2002, 68, 235-269.	1.7	222
3	Bacterial Leaf Symbiosis in Angiosperms: Host Specificity without Co-Speciation. <i>PLoS ONE</i> , 2011, 6, e24430.	1.1	174
4	Phylogeny of Cyperaceae Based on DNA Sequence Data: Current Progress and Future Prospects. <i>Botanical Review</i> , The, 2009, 75, 2-21.	1.7	169
5	Rapid radiation of <i>Impatiens</i> (Balsaminaceae) during Pliocene and Pleistocene: Result of a global climate change. <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 806-824.	1.2	161
6	What shapes amino acid and sugar composition in Mediterranean floral nectars?. <i>Oikos</i> , 2006, 115, 155-169.	1.2	149
7	Orbicules in angiosperms: Morphology, function, distribution, and relation with tapetum types. <i>Botanical Review</i> , The, 1998, 64, 240-272.	1.7	146
8	Changes in pit membrane porosity due to deflection and stretching: the role of vestured pits. <i>Journal of Experimental Botany</i> , 2004, 55, 1569-1575.	2.4	143
9	Phylogeny and biogeography of Balsaminaceae inferred from ITS sequences. <i>Taxon</i> , 2004, 53, 391-404.	0.4	133
10	Symbiotic diversity, specificity and distribution of rhizobia in native legumes of the Core Cape Subregion (South Africa). <i>FEMS Microbiology Ecology</i> , 2015, 91, 1-17.	1.3	131
11	Phylogenetics of <i>Impatiens</i> and <i>Hydrocera</i> (Balsaminaceae) Using Chloroplast <i>atpB-rbcL</i> Spacer Sequences. <i>Systematic Botany</i> , 2006, 31, 171-180.	0.2	112
12	Insular Woodiness on the Canary Islands: A Remarkable Case of Convergent Evolution. <i>International Journal of Plant Sciences</i> , 2013, 174, 992-1013.	0.6	104
13	Evolutionary dynamics and biogeography of <i>Musa</i> reveal a correlation between the diversification of the banana family and the geological and climatic history of Southeast Asia. <i>New Phytologist</i> , 2016, 210, 1453-1465.	3.5	103
14	A Plastid Gene Phylogeny Of the Yam Genus, <i>Dioscorea</i> : Roots, Fruits and Madagascar. <i>Systematic Botany</i> , 2005, 30, 736-749.	0.2	102
15	Phylogeny of Cyperaceae Based on DNA Sequence Data—a New <i>rbcL</i> Analysis. <i>Aliso</i> , 2007, 23, 72-83.	0.4	97
16	Variation in xylem structure from tropics to tundra: Evidence from vestured pits. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 8833-8837.	3.3	92
17	Aluminium Accumulation in Leaves of 127 Species in Melastomataceae, with Comments on the Order Myrtales. <i>Annals of Botany</i> , 2002, 90, 53-64.	1.4	91
18	Phylogeny and evolution of Burmanniaceae (Dioscoreales) based on nuclear and mitochondrial data. <i>American Journal of Botany</i> , 2006, 93, 1684-1698.	0.8	86

#	ARTICLE	IF	CITATIONS
19	Summer temperature increase has distinct effects on the ectomycorrhizal fungal communities of moist tussock and dry tundra in Arctic Alaska. <i>Global Change Biology</i> , 2015, 21, 959-972.	4.2	83
20	The evolution and function of vessel and pit characters with respect to cavitation resistance across 10 <i>Prunus</i> species. <i>Tree Physiology</i> , 2013, 33, 684-694.	1.4	82
21	Does temperature stress induce nectar secretion in Mediterranean plants?. <i>New Phytologist</i> , 1996, 133, 513-518.	3.5	77
22	CARNOY: A new digital measurement tool for palynology. <i>Grana</i> , 2002, 41, 124-126.	0.4	77
23	Complex polyandry in the Magnoliatae: definition, distribution and systematic value. <i>Nordic Journal of Botany</i> , 1992, 12, 621-649.	0.2	75
24	Man and environment in the territory of Sagalassos, a classical city in SW Turkey. <i>Quaternary Science Reviews</i> , 1999, 18, 697-709.	1.4	74
25	Phylogeny of the Herbaceous Tribe Spermaceae (Rubiaceae) Based on Plastid DNA Data. <i>Annals of the Missouri Botanical Garden</i> , 2009, 96, 109-132.	1.3	74
26	Long-term warming alters richness and composition of taxonomic and functional groups of arctic fungi. <i>FEMS Microbiology Ecology</i> , 2015, 91, fiv095.	1.3	72
27	Biogeographical Patterns of Legume-Nodulating Burkholderia spp.: from African Fynbos to Continental Scales. <i>Applied and Environmental Microbiology</i> , 2016, 82, 5099-5115.	1.4	71
28	Staminodes: Their morphological and evolutionary significance. <i>Botanical Review</i> , The, 2001, 67, 351-402.	1.7	68
29	Experimental Design Criteria in Phylogenetics: Where to Add Taxa. <i>Systematic Biology</i> , 2007, 56, 609-622.	2.7	65
30	Phylogenetic significance of leaf micromorphology and anatomy in the tribe Mentheae (Nepetoideae). <i>Tj ETQqO O Q,rgBT /Overlock 10 T</i>	0.8	65
31	Identification of the bacterial endosymbionts in leaf nodules of Pavetta (Rubiaceae). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 202-209.	0.8	62
32	Intervascular pit membranes with a torus in the wood of Ulmus (Ulmaceae) and related genera. <i>New Phytologist</i> , 2004, 163, 51-59.	3.5	61
33	Change in floral nectar components from fresh to senescent flowers of Capparis spinosa (Capparidaceae), a nocturnally flowering Mediterranean shrub. <i>Plant Systematics and Evolution</i> , 1996, 199, 79-92.	0.3	60
34	Diversification of myco-heterotrophic angiosperms: evidence from Burmanniaceae. <i>BMC Evolutionary Biology</i> , 2008, 8, 178.	3.2	58
35	World Flora Online: Placing taxonomists at the heart of a definitive and comprehensive global resource on the world's plants. <i>Taxon</i> , 2020, 69, 1311-1341.	0.4	58
36	A Comparative Study of Metal Levels in Leaves of Some Al-accumulating Rubiaceae. <i>Annals of Botany</i> , 2003, 91, 657-663.	1.4	57

#	ARTICLE	IF	CITATIONS
37	Mycoheterotrophic interactions are not limited to a narrow phylogenetic range of arbuscular mycorrhizal fungi. <i>Molecular Ecology</i> , 2012, 21, 1524-1532.	2.0	57
38	Conflicting phylogenies of balsaminoid families and the polytomy in Ericales: combining data in a Bayesian framework. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 711-729.	1.2	55
39	Palynological Characters and Their Phylogenetic Signal in Rubiaceae. <i>Botanical Review, The</i> , 2005, 71, 354-414.	1.7	55
40	What is a Genus in Cyperaceae: Phylogeny, Character Homology Assessment and Generic Circumscription in Cyperaceae. <i>Botanical Review, The</i> , 2009, 75, 52-66.	1.7	55
41	Late Holocene Environmental Change and the Record of Human Impact at Gravgaz near Sagalassos, Southwest Turkey. <i>Journal of Archaeological Science</i> , 2000, 27, 571-595.	1.2	54
42	Petaloidy and petal identity MADS-box genes in the balsaminoid genera <i>Impatiens</i> and <i>Marcgravia</i> . <i>Plant Journal</i> , 2006, 47, 501-518.	2.8	54
43	Bias and conflict in phylogenetic inference of mycoheterotrophic plants: a case study in Thismiaceae. <i>Cladistics</i> , 2009, 25, 64-77.	1.5	54
44	Vestured pits: their occurrence and systematic importance in eudicots. <i>Taxon</i> , 2001, 50, 135-167.	0.4	53
45	The potential of marginal lands for bees and apiculture: nectar secretion in Mediterranean shrublands. <i>Apidologie</i> , 1995, 26, 39-52.	0.9	52
46	Exploring the evolutionary origin of floral organs of <i>Erycina pusilla</i> , an emerging orchid model system. <i>BMC Evolutionary Biology</i> , 2017, 17, 89.	3.2	52
47	Characterization of the papilionoid-Burkholderia interaction in the Fynbos biome: The diversity and distribution of beta-rhizobia nodulating <i>Podalyria calyptata</i> (Fabaceae, Podalyriaceae). <i>Systematic and Applied Microbiology</i> , 2016, 39, 41-48.	1.2	51
48	Long-term experimental warming alters community composition of ascomycetes in Alaskan moist and dry arctic tundra. <i>Molecular Ecology</i> , 2015, 24, 424-437.	2.0	50
49	The distribution and the systematic relevance of the androecial characters oligomery and polymery in the Magnoliophytina. <i>Nordic Journal of Botany</i> , 1987, 7, 239-253.	0.2	49
50	Ecological trends in the wood anatomy of Vaccinioideae (Ericaceae s.l.). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2004, 199, 309-319.	0.6	49
51	Phylogenetic utility of the AP3/DEF K-domain and its molecular evolution in <i>Impatiens</i> (Balsaminaceae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 225-239.	1.2	49
52	Stem anatomy supports <i>Arabidopsis thaliana</i> as a model for insular woodiness. <i>New Phytologist</i> , 2012, 193, 12-17.	3.5	48
53	The Search for Common Origin: Homology Revisited. <i>Systematic Biology</i> , 2019, 68, 767-780.	2.7	48
54	Aluminium Accumulation in Leaves of Rubiaceae: Systematic and Phylogenetic Implications. <i>Annals of Botany</i> , 2000, 85, 91-101.	1.4	46

#	ARTICLE	IF	CITATIONS
55	Pollen morphology of Dioscorea (Dioscoreaceae) and its relation to systematics. Botanical Journal of the Linnean Society, 2003, 143, 375-390.	0.8	46
56	Insular woody daisies (<i>Argyranthemum</i> , Asteraceae) are more resistant to drought-induced hydraulic failure than their herbaceous relatives. Functional Ecology, 2018, 32, 1467-1478.	1.7	46
57	A Search for Phylogenetically Informative Pollen Characters in the Subtribe Salviinae (Menthae: Tj ETQq1 1 0.784314 rgBT /Overlock 0.6 45	0.6	45
58	Systematic significance of fruit morphology and anatomy in tribes Persicarieae and Polygoneae (Polygonaceae). Botanical Journal of the Linnean Society, 2000, 134, 301-337.	0.8	44
59	Comparative pollen morphology and ultrastructure of Menthae subtribe Nepetinae (Lamiaceae). Review of Palaeobotany and Palynology, 2008, 149, 174-186.	0.8	44
60	Spikelet structure and development in Cyperoideae (Cyperaceae): a monopodial general model based on ontogenetic evidence. Annals of Botany, 2010, 105, 555-571.	1.4	44
61	Floral ontogeny and anatomy in Koeleria with special emphasis on monosymmetry and septal cavities. Plant Systematics and Evolution, 2000, 223, 91-107.	0.3	43
62	Systematic value of tapetal orbicules: a preliminary survey of the Cinchonoideae (Rubiaceae). Canadian Journal of Botany, 1997, 75, 815-826.	1.2	42
63	A plastid DNA phylogeny of tribe Miliuseae: Insights into relationships and character evolution in one of the most recalcitrant major clades of Annonaceae. American Journal of Botany, 2014, 101, 691-709.	0.8	42
64	Anchored hybrid enrichment generated nuclear, plastid and mitochondrial markers resolve the <i>Lepanthes horrida</i> (Orchidaceae: Pleurothallidinae) species complex. Molecular Phylogenetics and Evolution, 2018, 129, 27-47.	1.2	42
65	Tribal Relationships in Caprifoliaceae: Evidence from a Cladistic Analysis Using ndhF Sequences. Systematics and Geography of Plants, 1999, 69, 145.	0.1	41
66	Vestured Pits: Do They Promote Safer Water Transport?. International Journal of Plant Sciences, 2003, 164, 405-413.	0.6	41
67	DÃ©doublement revisited: towards a renewed interpretation of the androecium of the Magnoliophytina. Botanical Journal of the Linnean Society, 1993, 113, 103-124.	0.8	40
68	Pseudodiplostemony, and its implications for the evolution of the androecium in the Caryophyllaceae. Journal of Plant Research, 1998, 111, 25-43.	1.2	40
69	The potential role of orbicules as a vector of allergens. Allergy: European Journal of Allergy and Clinical Immunology, 2001, 56, 1129-1136.	2.7	40
70	Morphology of pollen and orbicules in some Dioscorea species and its systematic implications. Botanical Journal of the Linnean Society, 2001, 136, 295-311.	0.8	40
71	Pollen of African Spermaceae species (Rubiaceae) Morphology and evolutionary aspects. Grana, 2002, 41, 69-89.	0.4	40
72	The role of wood anatomy in phylogeny reconstruction of Ericales. Cladistics, 2007, 23, 229-294.	1.5	40

#	ARTICLE	IF	CITATIONS
73	A Floral Ontogenetic Approach to Questions of Homology within the Cyperoideae (Cyperaceae). <i>Botanical Review</i> , The, 2009, 75, 30-51.	1.7	40
74	New insights in the long-debated evolutionary history of Triuridaceae (Pandanales). <i>Molecular Phylogenetics and Evolution</i> , 2013, 69, 994-1004.	1.2	40
75	Phylogeny of the Linnaea clade: Are Abelia and Zabelia closely related?. <i>Molecular Phylogenetics and Evolution</i> , 2010, 57, 741-752.	1.2	39
76	Ancient Gondwana break-up explains the distribution of the mycoheterotrophic family Corsiaceae (Liliales). <i>Journal of Biogeography</i> , 2015, 42, 1123-1136.	1.4	39
77	Recombination and horizontal transfer of nodulation and ACC deaminase (<i>acdS</i>) genes within <i>Alpha</i> - and <i>Betaproteobacteria</i> nodulating legumes of the Cape Fynbos biome. <i>FEMS Microbiology Ecology</i> , 2015, 91, fiv118.	1.3	39
78	Palynological evolutionary trends within the tribe Mentheae with special emphasis on subtribe Menthinae (Nepetoideae: Lamiaceae). <i>Plant Systematics and Evolution</i> , 2008, 275, 93-108.	0.3	38
79	Pistillata "Duplications as a Mode for Floral Diversification in (Basal) Asterids. <i>Molecular Biology and Evolution</i> , 2009, 26, 2627-2645.	3.5	38
80	Rate accelerations in nuclear 18S rDNA of mycoheterotrophic and parasitic angiosperms. <i>Journal of Plant Research</i> , 2011, 124, 561-576.	1.2	38
81	The Effect of Nutrient and Water Availability on Nectar Secretion and Nectary Structure of the Dominant Labiatae Species of Phrygana. <i>Systematics and Geography of Plants</i> , 1999, 68, 233.	0.1	37
82	Phylogenetic relationships of the mycoheterotrophic genus <i>Voyria</i> and the implications for the biogeographic history of Gentianaceae. <i>American Journal of Botany</i> , 2013, 100, 712-721.	0.8	37
83	Vestures in Woody Plants: A Review. <i>IAWA Journal</i> , 1998, 19, 347-382.	2.7	36
84	Morphology and ultrastructure of orbicules in the subfamily Ixoroideae (Rubiaceae). <i>Review of Palaeobotany and Palynology</i> , 2000, 108, 151-174.	0.8	36
85	Pollen morphology of NW European representatives confirms monophyly of Rubieae (Rubiaceae). <i>Review of Palaeobotany and Palynology</i> , 2003, 127, 219-240.	0.8	36
86	Micromorphology and Character Evolution of Nutlets in Tribe Mentheae (Nepetoideae, Lamiaceae). <i>Systematic Botany</i> , 2009, 34, 760-776.	0.2	36
87	Phylogeny of <i>Tricalysia</i> (Rubiaceae) and its Relationships with Allied Genera Based on Plastid DNA Data: Resurrection of the Genus <i>Empogona</i> . <i>Annals of the Missouri Botanical Garden</i> , 2009, 96, 194-213.	1.3	36
88	Age and historical biogeography of the pantropically distributed Spathelioideae (Rutaceae.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 T</i>	1.4	36
89	Long-term increase in snow depth leads to compositional changes in arctic ectomycorrhizal fungal communities. <i>Global Change Biology</i> , 2016, 22, 3080-3096.	4.2	36
90	The impact of receptacular growth on polyandry in the Myrtales. <i>Botanical Journal of the Linnean Society</i> , 1991, 105, 257-269.	0.8	35

#	ARTICLE	IF	CITATIONS
91	A SURVEY OF THE SYSTEMATIC WOOD ANATOMY OF THE RUBIACEAE. <i>IAWA Journal</i> , 2002, 23, 1-67.	2.7	35
92	Morphology and development of spikelets and flowers in <i>Cyperus</i> and <i>Pycreus</i> (Cyperaceae). <i>Plant Ecology and Evolution</i> , 2011, 144, 44-63.	0.3	35
93	The floral development of <i>Popowia whitei</i> (Annonaceae). <i>Nordic Journal of Botany</i> , 1990, 10, 411-420.	0.2	34
94	<i>Theligonum cynocrambe</i> : Developmental morphology of a peculiar rubiaceous herb. <i>Plant Systematics and Evolution</i> , 1998, 210, 1-24.	0.3	34
95	Relationships within balsaminoid Ericales: a wood anatomical approach. <i>American Journal of Botany</i> , 2005, 92, 941-953.	0.8	34
96	The multiple fuzzy origins of woodiness within Balsaminaceae using an integrated approach. Where do we draw the line?. <i>Annals of Botany</i> , 2012, 109, 783-799.	1.4	34
97	The flora phenotype ontology (FLOPO): tool for integrating morphological traits and phenotypes of vascular plants. <i>Journal of Biomedical Semantics</i> , 2016, 7, 65.	0.9	34
98	Scalariform-to-simple transition in vessel perforation plates triggered by differences in climate during the evolution of Adoxaceae. <i>Annals of Botany</i> , 2016, 118, 1043-1056.	1.4	34
99	Compositional and functional shifts in arctic fungal communities in response to experimentally increased snow depth. <i>Soil Biology and Biochemistry</i> , 2016, 100, 201-209.	4.2	34
100	A histological study of microsporogenesis in <i>Tarenna gracilipes</i> (Rubiaceae). <i>Grana</i> , 2005, 44, 30-44.	0.4	33
101	Phylogeny, evolutionary trends and classification of the <i>Spathelia</i> – <i>Ptaeroxylon</i> clade: morphological and molecular insights. <i>Annals of Botany</i> , 2011, 107, 1259-1277.	1.4	33
102	The Floral Nectaries of <i>Polygonum</i> s.l. and related genera (Persicarieae and Polygoneae) : Position, Morphological Nature and Semophylesis. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 1991, 185, 165-185.	0.6	32
103	Embolism resistance in stems of herbaceous Brassicaceae and Asteraceae is linked to differences in woodiness and precipitation. <i>Annals of Botany</i> , 2019, 124, 1-14.	1.4	32
104	A floral ontogenetic study on the sister group relationship between the genus <i>Samolus</i> (Primulaceae) and the Theophrastaceae. <i>American Journal of Botany</i> , 2004, 91, 627-643.	0.8	31
105	Floral development in three species of <i>Impatiens</i> (Balsaminaceae). <i>American Journal of Botany</i> , 2006, 93, 1-14.	0.8	31
106	Phylogeny of tribe Mentheae (Lamiaceae): The story of molecules and micromorphological characters. <i>Taxon</i> , 2010, 59, 1065-1076.	0.4	31
107	A comparison of paraffin and resin-based techniques used in bark anatomy. <i>Taxon</i> , 2011, 60, 841-851.	0.4	31
108	Dispersing towards Madagascar: Biogeography and evolution of the Madagascan endemics of the Spermaceae tribe (Rubiaceae). <i>Molecular Phylogenetics and Evolution</i> , 2016, 95, 58-66.	1.2	31

#	ARTICLE	IF	CITATIONS
109	Pollen morphological support for the Catesbaeeae-Chiococceae-Exostema-complex (Rubiaceae). Grana, 1999, 38, 325-338.	0.4	30
110	Floral Development of Three <i>Maesa</i> Species, with Special Emphasis on the Position of the Genus within Primulales. Annals of Botany, 2000, 86, 87-97.	1.4	30
111	Orbicules in Flowering Plants: A Phylogenetic Perspective on their Form and Function. Botanical Review, The, 2014, 80, 107-134.	1.7	30
112	Endophytic Bacteria in Toxic South African Plants: Identification, Phylogeny and Possible Involvement in Gousiekte. PLoS ONE, 2011, 6, e19265.	1.1	30
113	Vessel grouping patterns in subfamilies Apocynoideae and Periplocoideae confirm phylogenetic value of wood structure within Apocynaceae. American Journal of Botany, 2009, 96, 2168-2183.	0.8	29
114	<i>Thymia americana</i> , the 101st Anniversary of a Botanical Mystery. International Journal of Plant Sciences, 2014, 175, 165-175.	0.6	29
115	Morphological and Ultrastructural Diversity of Orbicules in Relation to Evolutionary Tendencies in Apocynaceae s.l.. Annals of Botany, 2002, 90, 647-662.	1.4	28
116	Comparative Wood Anatomy of Epacrids (Styphelioideae, Ericaceae s.l.). Annals of Botany, 2003, 91, 835-856.	1.4	28
117	Pollen Evolution in Yams (<i>Dioscorea</i>): Dioscoreaceae). Systematic Botany, 2005, 30, 750-758.	0.2	28
118	Bacterial leaf symbiosis in <i>Ardisia</i> (Myrsinoideae, Primulaceae): molecular evidence for host specificity. Research in Microbiology, 2011, 162, 528-534.	1.0	28
119	Pollination of <i>Specklinia</i> by nectar-feeding <i>Drosophila</i> : the first reported case of a deceptive syndrome employing aggregation pheromones in Orchidaceae. Annals of Botany, 2015, 116, 437-455.	1.4	28
120	Pollen development of <i>Rondeletia odorata</i> (Rubiaceae). American Journal of Botany, 2001, 88, 14-30.	0.8	27
121	Wood anatomy of Rauvolfioideae (Apocynaceae): a search for meaningful non-DNA characters at the tribal level. American Journal of Botany, 2008, 95, 1199-1215.	0.8	27
122	Woodiness within the Spermaceae "Knoxieae alliance (Rubiaceae): retention of the basal woody condition in Rubiaceae or recent innovation?. Annals of Botany, 2009, 103, 1049-1064.	1.4	27
123	Unraveling the Phylogeny of <i>Heptacodium</i> and <i>Zabelia</i> (Caprifoliaceae): An Interdisciplinary Approach. Systematic Botany, 2011, 36, 231-252.	0.2	27
124	Functional network analysis of genes differentially expressed during xylogenesis in woody <i>Arabidopsis</i> plants. Plant Journal, 2016, 86, 376-390.	2.8	27
125	A Floral Ontogenetic Study in the Dipsacales. International Journal of Plant Sciences, 1996, 157, 203-218.	0.6	26
126	Palynological Variation in Balsaminoid Ericales. II. Balsaminaceae, Tetrameristaceae, Pellicieraceae and General Conclusions. Annals of Botany, 2005, 96, 1061-1073.	1.4	26

#	ARTICLE	IF	CITATIONS
127	Palynological Variation in Balsaminoid Ericales. I. Marcgraviaceae. <i>Annals of Botany</i> , 2005, 96, 1047-1060.	1.4	26
128	Systematic palynology in Ebenaceae with focus on Ebenoideae: Morphological diversity and character evolution. <i>Review of Palaeobotany and Palynology</i> , 2009, 153, 336-353.	0.8	26
129	Identification, origin, and evolution of leaf nodulating symbionts of <i>Sericanthe</i> (Rubiaceae). <i>Journal of Microbiology</i> , 2011, 49, 935-941.	1.3	26
130	Endosymbiont Transmission Mode in Bacterial Leaf Nodulation as Revealed by a Population Genetic Study of <i>Psychotria leptophylla</i> . <i>Applied and Environmental Microbiology</i> , 2012, 78, 284-287.	1.4	26
131	Searching for the taxonomic position of the African genus <i>Colletocema</i> (Rubiaceae): morphology and anatomy compared to an 16-intron analysis of the Rubioideae. <i>Canadian Journal of Botany</i> , 2000, 78, 288-304.	1.2	26
132	A search for the phylogenetic position of the seven-son flower (<i>Heptacodium</i> , Dipsacales): Combining molecular and morphological evidence. <i>Plant Systematics and Evolution</i> , 2000, 225, 185-199.	0.3	25
133	The Uncertain Systematic Position of <i>Symplocos</i> (Symplocaceae): Evidence from a Floral Ontogenetic Study. <i>International Journal of Plant Sciences</i> , 2002, 163, 67-74.	0.6	25
134	A new enzyme-based method for the treatment of fragile pollen grains collected from herbarium material. <i>Taxon</i> , 2004, 53, 777-782.	0.4	25
135	Evolution of fruit and seed characters in the <i>Diervilla</i> and <i>Lonicera</i> clades (Caprifoliaceae). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 302 Td (Ce</i>	1.4	25
136	Global Decline of and Threats to <i>Aegagropila linnaei</i> , with Special Reference to the Lake Ball Habit. <i>BioScience</i> , 2010, 60, 187-198.	2.2	25
137	The biogeographical history of the interaction between mycoheterotrophic <i>Thismia</i> (Thismiaceae) plants and mycorrhizal <i>Rhizophagus</i> (Glomeraceae) fungi. <i>Journal of Biogeography</i> , 2017, 44, 1869-1879.	1.4	25
138	Pollination of <i>Trichosalpinx</i> (Orchidaceae: Pleurothallidinae) by biting midges (Diptera): <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td (Ce</i>	0.8	25
139	The distribution and systematic relevance of the androecial character oligomery. <i>Botanical Journal of the Linnean Society</i> , 1995, 118, 193-247.	0.8	24
140	Floral Developmental Evidence for the Systematic Relationships of <i>Tropaeolum</i> (Tropaeolaceae). <i>Annals of Botany</i> , 2001, 88, 879-892.	1.4	24
141	Evolution and Phylogenetic Importance of Endocarp and Seed Characters in <i>Viburnum</i> (Adoxaceae). <i>International Journal of Plant Sciences</i> , 2008, 169, 409-431.	0.6	24
142	Similarities in Floral Ontogeny and Anatomy between the Genera <i>Francoa</i> (Francoaceae) and <i>Greyia</i> (Greyiaceae). <i>International Journal of Plant Sciences</i> , 1999, 160, 377-393.	0.6	23
143	A comparison between modern pollen spectra of moss cushions and Cundill pollen traps. <i>Grana</i> , 2000, 39, 146-158.	0.4	23
144	Late Holocene local vegetation dynamics in the marsh of Gravgaz (southwest Turkey). <i>Journal of Paleolimnology</i> , 2002, 27, 429-451.	0.8	23

#	ARTICLE	IF	CITATIONS
145	A total evidence approach using palynological characters to infer the complex evolutionary history of the Asian <i>Impatiens</i> (Balsaminaceae). <i>Taxon</i> , 2012, 61, 355-367.	0.4	23
146	Evolutionary history of the Afro-Madagascan <i>Ixora</i> species (Rubiaceae): species diversification and distribution of key morphological traits inferred from dated molecular phylogenetic trees. <i>Annals of Botany</i> , 2013, 112, 1723-1742.	1.4	23
147	Intervessel pit membrane thickness best explains variation in embolism resistance amongst stems of <i>Arabidopsis thaliana</i> accessions. <i>Annals of Botany</i> , 2021, 128, 171-182.	1.4	23
148	Floral anatomy and systematics of <i>Bretschneidera</i> (Bretschneideraceae). <i>Botanical Journal of the Linnean Society</i> , 2002, 139, 29-45.	0.8	22
149	The Micromorphology of Pit Membranes in Tracheary Elements of Ericales: New Records of Tori or Pseudo-tori?. <i>Annals of Botany</i> , 2006, 98, 943-951.	1.4	22
150	A search for phylogenetically informative wood characters within Lecythidaceae s.l.. <i>American Journal of Botany</i> , 2007, 94, 483-502.	0.8	22
151	Palynological diversity and major evolutionary trends in Cyperaceae. <i>Plant Systematics and Evolution</i> , 2009, 277, 117-142.	0.3	22
152	Screening for leaf-associated endophytes in the genus <i>Psychotria</i> (Rubiaceae). <i>FEMS Microbiology Ecology</i> , 2012, 81, 364-372.	1.3	22
153	A collapsed tribe revisited: pollen morphology of the Isertieae (Cinchonoideae "Rubiaceae). <i>Review of Palaeobotany and Palynology</i> , 1998, 104, 85-113.	0.8	21
154	Wood anatomy of Elaeagnaceae, with comments on vestured pits, helical thickenings, and systematic relationships. <i>American Journal of Botany</i> , 2000, 87, 20-28.	0.8	21
155	Morphological and Ultrastructural Diversity of Orbicules in Gentianaceae. <i>Annals of Botany</i> , 2003, 92, 657-672.	1.4	21
156	Floral and Inflorescence Morphology and Ontogeny in <i>Beta vulgaris</i> , with Special Emphasis on the Ovary Position. <i>Annals of Botany</i> , 2008, 102, 643-651.	1.4	21
157	Evolution and systematic value of fruit and seed characters in Adoxaceae (Dipsacales). <i>Taxon</i> , 2010, 59, 850-866.	0.4	21
158	Floral ontogeny of five species of <i>Talinum</i> and of related taxa (Portulacaceae). <i>Journal of Plant Research</i> , 1996, 109, 387-402.	1.2	20
159	Systematic importance of orbicule diversity in Gentianales. <i>Grana</i> , 2002, 41, 158-182.	0.4	20
160	Comparative Wood Anatomy of the Primuloid Clade (Ericales s.l.). <i>Systematic Botany</i> , 2005, 30, 163-183.	0.2	20
161	Selection on Length Mutations After Frameshift Can Explain the Origin and Retention of the AP3/DEF-Like Paralogues in <i>Impatiens</i> . <i>Journal of Molecular Evolution</i> , 2008, 66, 424-435.	0.8	20
162	<i>Impatiens msimwanensis</i> (Balsaminaceae): Description, pollen morphology and phylogenetic position of a new East African species. <i>South African Journal of Botany</i> , 2009, 75, 104-109.	1.2	20

#	ARTICLE	IF	CITATIONS
163	Distribution of orbicules in Annonaceae mirrors evolutionary trend in angiosperms. <i>Plant Ecology and Evolution</i> , 2010, 143, 199-211.	0.3	20
164	Phylogeny of Temperate Gentianaceae: A Morphological Approach. <i>Systematic Botany</i> , 1996, 21, 153.	0.2	19
165	Vestured pits in Malvales s.l.: a character with taxonomic significance hidden in the secondary xylem. <i>Taxon</i> , 2000, 49, 169-182.	0.4	19
166	Searching for the taxonomic position of the African genus <i>Colletocema</i> (Rubiaceae): morphology and anatomy compared to an rps16-intron analysis of the Rubioideae. <i>Canadian Journal of Botany</i> , 2000, 78, 288-304.	1.2	19
167	<i>Gomphocalyx</i> and <i>Phylohydrax</i> (Rubiaceae): sister taxa excluded from Spermaceae s.s., featuring a remarkable case of convergent evolution. <i>Taxon</i> , 2005, 54, 91-107.	0.4	19
168	Pollen morphology of the tribes Naucleae and Hymenodictyeae (Rubiaceae – Cinchonoideae) and its phylogenetic significance. <i>Botanical Journal of the Linnean Society</i> , 2007, 153, 329-341.	0.8	19
169	Phylogenetic signal of orbicules at family level: Rubiaceae as case study. <i>Taxon</i> , 2011, 60, 742-757.	0.4	19
170	The need to re-investigate the nature of homoplastic characters: an ontogenetic case study of the 'bracteoles' in Atripliceae (Chenopodiaceae). <i>Annals of Botany</i> , 2011, 108, 847-865.	1.4	19
171	Symbiotic γ -Proteobacteria beyond Legumes: Burkholderia in Rubiaceae. <i>PLoS ONE</i> , 2013, 8, e55260.	1.1	19
172	Floral specialization for different pollinators and divergent use of the same pollinator among co-occurring <i>Impatiens</i> species (Balsaminaceae) from Southeast Asia. <i>Botanical Journal of the Linnean Society</i> , 2016, 181, 651-666.	0.8	19
173	Morphological and Molecular Characterization of Orchid Fruit Development. <i>Frontiers in Plant Science</i> , 2019, 10, 137.	1.7	19
174	The systematic value of endexine ornamentation in some Psychotrieae pollen (Rubiaceae-Rubioideae). <i>Grana</i> , 1996, 35, 129-137.	0.4	18
175	The floral development and anatomy of <i>Carica papaya</i> (Caricaceae). <i>Canadian Journal of Botany</i> , 1999, 77, 582-598.	1.2	18
176	Floral Development of <i>Galopina tomentosa</i> with a Discussion of Sympetaly and Placentation in the Rubiaceae. <i>Systematics and Geography of Plants</i> , 2000, 70, 155.	0.1	18
177	Morphology, ultrastructure and typology of orbicules in Loganiaceae s.l. and related genera, in relation to systematics. <i>Review of Palaeobotany and Palynology</i> , 2002, 119, 161-189.	0.8	18
178	Biogeography and Conservation. , 2013, , 103-156.		18
179	Elaborate Petals in Australian Spermaceae (Rubiaceae) Species: Morphology, Ontogeny and Function. <i>Annals of Botany</i> , 2006, 98, 1167-1178.	1.4	17
180	Pollen morphological survey of Pentas (Rubiaceae – Rubioideae) and its closest allies. <i>Review of Palaeobotany and Palynology</i> , 2000, 112, 189-205.	0.8	16

#	ARTICLE	IF	CITATIONS
181	The manifold characters of orbicules: structural diversity, systematic significance, and vectors for allergens. <i>Grana</i> , 2005, 44, 300-307.	0.4	16
182	Fruits and Seeds of the <i>Valeriana</i> Clade (Dipsacales): Diversity and Evolution. <i>International Journal of Plant Sciences</i> , 2010, 171, 421-434.	0.6	16
183	<i>Dialypetalanthus Fuscescens</i> Kuhl. (<i>Dialypetalanthaceae</i>): The Problematic Taxonomic Position of an Amazonian Endemic. <i>Annals of the Missouri Botanical Garden</i> , 1997, 84, 201.	1.3	15
184	The questionable relationship of <i>Montinia</i> (<i>Montiniaceae</i>): evidence from a floral ontogenetic and anatomical study. <i>American Journal of Botany</i> , 2000, 87, 1408-1424.	0.8	15
185	Contributions to the Wood Anatomy of the Rubioideae (<i>Rubiaceae</i>). <i>Journal of Plant Research</i> , 2001, 114, 269-289.	1.2	15
186	Comparative Pollen Development in Dioscoreales. <i>International Journal of Plant Sciences</i> , 2005, 166, 909-924.	0.6	15
187	<i>Amphistemon</i> and <i>Thamnoldenlandia</i> , two new genera of <i>Rubiaceae</i> (<i>Spermacoceae</i>) endemic to Madagascar. <i>Botanical Journal of the Linnean Society</i> , 0, 163, 447-472.	0.8	15
188	Pollen morphology of <i>Coffea</i> and <i>Psilanthus</i> (<i>Rubiaceae</i> = <i>Coffeae</i>), mainly from Africa. <i>Grana</i> , 1997, 36, 313-327.	0.4	14
189	Floral Ontogenetic Evidence in Support of the <i>Willdenowia</i> Clade of South African Restionaceae. <i>Journal of Plant Research</i> , 2001, 114, 329-342.	1.2	14
190	Portrayal of <i>Impatiens nzabiana</i> (<i>Balsaminaceae</i>): a Morphological, Molecular and Biogeographic Study of a New Gabonese Species. <i>Systematic Botany</i> , 2011, 36, 440-448.	0.2	14
191	Detailed mark-up of semi-monographic legacy taxonomic works using FlorML. <i>Taxon</i> , 2014, 63, 377-393.	0.4	14
192	The relationship between nectaries and floral architecture: a case study in <i>Geraniaceae</i> and <i>Hypseocharitaceae</i> . <i>Annals of Botany</i> , 2017, 120, 791-803.	1.4	14
193	Implications of a molecular phylogenetic study of the Malagasy genus <i>Cedrelopsis</i> and its relatives (<i>Ptaeroxylaceae</i>). <i>Molecular Phylogenetics and Evolution</i> , 2010, 57, 258-265.	1.2	13
194	Correlated evolutionary rates across genomic compartments in <i>Annonaceae</i> . <i>Molecular Phylogenetics and Evolution</i> , 2017, 114, 63-72.	1.2	13
195	Phylogenetic lineages in <i>Vanguerieae</i> (<i>Rubiaceae</i>) associated with <i>Burkholderia</i> bacteria in sub-Saharan Africa. <i>American Journal of Botany</i> , 2013, 100, 2380-2387.	0.8	12
196	Phylogenetic comparative methods improve the selection of characters for generic delimitations in a hyperdiverse Neotropical orchid clade. <i>Scientific Reports</i> , 2019, 9, 15098.	1.6	12
197	The <i>Schoenus</i> Spikelet: a <i>Rhipidium</i> ? A Floral Ontogenetic Answer. <i>Aliso</i> , 2007, 23, 204-209.	0.4	12
198	Wood Anatomy of the Predominantly African Representatives of the Tribe <i>Psychotrieae</i> (<i>Rubiaceae</i> - <i>Rubioideae</i>). <i>IAWA Journal</i> , 1997, 18, 169-196.	2.7	11

#	ARTICLE	IF	CITATIONS
199	Adapted to the rain forest floor: a remarkable new dwarf <i>Coffea</i> (Rubiaceae) from Lower Guinea (tropical Africa). <i>Taxon</i> , 1997, 46, 37-47.	0.4	11
200	<i>Chassalia petitiata</i> (Rubiaceae-Psychotriaceae), an Overlooked Epiphytic Species Hidden in the African Canopy. <i>Systematic Botany</i> , 1999, 24, 315.	0.2	11
201	Morphology, anatomy, and taxonomic position of <i>Pagameopsis</i> (Rubiaceae-Rubioideae). <i>Brittonia</i> , 2001, 53, 490-504.	0.8	11
202	Systematic relevance of pollen and orbicule characters in the tribe Hillieae (Rubiaceae). <i>Botanical Journal of the Linnean Society</i> , 2004, 146, 303-321.	0.8	11
203	A New Heterophyllous Spermaceae Species (Rubiaceae) from the Marungu Highlands, Democratic Republic of the Congo. <i>Novon</i> , 2006, 16, 231-234.	0.3	11
204	Enigmatic floral structures in <i>Alternanthera</i> , <i>Iresine</i> , and <i>Tidestromia</i> (Gomphrenoideae.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,542 Td (A</i>	0.3	11
205	Evolution of mycoheterotrophy in Polygalaceae: The case of <i>Epirixanthes</i> . <i>American Journal of Botany</i> , 2015, 102, 598-608.	0.8	11
206	Detection of <i>Burkholderia</i> in the seeds of <i>Psychotria punctata</i> (Rubiaceae) – Microscopic evidence for vertical transmission in the leaf nodule symbiosis. <i>PLoS ONE</i> , 2018, 13, e0209091.	1.1	11
207	Pollen morphological variation in <i>Vanguerieae</i> (Ixoroideae Rubiaceae). <i>Grana</i> , 2000, 39, 90-102.	0.4	10
208	Patterns in pyrenes: the systematic significance of pyrene morphology in <i>Chassalia</i> (Rubiaceae-Psychotriaceae) and related genera. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2001, 196, 121-131.	0.6	10
209	Comparative wood anatomy of <i>Andromedeae</i> s.s., <i>Gaultherieae</i> , <i>Lyonieae</i> and <i>Oxydendreae</i> (Vaccinioideae, Ericaceae s.l.). <i>Botanical Journal of the Linnean Society</i> , 2004, 144, 161-179.	0.8	10
210	A new herbaceous genus endemic to Madagascar: <i>Phialiphora</i> (Spermaceae, Rubiaceae). <i>Taxon</i> , 2010, 59, 1815-1829.	0.4	10
211	Molecular phylogenetic and morphological study of <i>Kohautia</i> (Spermaceae, Rubiaceae), with the recognition of the new genus <i>Cordyllostigma</i> . <i>Taxon</i> , 2010, 59, 1457-1471.	0.4	10
212	Floral development of <i>Hydrocera</i> and <i>Impatiens</i> reveals evolutionary trends in the most early diverged lineages of the Balsaminaceae. <i>Annals of Botany</i> , 2012, 109, 1285-1296.	1.4	10
213	Pollen ontogeny linked to tapetal cell maturation in <i>Impatiens parviflora</i> (Balsaminaceae). <i>Grana</i> , 2012, 51, 10-24.	0.4	10
214	Unisexual flowers as a robust synapomorphy in Cariceae (Cyperaceae)? Evidence for bisexual flowers in <i>Schoenoxiphium</i> . <i>South African Journal of Botany</i> , 2012, 78, 150-158.	1.2	10
215	Intraspecific variation in <i>Burkholderia caledonica</i> : Europe vs. Africa and soil vs. endophytic isolates. <i>Systematic and Applied Microbiology</i> , 2014, 37, 194-199.	1.2	10
216	The floral development of <i>Pleuropetalum darwinii</i> , an anomalous member of the Amaranthaceae. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 1999, 194, 189-199.	0.6	9

#	ARTICLE	IF	CITATIONS
217	WOOD ANATOMY OF THE VANGUERIEAE (IXOROIDEAERUBIACEAE), WITH SPECIAL EMPHASIS ON SOME GEOFRUITICES. IAWA Journal, 2000, 21, 443-455.	2.7	9
218	Isolepis tenella, a New Combination in Cyperaceae. Novon, 2006, 16, 89-90.	0.3	9
219	Micromorphology and Systematic Distribution of Pit Membrane Thickenings in Oleaceae: Tori and Pseudo-Tori. IAWA Journal, 2008, 29, 409-424.	2.7	9
220	Rediscovery of Malagasy <i>Lathraeocarpa</i> allows determination of its taxonomic position within Rubiaceae. Taxon, 2009, 58, 209-226.	0.4	9
221	Evolution and development of three highly specialized floral structures of bee-pollinated Phalaenopsis species. EvoDevo, 2020, 11, 16.	1.3	9
222	Genome skimming reveals novel plastid markers for the molecular identification of illegally logged African timber species. PLoS ONE, 2021, 16, e0251655.	1.1	9
223	A survey of the presence and morphology of orbicules in European allergenic angiosperms. Background information for allergen research. Canadian Journal of Botany, 2001, 79, 757-766.	1.2	8
224	The phylogenetic significance of vestured pits in Boraginaceae. Taxon, 2010, 59, 510-516.	0.4	8
225	Challenges for biodiversity research in Europe. Procedia, Social and Behavioral Sciences, 2011, 13, 83-100.	0.5	8
226	Antimicrobial Activity of Necklace Orchids is Phylogenetically Clustered and can be Predicted With a Biological Response Method. Frontiers in Pharmacology, 2020, 11, 586345.	1.6	8
227	Isolepis levynsiana, a New Name for Cyperus tenellus (Cyperaceae). Novon, 2007, 17, 59-59.	0.3	7
228	Three new species of Impatiens (Balsaminaceae) from Myanmar. Phytotaxa, 2018, 338, 63.	0.1	7
229	Balsaminaceae of Myanmar. Blumea: Journal of Plant Taxonomy and Plant Geography, 2018, , .	0.1	7
230	Evolution of pollination syndromes and corolla symmetry in Balsaminaceae reconstructed using phylogenetic comparative analyses. Annals of Botany, 2021, 127, 267-280.	1.4	7
231	A survey of the presence and morphology of orbicules in European allergenic angiosperms. Background information for allergen research. Canadian Journal of Botany, 2001, 79, 757-766.	1.2	7
232	Inflorescence lignification of natural species and horticultural hybrids of Phalaenopsis orchids. Scientia Horticulturae, 2022, 295, 110845.	1.7	7
233	The evolution of aluminium accumulation in angiosperms. , 2004, , 467-479.		6
234	Taxonomy and phylogenetics of <i>Cuviera</i> (Rubiaceae-Vanguerieae) and reinstatement of <i>Globulostylis</i> with the description of three new species. Botanical Journal of the Linnean Society, 2013, 173, 407-441.	0.8	6

#	ARTICLE	IF	CITATIONS
235	Morphology, molecular phylogenetics and biogeography of <i>Impatiens akomensis</i> (Balsaminaceae), a new species from Cameroon. <i>Plant Ecology and Evolution</i> , 2015, 148, 397-408.	0.3	6
236	<i>Chassalia subcordatifolia</i> , a New Combination in African Rubiaceae (Rubiaceae, Psychotrieae). <i>Systematics and Geography of Plants</i> , 1999, 69, 189.	0.1	5
237	A comparative ultrastructural study of pit membranes with plasmodesmata associated thickenings in four angiosperm species. <i>Protoplasma</i> , 2008, 233, 255-262.	1.0	5
238	A developmental model for the corolla in Rubiaceae. Cryptic character states in corollas of the Spermaceae alliance. <i>Plant Ecology and Evolution</i> , 2015, 148, 237-255.	0.3	5
239	Is the bacterial leaf nodule symbiosis obligate for <i>Psychotria umbellata</i> ? The development of a <i>Burkholderia</i> -free host plant. <i>PLoS ONE</i> , 2019, 14, e0219863.	1.1	5
240	Ontogeny and Anatomy of the Dimorphic Pitchers of <i>Nepenthes rafflesiana</i> Jack. <i>Plants</i> , 2020, 9, 1603.	1.6	5
241	Sepal Identity of the Pappus and Floral Organ Development in the Common Dandelion (<i>Taraxacum</i>) Tj ETQq1 1 0.784314 rgBT /Overlo	1.6	5
242	Vestured Pits in Some Woody Gentianaceae. <i>IAWA Journal</i> , 1998, 19, 35-42.	2.7	4
243	<i>Cneorum</i> (Rutaceae) in Cuba? The solution to a 150 year old mystery. <i>Taxon</i> , 2010, 59, 1126-1134.	0.4	4
244	Floral development in Gomphrenoideae (Amaranthaceae) with a focus on androecial tube and appendages. <i>Botanical Journal of the Linnean Society</i> , 2019, 190, 315-332.	0.8	4
245	Evolutionary diversification and historical biogeography of the Orchidaceae in Central America with emphasis on Costa Rica and Panama. <i>Lankesteriana</i> , 2016, 16, .	0.2	4
246	Intron evolution in a phylogenetic perspective: Divergent trends in the two copies of the duplicated <i>def</i> gene in <i>Impatiens</i> L. (Balsaminaceae). <i>Journal of Systematics and Evolution</i> , 2014, 52, 134-148.	1.6	3
247	Palynology of African <i>Impatiens</i> (Balsaminaceae). <i>Palynology</i> , 2019, 43, 621-630.	0.7	3
248	Different ways to obtain similar results: the development of the corolla and epipetaly in Rubieae (Rubiaceae, Rubiaceae). <i>Plant Ecology and Evolution</i> , 2020, 153, 466-486.	0.3	3
249	Data Decisiveness, Missing Entries, and the DD Index. <i>Cladistics</i> , 1999, 15, 25-37.	1.5	2
250	Georeferencing specimens by combining digitized maps with SRTM digital elevation data and satellite images: a Bornean case study. <i>Blumea: Journal of Plant Taxonomy and Plant Geography</i> , 2009, 54, 162-165.	0.1	2
251	Floral evolution by simplification in <i>Monanthes</i> (Annonaceae) and hypotheses for pollination system shifts. <i>Scientific Reports</i> , 2018, 8, 12066.	1.6	2
252	In memoriam Peter Hans Hovenkamp (1953–2019). <i>Blumea: Journal of Plant Taxonomy and Plant Geography</i> , 2019, 64, v-ix.	0.1	1

#	ARTICLE	IF	CITATIONS
253	Description of 11 new <i>Astiella</i> (Spermacoaceae, Rubiaceae) species endemic to Madagascar. <i>European Journal of Taxonomy</i> , 2017, , .	0.6	1