

Wei Jia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6904148/publications.pdf>

Version: 2024-02-01

35
papers

541
citations

686830

13
h-index

676716

22
g-index

38
all docs

38
docs citations

38
times ranked

592
citing authors

#	ARTICLE	IF	CITATIONS
1	<sc>LINC</sc>00473 antagonizes the tumour suppressor miRâ€195 to mediate the pathogenesis of Wilms tumour via <sc>IKK</sc>Î±. Cell Proliferation, 2018, 51, .	2.4	71
2	<i>NFKB1</i>-94insertion/deletion ATTG polymorphism and cancer risk: Evidence from 50 case-control studies. Oncotarget, 2017, 8, 9806-9822.	0.8	49
3	BARD1 Gene Polymorphisms Confer Nephroblastoma Susceptibility. EBioMedicine, 2017, 16, 101-105.	2.7	40
4	Association between NER Pathway Gene Polymorphisms and Wilms Tumor Risk. Molecular Therapy - Nucleic Acids, 2018, 12, 854-860.	2.3	39
5	Base Excision Repair Gene Polymorphisms and Wilms Tumor Susceptibility. EBioMedicine, 2018, 33, 88-93.	2.7	31
6	Association of KRAS and NRAS gene polymorphisms with Wilms tumor risk: a four-center case-control study. Aging, 2019, 11, 1551-1563.	1.4	28
7	<i>LINC00673</i> rs11655237 C>T confers neuroblastoma susceptibility in Chinese population. Bioscience Reports, 2018, 38, .	1.1	27
8	Association between TP53 gene Arg72Pro polymorphism and Wilms’ tumor risk in a Chinese population. OncoTargets and Therapy, 2017, Volume 10, 1149-1154.	1.0	25
9	The correlation between <i><sc>LIN</sc>28B</i> gene potentially functional variants and Wilms tumor susceptibility in Chinese children. Journal of Clinical Laboratory Analysis, 2018, 32, .	0.9	20
10	Curcumin suppresses wilms' tumor metastasis by inhibiting RECK methylation. Biomedicine and Pharmacotherapy, 2019, 111, 1204-1212.	2.5	20
11	MicroRNAâ€92aâ€3p inhibits the cell proliferation, migration and invasion of Wilms tumor by targeting NOTCH1. Oncology Reports, 2018, 40, 571-578.	1.2	19
12	Prenatal exposure to environmentally relevant levels of PBDE-99 leads to testicular dysgenesis with steroidogenesis disorders. Journal of Hazardous Materials, 2022, 424, 127547.	6.5	17
13	Association Between <i>HACE1</i> Gene Polymorphisms and Wilms' Tumor Risk in a Chinese Population. Cancer Investigation, 2017, 35, 633-638.	0.6	13
14	CircCDYL Acts as a Tumor Suppressor in Wilmsâ€™ Tumor by Targeting miR-145-5p. Frontiers in Cell and Developmental Biology, 2021, 9, 668947.	1.8	13
15	Associations between <i>LMO1</i> gene polymorphisms and Wilms' tumor susceptibility. Oncotarget, 2017, 8, 50665-50672.	0.8	13
16	Electrospun PLGA and PLGA/gelatin scaffolds for tubularized urethral replacement: Studies in vitro and in vivo. Journal of Biomaterials Applications, 2022, 36, 956-964.	1.2	12
17	Curcumin induced G2/M cycle arrest in SKâ€NH neuroblastoma cells through the ROSâ€mediated p53 signaling pathway. Journal of Food Biochemistry, 2021, 45, e13888.	1.2	12
18	A biomimetic hyaluronic acidâ€silk fibroin nanofiber scaffold promoting regeneration of transected urothelium. Bioengineering and Translational Medicine, 2022, 7, e10268.	3.9	12

#	ARTICLE	IF	CITATIONS
19	<i>miR-423</i> rs6505162 C>A polymorphism contributes to decreased Wilms tumor risk. <i>Journal of Cancer</i> , 2018, 9, 2460-2465.	1.2	11
20	Silencing of long noncoding RNA MYLK-AS1 suppresses nephroblastoma via down-regulation of CCNE1 through transcription factor TCF7L2. <i>Journal of Cellular Physiology</i> , 2021, 236, 5757-5770.	2.0	11
21	hsa_circ_0013401 Accelerates the Growth and Metastasis and Prevents Apoptosis and Autophagy of Neuroblastoma Cells by Sponging miR-195 to Release PAK2. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-21.	1.9	9
22	<i>APEX1</i> Polymorphisms and Neuroblastoma Risk in Chinese Children: A Three-Center Case-Control Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-8.	1.9	7
23	MYC gene associated polymorphisms and Wilms tumor risk in Chinese children: a four-center case-control study. <i>Annals of Translational Medicine</i> , 2019, 7, 475-475.	0.7	7
24	METTL14 gene polymorphisms decrease Wilms tumor susceptibility in Chinese children. <i>BMC Cancer</i> , 2021, 21, 1294.	1.1	7
25	Knockdown of SENP1 inhibits HIF-1 α SUMOylation and suppresses oncogenic CCNE1 in Wilms tumor. <i>Molecular Therapy - Oncolytics</i> , 2021, 23, 355-366.	2.0	6
26	Investigation of association between LINC00673 rs11655237 C>T and Wilms tumor susceptibility. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e22930.	0.9	5
27	<i>Axl</i> promotes the proliferation, invasion and migration of Wilms tumor and can be used as a prognostic factor. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 955-963.	1.0	4
28	<i>LMO1</i> Super-Enhancer rs2168101 G>T Polymorphism Reduces Wilms Tumor Risk. <i>Journal of Cancer</i> , 2019, 10, 1808-1813.	1.2	4
29	Increased hypospadias risk by GREM1 rs3743104[G] in the southern Han Chinese population. <i>Aging</i> , 2021, 13, 13898-13908.	1.4	3
30	The association between caudal block and urethroplasty complications of distal tubularized incised plate repair: experience from a South China National Children's Medical Center. <i>Translational Andrology and Urology</i> , 2021, 10, 2084-2090.	0.6	2
31	Ambulatory Orchidopexy Is a Potential Solution to Improve the Rate of Timely Repair in Cryptorchid Boys: An 8 Year Retrospective Study of 4,972 Cases. <i>Frontiers in Pediatrics</i> , 2021, 9, 671578.	0.9	2
32	Lack of associations between <i>LIG3</i> gene polymorphisms and neuroblastoma susceptibility in Chinese children. <i>Journal of Cancer</i> , 2019, 10, 5722-5726.	1.2	1
33	Association of <i>NEFL</i> Gene Polymorphisms with Wilms Tumor Susceptibility in Chinese Children. <i>Journal of Oncology</i> , 2019, 2019, 1-7.	0.6	0
34	HAAO rs3816183 Polymorphisms [T] Increase Anterior/Middle Hypospadias Risk in Southern Han Chinese Population. <i>Frontiers in Pediatrics</i> , 2022, 10, 842519.	0.9	0
35	Quantitative proteomics reveals specific protein regulation of severe hypospadias. <i>Translational Andrology and Urology</i> , 2022, 11, 495-508.	0.6	0